

Feedback Stabilization over Signal-to-Noise Ratio Constrained Channels

Julio H. Braslavsky, Rick H. Middleton and Jim S. Freudenberg

Abstract—There has recently been significant interest in feedback stabilization problems over communication channels, including several with bit rate limited feedback. Motivated by considering one source of such bit rate limits, we study the problem of stabilization over a signal-to-noise ratio (SNR) constrained channel. We discuss both continuous and discrete time cases, and show that for either state feedback, or for output feedback delay-free, minimum phase plants, there are limitations on the ability to stabilize an unstable plant over an SNR constrained channel. These limitations in fact match precisely those that might have been inferred by considering the associated ideal Shannon capacity bit rate over the same channel.

I. I

This paper discusses a feedback control system in which the measured information about the plant is fed back to the controller via a noisy channel. Such a setting arises, e.g., when sensors are far from the controller and have to communicate through a (possibly wireless) communication network. Feedback control over communication networks has been the general theme of a significant number of recent studies focusing on different aspects of the problem, particularly stabilization with quantization effects and limited communication data rates, e.g., see [1]–[8].

Fig. 1 shows a basic feedback configuration of this type. Generally, if using digital communications, the link involves some pre- and post-processing of the signals sent through a communication channel, e.g., filtering, analog-to-digital (A-D) conversion, coding, modulation, decoding, demodulation and digital-to-analog (D-A) conversion.




Fig. 1. Control system with feedback over a communication link

The case of error and delay free digital communications is a scenario of particular interest studied by Nair and Evans [6]. These authors give a necessary and sufficient condition for the asymptotic feedback stabilizability of a discrete-time

J.H. Braslavsky and R.H. Middleton are with the Centre for Complex Dynamic Systems and Control, The University of Newcastle, Australia. Emails: julio and rick @ee.newcastle.edu.au

J.S. Freudenberg is with the Department of EECS, University of Michigan Ann Arbor, USA. Email: jfr@eeecs.umich.edu

LTI system,

$$\begin{aligned} x(t+1) &= Ax(t) + Bu(t), \\ y(t) &= Cx(t), \end{aligned} \quad \forall t = 0, 1, 2, \dots \quad (1)$$

through a digital channel of limited bit rate capacity. Namely, for stabilization to be feasible, it is necessary and sufficient that the data rate R (bits per interval) satisfies the condition

$$R > \sum_{|\eta_i| \geq 1} \log_2 |\eta_i| \quad \text{bits per interval,} \quad (2)$$

where η_i are the unstable eigenvalues of the matrix A . Nair and Evans [6] obtained this result by considering the stabilization of the noiseless discrete-time system (1) by feedback through a quantized channel in which the quantizer is seen as an information encoder. They showed that (2) is necessary and sufficient for the existence of a coding and control law that gives exponential convergence of the state to the origin from a random initial state.

The main motivation for the work in this paper is the observation that a bit rate limitation may be due to channel signal to noise ratio (SNR) limitations. We therefore consider SNR constrained channels and restrict all pre- and post- signal processing involved in the communication link described above to LTI filtering and D-A and A-D type operations. Thus, the communication link reduces to the noisy channel itself. Our aim in this simplified setting is to quantify the fundamental limitations arising from a simple ideal channel model that embodies two of the fundamental limiting factors in communications: noise and fixed power constraints. Other fundamental limiting factors in the problem of control over a communication link include bandwidth constraints (c.f. [9]), variable time delays, and missing data and quantization effects, which are beyond the scope of this paper.

The rest of the paper is as follows. We begin in Section II by considering the state feedback continuous-time case. Using a minimum energy formulation, for a given channel noise intensity, we are able to exhibit the minimum signal energy required for stabilization. We follow this by an equivalent result for the output feedback case when the plant is minimum phase. In Section III we repeat this analysis for the discrete-time case for both state and output feedback scenarios. Finally, we briefly discuss possible extensions of these results to performance questions, non-minimum phase plants and other channel limitations.

II. C -T F C

A common model of a continuous-time communication channel is represented in Fig. 2. Such a model is characterized by the linear input-output relation

$$r(t) = y(t) + n(t), \quad t \in \mathbb{R}_0^+,$$

where \mathbb{R}_0^+ denotes the positive real line including 0, and $n(t)$ is a continuous-time zero-mean additive white Gaussian noise (AWGN) with intensity Φ , i.e.,

$$E\{n(t)\} = 0, \quad E\{n'(t)n(\tau)\} = \Phi\delta(t - \tau), \quad (3)$$

where $E\{\cdot\}$ represents the expectation operator, and $\delta(t)$ is the unitary impulse.




Fig. 2. AWGN channel with an input power constraint

The input signal $y(t)$ is assumed a stationary stochastic process with *root mean square (RMS)* value

$$\|y\|_{RMS} = (E\{y'(t)y(t)\})^{1/2}.$$

The *power* of the signal y is defined as $\|y\|_{RMS}^2$ and, for our AWGN channel model, is assumed to satisfy the constraint

$$\|y\|_{RMS}^2 < \mathcal{P} \quad (4)$$

for some predetermined value $\mathcal{P} > 0$. Such a power constraint may arise either from electronic hardware limitations or regulatory constraints introduced to minimize interference to other communication system users.

As is well-known [10, pp. 21–22], the power of the continuous-time stochastic signal y can be expressed in terms of the autocorrelation matrix $R_y(\tau) = E\{y(t)y'(t + \tau)\}$, or the power spectral density

$$S_y(\omega) = \int_{-\infty}^{\infty} R_y(\tau)e^{-j\omega\tau} d\tau,$$

as

$$\|y\|_{RMS}^2 = \text{trace} [R_y(0)] = \frac{1}{2\pi} \text{trace} \left[\int_{-\infty}^{\infty} S_y(\omega) d\omega \right]. \quad (5)$$

In this section, we will use the notation $\bar{\mathbb{C}}^+$ and $\bar{\mathbb{C}}^-$ to represent respectively the closed right and left halves of the complex plane \mathbb{C} .

A. State Feedback Stabilization

We first consider the problem of finding a static state feedback gain K that stabilizes the loop of Fig. 3, subject to a constraint on the power of the computed control signal y_s . In this problem we assume the system is described by the state space model¹

$$\dot{x} = Ax + Bu, \quad (6)$$

¹Note that a mathematically precise treatment of the continuous-time stochastic system would require use of *Ito calculus*, etc. on the stochastic differential equation $dx = Ax dt + Bdu$. Under appropriate stationarity assumptions, this formulation reduces to the analysis here [11, §4].

where the pair (A, B) is stabilizable and the state x is available for feedback. The matrix state feedback gain K is assumed to asymptotically stabilize the system, and we suppose that the computed control signal y_s is fed back through a AWGN channel with a power constraint $\mathcal{P} \geq \|y_s\|_{RMS}^2$. We formalize the statement of this problem.




Fig. 3. State feedback loop

Problem 1 (Continuous-time state feedback stabilization with a power constraint) Find a static state feedback gain K such that the closed loop system

$$\begin{aligned} \dot{x}(t) &= (A - BK)x(t) + Bn(t) \\ y_s(t) &= Kx(t) \end{aligned} \quad (7)$$

is asymptotically stable and, for a zero-mean white Gaussian noise input $n(t)$ with intensity Φ , the power of the signal $y_s(t)$ satisfies the constraint

$$\|y_s\|_{RMS}^2 < \mathcal{P} \quad (8)$$

for a predetermined feasible value $\mathcal{P} > 0$. ◦

Since the closed loop system in Fig. 3 is asymptotically stable, the signal $y_s(t)$ produced by $n(t)$ is a stationary stochastic process with Gaussian distribution. The power spectral density of $y_s(t)$ can then be expressed as $S_{y_s}(\omega) = T_K(j\omega)S_n(\omega)T_K'(-j\omega)$, where $T_K(s)$ is the closed loop transfer function between $n(t)$ and $y_s(t)$ in Fig. 3, that is,

$$T_K(s) = \frac{K(sI - A)^{-1}B}{1 + K(sI - A)^{-1}B}. \quad (9)$$

Thus, the power constraint on y_s in the system of Fig. 3 may be expressed as

$$\mathcal{P} \geq \|y_s\|_{RMS}^2 = \|T_K\|_{H_2}^2 \Phi, \quad (10)$$

where $\|T_K\|_{H_2}$ denotes the H_2 norm of the strictly proper, stable scalar transfer function $T_K(s)$, defined as

$$\|T_K\|_{H_2} = \left(\frac{1}{2\pi} \int_{-\infty}^{\infty} T_K(j\omega)T_K(-j\omega) d\omega \right)^{1/2}.$$

The following result gives an explicit expression for the lowest value that $\|T_K\|_{H_2}^2$ can take over the class of all stabilizing gains K in the closed loop system in Fig. 3.

Proposition II.1 Consider the feedback loop of Fig. 3. Let $p_k, k = 1, 2, \dots, m$ be the eigenvalues of A in $\bar{\mathbb{C}}^+$. Then,

$$K : (A - BK) \text{ is Hurwitz} \quad \|T_K\|_{H_2}^2 = \sum_{k=1}^m 2 \text{Re} \{p_k\}. \quad (11)$$

Proof: See [12] for details. ■

From (11), we see that in order to be able to solve Problem 1, the lowest feasible value of \mathcal{P} in (8) must be greater than a positive value fixed by the open loop unstable poles of the plant and the intensity of the noise; in other words, the channel SNR must satisfy²

$$\frac{\mathcal{P}}{\Phi} \geq \sum_{k=1}^m 2 \operatorname{Re} \{p_k\}. \quad (12)$$

How does this constraint relate to Nair and Evans' bound (2) on the lowest data rate required for stabilization? Suppose that the discrete time system (1) arises as the discretization with sample interval T of a continuous-time system with unstable eigenvalues $p_i \in \mathbb{C}^+$, $i = 1, 2, \dots, m$. Then, the bound (2) establishes that the lowest data rate required for stabilization must satisfy

$$R/T > \log_2 e \sum_{\operatorname{Re}\{p_i\} \geq 0} \operatorname{Re} \{p_i\} \quad \text{bits per second.} \quad (13)$$

On the other hand, we know that the capacity C of a continuous-time AWGN channel with infinite bandwidth, power constraint $\mathcal{P} \geq \|y\|_{RMS}^2$, and noise spectral density Φ , can be made arbitrarily close to [14, p. 250]

$$C = \frac{\mathcal{P}}{2\Phi} (\log_2 e), \quad \text{bits per second.} \quad (14)$$

Note that under (12), the maximum channel capacity (14) permitted by Shannon's Theorem must satisfy

$$C \geq \log_2 e \sum_{k=1}^m \operatorname{Re} \{p_k\} \quad \text{bits per second.} \quad (15)$$

Therefore, assuming maximum channel capacity can be attained, Equation (15) gives the same bound (13) derived from Nair and Evans' result.

B. Output Feedback Stabilization

The previous section considered a simplified version of the feedback system of Fig. 1 in which we were only concerned about stabilization by static state feedback over an AWGN channel. In this section, we turn to stabilization by dynamic output feedback. Under the assumption that the plant is minimum phase, we will recover in this case the same bound (12) on the required SNR for stabilization, again consistent with Nair and Evans' result.

On using the channel model of Fig. 2, the feedback loop of Fig. 1 reduces to the LTI loop of Fig. 4, in which $P(s)$ and $C(s)$ respectively are the transfer functions of the plant and the controller, and $y(t)$ is the output of the system. We assume that the controller $C(s)$ is such that the feedback loop of Fig. 4 is asymptotically stable. We also assume that the plant $P(s)$ is proper and minimum phase (it does not contain either zeros in \mathbb{C}^+ or time delays), although it may be unstable.

² Note here that we use "SNR" as the ratio *signal power/noise intensity*. Strictly, the SNR in a continuous-time channel should be defined as the ratio *signal power/noise power* (e.g., [13, §6.1]), in which the noise power is $W\Phi$, where W is the channel bandwidth (assumed infinite in this paper).




Fig. 4. Simplified continuous-time feedback loop over an AWGN channel

Since the closed loop system is asymptotically stable, the output $y(t)$ resulting from the input noise $n(t)$ is a stationary stochastic process with Gaussian distribution. By using the power spectral density of $y(t)$ as in the previous section,

$$\|y\|_{RMS}^2 = \frac{1}{2\pi} \int_{-\infty}^{\infty} \operatorname{trace} [G(j\omega)G'(-j\omega)] \Phi d\omega = \|G\|_{H_2}^2 \Phi, \quad (16)$$

where $G(s)$ is the closed loop transfer function between $n(t)$ and $y(t)$ in Fig. 4

$$G(s) = \frac{P(s)C(s)}{1 + P(s)C(s)}, \quad (17)$$

and $\|G\|_{H_2}$ is the H_2 norm of $G(s)$, which is finite since $G(s)$ is stable and strictly proper. Thus to find the lowest achievable value of $\|y\|_{RMS}$ we have to find the lowest value of $\|G\|_{H_2}$ over the class of all stabilizing controllers.

If the plant $P(s)$ is unstable, $\|G\|_{H_2}$ has a positive lower bound that cannot be further reduced by any choice of the controller, as we show in the following proposition.

Proposition II.2 Consider the feedback loop of Fig. 4. Assume that the plant $P(s)$ is proper and minimum phase, and has m poles $p_k, k = 1, 2, \dots, m$ in \mathbb{C}^+ , and that $C(s)$ is such that the closed-loop is asymptotically stable. Then,

$$\|G\|_{H_2}^2 \geq \left(\sum_{k=1}^m 2 \operatorname{Re} \{p_k\} \right). \quad (18)$$

Proof: See Appendix A. ■

From (14) and Proposition II.2, we have that for the feedback loop of Fig. 4, stabilization under the power constraint (4) is only possible if

$$\mathcal{P} \geq \|y\|_{RMS}^2 = \|G\|_{H_2}^2 \Phi \geq \sum_{k=1}^m 2 \operatorname{Re} \{p_k\} \Phi, \quad (19)$$

which is the same as (12), and hence yields, together with Shannon's Theorem, the same bound (15). Again, assuming maximum channel capacity is attained, we recover the bound (13) derived for our continuous-time setting from Nair and Evans' result.

Note that in the output feedback case, if $P(s)$ is *non-minimum phase*, then a *higher* lower bound on $\|y\|_{RMS}^2$, and hence also on C , should be expected. The lowest channel capacity required would then account not only for the bit rate needed for stabilization of the loop, but also for the H_2 performance requirement on the system output [15].

III. D -T F C

Under the simplifying assumptions that all pre- and post-signal processing involved in the communication link of Fig. 1 are limited to LTI filtering and sampling and hold operations, we consider now a discrete-time version for the problems discussed in the previous sections.

A common model of a discrete-time communication channel is defined by the linear input-output relation

$$r(t) = y(t) + n(t), \quad t = 0, 1, 2, \dots, \quad (20)$$

in which $n(t)$ represents a zero-mean, discrete-time white Gaussian noise, and the input signal $y(t)$ is required to satisfy a power constraint. This channel model, shown in Fig. 2, is usually referred to as the *discrete-time AWGN channel*, widely used in Communications (e.g., [13, §10]; [14, §10]; [16]), and is also useful to represent roundoff and quantization effects in A-D/D-A converters [17].

The zero-mean, discrete-time white Gaussian noise $n(t)$ in (20) is assumed to have intensity Φ , i.e.,

$$E\{n(t)\} = 0, \quad E\{n'(t)n(\tau)\} = \Phi\delta(t - \tau),$$

$$\text{where } \delta(t - \tau) = \begin{cases} 1 & \text{if } t = \tau \\ 0 & \text{otherwise.} \end{cases} \quad (21)$$

The input signal $y(t)$ is assumed to be a discrete-time stationary stochastic process with autocorrelation matrix

$$R_y(\tau) = E\{y(t)y'(t + \tau)\},$$

and power spectral density

$$S_y(\omega) = \sum_{-\infty}^{\infty} R_y(\tau)e^{-j\omega\tau}, \quad -\pi \leq \omega \leq \pi.$$

For a discrete-time stochastic signal $y(t)$ we have

$$\|y\|_{RMS} = E\{y(t)'y(t)\}^{1/2}.$$

Its *power* $\|y\|_{RMS}^2$ is given by

$$\|y\|_{RMS}^2 = \text{trace}[R_y(0)] = \frac{1}{2\pi} \text{trace}\left[\int_{-\pi}^{\pi} S_y(\omega)d\omega\right]. \quad (22)$$

The input power constraint in the channel model of Fig. 2 is enforced by requiring that $\|y\|_{RMS}^2$ be bounded by some predetermined positive value \mathcal{P} , $\|y\|_{RMS}^2 < \mathcal{P}$.

A. State Feedback Stabilization




Fig. 5. Discrete-time state feedback loop

Consider a discrete-time version of the state feedback stabilization problem discussed in Section II-A, illustrated

in Fig. 5. The state feedback signal y_s is fed back over a discrete-time AWGN channel with input power constraint

$$\|y_s\|_{RMS}^2 < \mathcal{P}, \quad (23)$$

Under these conditions, we pose the following problem.

Problem 2 (State feedback stabilization with a power constraint) Find a static state feedback gain K such that the closed loop system

$$x(t+1) = (A - BK)x(t) + Bn(t)$$

$$y_s(t) = Kx(t) \quad (24)$$

is asymptotically stable and, for a zero-mean white Gaussian noise input $n(t)$ with intensity Φ , the power of the signal $y_s(t)$ satisfies the constraint

$$\|y_s\|_{RMS}^2 < \mathcal{P} \quad (25)$$

for a predetermined feasible value $\mathcal{P} > 0$. \circ

Note that the power constraint (23) is a constraint on the H_2 norm of the transfer function between n and y_s in the loop of Fig. 5. Indeed, it is well-known [10, p. 23] that the power of the signal $y_s(t)$ resulting from the input noise $n(t)$ is given by

$$\|y_s\|_{RMS}^2 = \|T_K\|_{H_2}^2 \Phi, \quad (26)$$

where $T_K(z)$ is the transfer function

$$T_K(z) = K(zI - A + BK)^{-1}B, \quad (27)$$

and $\|T_K\|_{H_2}$ now represents the H_2 norm of a proper, stable scalar discrete transfer function, defined as

$$\|T_K\|_{H_2} = \left(\frac{1}{2\pi} \int_{-\pi}^{\pi} T_K(e^{j\theta})T_K(e^{-j\theta})d\theta \right)^{\frac{1}{2}} \quad (28)$$

$$= \left(\sum_{t=0}^{\infty} |\mathcal{T}_K(t)|^2 \right)^{\frac{1}{2}}, \quad (29)$$

where $\mathcal{T}_K(t)$ is the discrete-time impulse response of the transfer function $T_K(z)$.

The following proposition states necessary and sufficient conditions for Problem 2 to be solvable in terms of the feasible SNR in the noisy feedback channel with power constraint \mathcal{P} and noise power Φ .³

Proposition III.1 There exists a state feedback gain K solving Problem 2 if and only if the power constraint (25) satisfies

$$\frac{\mathcal{P}}{\Phi} > \left(\prod_{|\eta_i| \geq 1} |\eta_i|^2 - 1 \right), \quad (30)$$

where $\{\eta_i : |\eta_i| \geq 1\}$ are the unstable eigenvalues of A in (24).

³In this case, our treatment of SNR is consistent with *signal power/noise power*, since in discrete-time the noise power is precisely $\|n\|_{RMS} = \Phi$. Compare Footnote 2 on Page 3.

Proof: See [12] for details. ■

Thus, we see that for the feedback stabilization problem to have a solution, the lowest feasible input power constraint (25) for the AWGN feedback channel must be greater than a positive value fixed by the open loop unstable poles of the plant and the intensity of the noise.

By using the constraint (30) on Shannon's bound on the capacity of a discrete-time AWGN channel [14, § 10]

$$C = \frac{1}{2} \log_2 \left(1 + \frac{\mathcal{P}}{\Phi} \right) \quad \text{bits per interval,} \quad (31)$$

we recover again Nair and Evans' bound (2) on the lowest data rate necessary for stabilization,

$$C > \sum_{|\eta_i| \geq 1} \log_2 |\eta_i| \quad \text{bits per interval.} \quad (32)$$

B. Output Feedback Stabilization

We consider the discrete-time output feedback loop pictured in Fig. 6, in which we have used the AWGN channel model of Fig. 2 to represent the noisy feedback channel. We intend to find the lowest value of $\|y\|_{RMS}^2$ over the set of all stabilizing controllers $C(z)$ for a zero-mean, white Gaussian noise $n(k)$ with intensity Φ .




Fig. 6. Simplified discrete-time feedback loop over an AWGN channel

Note that

$$Y(z) = G(z)N(z) = \frac{C(z)P(z)}{1 + C(z)P(z)}N(z) \quad (33)$$

Since $n(t)$ is white with power spectral density $S_n(\omega) = \Phi$, the power spectral density of the output $y(t)$ is

$$S_y(\omega) = |G(e^{j\omega})|^2 \Phi, \quad (34)$$

and therefore the output power is

$$\|y\|_{RMS}^2 = \left(\int_{-\pi}^{\pi} |G(e^{j\omega})|^2 d\omega \right) \Phi = \|G\|_{H_2}^2 \Phi. \quad (35)$$

We are thus trying to solve an H_2 optimization problem.

Proposition III.2 Consider the feedback loop of Fig. 6. Assume that the plant $P(z)$ is minimum phase, strictly proper with relative degree 1, and has m poles p_k , $k = 1, 2, \dots, m$, in \mathbb{D}^c , and that $C(z)$ is such that the closed loop is asymptotically stable. Then,

$$\|G\|_{H_2}^2 \geq \left[\prod_{i=1}^m |p_i|^2 \right] - 1 \quad (36)$$

Proof: See [12] for details. ■

IV. C

In this paper we have been motivated by control over bit rate limited channels to consider stabilization over SNR limited channels. We have considered the simple case where there is essentially no encoding or decoding present, and looked at the limits of achievable stabilization of linear controls. For both state feedback and for delay free minimum phase plants, we obtain results equivalent to those that would be obtained if delay and error free digital communication could be performed on the same channel at Shannon channel capacity. The results include both continuous-time and discrete-time channels.

Extensions of this work include looking at output feedback non-minimum phase plants where, at least in the present framework, a deterioration in the achievable H_2 performance suggests that stabilization will be more difficult [15]. In addition, channel bandwidth constraints, and more general control performance questions than simple stabilization could be considered within the framework suggested in this paper. More complex questions including the potential use of time varying or nonlinear elements in the coding and decoding are also of interest.

A

A. Proof of Proposition II.2

To compute the lowest value of $\|G\|_{H_2}$ over the class of all stabilizing controllers, we apply a technique used in reference [18]. This is based on considering the spaces

$$L_2 = \left\{ G(s) : \int_{-\infty}^{\infty} |G(j\omega)|^2 d\omega < \infty \right\},$$

$$H_2 = L_2 \cap \{G(s) : \text{analytic in } \bar{\mathbb{C}}^+\}$$

and the orthogonal complement of H_2

$$H_2^\perp = L_2 \cap \{G(s) : \text{analytic in } \bar{\mathbb{C}}^-\}$$

We start by deriving an expression for $G(s)$ based on a parameterization of all stabilizing controllers. Represent $P(s)$ by a coprime factorization

$$P(s) = \frac{N(s)}{B_p(s)},$$

where $N(s) \in RH_\infty$ (the space of proper, stable, rational functions), and

$$B_p(s) = \prod_{k=1}^m \frac{s - p_k}{s + \bar{p}_k}$$

is the Blaschke product of all poles of $P(s)$ in \mathbb{C}^+ . By using the well-known Youla controller parameterization, we can represent any stabilizing controller for the feedback loop in Fig. 4 by⁴

$$C = \frac{X + B_p Q}{Y - N Q}, \quad (37)$$

⁴Dependency on s is omitted to simplify notation when convenient.

where Q , X and Y are in RH_∞ , with X and Y satisfying the Bezout identity

$$NX + B_p Y = 1. \quad (38)$$

By replacing (37) in (38), G can be expressed as

$$G = (1 - B_p(Y - NQ)) = N(X + B_p Q), \quad (39)$$

where the last equality follows from the fact that $X + B_p Q$ and $Y - NQ$ are also coprime and satisfy the Bezout identity

$$N(X + B_p Q) + B_p(Y - NQ) = 1.$$

Thus, from (39), the problem of finding the lowest value of $\|G\|_{H_2}$ over the class of stabilizing controllers reduces to that of finding

$$\inf_{Q \in RH_\infty} \|1 - B_p Y + B_p NQ\|_{H_2}. \quad (40)$$

Now,

$$\begin{aligned} \inf_{Q \in RH_\infty} \|1 - B_p Y + B_p NQ\|_{L_2} &= \inf_{Q \in RH_\infty} \|B_p^{-1} - Y + NQ\|_{L_2}^2, \\ &= \inf_{Q \in RH_\infty} \|(1 - B_p^{-1}) + (1 - Y + NQ)\|_{L_2}^2, \\ &= \|1 - B_p^{-1}\|_{L_2}^2 + \inf_{Q \in RH_\infty} \|1 - Y + NQ\|_{L_2}^2, \end{aligned} \quad (41)$$

where the first line follows since B_p is all pass, and the last line since $(1 - B_p^{-1})$ is both strictly proper and anti-stable, and therefore is in H_2^\perp . Conversely, $(1 - Y + NQ)$ is strictly proper and stable and therefore in H_2 .

Assuming the plant is minimum phase, then we may take Q arbitrarily close to $N^{-1}(1 - Y)$. Indeed, because $(1 - Y)$ is stable, given any $\varepsilon > 0$, there always exists some $Q_\varepsilon \in RH_\infty$ such that $\|1 - Y + NQ_\varepsilon\|_{L_2} < \varepsilon$, which shows in (41) that $\inf_{Q \in RH_\infty} \|1 - Y + NQ\|_{L_2}^2 = 0$.

On the other hand, note that

$$\begin{aligned} \|1 - B_p^{-1}\|_{L_2}^2 &= \frac{1}{2\pi} \int_{-\infty}^{\infty} (1 - B_p^{-1}(j\omega))(1 - B_p^{-1}(-j\omega)) d\omega, \\ &= \frac{1}{2\pi} \int_{-\infty}^{\infty} (1 - B_p^{-1}(j\omega))(1 - B_p(j\omega)) d\omega, \\ &= \frac{1}{2\pi} \int_{-\infty}^{\infty} (1 - B_p^{-1}(j\omega)) + (1 - B_p(j\omega)) d\omega, \\ &= \frac{1}{\pi} \int_{-\infty}^{\infty} (1 - B_p(j\omega)) d\omega, \end{aligned}$$

by conjugate symmetry. To finish the proof, we now use contour integration around the clockwise-oriented contour in $\bar{\mathbb{C}}^+$, which consists of the imaginary axis, closed with a

semi-circular region of arbitrarily large radius R in \mathbb{C}^+ ,

$$\begin{aligned} \|1 - B_p^{-1}\|_{L_2}^2 &= \left[\frac{1}{j\pi} \oint_{\bar{\mathbb{C}}^+} (1 - B_p(s)) ds \right] \\ &= 0, \text{ since } (1 - B_p) \text{ is analytic in } \bar{\mathbb{C}}^+ \\ &\quad - \lim_{R \rightarrow \infty} \left[\frac{1}{\pi} \int_{\frac{\pi}{2}}^{-\frac{\pi}{2}} (1 - B_p(Re^{j\theta})) Re^{j\theta} d\theta \right], \\ &= - \lim_{R \rightarrow \infty} \left[\frac{1}{\pi} \int_{\frac{\pi}{2}}^{-\frac{\pi}{2}} \left(\frac{c_1}{Re^{j\theta}} + \frac{c_2}{(Re^{j\theta})^2} + \dots \right) Re^{j\theta} d\theta \right] \\ &\quad (\text{since } (1 - B_p) \text{ is strictly proper}), \\ &= c_1 \triangleq \lim_{s \rightarrow \infty} (s(1 - B_p(s))) = 2 \sum_{k=1}^m \operatorname{Re}\{p_k\}, \end{aligned}$$

which, from (41), concludes the proof. \blacksquare

R

- [1] D. Delchamps, "Stabilizing a linear system with quantized state feedback," *IEEE Trans. on Automatic Control*, vol. 35, no. 8, pp. 916–924, August 1990.
- [2] S. Tatikonda, A. Sahai, and S. Mitter, "Control of lqg systems under communication constraints," in *Proc. 37th IEEE CDC*, vol. 1, December 1998, pp. 1165–1170.
- [3] R. Brockett and D. Liberzon, "Quantized feedback stabilization of linear systems," *IEEE Trans. on Automatic Control*, vol. 45, no. 7, pp. 1279–1289, June 2000.
- [4] N. Elia and S. Mitter, "Stabilization of linear systems with limited information," *IEEE Trans. on Automatic Control*, vol. 46, no. 9, pp. 1384–1400, September 2001.
- [5] G. Nair and R. Evans, "Mean square stabilisability of stochastic linear systems with data rate constraints," in *Proc. 41st IEEE CDC*, Las Vegas, Nevada, USA, December 2002, pp. 1632–1637.
- [6] —, "Exponential stabilisability of finite-dimensional linear systems with limited data rates," *Automatica*, vol. 39, no. 4, pp. 585–593, April 2003.
- [7] H. Ishii and B. Francis, "Quadratic stabilization of sampled-data systems with quantization," *Automatica*, vol. 39, no. 10, pp. 1793–1800, 2003.
- [8] E. Verriest, "Delay in state feedback control over a network," in *Proc. 42nd IEEE CDC*, Maui, Hawaii, USA, December 2003, pp. 1080–1085.
- [9] S. Dasgupta, "Control over bandlimited communication channels: Limitations to stabilizability," in *Proc. 42nd IEEE CDC*, Maui, Hawaii, USA, December 2003.
- [10] A. Saberi, P. Sannuti, and B. Chen, *H₂ optimal control*. Prentice Hall International, 1995.
- [11] K. Åström, *Introduction to Stochastic Control Theory*. New York: Academic Press, 1970.
- [12] J. Braslavsky, R. Middleton, and J. Freudenberg. (2003, September) Feedback stabilisation over signal-to-noise ratio constrained channels. EE03038.pdf.gz. [Online]. Available: <ftp://warhol.newcastle.edu.au/pub/Reports/>
- [13] J. G. Proakis and M. Salehi, *Communication Systems Engineering*. Prentice-Hall, 1994.
- [14] T. Cover and J. Thomas, *Elements of Information Theory*. John Wiley & Sons, 1991.
- [15] R. Middleton, J. Braslavsky, and J. Freudenberg, "Stabilization of non-minimum phase plants over signal-to-noise ratio constrained channels," in *Proc. 5th Asian Control Conference*, Melbourne, Australia, July 2004.
- [16] G. Forney and G. Ungerboeck, "Modulation and coding for linear Gaussian channels," *IEEE Trans. on Information Theory*, vol. 44, no. 6, pp. 2384–2415, October 1998.
- [17] R. M. Gray, "Quantization noise spectra," *IEEE Trans. on Information Theory*, vol. 36, no. 6, pp. 1220–1244, November 1990.
- [18] J. Chen, L. Qiu, and O. Toker, "Limitations on maximal tracking accuracy," *IEEE Trans. on Automatic Control*, vol. 45, no. 2, pp. 326–331, February 2000.