

# FINITE ELEMENT ANALYSIS OF COMPOSITE MATERIALS

---

**Ever J. Barbero**

Department of Mechanical and Aerospace Engineering  
West Virginia University  
USA



**CRC Press**

Taylor & Francis Group

Boca Raton London New York

---

CRC Press is an imprint of the  
Taylor & Francis Group, an **informa** business

# Contents

|   |             |
|---|-------------|
| <b>Preface</b>  | <b>xiii</b> |
| <b>Acknowledgments</b>                                  | <b>xvii</b> |
| <b>List of Symbols</b>                                  | <b>xix</b>  |
| <b>List of Examples</b>                                 | <b>xxv</b>  |
| <b>1 Mechanics of Orthotropic Materials</b>             | <b>1</b>    |
| 1.1 Material Coordinate System . . . . .                | 1           |
| 1.2 Displacements . . . . .                             | 1           |
| 1.3 Strain . . . . .                                    | 2           |
| 1.4 Stress . . . . .                                    | 4           |
| 1.5 Contracted Notation . . . . .                       | 5           |
| 1.5.1 Alternate Contracted Notation . . . . .           | 5           |
| 1.6 Equilibrium and Virtual Work . . . . .              | 6           |
| 1.7 Boundary Conditions . . . . .                       | 8           |
| 1.7.1 Traction Boundary Conditions . . . . .            | 8           |
| 1.7.2 Free Surface Boundary Conditions . . . . .        | 8           |
| 1.8 Continuity Conditions . . . . .                     | 9           |
| 1.8.1 Traction Continuity . . . . .                     | 9           |
| 1.8.2 Displacement Continuity . . . . .                 | 9           |
| 1.9 Compatibility . . . . .                             | 10          |
| 1.10 Coordinate Transformations . . . . .               | 10          |
| 1.10.1 Stress Transformation . . . . .                  | 13          |
| 1.10.2 Strain Transformation . . . . .                  | 15          |
| 1.11 Transformation of Constitutive Equations . . . . . | 15          |
| 1.12 3D Constitutive Equations . . . . .                | 17          |
| 1.12.1 Anisotropic Material . . . . .                   | 19          |
| 1.12.2 Monoclinic Material . . . . .                    | 19          |
| 1.12.3 Orthotropic Material . . . . .                   | 21          |
| 1.12.4 Transversely Isotropic Material . . . . .        | 22          |
| 1.12.5 Isotropic Material . . . . .                     | 24          |
| 1.13 Engineering Constants . . . . .                    | 25          |

|          |  |           |
|----------|--|-----------|
| 1.13.1   | Restrictions on Engineering Constants . . . . .            | 28        |
| 1.14     | From 3D to Plane Stress Equations . . . . .                | 29        |
| 1.15     | Apparent Laminate Properties . . . . .                     | 31        |
|          | Suggested Problems . . . . .                               | 32        |
|          | References . . . . .                                       | 34        |
| <b>2</b> | <b>Introduction to the Finite Element Method</b>           | <b>35</b> |
| 2.1      | Basic FEM procedure . . . . .                              | 35        |
| 2.1.1    | Discretization . . . . .                                   | 36        |
| 2.1.2    | Element Equations . . . . .                                | 36        |
| 2.1.3    | Approximation over an Element . . . . .                    | 37        |
| 2.1.4    | Interpolation Functions . . . . .                          | 38        |
| 2.1.5    | Element Equations for a Specific Problem . . . . .         | 39        |
| 2.1.6    | Assembly of Element Equations . . . . .                    | 40        |
| 2.1.7    | Boundary Conditions . . . . .                              | 41        |
| 2.1.8    | Solution of the Equations . . . . .                        | 42        |
| 2.1.9    | Solution Inside the Elements . . . . .                     | 42        |
| 2.1.10   | Derived Results . . . . .                                  | 42        |
| 2.2      | General FEM Procedure . . . . .                            | 43        |
| 2.3      | FE Analysis with CAE systems . . . . .                     | 46        |
| 2.3.1    | Pre-process: Model Generation . . . . .                    | 46        |
| 2.3.2    | Model Geometry . . . . .                                   | 48        |
| 2.3.3    | Load States . . . . .                                      | 52        |
| 2.3.4    | Boundary Conditions . . . . .                              | 53        |
| 2.3.5    | Loads . . . . .  | 54        |
| 2.3.6    | Solution Procedure . . . . .                               | 54        |
| 2.3.7    | Post-process: Analysis and Results Visualization . . . . . | 55        |
|          | Suggested Problems . . . . .                               | 57        |
|          | References . . . . .                                       | 58        |
| <b>3</b> | <b>Elasticity and Strength of Laminates</b>                | <b>59</b> |
| 3.1      | Kinematic of Shells . . . . .                              | 60        |
| 3.1.1    | First-Order Shear Deformation Theory . . . . .             | 61        |
| 3.1.2    | Kirchhoff Theory . . . . .                                 | 65        |
| 3.2      | FE Analysis of Laminates . . . . .                         | 67        |
| 3.2.1    | Shell Element Types in FE codes . . . . .                  | 69        |
| 3.2.2    | A-B-D-H Input Data for Laminate FEA . . . . .              | 69        |
| 3.2.3    | Equivalent Orthotropic Input for Laminate FEA . . . . .    | 74        |
| 3.2.4    | LSS for Multidirectional Laminate FEA . . . . .            | 78        |
| 3.2.5    | FEA of Ply Drop-Off Laminates . . . . .                    | 81        |
| 3.2.6    | FEA of Sandwich Shells . . . . .                           | 84        |
| 3.2.7    | Element Coordinate System . . . . .                        | 86        |
| 3.3      | Failure Criteria . . . . .                                 | 95        |
| 3.3.1    | 2D Failure Criteria for Unidirectional Laminae . . . . .   | 95        |
| 3.3.2    | 3D Failure Criteria . . . . .                              | 97        |

|   |            |
|---|------------|
| Suggested Problems . . . . .                                | 103        |
| References . . . . .  | 105        |
| <b>4 Buckling</b>   | <b>107</b> |
| 4.1 Bifurcation Methods . . . . .                           | 107        |
| 4.1.1 Imperfection Sensitivity . . . . .                    | 112        |
| 4.1.2 Asymmetric Bifurcation . . . . .                      | 113        |
| 4.1.3 Post-Critical Path . . . . .                          | 113        |
| 4.2 Continuation Methods . . . . .                          | 115        |
| Suggested Problems . . . . .                                | 118        |
| References . . . . .  | 119        |
| <b>5 Free Edge Stresses</b>                                 | <b>121</b> |
| 5.1 Poisson's Mismatch . . . . .                            | 122        |
| 5.1.1 Interlaminar Force . . . . .                          | 122        |
| 5.1.2 Interlaminar Moment . . . . .                         | 123        |
| 5.2 Coefficient of Mutual Influence . . . . .               | 129        |
| 5.2.1 Interlaminar Stress due to Mutual Influence . . . . . | 131        |
| Suggested Problems . . . . .                                | 135        |
| References . . . . .  | 137        |
| <b>6 Computational Micromechanics</b>                       | <b>139</b> |
| 6.1 Analytical Homogenization . . . . .                     | 140        |
| 6.1.1 Reuss Model . . . . .                                 | 140        |
| 6.1.2 Voigt Model . . . . .                                 | 141        |
| 6.1.3 Periodic Microstructure Model . . . . .               | 141        |
| 6.1.4 Transversely Isotropic Averaging . . . . .            | 142        |
| 6.2 Numerical Homogenization . . . . .                      | 144        |
| 6.3 Local-Global Analysis . . . . .                         | 159        |
| 6.4 Laminated RVE . . . . .                                 | 162        |
| Suggested Problems . . . . .                                | 165        |
| References . . . . .  | 165        |
| <b>7 Viscoelasticity</b>                                    | <b>167</b> |
| 7.1 Viscoelastic Models . . . . .                           | 169        |
| 7.1.1 Maxwell Model . . . . .                               | 169        |
| 7.1.2 Kelvin Model . . . . .                                | 170        |
| 7.1.3 Maxwell-Kelvin Model . . . . .                        | 171        |
| 7.1.4 Power Law . . . . .                                   | 171        |
| 7.1.5 Prony Series . . . . .                                | 172        |
| 7.1.6 Generalized Kelvin Model . . . . .                    | 172        |
| 7.1.7 Nonlinear Power Law . . . . .                         | 173        |
| 7.2 Boltzmann Superposition . . . . .                       | 174        |
| 7.2.1 Linear Viscoelastic Material . . . . .                | 174        |
| 7.2.2 Unaging Viscoelastic Material . . . . .               | 175        |

|          |   |            |
|----------|---|------------|
| 7.3      | Correspondence Principle . . . . .                              | 176        |
| 7.4      | Frequency Domain . . . . .                                      | 178        |
| 7.5      | Spectrum Representation . . . . .                               | 178        |
| 7.6      | Micromechanics of Viscoelastic Composites . . . . .             | 179        |
| 7.6.1    | One-Dimensional Case . . . . .                                  | 179        |
| 7.6.2    | Three-Dimensional Case . . . . .                                | 180        |
| 7.7      | Macromechanics of Viscoelastic Composites . . . . .             | 184        |
| 7.7.1    | Balanced Symmetric Laminates . . . . .                          | 184        |
| 7.7.2    | General Laminates . . . . .                                     | 185        |
| 7.8      | FEA of Viscoelastic Composites . . . . .                        | 185        |
|          | Suggested Problems . . . . .                                    | 188        |
|          | References . . . . .  | 189        |
| <b>8</b> | <b>Damage Mechanics</b> . . . . .                               | <b>191</b> |
| 8.1      | One-Dimensional Damage Mechanics . . . . .                      | 191        |
| 8.1.1    | Damage Variable . . . . .                                       | 191        |
| 8.1.2    | Damage Threshold and Activation Function . . . . .              | 194        |
| 8.1.3    | Kinetic Equation . . . . .                                      | 195        |
| 8.1.4    | Statistical Interpretation of the Kinetic Equation . . . . .    | 196        |
| 8.1.5    | One-Dimensional Random-Strength Model . . . . .                 | 196        |
| 8.1.6    | Fiber-Direction, Tension Damage . . . . .                       | 202        |
| 8.1.7    | Fiber-Direction, Compression Damage . . . . .                   | 206        |
| 8.2      | Multidimensional Damage and Effective Spaces . . . . .          | 210        |
| 8.3      | Thermodynamics Formulation . . . . .                            | 211        |
| 8.3.1    | First Law . . . . .   | 212        |
| 8.3.2    | Second Law . . . . .  | 213        |
| 8.4      | Kinetic Law in Three-Dimensional Space . . . . .                | 219        |
| 8.4.1    | Return-Mapping Algorithm . . . . .                              | 222        |
| 8.5      | Damage and Plasticity . . . . .                                 | 225        |
|          | Suggested Problems . . . . .                                    | 227        |
|          | References . . . . .  | 228        |
| <b>9</b> | <b>A Damage Model for Fiber Reinforced Composites</b> . . . . . | <b>231</b> |
| 9.1      | Theoretical Formulation . . . . .                               | 231        |
| 9.1.1    | Damage and Effective Spaces . . . . .                           | 231        |
| 9.1.2    | Thermodynamic Formulation . . . . .                             | 231        |
| 9.1.3    | Damage and Plastic Strain . . . . .                             | 233        |
| 9.1.4    | Evolution Functions . . . . .                                   | 234        |
| 9.2      | Numerical Implementation . . . . .                              | 238        |
| 9.3      | Model Identification . . . . .                                  | 240        |
| 9.3.1    | Damage Surface Shear Coefficients . . . . .                     | 241        |
| 9.3.2    | Damage Surface Normal Coefficients . . . . .                    | 242        |
| 9.3.3    | Plastic-Strain Surface . . . . .                                | 244        |
| 9.3.4    | Hardening Functions . . . . .                                   | 244        |
| 9.4      | Laminate Damage . . . . .                                       | 251        |

|   |            |
|---|------------|
| References . . . . .  | 253        |
| <b>10 Delaminations</b>   | <b>255</b> |
| 10.1 Two-Dimensional Delamination . . . . .   | 259        |
| 10.1.1 Energy Release Rate (ERR) . . . . .  | 259        |
| 10.1.2 Modes of Fracture . . . . .  | 261        |
| 10.1.3 Crack Propagation . . . . .  | 262        |
| 10.2 Delamination in Composite Plates . . . . .                                     | 263        |
| 10.2.1 Sublaminar Modeling . . . . .  | 263        |
| 10.2.2 Delamination Modeling . . . . .  | 273        |
| 10.2.3 Unilateral Contact and Damaging Interface . . . . .                          | 278        |
| 10.2.4 ERR-Interface Model . . . . .  | 279        |
| 10.2.5 Mixed Mode Analysis . . . . .  | 282        |
| Suggested Problems . . . . .  | 291        |
| References . . . . .  | 293        |
| <b>A Tensor Algebra</b>   | <b>299</b> |
| A.1 Principal Directions of Stress and Strain . . . . .                             | 299        |
| A.2 Tensor Symmetry . . . . .   | 299        |
| A.3 Matrix Representation of a Tensor . . . . .                                     | 300        |
| A.4 Double Contraction . . . . .  | 301        |
| A.5 Tensor Inversion . . . . .  | 301        |
| A.6 Tensor Differentiation . . . . .  | 302        |
| A.6.1 Derivative of a Tensor With Respect to Itself . . . . .                       | 302        |
| A.6.2 Derivative of the Inverse of a Tensor With Respect to the<br>Tensor . . . . . | 303        |
| <b>B Strain Concentration Tensors</b>   | <b>305</b> |
| <b>C Second-Order Diagonal Damage Models</b>  | <b>309</b> |
| C.1 Effective and Damaged Spaces . . . . .  | 309        |
| C.2 Thermodynamic Force $\mathbf{Y}$ . . . . .                                      | 310        |
| C.3 Damage Surface . . . . .  | 312        |
| C.4 Unrecoverable-Strain Surface . . . . .  | 313        |
| <b>D Numerical Inverse Laplace Transform</b>  | <b>315</b> |
| <b>E Introduction to the Software Interface</b>                                     | <b>319</b> |
| E.1 ANSYS . . . . .   | 319        |
| E.1.1 ANSYS USERMAT, Compilation and Execution . . . . .                            | 321        |
| E.2 BMI3 . . . . .  | 322        |
| E.2.1 Stand Alone BMI3 . . . . .  | 322        |
| E.2.2 BMI3 within ANSYS . . . . .   | 322        |
| References . . . . .  | 324        |
| <b>Index</b>  | <b>325</b> |