

Flexible Gating of Contextual Influences in Natural Vision

Odelia Schwartz
University of Miami
Oct 2015





Contextual influences

- Perceptual illusions: “no man is an island..”



Review paper on context:
Schwartz, Hsu, Dayan, Nature Reviews Neuroscience 2007

Contextual influences

- Perceptual illusions: “no man is an island..”



Review paper on context:
Schwartz, Hsu, Dayan, Nature Reviews Neuroscience 2007



Contextual influences

- Perceptual illusions



What about neurons?

- Cortical neural processing





Record
From neuron

Polyak, 1957




What about neurons?

- Computer science / Engineering:
visual receptive field or filter



Contextual influences

- Cortical visual neurons (V1)



??

Motivation


- Spatial context plays critical role in object *grouping* and recognition, and in *segmentation*. It is key to everyday behavior; deficits have been implicated in neurological and developmental disorders and aging
- Range of existing experimental data on spatial context (neural; perceptual). Lacking principled explanation
- Poor understanding for how we (and our cortical neurons) process complex, natural images

Outline

- Experimental data on cortical responses to natural images
- Computational neural model that captures contextual regularities in natural images
- Interplay of modeling with biological neural and psychology data (focus on natural images data)


Cortical Neurons

- Spatial context and natural scenes



Cortical Neurons

- Spatial context and natural scenes



Data: Adam Kohn lab (Coen-Cagli, Kohn, Schwartz, 2015; in press)


Cortical Neurons

- Spatial context and natural scenes




Can we capture data with
canonical divisive normalization?
(**descriptive model**)

Divisive normalization



- Descriptive model
- Canonical computation (Carandini, Heeger, Nature Reviews Neuro, 2012)
- Has been applied to visual cortex, as well as other systems and modalities, multimodal processing, value encoding, etc

Cortical Neurons




Canonical divisive normalization:

$$R_c \propto \frac{x_c}{\sqrt{x_c^2 + x_s^2}}$$

V1 Data: Kohn lab

Cortical responses to natural images




- We fit the standard normalization model to neural data
- Poor prediction quality

Data: Adam Kohn lab

Coen-Cagli, Kohn, Schwartz, 2015 (in press)

Cortical responses to natural images



- Can we explain as strategy to encode natural images optimally based on expected contextual regularities?

Data: Adam Kohn lab


Coen-Cagli, Kohn, Schwartz, 2015 (in press)

Outline

- Experimental data on cortical responses to natural images (standard descriptive model can't explain)
- Computational neural model that captures contextual regularities in natural images
- A Interplay of modeling with biological neural and psychology data (focus on natural images data)

Two overarching computational principles


- Sensory processing as inference of properties of the input (can be formalized via probabilistic *Bayesian inference*)





- Sensory systems aim to form an *efficient code* by reducing redundancies of the input (Barlow; also Attneave); influenced by information theory in the 1950s




Contextual dependencies across space




Contextual dependencies across space




Contextual dependencies across space




Contextual dependencies across space



Contextual dependencies across space




Contextual dependencies across space



Schwartz, Simoncelli, Nature Neuroscience 2001

Generative model framework



- Hypothesize that cortical neurons aim to reduce statistical dependencies (so as to highlight what is salient)



Schwartz, Simoncelli 2001 (for salience: Zhaoping Li, 2002)

- Formally, we build a generative model of the dependencies and invert the model (Bayesian inference) – richer representation!

Andrews, Mallows, 1974; Wainwright, Simoncelli, 2000; Schwartz, Sejnowski, Dayan 2006


- Generating the dependencies is a multiplicative process and to undo the dependencies we divide

Modeling Statistical dependencies: Gaussian Scale Mixture (GSM)




Andrews & Mallows, 1974; Wainwright & Simoncelli, 2000

Modeling Statistical dependencies: Gaussian Scale Mixture (GSM)



Modeling Statistical dependencies: Gaussian Scale Mixture (GSM)

Gaussians local
Global (shared) mixer




Infer local
Gaussian




$E(g_1 | x_1, x_2) =$ Model neuron activity

Modeling Statistical dependencies: Gaussian Scale Mixture (GSM)



Modeling Statistical dependencies: Gaussian Scale Mixture (GSM)

Gaussians local
Global (shared) mixer



Computed via Bayes rule

$$E(g_1 | x_1, x_2) \propto \frac{x_1}{\sqrt{l}}$$

$$l = \sqrt{x_1^2 + x_2^2}$$


DIVISIVE
NORMALIZATION

Divisive Normalization Canonical Model




Divisive normalization *descriptive* models have been applied in many neural systems. Here we provide a *principled explanation*. We will next show that it also leads to a **richer model** based on image statistics and makes predictions

Non-homogeneity of images




Center and surround
dependent





homogenous image patches

Non-homogeneity of images






non-homogenous image patches







Center and surround
independent


Non-homogeneity of images



Non-homogeneity of images



divisive
normalization
ON



divisive
normalization
OFF

$$E[g_c | x_c, x_s] = p(\xi_1 | x_c, x_s) E[g_c | x_c, x_s, \xi_1] + p(\xi_2 | x_c, x_s) E[g_c | x_c, \xi_2]$$

Non-homogeneity of images






$$E[g_c | x_c, x_s] = p(\xi_1 | x_c, x_s) E[g_c | x_c, x_s, \xi_1] + p(\xi_2 | x_c, x_s) E[g_c | x_c, \xi_2]$$


$$p(\xi_1 | x) \propto p(\xi_1) p(x | \xi_1) = p(\xi_1) \int dv_c p(v_c) p(x | v_c, \xi_1);$$

$$p(\xi_2 | x) \propto p(\xi_2) p(x | \xi_2) = p(\xi_2) \int dv_c p(v_c) p(x_c | v_c, \xi_2) \int dv_s p(v_s) p(x_s | v_c, \xi_2)$$

Model: Optimizing Image Ensemble



- 3x3 spatial positions, 6px separation
- 4 orientations in the center
- 4 orientations in the surround
- 2 phases (quadrature)
- model parameters (prior probability for ξ_1, ξ_2 and also linear covariance matrices) optimized to maximize the likelihood of a database of natural images using Expectation Maximization




Coen-Cagli, Dayan, Schwartz, PLoS Comp Biology 2012;
Schwartz, Sejnowski, Dayan, 2006

Outline


- Experimental data on cortical responses to natural images
- Computational neural model that captures contextual regularities in natural images
- Interplay of modeling with biological neural and psychology data (focus on natural images data)

Cortical predictions for natural images


- In the past, we have tested modeling with simple stimuli (e.g., Coen-Cagli, Dayan, Schwartz, 2012; Schwartz, Sejnowski, Dayan, 2009)
- Here, we make predictions for natural images (Coen-Cagli, Kohn, Schwartz, 2015, in press)



Flexible Divisive Normalization




Model predictions for natural images



- **Homogeneous** and **heterogeneous** determined by model!
- Expect more suppression in neurons for homogeneous
- Related to salience (eg, Zhaoping)

Model summary




Inference determined by model

Model Predictions for Natural Scenes

EXPERIMENTAL STIMULI





MODEL INFERENCE



heterogeneous


homogeneous



homogeneous versus heterogeneous determined by the model

Model Predictions for Natural Scenes


Cortical V1 data:



Coen-Cagli, Kohn, Schwartz, 2015, in press

Model Predictions for Natural Scenes

Cortical V1 data:




- Not explained by:
- firing rate with small frames
 - surround energy

Coen-Cagli, Kohn, Schwartz, 2015, in press

Model predictions for natural images


- Per image, across neurons



Coen-Cagli, Kohn, Schwartz, 2015; in press


Model predictions for natural images

- Testing predictions with cortical data




d

NMR when heterogeneous




Coen-Cagli, Kohn, Schwartz, 2015; in press

Natural scenes data



Coen-Cagli, Kohn, Schwartz, 2015, in press

Natural scenes data



Coen-Cagli, Kohn, Schwartz, 2015, in press

Model predictions for natural images

- Comparing model performance for cortical data

Standard divisive normalization

$$R_i = \alpha \left(\frac{E_{c, \phi_{pref}}}{\varepsilon + \beta E_c + \gamma E_s} \right)^n$$

Flexible divisive normalization:

$$R_i = \alpha \left(\frac{E_{c, \phi_{pref}}}{\varepsilon + \beta E_c + q(c, s) \gamma E_s} \right)^n$$

Determined by the model (not fit!)


1 if $p(\xi_1 | c, s) \geq 0.5$

0 otherwise

(similar results if non binary)

Natural scenes data

- Cross-validated prediction quality
- There are many standard model versions...



Prediction quality:

- 1 = “oracle” (observed mean for each image)
- 0 = “null” (mean response across all images)

Coen-Cagli, Kohn, Schwartz, 2015, in press


Model Mechanisms

Divisive normalization:

- Feedback inhibition
- Distal dendrite inhibition
- Depressing synapses
- Internal biochemical adjustments
- Non-Poisson spike generation

Flexible Normalization Mechanism?

- Adjusting gain by circuit or postsynaptic mechanisms?
- Distinct classes of inhibitory interneurons? (eg, Adesnik, Scanziani et al. 2012; Pfeffer, Scanziani et al. 2013; Pi, Kepecs et al. 2013; Lee, Rudy et al. 2013)



Key take-home points

- New approach to understanding cortical processing of natural images. Rather than fitting more complicated models, use insights from scene statistics
- Connects to neural computations that are ubiquitous, but enriches the “standard” model
- Our results suggest flexibility of contextual influences in natural vision, depending on whether center and surround are deemed statistically homogeneous
- Next/currently: hierarchical representations; adaptation

Acknowledgments

Albert Einstein

Ruben Coen Cagli

Adam Kohn



Gatsby, UCL

Peter Dayan



Salk Institute

Terry Sejnowski



Funding

NIH (Collaborative Research in Computational Neuroscience)

Army Research Office

Alfred P. Sloan Foundation

Google