

Corrigendum: Frontal eye field, where art thou? Anatomy, function, and non-invasive manipulation of frontal regions involved in eye movements and associated cognitive operations

Marine Vernet *, Romain Quentin, Lorena Chanes, Andres Mitsumasu and Antoni Valero-Cabre

Centre National de la Recherche Scientifique, Institut du Cerveau et de la Moelle Epinière, Paris, France *Correspondence: marine.vernet@gmail.com

Edited by:

Olivier A. Coubard, CNS-Fed, France

Reviewed by:

Albino J. Oliveira-Maia, Champalimaud Foundation, Portugal Thomas Nyffeler, Bern University Hospital and University of Bern, Switzerland

Keywords: FEF, brain mapping, transcranial magnetic stimulation, visual performance, visuo-spatial attention, 3D vision, visual awareness, plasticity rehabilitation

A corrigendum on

Frontal eye field, where art thou? Anatomy, function, and non-invasive manipulation of frontal regions involved in eye movements and associated cognitive operations

by Vernet, M., Quentin, R., Chanes, L., Mitsumasu, A., and Valero-Cabré, A. (2014). Front. Integr. Neurosci. 8:66. doi: 10.3389/fnint.2014.00066

A few errors were introduced during the proof reading process, which the authors wish to correct with this corrigendum.

A few sentences may lead to erroneous interpretations and should be reformulated

Page 5, line 3

Incorrect: distinct functions related to saccadic activity.

Correct: distinct functions related to eye

Page 10, column "Interpretation," square

movements.

Incorrect: Interference with the programming and the execution of saccades (including perceptual analysis of the go signal)

Correct: Interference with one or several stages of the programming and the execution of saccades (including perceptual analysis of the go signal)

Page 14, column "Effects," square 2

Incorrect: contralaterally (i.e., for left targets) after left FEF stimulation

Correct: contralaterally (i.e., for right targets) after left FEF stimulation

Page 15, column 2, second paragraph, line 3

Incorrect: several studies in healthy humans, combining TMS with EEG (Taylor et al., 2007), TMS with fMRI (Ruff et al., 2006) or employing double coil TMS and psychophysics

Correct: several studies in healthy humans, combining psychophysics with TMS and EEG (Taylor et al., 2007), TMS and fMRI (Ruff et al., 2006) or double-coil TMS (Silvanto et al., 2006)

Page 15, last paragraph, line 1:

Incorrect: In line with animal and human studies showing respectively, enhanced perception and increased activity in visual areas following FEF stimulation Correct: In line with animal and human studies showing enhanced perception and increased activity in visual areas following FEF stimulation

A few typos, grammatical mistakes and erroneous extra-words should be removed from the manuscript

Page 2, Part "Localization of FEF," line 20:

Incorrect: Overall, it is still not entirely clear whether the reported inter-species differences in FEF location can be related to genuine anatomical differences between non-human primates and humans, caused by the use of different mapping methods or they simply reflect interindividual differences

Correct: Overall, it is still not entirely clear whether the reported interspecies differences in FEF location can be related to genuine anatomical differences between non-human primates and humans, or caused by the use of different mapping methods, or whether they simply reflect interindividual differences

Page 8, column 2, line 1

Incorrect: The general pictures emerging from this literature is [...]

Vernet et al. Corrigendum: FEF, where art thou?

Correct: The general picture emerging from this literature is [...]

Page 11, last paragraph, lines 4 and 6

Incorrect: most of the effects on latency

modulations

Correct: most of the effects on latency Incorrect: anti-saccades modulation

Correct: anti-saccades task

Page 13, column "Effects," square 7:

Incorrect: TMS stimulation

Correct: TMS

Page 14, 3 lines before the end:

Incorrect: These authors showed that a decrease of the visual sensitivity

explained by [...]

Correct: These authors showed a decrease of the visual sensitivity,

explained by [...]

Page 15, column 2, paragraph 2, line 11

Incorrect: Similar short 5-pulse trains of 9 Hz TMS over the right FEF modulated the BOLD activity recorded with fMRI within visual areas V1-V4 led to activity increases [...]

Correct: Similar short 5-pulse trains of 9 Hz TMS over the right FEF modulated the BOLD activity recorded with fMRI within visual areas V1-V4, leading to activity increases [...]

Page 16, last paragraph, line 3

Incorrect: This hypothesis has been confirmed by the study by Smith et al. (2005), that in agreement with this notion, showed that in

a visual detection task, [...]

Correct: This hypothesis has been confirmed by the study by Smith et al. (2005), showing that in a visual detection task [...]

Page 16, last paragraph, line 10

Incorrect: Such disruption of the inhibition for unattended locations could also explain the results reported by Ro et al. (2003) who showed that single TMS pulses, delivered over the right FEF, showing that single 600 ms after the cue and 150 ms prior to target onset, decreased the inhibition of return phenomenon.

Correct: Such disruption of the inhibition for unattended locations could also explain the results reported by Ro et al. (2003), who showed that single TMS pulses, delivered over the right FEF 600 ms after the cue and 150 ms prior to target onset, decreased the inhibition of return phenomenon.

REFERENCES

Ro, T., Farne, A., and Chang, E. (2003). Inhibition of return and the human frontal eye fields. Exp. Brain Res. 150, 290–296. doi: 10.1007/s00221-003-1470-0 Ruff, C. C., Blankenburg, F., Bjoertomt, O., Bestmann, S., Freeman, E., Haynes, J. D., et al. (2006). Concurrent TMS-fMRI and psychophysics reveal frontal influences on human retinotopic visual cortex. *Curr. Biol.* 16, 1479–1488. doi: 10.1016/j.cub.2006.06.057

Silvanto, J., Lavie, N., and Walsh, V. (2006).

Stimulation of the human frontal eye fields modulates sensitivity of extrastriate visual cortex. *J. Neurophysiol.* 96, 941–945. doi: 10.1152/jn.00015.2006

Smith, D. T., Jackson, S. R., and Rorden, C. (2005). Transcranial magnetic stimulation of the left human frontal eye fields eliminates the cost of invalid endogenous cues. *Neuropsychologia* 43, 1288–1296. doi: 10.1016/j.neuropsychologia.2004. 12.003

Taylor, P. C., Nobre, A. C., and Rushworth, M. F. (2007). FEF TMS affects visual cortical activity. *Cereb. Cortex* 17, 391–399. doi: 10.1093/cercor/bhi156

Conflict of Interest Statement: The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

Received: 17 September 2014; accepted: 17 October 2014; published online: 11 November 2014.

Citation: Vernet M, Quentin R, Chanes L, Mitsumasu A and Valero-Cabre A (2014) Corrigendum: Frontal eye field, where art thou? Anatomy, function, and non-invasive manipulation of frontal regions involved in eye movements and associated cognitive operations. Front. Integr. Neurosci. 8:88. doi: 10.3389/fnint.2014.00088 This article was submitted to the journal Frontiers in

This article was submitted to the journal Frontiers in Integrative Neuroscience.

Copyright © 2014 Vernet, Quentin, Chanes, Mitsumasu and Valero-Cabre. This is an openaccess article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) or licensor are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.