

Abstract Submitted
for the MAR15 Meeting of
The American Physical Society

Generation and electric control of spin–valley-coupled circular photogalvanic current in WSe₂¹ HONGTAO YUAN, HAROLD Y. HWANG, YI CUI, Stanford University and SIMES SLAC — Compared to the weak spin-orbit-interaction (SOI) in graphene, layered transitionmetal chalcogenides MX₂ have heavy 4d/5d elements with strong atomic SOI, providing a unique way to extend functionalities of novel spintronics and valleytronics devices. Such a valley polarization achieved via valley-selective circular dichroism has been predicted theoretically and demonstrated with optical experiments in MX₂ systems. Despite the exciting progresses, the generation of a valley/spin current by valley polarization in MX₂ remains elusive and a great challenge. A spin/valley current in MX₂ compounds caused by such a valley polarization has never been observed, nor its electric-field control. In this talk, we demonstrated, within an electric-double-layer transistor based on WSe₂, the manipulation of a spin-coupled valley photocurrent whose direction and magnitude depend on the degree of circular polarization of the incident radiation and can be further greatly modulated with an external electric field. Such room temperature generation and electric control of valley/spin photocurrent provides a new property of electrons in MX₂ systems, thereby enabling new degrees of control for quantum-confined spintronics devices. (In collaboration with S.C. Zhang, Y.L. Chen, Z.X. Shen, B Lian, H.J. Zhang, G Xu, Y Xu, B Zhou, X.Q. Wang, B Shen X.F. Fang) Acknowledge the support from DoE, BES, Division of MSE under contract DE-AC02-76SF00515.

¹Acknowledge the support from DoE, BES, Division of MSE under contract DE-AC02-76SF00515

Hongtao Yuan
Stanford University and SIMES SLAC

Date submitted: 14 Nov 2014

Electronic form version 1.4