

Open access • Journal Article • DOI:10.1038/NATURE17671

Genome-wide association study identifies 74 loci associated with educational attainment — Source link [2]

Aysu Okbay, Jonathan P. Beauchamp, Mark Alan Fontana, James J. Lee ...+293 more authors

Institutions: Erasmus University Rotterdam, Harvard University, University of Southern California, University of Minnesota ...+77 more institutions

Published on: 26 May 2016 - Nature (Nature Publishing Group)

Topics: Educational attainment, Genome-wide association study, Candidate gene and Behavioural genetics

Related papers:

- An atlas of genetic correlations across human diseases and traits.
- Biological insights from 108 schizophrenia-associated genetic loci
- LD score regression distinguishes confounding from polygenicity in genome-wide association studies :
- Gene discovery and polygenic prediction from a genome-wide association study of educational attainment in 1.1 million individuals
- GWAS of 126.559 Individuals Identifies Genetic Variants Associated with Educational Attainment











Original citation:

Social Science Genetic Association Consortium (SSGAC) (Including: Cappuccio, Francesco). (2016) Genome-wide association study identifies 74 loci associated with educational attainment. Nature, 533. pp. 539-542.

Permanent WRAP URL:

http://wrap.warwick.ac.uk/78132

Copyright and reuse:

The Warwick Research Archive Portal (WRAP) makes this work by researchers of the University of Warwick available open access under the following conditions. Copyright © and all moral rights to the version of the paper presented here belong to the individual author(s) and/or other copyright owners. To the extent reasonable and practicable the material made available in WRAP has been checked for eligibility before being made available.

Copies of full items can be used for personal research or study, educational, or not-for-profit purposes without prior permission or charge. Provided that the authors, title and full bibliographic details are credited, a hyperlink and/or URL is given for the original metadata page and the content is not changed in any way.

Publisher's statement:

© 2016 Nature Publishing Group. http://dx.doi.org/10.1038/nature17671

A note on versions:

The version presented here may differ from the published version or, version of record, if you wish to cite this item you are advised to consult the publisher's version. Please see the 'permanent WRAP URL' above for details on accessing the published version and note that access may require a subscription.

For more information, please contact the WRAP Team at: wrap@warwick.ac.uk

Title: Genome-wide association study identifies 74 loci associated with educational attainment

3 4

1

2

Authors: All authors and their affiliations appear at the end of the paper

5 6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

Summary: Educational attainment (EA) is strongly influenced by social and other environmental factors, but genetic factors are also estimated to account for at least 20% of the variation across individuals¹. We report the results of a genome-wide association study (GWAS) for EA that extends our earlier discovery sample^{1,2} of 101,069 individuals to 293,723 individuals, and a replication in an independent sample of 111,349 individuals from the UK Biobank. We now identify 74 genome-wide significant loci associated with number of years of schooling completed. Single-nucleotide polymorphisms (SNPs) associated with educational attainment are disproportionately found in genomic regions regulating gene expression in the fetal brain. Candidate genes are preferentially expressed in neural tissue, especially during the prenatal period, and enriched for biological pathways involved in neural development. Our findings demonstrate that, even for a behavioral phenotype that is mostly environmentally determined, a well-powered GWAS identifies replicable associated genetic variants that suggest biologically relevant pathways. Because EA is measured in large numbers of individuals, it will continue to be useful as a proxy phenotype in efforts to characterize the genetic influences of related phenotypes, including cognition and neuropsychiatric disease.

22

23

24

25

26

27

21

Main Text:

We study educational attainment (EA), which is measured in all main analyses as the number of years of schooling completed (EduYears, N = 293,723, mean = 14.33, SD = 3.61; Supplementary Information sections 1.1-1.2). All genome-wide association studies (GWAS) were performed at the cohort level in samples restricted to individuals of European descent

- whose EA was assessed at or above age 30. A uniform set of quality-control (QC) procedures
- 2 was applied to the cohort-level summary statistics. In our GWAS meta-analysis of ~9.3M
- 3 SNPs from the 1000 Genomes Project, we used sample-size weighting and applied a single
- 4 round of genomic control at the cohort level.
- 5 Our meta-analysis identified 74 approximately independent genome-wide significant loci. For
- each locus, we define the "lead SNP" as the SNP in the genomic region that has the smallest
- 7 P-value (Supplementary Information section 1.6.1). Fig. 1 shows a Manhattan plot with the
- 8 lead SNPs highlighted. This includes the three SNPs that reached genome-wide significance
- 9 in the discovery stage of our previous GWAS meta-analysis of EA¹. The quantile-quantile
- 10 (Q-Q) plot of the meta-analysis (Extended Data Fig. 1) exhibits inflation ($\lambda_{GC} = 1.28$), as
- 11 expected under polygenicity³.
- Extended Data Fig. 2 shows the estimated effect sizes of the lead SNPs. The estimates range
- from 0.014 to 0.048 standard deviations per allele (2.7 to 9.0 weeks of schooling), with
- incremental R^2 in the range 0.01% to 0.035%.
- 15 To quantify the amount of population stratification in the GWAS estimates that remains even
- after the stringent controls used by the cohorts (Supplementary Information section 1.4), we
- used LD Score regression⁴. The regression results indicate that ~8% of the observed inflation
- in the mean χ^2 is due to bias rather than polygenic signal (Extended Data Fig. 3a), suggesting
- 19 that stratification effects are small in magnitude. We also found evidence for polygenic
- association signal in several within-family analyses, although these are not powered for
- 21 individual SNP association testing (Supplementary Information section 2 and Extended Data
- 22 Fig. 3b).
- To further test the robustness of our findings, we examined the within-sample and out-of-
- 24 sample replicability of SNPs reaching genome-wide significance (Supplementary

- Information sections 1.7-1.8). We found that SNPs identified in the previous EA meta-1 analysis 2 replicated in the new cohorts included here, and conversely, that SNPs reaching genome-wide 3
- significance in the new cohorts replicated in the old cohorts. For the out-of-sample replication 4 analyses of our 74 lead SNPs, we used the interim release of the U.K. Biobank 5 (UKB) (N =5 111,349). As shown in Extended Data Fig. 4, 72 out of the 74 lead SNPs have a consistent 6 sign $(P = 1.47 \times 10^{-19})$, 52 are significant at the 5% level $(P = 2.68 \times 10^{-50})$, and 7 reach 7 genome-wide significance in the U.K. Biobank dataset ($P = 1.41 \times 10^{-42}$). For comparison, the 8 corresponding expected numbers, assuming each SNP's true effect size is its estimated effect 9 adjusted for the winner's curse, are 71.4, 40.3, and 0.6. (Supplementary Information section 10 1.8.2). We also find out-of-sample replicability of our overall GWAS results: the genetic 11 12 correlation between EduYears in our meta-analysis sample and in the UKB data is 0.95 (s.e. = 13 0.021; Supplementary Table 1.14).
- It is known that EA, cognitive performance, and many neuropsychiatric phenotypes are 14 phenotypically correlated, and several studies of twins find that the phenotypic correlations 15 partly reflect genetic overlap⁶⁻⁸ (Supplementary Information section 3.3.4). Here, we 16 investigate genetic correlation using our GWAS results for EduYears and published GWAS 17 results for 14 other phenotypes, using bivariate Linkage-Disequilibrium (LD) Score 18 regression⁹ (Supplementary Information section 3). First, we estimated genetic correlations 19 with EduYears. As shown in Fig. 2, based on overall summary statistics for associated 20 21 variants, we find genetic covariance between increased EA and increased cognitive performance $(P = 9.9 \times 10^{-50})$, increased intracranial volume $(P = 1.2 \times 10^{-6})$, increased risk of 22 bipolar disorder ($P = 7 \times 10^{-13}$), decreased risk of Alzheimer's ($P = 4 \times 10^{-4}$), and lower 23 neuroticism ($P = 2.8 \times 10^{-8}$). We also found positive, statistically significant, but very small,
- genetic correlations with height ($P = 5.2 \times 10^{-15}$) and risk of schizophrenia ($P = 3.2 \times 10^{-4}$). 25

- Second, we examined whether our 74 lead SNPs are jointly associated with each phenotype
- 2 (Extended Data Fig. 5 and Supplementary Information section 3.3.1). We reject the null
- 3 hypothesis of no enrichment at P < 0.05 for 10 of the 14 phenotypes (all the exceptions are
- 4 subcortical brain structures).
- 5 Third, for each phenotype, we tested (in the published GWAS results) each of our 74 lead
- 6 SNPs or proxy for association at a significance threshold of 0.05/74. We found a total of 25
- 7 SNPs meeting this threshold for any of these phenotypes, but only one reaching genome-wide
- 8 significance. While these results provide suggestive evidence that some of these SNPs may
- 9 be associated with other phenotypes, further testing of these associations in independent
- 10 cohorts is required (Supplementary Tables 3.2-3.4, Extended Data Fig. 6).
- To consider potential biological pathways, we first tested whether SNPs in particular regions
- of the genome are implicated by our GWAS results. Unlike what has been found for other
- phenotypes, SNPs in regions that are DNase I hypersensitive in the fetal brain are more likely
- to be associated with *EduYears* by a factor of ~ 5 (95% confidence interval 2.89–7.07;
- Extended Data Fig. 7). Moreover, the 15% of SNPs residing in regions associated with
- histones marked in the central nervous system (CNS) explain 44% of the heritable variation
- 17 (Extended Data Fig. 8a and Supplementary Table 4.4.2). This enrichment factor of ~3 for
- 18 CNS $(P = 2.48 \times 10^{-16})$ is greater than that of any of the other nine tissue categories in this
- 19 analysis.
- 20 Given that our findings disproportionately implicate SNPs in regions regulating brain-specific
- gene expression, we examined whether genes located near *EduYears*-associated SNPs show
- 22 elevated expression in neural tissue. We tested this hypothesis using data on mRNA transcript
- levels in the 37 adult tissues assayed by the Genotype-Tissue Expression Project (GTEx)¹⁰.
- Remarkably, the 13 GTEx tissues that are components of the CNS—and only those 13

- tissues—show significantly elevated expression levels of genes near *EduYears*-associated
- 2 SNPs (FDR < 0.05; Extended Data Fig. 8b and Supplementary Table 4.5.2).
- 3 To investigate possible functions of the candidate genes from the GWAS associated loci, we
- 4 examined the extent of their overlap with groups of genes ("gene sets") whose products are
- 5 known or predicted to participate in a common biological process¹¹. We found 283 gene sets
- significantly enriched by the candidate genes identified in our GWAS (FDR < 0.05;
- 7 Supplementary Table 4.5.1). To facilitate interpretation, we used a standard procedure¹¹ to
- group the 283 gene sets into "clusters" defined by degree of gene overlap. The resulting 34
- 9 clusters, shown in Fig. 3, paint a coherent picture, with many clusters corresponding to stages
- of neural development: the proliferation of neural progenitor cells and their specialization
- 11 (the cluster npBAF complex), the migration of new neurons to the different layers of the
- 12 cortex (forebrain development, abnormal cerebral cortex morphology), the projection of
- axons from neurons to their signaling targets (axonogenesis, signaling by Robo receptor), the
- sprouting of dendrites and their spines (dendrite, dendritic spine organization), and
- 15 neuronal signaling and synaptic plasticity throughout the lifespan (voltage-gated
- 16 calcium channel complex, synapse part, synapse organization).
- Many of our results implicate candidate genes and biological pathways that are active during
- distinct stages of prenatal brain development. To directly examine how the expression levels
- of candidate genes identified in our GWAS vary over the course of development, we used
- 20 gene expression data from the BrainSpan Developmental Transcriptome¹². As shown in
- 21 Extended Data Fig. 9, these candidate genes exhibit above-baseline expression in the brain
- 22 throughout life but especially higher expression levels in the brain during prenatal
- development (1.36 times higher prenatally than postnatally, $P = 6.02 \times 10^{-8}$).
- 24 A summary overview of some promising candidate genes for follow-up work is provided in
- 25 Table 1.

We constructed polygenic scores¹³ to assess the joint predictive power afforded by the 1 GWAS results (Supplementary Information section 5.2). Across our two holdout samples, the 2 mean predictive power of a polygenic score constructed from all measured SNPs is 3.2% (P =3 1.18×10⁻³⁹; Supplementary Table 5.2 and Supplementary Information section 5). 4 Studies of genetic analyses of behavioral phenotypes have been prone to misinterpretation, 5 such as characterizing identified associated variants as "genes for education." Such 6 characterization is not correct for many reasons: EA is primarily determined by 7 environmental factors, the explanatory power of the individual SNPs is small, the candidate 8 genes may not be causal, and the genetic associations with EA are mediated by multiple 9 intermediate phenotypes¹⁴. To illustrate this last point, we studied mediation of the 10 association between the all-SNPs polygenic score and *EduYears* in two of our cohorts. We 11 12 found that cognitive performance can statistically account for 23-42% of the association (P <0.001) and the personality trait "openness to experience" for approximately 7% (P < 0.001; 13 Supplementary Information section 6). 14 15 It would also be a mistake to infer from our findings that the genetic effects operate independently of environmental factors. Indeed, a recent meta-analysis of twin studies found 16 that genetic influences on EA are heterogeneous across countries and birth cohorts¹⁵. We 17 18 conducted exploratory analyses in the Swedish Twin Registry to illustrate how environmental 19 factors may amplify or dampen the impact of genetic influences (Supplementary Information section 7). We found that the predictive power of the all-SNPs polygenic score is 20 21 heterogeneous by birth cohort, with smaller explanatory power in younger cohorts (Extended Data Fig. 10; see also Supplementary Information section 7.4 for discussion of the contrast 22 between these results and findings from a seminal twin study that estimated EA heritability 23 by birth cohort¹⁶). 24

1 **Methods:** All methods are described in the Supplementary Information.

2

4

References:

- Rietveld, C. A. *et al.* GWAS of 126,559 individuals identifies genetic variants associated with educational attainment. *Science* **340**, 1467–1471 (2013).
- 7 2. Rietveld, C. A. *et al.* Replicability and robustness of GWAS for behavioral traits. *Psychol. Sci.* **25**, 1975–1986 (2014).
- 9 3. Yang, J. *et al.* Genomic inflation factors under polygenic inheritance. *Eur. J. Hum.* 10 *Genet.* **19,** 807–812 (2011).
- Bulik-Sullivan, B. K. *et al.* LD Score regression distinguishes confounding from polygenicity in genome-wide association studies. *Nat. Genet.* **47**, 291–295 (2015).
- 5. Sudlow, C. *et al.* UK Biobank: An open access resource for identifying the causes of a wide range of complex diseases of middle and old age. *PLoS Med.* **12**, e1001779 (2015).
- Fowler, T., Zammit, S., Owen, M. J. & Rasmussen, F. A population-based study of shared genetic variation between premorbid IQ and psychosis among male twin pairs and sibling pairs from Sweden. *Arch. Gen. Psychiatry* **69**, 460–466 (2012).
- 7. Tambs, K., Sundet, J. M., Magnus, P. & Berg, K. Genetic and environmental contributions to the covariance between occupational status, educational attainment, and IQ: a study of twins. *Behav. Genet.* **19**, 209–222 (1989).
- 22 8. Thompson, L. A., Detterman, D. K. & Plomin, R. Associations between cognitive abilities and scholastic achievement: Genetic overlap but environmental differences. *Psychol. Sci.* **2**, 158–165 (1991).
- 9. Bulik-Sullivan, B. *et al.* An atlas of genetic correlations across human diseases and traits. *Nat. Genet.* **47**, 1236–1241 (2015).
- 27 10. Ardlie, K. G. *et al.* The Genotype-Tissue Expression (GTEx) pilot analysis: Multitissue gene regulation in humans. *Science* **348**, 648–660 (2015).
- Pers, T. H. *et al.* Biological interpretation of genome-wide association studies using predicted gene functions. *Nat. Commun.* **6**, 5890 (2015).
- 12. Allen Institute for Brain Science. BrainSpan atlas of the developing human brain. (2015). at http://www.brainspan.org/
- Purcell, S. M. *et al.* Common polygenic variation contributes to risk of schizophrenia and bipolar disorder. *Nature* **460**, 748–752 (2009).
- Krapohl, E. *et al.* The high heritability of educational achievement reflects many genetically influenced traits, not just intelligence. *Proc. Natl. Acad. Sci. U. S. A.* 111, 15273–15278 (2014).
- Branigan, A. R., McCallum, K. J. & Freese, J. Variation in the heritability of educational attainment: An international meta-analysis. *Northwest. Univ. Inst. Policy Res. Work. Pap.* **92,** 109–140 (2013).

1 16. Heath, A. C. *et al.* Education policy and the heritability of educational attainment. *Nature* **314**, 734–736 (1985).

Supplementary Information is linked to the online version of the paper at 6 www.nature.com/nature.

Acknowledgements This research was carried out under the auspices of the Social Science Genetic Association Consortium (SSGAC). The SSGAC seeks to facilitate studies that investigate the influence of genes on human behavior, well-being, and social-scientific outcomes using large genome-wide association study meta-analyses. The SSGAC also provides opportunities for replication and promotes the collection of accurately measured, harmonized phenotypes across cohorts. The SSGAC operates as a working group within the CHARGE consortium. This research has also been conducted using the UK Biobank Resource. This study was supported by funding from the Ragnar Söderberg Foundation (E9/11), the Swedish Research Council (421-2013-1061), The Jan Wallander and Tom Hedelius Foundation, an ERC Consolidator Grant (647648 EdGe), the Pershing Square Fund of the Foundations of Human Behavior, and the NIA/NIH through grants P01-AG005842, P01-AG005842-20S2, P30-AG012810, and T32-AG000186-23 to NBER, and R01-AG042568 to USC. We thank Samantha Cunningham, Nishanth Galla and Justin Rashtian for research assistance. A full list of acknowledgments is provided in the supplementary materials.

- Author contributions Study Design and Management: D.J.B., D.C., T.E., M.J., P.D.K. and
- 25 P.M.V. Quality Control and Meta Analysis: A.O., G.B.C., T.E, M.A.F., C.A.R. and T.H.P.
- Stratification: P.T., J.P.B., C.A.R. and J.Y. Genetic Overlap: J.P.B, M.A.F., P.T. Biological

- 1 Annotation: J.J.L, T.E., J.H.B., J.K.B., J.P.B., L.F., V.E., L.F., G.A.M, M.A.F., S.F.W.M.,
- 2 G.A.M., T.H.P., J.K.P., P.Timshel, R.A.P., R.d.V. and H.J.W. Prediction and Mediation:
- J.P.B., M.A.F. and J.Y. G×E: D.Conley, S.F.L., K.O.L., S.O. and K.T. Replication in UKB:
- 4 M.A.F. and C.A.R. SSGAC Advisory Board: D.Conley, T.E., A.H., R.F.K., D.I.L., S.E.M.,
- 5 M.N.M., G.D.S. and P.M.V. All authors contributed to and critically reviewed the
- 6 manuscript. Authors not listed above contributed to the recruitment, genotyping, or data
- 7 processing for the contributing components of the meta-analysis. For a full list of author
- 8 contributions, see Supplementary Information section 8.

- 10 Author Information Results can be downloaded from the SSGAC website
- 11 (http://ssgac.org/Data.php). Data for our analyses come from many studies and organizations,
- some of which are subject to a MTA, and are listed in the Supplementary Information.
- Reprints and permissions information is available at www.nature.com/reprints. The authors
- declare no competing financial interests. Correspondence and requests for materials should be
- 15 addressed to D.J.B. (daniel.benjamin@gmail.com), D.C. (dac12@nyu.edu), P.D.K.
- 16 (p.d.koellinger@vu.nl), or P.M.V. (peter.visscher@uq.edu.au).

- Table 1 | Selected candidate genes implicated by bioinformatics analyses. Fifteen
- 2 candidate genes implicated most consistently across various analyses. To assemble this list,
- a each gene in a DEPICT-defined locus (Supplementary Information section 4.5) was assigned
- 4 a score equal to the number of criteria it satisfies out of ten (see Supplementary Table 4.1 for
- 5 details). The DEPICT prioritization *P*-value was used as the tiebreaker. "SNP": the SNP in
- the gene's locus with the lowest *P*-value in the *EduYears* meta-analysis. "Syndromic": which,
- 7 if any, of three neuropsychiatric disorders have been linked to *de novo* mutations in the gene
- 8 (Supplementary Information section 4.6). "Top-ranking gene sets": DEPICT reconstituted
- 9 gene sets of which the gene is a top-20 member (Supplementary Table 4.5.1). The three most
- significant gene sets are shown if more than three are available. ID, intellectual disability;
- 11 ASD, autism spectrum disorder; SCZ, schizophrenia.

Gene	SNP	Syndromic	Score	Top-ranking gene sets
TBR1	rs4500960	ID, ASD	6	Developmental biology, decreased brain size,
				abnormal cerebral cortex morphology
MEF2C	rs7277187	ID, ASD	5	ErbB signaling pathway, abnormal sternum
				ossification, regulation of muscle cell
				differentiation
ZSWIM6	rs61160187	-	5	Transcription factor binding, negative regulation
				of signal transduction, PI3K events in ErbB4
				signaling
BCL11A	rs2457660	ASD	5	Dendritic spine organization, abnormal
				hippocampal mossy fiber morphology,
				SWI/SNF-type complex
CELSR3	rs11712056	SCZ	5	Dendrite morphogenesis, dendrite development,
				abnormal hippocampal mossy fiber morphology
MAPT	rs192818565	ID	5	Dendrite morphogenesis, abnormal hippocampal
				mossy fiber morphology, abnormal axon
				guidance
SBNO1	rs7306755	SCZ	5	Protein serine/threonine phosphatase complex
NBAS	rs12987662	_	5	_
NBEA	rs9544418	SCZ	4	Developmental biology, signaling by Robo
				receptor, dendritic shaft
SMARCA2	rs1871109	ID	4	_
MAP4	rs11712056	ASD	4	Developmental biology, signaling by Robo
				receptor, SWI-SNF-type complex
LINC00461	rs10061788	_	4	Decreased brain size, abnormal cerebral cortex
			•	morphology, abnormal hippocampal mossy fiber
				morphology
POU3F2	rs9320913	_	4	Dendrite morphogenesis, developmental biology,
100012	10,020,10			decreased brain size
RAD54L2	rs11712056	SCZ	4	Decreased brain size, SWI/SNF-type complex,
			•	nBAF complex
PLK2	rs2964197	_	4	Negative regulation of signal transduction, PI3K
			•	events in ErbB4 signaling

1 **Authors:**

- 2 Aysu Okbay^{1,2,3,*}, Jonathan P. Beauchamp^{4,*}, Mark A. Fontana^{5,*}, James J. Lee^{6,*}, Tune H.
- Pers^{7,8,9,10,*}, Cornelius A. Rietveld^{1,2,3,*}, Patrick Turley^{4,*}, Guo-Bo Chen¹¹, Valur
- 4 Emilsson^{12,13}, S. Fleur W. Meddens^{14,3,15}, Sven Oskarsson¹⁶, Joseph K. Pickrell¹⁷, Kevin
- 5 Thom¹⁸, Pascal Timshel^{19,8}, Ronald de Vlaming^{1,2,3}, Abdel Abdellaoui²⁰, Tarunveer S.
- 6 Ahluwalia^{21,9,22}, Jonas Bacelis²³, Clemens Baumbach^{24,25}, Gyda Bjornsdottir⁹⁵, Johannes H.
- 7 Brandsma²⁶, Maria Pina Concas²⁷, Jaime Derringer²⁸, Nicholas A. Furlotte²⁹, Tessel E.
- 8 Galesloot³⁰, Giorgia Girotto³¹, Richa Gupta³², Leanne M. Hall^{33,34}, Sarah E. Harris^{35,36}, Edith
- 9 Hofer^{37,38}, Momoko Horikoshi^{39,40}, Jennifer E. Huffman⁴¹, Kadri Kaasik⁴², Ioanna P.
- 10 Kalafati⁴³, Robert Karlsson⁴⁴, Augustine Kong⁹⁵, Jari Lahti^{42,45}, Sven J. van der Lee²,
- 11 Christiaan de Leeuw^{14,46}, Penelope A. Lind⁴⁷, Karl-Oskar Lindgren¹⁶, Tian Liu⁴⁸, Massimo
- Mangino^{49,50}, Jonathan Marten⁴¹, Evelin Mihailov¹¹⁴, Michael B. Miller⁶, Peter J. van der
- 13 Most⁵¹, Christopher Oldmeadow^{52,53}, Antony Payton^{54,55}, Natalia Pervjakova^{56,114}, Wouter J.
- 14 Peyrot⁵⁷, Yong Qian⁵⁸, Olli Raitakari⁵⁹, Rico Rueedi^{60,61}, Erika Salvi⁶², Börge Schmidt⁶³,
- 15 Katharina E. Schraut⁶⁴, Jianxin Shi⁶⁵, Albert V. Smith^{66,67}, Raymond A. Poot²⁶, Beate St
- Pourcain^{68,69}, Alexander Teumer⁷⁰, Gudmar Thorleifsson⁹⁵, Niek Verweij⁷¹, Dragana
- 17 Vuckovic³¹, Juergen Wellmann⁷², Harm-Jan Westra^{73,74,8}, Jingyun Yang^{75,76}, Wei Zhao⁷⁷,
- Zhihong Zhu¹¹, Behrooz Z. Alizadeh^{51,78}, Najaf Amin², Andrew Bakshi¹¹, Sebastian E.
- 19 Baumeister^{70,79}, Ginevra Biino⁸⁰, Klaus Bønnelykke²¹, Patricia A. Boyle^{75,81}, Harry
- 20 Campbell⁶⁴, Francesco P. Cappuccio⁸², Gail Davies^{35,83}, Jan-Emmanuel De Neve⁸⁴, Panos
- Deloukas^{85,86}, Ilja Demuth^{87,88}, Jun Ding⁵⁸, Peter Eibich^{89,90}, Lewin Eisele⁶³, Niina Eklund⁵⁶,
- 22 David M. Evans^{68,184}, Jessica D. Faul⁹¹, Mary F. Feitosa⁹², Andreas J. Forstner^{93,94}, Ilaria
- Gandin³¹, Bjarni Gunnarsson⁹⁵, Bjarni V. Halldórsson^{95,96}, Tamara B. Harris⁹⁷, Andrew C.
- Heath⁹⁸, Lynne J. Hocking⁹⁹, Elizabeth G. Holliday^{52,53}, Georg Homuth¹⁰⁰, Michael A.
- Horan¹⁰¹, Jouke-Jan Hottenga²⁰, Philip L. de Jager^{102,103,8}, Peter K. Joshi⁶⁴, Astanand

- Jugessur¹⁰⁴, Marika A. Kaakinen¹⁰⁵, Mika Kähönen^{106,107}, Stavroula Kanoni⁸⁵, Liisa
- 2 Keltigangas-Järvinen⁴², Lambertus A.L.M. Kiemeney³⁰, Ivana Kolcic¹⁰⁸, Seppo Koskinen⁵⁶,
- 3 Aldi T. Kraja⁹², Martin Kroh⁸⁹, Zoltan Kutalik^{109,60,61}, Antti Latvala³², Lenore J. Launer¹¹⁰,
- 4 Maël P. Lebreton^{15,111}, Douglas F. Levinson¹¹², Paul Lichtenstein⁴⁴, Peter Lichtner¹¹⁸, David
- 5 C.M. Liewald^{35,83}, LifeLines Cohort Study¹¹³, Anu Loukola³², Pamela A. Madden⁹⁸, Reedik
- 6 Mägi¹¹⁴, Tomi Mäki-Opas⁵⁶, Riccardo E. Marioni^{35,115,11}, Pedro Marques-Vidal¹¹⁶, Gerardus
- A. Meddens¹¹⁷, George McMahon⁶⁸, Christa Meisinger²⁵, Thomas Meitinger¹¹⁸, Yusplitri
- 8 Milaneschi⁵⁷, Lili Milani¹¹⁴, Grant W. Montgomery¹¹⁹, Ronny Myhre¹⁰⁴, Christopher P.
- 9 Nelson^{33,34}, Dale R. Nyholt^{120,119}, William E.R. Ollier⁵⁴, Aarno Palotie^{121,8,122,123,124,125},
- Lavinia Paternoster⁶⁸, Nancy L. Pedersen⁴⁴, Katja E. Petrovic³⁷, David J. Porteous³⁶, Katri
- Räikkönen^{42,45}, Susan M. Ring⁶⁸, Antonietta Robino¹²⁶, Olga Rostapshova^{4,127}, Igor Rudan⁶⁴,
- 12 Aldo Rustichini¹²⁸, Veikko Salomaa⁵⁶, Alan R. Sanders^{129,130}, Antti-Pekka Sarin^{124,131}, Helena
- Schmidt^{132,37}, Rodney J. Scott^{133,53}, Blair H. Smith¹³⁴, Jennifer A. Smith⁷⁷, Jan A.
- 14 Staessen^{135,136}, Elisabeth Steinhagen-Thiessen⁸⁷, Konstantin Strauch^{137,138}, Antonio
- 15 Terracciano¹³⁹, Martin D. Tobin¹⁴⁰, Sheila Ulivi¹²⁶, Simona Vaccargiu²⁷, Lydia Quaye⁴⁹,
- 16 Frank J.A. van Rooij^{2,141}, Cristina Venturini^{49,50}, Anna A.E. Vinkhuyzen¹¹, Uwe Völker¹⁰⁰,
- 17 Henry Völzke⁷⁰, Judith M. Vonk⁵¹, Diego Vozzi¹²⁶, Johannes Waage^{21,22}, Erin B. Ware^{77,142},
- Gonneke Willemsen²⁰, John R. Attia^{52,53}, David A. Bennett^{75,76}, Klaus Berger⁷¹, Lars
- 19 Bertram^{143,144}, Hans Bisgaard²¹, Dorret I. Boomsma²⁰, Ingrid B. Borecki⁹², Ute Bultmann¹⁴⁵,
- 20 Christopher F. Chabris¹⁴⁶, Francesco Cucca¹⁴⁷, Daniele Cusi^{62,148}, Ian J. Deary^{35,83}, George V.
- 21 Dedoussis⁴³, Cornelia M. van Duijn², Johan G. Eriksson^{149,45}, Barbara Franke¹⁵⁰, Lude
- Franke¹⁵⁵, Paolo Gasparini^{31,126,151}, Pablo V. Gejman^{129,130}, Christian Gieger²⁴, Hans-Jörgen
- Grabe^{152,153}, Jacob Gratten¹¹, Patrick J.F. Groenen¹⁵⁴, Vilmundur Gudnason^{12,67}, Pim van der
- 24 Harst^{71,155,156}, Caroline Hayward^{41,157}, David A. Hinds²⁹, Wolfgang Hoffmann⁷⁰, Elina
- 25 Hyppönen^{158,159,160}, William G. Iacono⁶, Bo Jacobsson^{23,104}, Marjo-Riitta Järvelin^{161,162,163,164},

- 1 Karl-Heinz Jöckel⁶³, Jaakko Kaprio^{32,124,56}, Sharon L.R. Kardia⁷⁷, Terho Lehtimäki^{165,166},
- 2 Steven F. Lehrer^{167,168}, Patrik K.E. Magnusson⁴⁴, Nicholas G. Martin¹⁶⁹, Matt McGue⁶,
- Andres Metspalu^{114,170}, Neil Pendleton^{171,172}, Brenda W.J.H. Penninx⁵⁷, Markus Perola^{56,114},
- 4 Nicola Pirastu³¹, Mario Pirastu²⁷, Ozren Polasek^{173,64}, Danielle Posthuma^{14,174}, Christine
- 5 Power¹⁶⁰, Michael A. Province⁹², Nilesh J. Samani^{33,34}, David Schlessinger⁵⁸, Reinhold
- 6 Schmidt³⁷, Thorkild I.A. Sørensen^{175,9,68}, Tim D. Spector⁴⁹, Kari Stefansson^{95,67}, Unnur
- 7 Thorsteinsdottir^{95,67}, A. Roy Thurik^{1,176,177,3}, Nicholas J. Timpson⁶⁸, Henning Tiemeier^{2,178,179},
- ⁸ Joyce Y. Tung²⁹, André G. Uitterlinden^{180,2}, Veronique Vitart⁴¹, Peter Vollenweider¹¹⁶, David
- 9 R. Weir⁹¹, James F. Wilson^{64,41}, Alan F. Wright⁴¹, Dalton C. Conley^{181,182}, Robert F.
- 10 Krueger⁶, George Davey Smith⁶⁸, Albert Hofman², David I. Laibson⁴, Sarah E. Medland⁴⁷,
- Michelle N. Meyer¹⁸³, Jian Yang^{11,184}, Magnus Johannesson¹⁸⁵, Peter M. Visscher^{11,184,#},
- Tõnu Esko^{114,7,186,8,#}, Philipp D. Koellinger^{14,15,3,#}, David Cesarini^{18,187,#}, Daniel J.
- 13 Benjamin^{188,189,#}

- ^{*} These authors contributed equally.
- [#]Designed and oversaw the study.

- ² Department of Epidemiology, Erasmus Medical Center, Rotterdam, 3015 GE, The Netherlands
- ³ Erasmus University Rotterdam Institute for Behavior and Biology, Rotterdam 3062 PA, The Netherlands
- ⁴ Department of Economics, Harvard University, Cambridge, MA 02138, USA
- ⁵ Department of Economics, University of Michigan, Ann Arbor, MI 48109-1220, USA

¹ Department of Applied Economics, Erasmus School of Economics, Erasmus University Rotterdam, 3062 PA, Rotterdam, The Netherlands

- ⁶ Department of Psychology, University of Minnesota Twin Cities, Minneapolis, MN 55455, USA
- Division of Endocrinology and Center for Basic and Translational Obesity Research, Boston Children's Hospital, Boston, MA 2116, USA
- ⁸ Program in Medical and Population Genetics, Broad Institute of MIT and Harvard, Cambridge, MA 02142, USA
- ⁹ The Novo Nordisk Foundation Center for Basic Metabolic Research, Section of Metabolic Genetics, University of Copenhagen, Faculty of Health and Medical Sciences, Copenhagen, 2100, Denmark
- 10 Statens Serum Institut, Department of Epidemiology Research, Copenhagen, DK 2300, Denmark
- ¹¹ Queensland Brain Institute, The University of Queensland, Brisbane, QLD 4072, Australia
- 12 Icelandic Heart Association, Kopavogur, 201, Iceland
- ¹³ Faculty of Pharmaceutical Sciences, University of Iceland, 107 Reykjavík, Iceland
- ¹⁴ Department of Complex Trait Genetics, VU University, Center for Neurogenomics and Cognitive Research, Amsterdam, 1081 HV, The Netherlands
- ¹⁵ Amsterdam Business School, University of Amsterdam, Amsterdam, 1018 TV, The Netherlands
- ¹⁶ Department of Government, Uppsala University, Uppsala, 751 20, Sweden
- ¹⁷ New York Genome Center, New York, NY 10013, USA
- ¹⁸ Department of Economics, New York University, New York, NY 10012, USA
- ¹⁹ Center for Biological Sequence Analysis, Department of Systems Biology, Technical University of Denmark Lyngby, 2800, Denmark
- ²⁰ Department of Biological Psychology, VU University Amsterdam, Amsterdam, 1081 BT,
 The Netherlands

- ²¹ COPSAC, Copenhagen Prospective Studies on Asthma in Childhood, Herlev and Gentofte Hospital, University of Copenhagen, Copenhagen, 2820, Denmark
- ²² Steno Diabetes Center, Gentofte, 2820, Denmark
- ²³ Department of Obstetrics and Gynecology, Institute of Clinical Sciences, Sahlgrenska Academy, Gothenburg, SE 416 85, Sweden
- ²⁴ Research Unit of Molecular Epidemiology, Helmholtz Zentrum München, German Research Center for Environmental Health, Neuherberg, 85764, Germany
- ²⁵ Institute of Epidemiology II, Helmholtz Zentrum München, German Research Center for Environmental Health, Neuherberg, 85764, Germany
- ²⁶ Department of Cell Biology, Erasmus Medical Center Rotterdam, 3015 CN, The Netherlands
- ²⁷ Istituto di Ricerca Genetica e Biomedica U.O.S. di Sassari, National Research Council of Italy, Sassari, 07100, Italy
- ²⁸ Psychology, University of Illinois, IL 61820, Champaign, USA
- ²⁹ 23andMe, Inc., Mountain View, CA 94041, USA
- ³⁰ Radboud Institute for Health Sciences, Radboud University Medical Center, Nijmegen,
 6500 HB, The Netherlands
- ³¹ Department of Medical, Surgical and Health Sciences, University of Trieste, Trieste, 34100, Italy
- 32 Department of Public Health, University of Helsinki, Helsinki, FI-00014, Finland
- 33 Department of Cardiovascular Sciences, University of Leicester, Leicester, LE3 9QP, UK
- ³⁴ NIHR Leicester Cardiovascular Biomedical Research Unit, Glenfield Hospital, Leicester, LE3 9QP, UK
- ³⁵ Centre for Cognitive Ageing and Cognitive Epidemiology, University of Edinburgh, Edinburgh, EH8 9JZ, UK

- ³⁶ Centre for Genomic and Experimental Medicine, Institute of Genetics and Molecular Medicine, University of Edinburgh, Edinburgh, EH4 2XU, UK
- ³⁷ Department of Neurology, General Hospital and Medical University Graz, Graz, 8036, Austria
- ³⁸ Institute for Medical Informatics, Statistics and Documentation, General Hospital and Medical University Graz, Graz, 8036, Austria
- ³⁹ Oxford Centre for Diabetes, Endocrinology & Metabolism, University of Oxford, Oxford, OX3 7LE, UK
- ⁴⁰ Wellcome Trust Centre for Human Genetics, University of Oxford, Oxford, OX3 7BN, UK
- ⁴¹ MRC Human Genetics Unit, Institute of Genetics and Molecular Medicine, University of Edinburgh, Edinburgh, EH4 2XU, UK
- ⁴² Institute of Behavioural Sciences, University of Helsinki, Helsinki, FI-00014, Finland
- ⁴³ Nutrition and Dietetics, Health Science and Education, Harokopio University, Athens, 17671, Greece
- ⁴⁴ Department of Medical Epidemiology and Biostatistics, Karolinska Institutet, Stockholm,
 171 77, Sweden
- ⁴⁵ Folkhälsan Research Centre, Helsingfors, FI-00014, Finland
- 46 Institute for Computing and Information Sciences, Radboud University Nijmegen,Nijmegen, 6525 EC, The Netherlands
- ⁴⁷ Quantitative Genetics, QIMR Berghofer Medical Research Institute, Brisbane, QLD 4029, Australia
- ⁴⁸ Lifespan Psychology, Max Planck Institute for Human Development, Berlin, 14195, Germany
- ⁴⁹ Department of Twin Research and Genetic Epidemiology, King's College London, London, SE1 7EH, UK

- 50 NIHR Biomedical Research Centre, Guy's and St. Thomas' Foundation Trust, London, SE1 7EH, UK
- ⁵¹ Department of Epidemiology, University of Groningen, University Medical Center Groningen, Groningen, 9700 RB, The Netherlands
- ⁵² Public Health Stream, Hunter Medical Research Institute, New Lambton, NSW 2305, Australia
- ⁵³ Faculty of Health and Medicine, University of Newcastle, Newcastle, NSW 2300, Australia
- ⁵⁴ Centre for Integrated Genomic Medical Research, Institute of Population Health, The University of Manchester, Manchester, M13 9PT, UK
- 55 School of Psychological Sciences, The University of Manchester, Manchester, M13 9PL, UK
- ⁵⁶ Department of Health, THL-National Institute for Health and Welfare, Helsinki, FI-00271, Finland
- ⁵⁷ Psychiatry, VU University Medical Center & GGZ inGeest, Amsterdam, 1081 HL, The Netherlands
- 58 Laboratory of Genetics, National Institute on Aging, Baltimore, MD 21224, USA
- ⁵⁹ Research Centre of Applied and Preventive Cardiovascular Medicine, University of Turku, Turku, 20521, Finland
- 60 Department of Medical Genetics, University of Lausanne, Lausanne, 1005, Switzerland
- 61 Swiss Institute of Bioinformatics, Lausanne, 1015, Switzerland
- 62 Department Of Health Sciences, University of Milan, Milano, 20142, Italy
- ⁶³ Institute for Medical Informatics, Biometry and Epidemiology, University Hospital of Essen, Essen, 45147, Germany
- ⁶⁴ Centre for Global Health Research, The Usher Institute for Population Health Sciences and Informatics, University of Edinburgh, Edinburgh, EH8 9AG, UK

- 65 Division of Cancer Epidemiology and Genetics, National Cancer Institute, Bethesda, MD 20892-9780, USA
- 66 Icelandic Heart Association, Kopavogur, 201, Iceland
- ⁶⁷ Faculty of Medicine, University of Iceland, Reykjavik, 101, Iceland
- 68 MRC Integrative Epidemiology Unit, University of Bristol, Bristol, BS8 2BN, UK
- ⁶⁹ School of Oral and Dental Sciences, University of Bristol, Bristol, BS1 2LY, UK
- ⁷⁰ Institute for Community Medicine, University Medicine Greifswald, Greifswald, 17475, Germany
- ⁷¹ Department of Cardiology, University Medical Center Groningen, University of Groningen, Groningen, 9700 RB, The Netherlands
- ⁷² Institute of Epidemiology and Social Medicine, University of Muenster, Muenster, 48149, Germany
- ⁷³ Divisions of Genetics and Rheumatology, Department of Medicine, Brigham and Women's Hospital, Harvard Medical School, MA 02115, Boston, USA
- ⁷⁴ Partners Center for Personalized Genetic Medicine, Boston, MA 02115, USA
- ⁷⁵ Rush Alzheimer's Disease Center, Rush University Medical Center, Chicago, IL 60612, USA
- ⁷⁶ Department of Neurological Sciences, Rush University Medical Center, Chicago, IL 60612, USA
- ⁷⁷ Department of Epidemiology, University of Michigan, Ann Arbor, MI 48109, USA
- ⁷⁸ Department of Gastroenterology and Hepatology, University of Groningen, University Medical Center Groningen, Groningen, 9713 GZ, The Netherlands
- ⁷⁹ Institute of Epidemiology and Preventive Medicine, University of Regensburg, Regensburg, D-93053, Germany
- 80 Institute of Molecular Genetics, National Research Council of Italy, Pavia, 27100, Italy

- ⁸¹ Department of Behavioral Sciences, Rush University Medical Center, Chicago, IL 60612, USA
- 82 Warwick Medical School, University of Warwick, Coventry, CV4 7AL, UK
- 83 Department of Psychology, University of Edinburgh, Edinburgh, EH8 9JZ, UK
- 84 Saïd Business School, University of Oxford, Oxford, OX1 1HP, UK
- 85 William Harvey Research Institute, Barts and The London School of Medicine and Dentistry, Queen Mary University of London, London, EC1M 6BQ, UK
- 86 Princess Al-Jawhara Al-Brahim Centre of Excellence in Research of Hereditary Disorders (PACER-HD), King Abdulaziz University, Jeddah, 21589, Saudi Arabia
- ⁸⁷ The Berlin Aging Study II; Research Group on Geriatrics, Charité Universitätsmedizin Berlin, Germany, Berlin, 13347, Germany
- 88 Institute of Medical and Human Genetics, Charité-Universitätsmedizin, Berlin, Berlin, 13353, Germany
- 89 German Socio- Economic Panel Study, DIW Berlin, Berlin, 10117, Germany
- 90 Health Economics Research Centre, Nuffield Department of Population Health, University of Oxford, Oxford, OX3 7LF, UK
- ⁹¹ Survey Research Center, Institute for Social Research, University of Michigan, Ann Arbor, MI 48109, USA
- ⁹² Department of Genetics, Division of Statistical Genomics, Washington University School of Medicine, St. Louis, MO 63018, USA
- 93 Institute of Human Genetics, University of Bonn, Bonn, 53127, Germany
- ⁹⁴ Department of Genomics, Life and Brain Center, University of Bonn, Bonn, 53127, Germany
- 95 deCODE Genetics/Amgen Inc., Reykjavik, IS-101, Iceland

- 96 Institute of Biomedical and Neural Engineering, School of Science and Engineering, Reykjavik University, Reykjavik 101, Iceland
- ⁹⁷ Laboratory of Epidemiology, Demography, National Institute on Aging, National Institutes of Health, Bethesda, MD 20892-9205, United States
- 98 Department of Psychiatry, Washington University School of Medicine, St. Louis, MO 63110, USA
- 99 Division of Applied Health Sciences, University of Aberdeen, Aberdeen, AB25 2ZD, UK
- 100 Interfaculty Institute for Genetics and Functional Genomics, University Medicine Greifswald, Greifswald, 17475, Germany
- ¹⁰¹ Manchester Medical School, The University of Manchester, Manchester, 9PT, UK
- Program in Translational NeuroPsychiatric Genomics, Departments of Neurology & Psychiatry, Brigham and Women's Hospital, Boston, MA 02115, USA
- 103 Harvard Medical School, Boston, MA 02115, USA
- ¹⁰⁴ Department of Genes and Environment, Norwegian Institute of Public Health, Oslo, N-0403, Norway
- 105 Department of Genomics of Common Disease, Imperial College London, London, W120NN, UK
- ¹⁰⁶ Department of Clinical Physiology, Tampere University Hospital, Tampere, 33521,Finland
- ¹⁰⁷ Department of Clinical Physiology, University of Tampere, School of Medicine, Tampere,33014, Finland
- ¹⁰⁸ Public Health, Medical School, University of Split, 21000 Split, Croatia
- ¹⁰⁹ Institute of Social and Preventive Medicine, Lausanne University Hospital (CHUV), Lausanne, 1010, Switzerland

- ¹¹⁰ Neuroepidemiology Section, National Institute on Aging, National Institutes of Health,
 Bethesda, MD 20892-9205, USA
- ¹¹¹ Amsterdam Brain and Cognition Center, University of Amsterdam, 1018 XA, Amsterdam, The Netherlands
- Department of Psychiatry and Behavioral Sciences, Stanford University, Stanford, CA 94305-5797, USA
- ¹¹³ LifeLines Cohort Study, University of Groningen, University Medical Center Groningen,
 Groningen, 9713 BZ, The Netherlands
- 114 Estonian Genome Center, University of Tartu, Tartu, 51010, Estonia
- ¹¹⁵ Medical Genetics Section, Centre for Genomic and Experimental Medicine, Institute of Genetics and Molecular Medicine, University of Edinburgh, Edinburgh, EH4 2XU, UK
- ¹¹⁶ Department of Internal Medicine, Internal Medicine, Lausanne University Hospital (CHUV), Lausanne, 1011, Switzerland
- ¹¹⁷ Tema BV, 2131 HE Hoofddorp, The Netherlands
- ¹¹⁸ Institute of Human Genetics, Helmholtz Zentrum München, German Research Center for Environmental Health, Neuherberg, 85764, Germany
- ¹¹⁹ Molecular Epidemiology, QIMR Berghofer Medical Research Institute, Brisbane, QLD 4029, Australia
- ¹²⁰ Institute of Health and Biomedical Innovation, Queensland Institute of Technology,Brisbane, QLD 4059, Australia
- ¹²¹ Analytic and Translational Genetics Unit, Department of Medicine, Massachusetts General Hospital, Boston, MA 02114, USA
- ¹²² The Stanley Center for Psychiatric Research, Broad Institute of MIT and Harvard, Cambridge, MA 02142, USA.

¹²³ Psychiatric & Neurodevelopmental Genetics Unit, Department of Psychiatry,

Massachusetts General Hospital, Boston, MA 02114, USA

- ¹²⁴ Institute for Molecular Medicine Finland (FIMM), University of Helsinki, Helsinki, 00014, Finland
- ¹²⁵ Department of Neurology, Massachusetts General Hospital, Boston, MA 02114, USA
- ¹²⁶ Medical Genetics, Institute for Maternal and Child Health IRCCS "Burlo Garofolo",

Trieste, 34100, Italy

- ¹²⁷ Social Impact, Arlington, VA 22201, USA
- ¹²⁸ Department of Economics, University of Minnesota Twin Cities, Minneapolis, MN 55455, USA
- ¹²⁹ Department of Psychiatry and Behavioral Sciences, NorthShore University HealthSystem, Evanston, IL 60201-3137, USA
- ¹³⁰ Department of Psychiatry and Behavioral Neuroscience, University of Chicago, Chicago, IL 60637, USA
- ¹³¹ Public Health Genomics Unit, National Institute for Health and Welfare, Helsinki 00300, Finland
- ¹³² Research Unit for Genetic Epidemiology, Institute of Molecular Biology and Biochemistry, Center of Molecular Medicine, General Hospital and Medical University, Graz, Graz, 8010, Austria
- ¹³³ Information Based Medicine Stream, Hunter Medical Research Institute, New Lambton, NSW 2305, Australia
- ¹³⁴ Medical Research Institute, University of Dundee, Dundee, DD1 9SY, UK
- 135 Research Unit Hypertension and Cardiovascular Epidemiology, Department of Cardiovascular Science, University of Leuven, Leuven, 3000, Belgium
- 136 R&D VitaK Group, Maastricht University, Maastricht, 6229 EV, The Netherlands

- 137 Institute of Genetic Epidemiology, Helmholtz Zentrum München, German Research
- Center for Environmental Health, Neuherberg, 85764, Germany
- 138 Institute of Medical Informatics, Biometry and Epidemiology, Chair of Genetic
- Epidemiology, Ludwig Maximilians-Universität, Munich, 81377, Germany
- ¹³⁹ Department of Geriatrics, Florida State University College of Medicine, Tallahassee, FL
- 32306, USA
- ¹⁴⁰ Department of Health Sciences and Genetics, University of Leicester, Leicester, LE1 7RH,
- UK
- ¹⁴¹ Department of Internal Medicine, Erasmus Medical Center, Rotterdam, 3015 GE, The
- Netherlands
- ¹⁴² Research Center for Group Dynamics, Institute for Social Research, University of
- Michigan, Ann Arbor, MI 48104, USA
- ¹⁴³ Platform for Genome Analytics, Institutes of Neurogenetics & Integrative and
- Experimental Genomics, University of Lübeck, Lübeck, 23562, Germany
- 144 Neuroepidemiology and Ageing Research Unit, School of Public Health, Faculty of
- Medicine, The Imperial College of Science, Technology and Medicine, London SW7 2AZ,
- UK
- 145 Department of Health Sciences, Community & Occupational Medicine, University of
- Groningen, University Medical Center Groningen, Groningen, 9713 AV, The Netherlands
- ¹⁴⁶ Department of Psychology, Union College, Schenectady, NY 12308, USA
- 147 Istituto di Ricerca Genetica e Biomedica (IRGB), Consiglio Nazionale delle Ricerche, c/o
- Cittadella Universitaria di Monserrato, Monserrato, Cagliari, 9042, Italy
- ¹⁴⁸ Institute of Biomedical Technologies, Italian National Research Council, Segrate
- (Milano), 20090, Italy

- Department of General Practice and Primary Health Care, University of Helsinki,
- Helsinki, 00014, Finland

90014, Finland

- ¹⁵⁰ Departments of Human Genetics and Psychiatry, Donders Centre for Neuroscience,
 Nijmegen, 6500 HB, The Netherlands
- 151 Sidra, Experimental Genetics Division, Sidra, Doha 26999, Qatar
- ¹⁵² Department of Psychiatry and Psychotherapy, University Medicine Greifswald, Greifswald, 17475, Germany
- Department of Psychiatry and Psychotherapy, HELIOS-Hospital Stralsund, Stralsund,18437, Germany
- 154 Econometric Institute, Erasmus School of Economics, Erasmus University Rotterdam, Rotterdam, 3062 PA, The Netherlands
- Department of Genetics, University Medical Center Groningen, University of Groningen,Groningen. 9700 RB, The Netherlands
- ¹⁵⁶ Durrer Center for Cardiogenetic Research, ICIN-Netherlands Heart Institute, Utrecht,1105 AZ, The Netherlands
- Generation Scotland, Centre for Genomics and Experimental Medicine, Institute of
 Genetics and Molecular Medicine, University of Edinburgh, Edinburgh, EH4 2XU, UK
 Centre for Population Health Research, School of Health Sciences and Sansom Institute,
 University of South Australia, SA5000, Adelaide, Australia
- ¹⁵⁹ South Australian Health and Medical Research Institute, Adelaide, SA5000, Australia
- ¹⁶⁰ Population, Policy and Practice, UCL Institute of Child Health, London, WC1N 1EH, UK
- ¹⁶¹ Department of Epidemiology and Biostatistics, MRC-PHE Centre for Environment &
- Health, School of Public Health, Imperial College London, London, W2 1PG, UK
- ¹⁶² Center for Life Course Epidemiology, Faculty of Medicine, University of Oulu, Oulu, FI-

- ¹⁶³ Unit of Primary Care, Oulu University Hospital, Oulu, 90029 OYS, Finland
- ¹⁶⁴ Biocenter Oulu, University of Oulu, FI-90014 Oulu, Finland
- ¹⁶⁵ Fimlab Laboratories, Tampere, 33520, Finland
- Department of Clinical Chemistry, University of Tampere, School of Medicine, Tampere,33014, Finland
- ¹⁶⁷ Economics, NYU Shanghai, 200122, Pudong, China
- ¹⁶⁸ Policy Studies, Queen's University, Kingston, K7L3N6, Canada
- ¹⁶⁹ Genetic Epidemiology, QIMR Berghofer Medical Research Institute, Brisbane, QLD4029, Australia
- ¹⁷⁰ Institute of Molecular and Cell Biology, University of Tartu, Tartu, 51010, Estonia
- ¹⁷¹ Centre for Clinical and Cognitive Neuroscience, Institute Brain Behaviour and Mental Health, Salford Royal Hospital, Manchester, M6 8HD, UK
- ¹⁷² Manchester Institute Collaborative Research in Ageing, University of Manchester, Manchester, M13 9PL, UK
- ¹⁷³ Faculty of Medicine, University of Split, Croatia, Split 21000, Croatia
- ¹⁷⁴ Department of Clinical Genetics, VU Medical Centre, Amsterdam, 1081 HV, The Netherlands
- ¹⁷⁵ Institute of Preventive Medicine, Bispebjerg and Frederiksberg Hospitals, The Capital Region, Frederiksberg, 2000, Denmark
- ¹⁷⁶ Montpellier Business School, Montpellier, 34080, France
- ¹⁷⁷ Panteia, Zoetermeer, 2715 CA, The Netherlands
- ¹⁷⁸ Department of Psychiatry, Erasmus Medical Center, Rotterdam, 3015 GE, The Netherlands
- 179 Department of Child and Adolescent Psychiatry, Erasmus Medical Center, Rotterdam,3015 GE, The Netherlands

180 Department of Internal Medicine, Erasmus Medical Center, Rotterdam, 3015 GE, The Netherlands

- ¹⁸¹ Department of Sociology, New York University, New York, NY 10012, USA
- ¹⁸² School of Medicine, New York University, NY 10016, New York, USA
- ¹⁸³ Bioethics Program, Union Graduate College Icahn School of Medicine at Mount Sinai, Schenectady, NY 12308, USA
- ¹⁸⁴ The University of Queensland Diamantina Institute, The Translational Research Institute, Brisbane, QLD 4102, Australia
- ¹⁸⁵ Department of Economics, Stockholm School of Economics, Stockholm, 113 83, Sweden
- ¹⁸⁶ Department of Genetics, Harvard Medical School, Boston, MA 02115, USA
- ¹⁸⁷ Research Institute for Industrial Economics, Stockholm, 10215, Sweden
- ¹⁸⁸ Department of Economics, Cornell University, Ithaca, NY 14853, USA
- ¹⁸⁹ Center for Economic and Social Research, University of Southern California, Los Angeles, CA 90089-3332, USA

Figure Legends

Figure 1 | **Manhattan plot for** *EduYears* **associations** (N = 293,723). The x-axis is chromosomal position, and the y-axis is the significance on a $-\log_{10}$ scale. The black line shows the genome-wide significance level (5×10^{-8}). The red x's are the 74 approximately independent genome-wide significant associations ("lead SNPs"). The black dots labeled with rs numbers are the 3 Rietveld et al. SNPs.

Figure 2 | **Genetic correlations between** *EduYears* **and other traits.** Results from bivariate Linkage-Disequilibrium (LD) Score regressions⁹: estimates of genetic correlation with brain

volume, neuropsychiatric, behavioral, and anthropometric phenotypes using published GWAS summary statistics. The error bars show the 95% confidence intervals.

Figure 3 | Overview of biological annotation. 34 clusters of significantly enriched gene sets. Each cluster is named after one of its member gene sets. The color represents the P-value of the member set exhibiting the most statistically significant enrichment. Overlap between pairs of clusters is represented by an edge. Edge width represents the Pearson correlation ρ between the two vectors of gene membership scores ($\rho < 0.3$, no edge; $0.3 \le \rho < 0.5$, thin edge; $0.5 \le \rho < 0.7$, intermediate edge; $\rho \ge 0.7$, thick edge), where each cluster's vector is the vector for the gene set after which the cluster is named.

Extended Data Figure Legends

Extended Data Figure 1 | Quantile-quantile plot of the genome-wide association metaanalysis of 64 *EduYears* results files. Observed and expected *P*-values are on a $-\log_{10}$ scale. The grey region depicts the 95% confidence interval under the null hypothesis of a uniform *P*-value distribution. The observed λ_{GC} is 1.28. (As reported in Supplementary Information section 1.5.4, the unweighted mean λ_{GC} is 1.02, the unweighted median is 1.01, and the range across cohorts is 0.95–1.15.)

Extended Data Figure 2 | The distribution of effect sizes of the 74 lead SNPs. a, SNPs ordered by absolute value of the standardized effect of one more copy of the education-increasing allele, with 95% confidence intervals. b, SNPs ordered by R^2 . Effects on *EduYears*

are benchmarked against the top 74 genome-wide significant hits identified in the largest GWAS conducted to date of height and body mass index (BMI), and the 48 associations reported for waist-to-hip ratio adjusted for BMI (WHR). These results are based on the GIANT consortium's publicly available results for pooled analyses restricted to European-ancestry individuals:

https://www.broadinstitute.org/collaboration/giant/index.php/GIANT consortium.

Extended Data Figure 3 | Assessing the extent to which population stratification affects the estimates from the GWAS. a, LD Score regression plot with the summary statistics from the GWAS. Each point represents an LD Score quantile for a chromosome (the x and y coordinates of the point are the mean LD Score and the mean χ^2 statistic of variants in that quantile). The facts that the intercept is close to one and that the χ^2 statistics increase linearly with the LD Scores suggest that the bulk of the inflation in the χ^2 statistics is due to true polygenic signal and not to population stratification. b, Estimates and 95% confidence intervals from individual-level and WF regressions of *EduYears* on polygenic scores, for scores constructed with sets of SNPs meeting different P-value thresholds. In addition to the analyses shown here, we conduct a sign concordance test, and we decompose the variance of the polygenic score. Overall, these analyses suggest that population stratification is unlikely to be a major concern for our 74 lead SNPs. See Supplementary Information section 3 for additional details.

Extended Data Figure 4 | Replication of 74 lead SNPs in the UK Biobank data. Estimated effect sizes (in years of schooling) and 95% confidence intervals of the 74 lead SNPs in the

meta-analysis sample (N = 293,723) and the UK Biobank replication sample (N = 111,349). The reference allele is the allele associated with higher values of *EduYears* in the meta-analysis sample. SNPs are in descending order of R^2 in the meta-analysis sample. Of the 74 lead SNPs, 72 have the anticipated sign in the replication sample, 52 replicate at the 0.05 significance level, and 7 replicate at the 5×10^{-8} significance level.

Extended Data Figure 5 | Q-Q plots for the 74 lead *EduYears* SNPs (or LD proxies) in published GWAS of other phenotypes. SNPs with concordant effects on both phenotypes are pink, and SNPs with discordant effects are blue. SNPs outside the gray area pass Bonferroni-corrected significance thresholds that correct for the total number of SNPs we tested ($P < 0.05/74 = 6.8 \times 10^{-4}$) and are labeled with their rs numbers. Observed and expected P-values are on a $-\log_{10}$ scale. For the sign concordance test: * P < 0.05, ** P < 0.01, and *** P < 0.001.

Extended Data Figure 6 | Regional association plots for four of the ten prioritized SNPs for MHBA phenotypes identified using EduYears as a proxy phenotype: a, cognitive performance; b, hippocampus; c, intracranial volume; d, neuroticism. The four were selected because very few genome-wide significant SNPs have been previously reported for these traits. Data sources and methods are described in Supplementary Information section 3. The R^2 values are from the hg19 / 1000 Genomes Nov 2014 EUR references samples. The figures were created with LocusZoom (http://csg.sph.umich.edu/locuszoom/). Mb, megabases.

Extended Data Figure 7 | Application of fgwas to *EduYears*. See Supplementary Information section 4.2 for further details. a, The results of single-annotation models.

"Enrichment" refers to the factor by which the prior odds of association at an LD-defined region must be multiplied if the region bears the given annotation; this factor is estimated using an empirical Bayes method applied to all SNPs in the GWAS meta-analysis regardless of statistical significance. Annotations were derived from ENCODE and a number of other data sources. Plotted are the base-2 logarithms of the enrichments and their 95% confidence intervals. Multiple instances of the same annotation correspond to independent replicates of the same experiment. b, The results of combining multiple annotations and applying model selection and cross-validation. Although the maximum-likelihood estimates are plotted, model selection was performed with penalized likelihood. c, Reweighting of GWAS loci. Each point represents an LD-defined region of the genome, and shown are the regional posterior probabilities of association (PPAs). The *x*-axis give the PPA calculated from the GWAS summary statistics alone, whereas the *y*-axis gives the PPA upon reweighting on the basis of the annotations in b. The orange points represent genomic regions where the PPA is equivalent to the standard GWAS significance threshold only upon reweighting.

Extended Data Figure 8 | Tissue-level biological annotation. a, The enrichment factor for a given tissue type is the ratio of variance explained by SNPs in that group to the overall fraction of SNPs in that group. To benchmark the estimates for *EduYears*, we compare the enrichment factors to those obtained when we use the largest GWAS conducted to date on body mass index, height, and waist-to-hip ratio adjusted for BMI. The estimates were produced with the LDSC python software, using the LD Scores and functional annotations introduced in Finucane et al. (2015) and the HapMap3 SNPs with MAF > 0.05. Each of the 10 enrichment calculations for a particular cell type is performed independently, while each controlling for the 52 functional annotation categories in the full baseline model. The error bars show the 95% confidence intervals. b, We took measurements of gene expression by the Genotype-Tissue Expression (GTEx) Consortium and determined whether the genes

overlapping EduYears-associated loci are significantly overexpressed (relative to genes in random sets of loci matched by gene density) in each of 37 tissue types. These types are grouped in the panel by organ. The colored bars corresponding to tissues where there is significant overexpression. The y-axis is the significance on a $-\log_{10}$ scale.

Extended Data Figure 9 | Gene-level biological annotation. a, The DEPICT-prioritized genes for *EduYears* measured in the BrainSpan Developmental Transcriptome data (red curve) are more strongly expressed in the brain prenatally rather than postnatally. The DEPICT-prioritized genes exhibit similar gene-expression levels across different brain regions (gray lines). Analyses were based on log₂-transformed RNA-Seq data. Error bars represent 95% confidence intervals. b, For each phenotype and disorder, we calculated the overlap between the phenotype's DEPICT-prioritized genes and genes believed to harbor *de novo* mutations causing the disorder. The bars correspond to odds ratios. *EduYears*, years of education; BMI, body mass index; WHR, waist-to-hip ratio adjusted for BMI. c, DEPICT-prioritized genes in *EduYears*-associated loci exhibit substantial overlap with genes previously reported to harbor sites where mutations increase risk of intellectual disability and autism spectrum disorder (Supplementary Table 4.6.1).

Extended Figure 10 | The predictive power of a polygenic score (PGS) varies in Sweden by birth cohort. Five-year rolling regressions of years of education on the PGS (left axis in all four panels), share of individuals not affected by the comprehensive school reform (a, right axis), and average distance to nearest junior high school (b, right axis), nearest high

school (**c**, right axis) and nearest college/university (**d**, right axis). The shaded area displays the 95% confidence intervals for the PGS effect.





