



Queensland University of Technology
Brisbane Australia

This may be the author's version of a work that was submitted/accepted for publication in the following source:

[Donovan, Jared](#), Heinemann, Trine, Matthews, Ben, & Buur, Jacob (2011)

Getting the point: The role of gesture in managing intersubjectivity in a design activity.

Artificial Intelligence for Engineering Design, Analysis and Manufacturing: AIEDAM, 25(3), pp. 221-235.

This file was downloaded from: <https://eprints.qut.edu.au/56683/>

© Consult author(s) regarding copyright matters

This work is covered by copyright. Unless the document is being made available under a Creative Commons Licence, you must assume that re-use is limited to personal use and that permission from the copyright owner must be obtained for all other uses. If the document is available under a Creative Commons License (or other specified license) then refer to the Licence for details of permitted re-use. It is a condition of access that users recognise and abide by the legal requirements associated with these rights. If you believe that this work infringes copyright please provide details by email to qut.copyright@qut.edu.au

Notice: *Please note that this document may not be the Version of Record (i.e. published version) of the work. Author manuscript versions (as Submitted for peer review or as Accepted for publication after peer review) can be identified by an absence of publisher branding and/or typeset appearance. If there is any doubt, please refer to the published source.*

<https://doi.org/10.1017/S0890060411000059>

Getting the point: The role of gesture in managing intersubjectivity in a design activity

JARED DONOVAN, Sønderborg Participatory Innovation Research Centre (SPIRE),
University of Southern Denmark; TRINE HEINEMANN, Institute of Business
Communication and Information Science/SPIRE, University of Southern Denmark; BEN
MATTHEWS, Mads Clausen Institute/SPIRE, University of Southern Denmark; JACOB
BUUR, Mads Clausen Institute/SPIRE, University of Southern Denmark

Corresponding author:

Ben Matthews

Mads Clausen Institute

University of Southern Denmark

Alsion 2

DK-6400 Sønderborg

Denmark

e-mail: matthews@mci.sdu.dk

telephone: +45 6550 1675

fax: +45 6550 1635

Short title: Managing intersubjectivity through pointing

Number of pages: 43

Number of tables: 0

Number of figures: 8

Getting the point: The role of gesture in managing intersubjectivity in a design activity

Abstract

This paper illustrates the complexity of pointing as it is employed in a design workshop. Using the method of interaction analysis, we argue that pointing is not merely employed to index, locate or fix reference to an object, but also constitutes a practice for reestablishing intersubjectivity and solving interactional trouble such as misunderstandings or disagreements by virtue of enlisting something as part of the participants' shared experience. We use this analysis to discuss implications for how such practices might be supported with computer-mediation, arguing for a 'bricolage' approach to systems development that emphasizes the provision of resources for users to collaboratively negotiate the accomplishment of intersubjectivity rather than systems that try to support pointing as a specific gestural action.

Keywords: Pointing, intersubjectivity, gesture, collaborative design, computer-mediated communication

INTRODUCTION

Pointing gestures are typically seen as a means for people to anchor language in the material world, establishing a link between a word and a physical (or abstract) object (McNeill, 1992; Clark, 2003), either to draw another person's attention to that object (Tomasello, 2006), to request another person to hand over that object (Bates et al., 1983) or to identify for others what is currently being talked about (Liszkowski, 2006; Visser, 2009). This "alleged conceptual and functional simplicity of pointing gestures" (Haviland, 2003: 139) has been recognised within a range of scientific disciplines, including anthropological linguistics, cognitive psychology and gesture studies. For this reason, it is perhaps unsurprising that the little design research that has focused on gestures has tended to follow suit, classifying pointing as a gesture that designates entities (Bekker et al., 1995; Visser 2009), in much the same way as do McNeill's (1992) and Kendon's (2004) well-known classification systems of gesture.

Although gestures are ubiquitous in design, the study of gestures in design activity is in its infancy (Visser, 2009). John Tang's early studies (Tang & Leifer, 1988; Tang 1989) are notable for initiating this line of research, and for providing a coarse classification of some of the functions of gesture in design that became a point of departure for subsequent investigations. Since Tang, only a handful of studies have specifically investigated gesture in the context of design, and of these, two have looked specifically at the gesture of pointing. Bekker et al. (1995) identified different types of gesture (kinetic, spatial and pointing), and a dozen different purposes of their employment in design, including object or person reference, process and information management, organising conversational turn-taking and acting out scenarios of use. Their analysis, however, only considered pointing as a referential device for picking out objects, places or persons.

Building on these studies, Visser (2009; 2010) has extended these authors' findings of the use of gestures (including pointing) in design. Her analysis is also informed by some of the leading work from the human sciences that has investigated human gesture (e.g. McNeill, 1992; Kendon, 2004). Like Tang and Bekker et al., she analyses gesture in design in terms of the functions it performs, inductively identifying five overarching 'families' of gesture function in collaborative design: gestures that *represent*, that *organise*, that *focus group attention*, that *provide emphasis* for and/or that *disambiguate* discourse or interaction elements (Visser, 2009). Some of these families have been further elaborated, identifying subfamilies or sub-subfamilies within them. As we see it, the key contribution in this work is its careful attention to the various employments of gestures in collaborative design, and its appreciation of the overlapping nature of these distinctions. Visser emphasises that such a set of distinctions should serve to highlight the multiple roles that gestures play, realising that any single gesture may simultaneously serve a number of purposes. In this respect, she underscores the heterogeneity of gestures. A clear finding from her work is that it shows us that the form and function of gesture in design work do not neatly align. For instance, representational gestures may take many different forms, and the same form of a gesture (e.g. pointing) does not always fulfil the same function (Visser, 2010).

Because this line of research is underdeveloped at present, there concurrently exist multiple classification schemes for gesture in design. Tang, Bekker et al, and Visser each propose their own. Such taxonomic schemes are a first step towards creating theory. Equally important, however, is the accumulation of empirical cases that seek to describe, rather than create general classifications of, the use of gestures such as pointing. This particularly so since there is not yet a public corpus of empirical studies that can warrant meaningful theoretical generalisations about gestures in this domain (nor are we able to provide such a corpus in this paper). Rather, we see ourselves contributing in piecemeal fashion to the collective

construction of such a corpus of descriptions of one particular gesture (pointing) and its use in design. Our method of study, informed by ethnomethodological studies of work and conversation analysis, is also one that tends to eschew the creation of taxonomic classifications. This is because classificatory systems (including those of Kendon and McNeill) abstract away the contextual details of the production of a gesture or other social action; details that can be shown to have crucial relevance for how the gesture was understood by the gesturer and his/her interlocutors. Hindmarsh and Heath (2000), for instance, show how a number of “local contingencies”, among these the nature of the object being pointed to, are of relevance to what a point can be understood to be doing in the here and now, from which we can infer that aspects such as the ‘form’ and ‘function’ of pointing are not the only relevant details. Similarly, Goodwin (2006) convincingly demonstrates that pointing is not simply a practice for getting a co-participant to attend to an indicated object, but is rather inviting the co-participant to “construe [the object] in a way that is relevant to the activities in progress at the moment, and to use the pointing gesture as the point of departure for a relevant next move.” (106). An understanding of pointing as embedded in sequences of interaction such as these authors present, contends that issues such as what is being pointed at, how the point is performed and the interactional context in which the point is produced are all of relevance for what participants in interaction understand the action of pointing to be *doing*.

Following these ethnomethodological approaches to pointing (and gesture more generally), we present a case study of the gesture of pointing in design, illustrating that although pointing does serve to connect words to the material world as other gesture researchers have long understood, pointing can do more than that. Based on a detailed analysis of four cases of pointing as they were performed during a participatory design workshop, we demonstrate that participants can employ points as a practice for remedying interactional trouble, such as, for

instance, misunderstandings or disagreements between the participants over their joint design. Clearly, this is an important aspect of collaborative designing, since the end-result should ideally be something that the participants understand in much the same way and agree upon. Our study shows that pointing can serve as an important social tool with which participants (in design events as well as in ordinary life) can seek to establish or re-establish intersubjectivity where that is otherwise threatened.

A principal motivation for studying gesture in design has been to inform the creation of computational tools for distance collaboration, such as groupware systems. In order to better create support tools for distributed collaboration in design, it is vital to understand how participants' shared physical environment is implicated in the accomplishment of design work; a study of pointing as it is used in a natural, unconstrained design activity seems an obvious point of departure. Certainly, one of the reasons that an understanding of gesture in collaborative work is of general interest to researchers has been to aid the development of tools that mediate group work at distance. This has become important, as it is increasingly the case that many work teams are no longer co-located. If we are to build successful systems that support collaborative group work, it is imperative that they are informed by a detailed understanding of how co-located teams create mutual understanding and coordinate their actions with each other, particularly since any systems that mediate communication at a distance will necessarily deprive collaborators of some, if not many, of the environmental resources on which they ordinarily rely to successfully interact with each other. This being the case, we consider it of first importance to investigate how collaborators' shared material environments are brought into use in face-to-face cooperative design work.

Of course, researchers and designers intent on creating systems to support pointing and other gestures in remote collaborative environments rely on understandings of the uses of these gestures in the work. Many have thus far understood that pointing primarily has an indexical

function (Yamazaki et al., 1999). While we will not contest such an understanding of pointing as applied to the design of groupware systems, we do wish to complicate it.

The paper is organized as follows: first, we discuss how gesture and in particular pointing has been addressed in the development of computer supported collaborative work systems. We then provide the background for our particular study, including a description of our data and the tools and methods we use for our analysis. In our analysis, we illustrate by way of four cases, how participants in this design event employ pointing not merely to create a place for shared attention, i.e. to index an object, but also, and more importantly, as a device for solving potential troubles of misunderstanding and disagreement in relation to the ongoing design. From our analysis we argue that the ‘function’ of pointing is, in these cases, more complex than has earlier been described. Consequently, we propose a different (‘bricolage’) approach to computer-supported systems for collaborative work that may better support this complexity.

SUPPORT FOR GESTURES IN COMPUTER SUPPORTED COLLABORATIVE DESIGN

Gestures can be considered in relation to the design of computer systems that support cooperative (design) work in a number of ways. For one, we might concentrate on how existing gestural interactions are made *around* systems or consider how system elements might provide additional resources that people can gesture *about*. There is also the possibility of allowing people to gesture *to* systems by having their gestures interpreted as system commands. Each of these areas has potential implications for system design, but here our interest is in another area – how gestures might be relayed *through* a system to remote parties engaged in a collaborative design activity. This raises several difficult challenges, which

researchers in computer-mediated communication have struggled to address. One core issue is how to provide a remote embodiment (or representation) for the gestures of users.

Telepointers are one relatively simple and widely used technique for transmitting (what might be considered as) pointing gestures of remote participants. Telepointers are simply screen-based cursors, which are replicated over a network so that each user of a groupware application can see the cursors of all the other users. From a gestural perspective, such systems are very limited. As Buxton (2007) remarks, they restrict the user "...to the gestural vocabulary of a fruit fly!" (253). Nevertheless, users are still able to make powerful use of telepointers, such as to provide a limited embodiment, awareness of the actions of others and for gestural communication between users (Dyck et al., 2004). The representation of the remote participant may be conveyed as a conventional mouse cursor, or may be combined with additional information such as a trace of the user's path of movement over time (Gutwin & Penner, 2002), a visual indication of the accuracy of the position (Dyck et al., 2004), or information such as the user's name or picture (Sánchez et al., 2008). Researchers have also investigated the possibilities of how multiple people might interact, for instance by aggregating or delegating control of a telepointer among interactants (Osawa, 2006; 2007).

The idea of a remote pointing device has also been explored in remote physical space, beyond the confines of the groupware screen. In a system designed to support remote instruction of operators undertaking physical tasks, Yamazaki et al. (1999) describes a system consisting of a remotely controlled laser pointer mounted on a mobile, radio-controlled carriage and coupled with a camera and audio link. The (albeit limited) mobility of this 'GestureLaserCar' allowed an instructor and operator to mutually coordinate their positioning in relation to a task. The instructor could control the movements of the laser pointer with a mouse to point at tools, objects, bodies and so on in physical space. The laser light could also be made more intense by pressing the mouse button or blinked by repeated clicking. A

subsequent system called GestureMan substituted a mobile remotely controlled robot platform for the car to provide greater freedom of movement (Kuzuoka et al., 2000). With this system it was observed that operators noticed changes in the direction of instructors gaze and could use this to orient to the area that the instructor was about to talk about.

Video has also been widely explored as a means of mediating gestural interactions in computer-mediated communication. Though video might at first seem well suited to representing gestures, in practice it has proven problematic as a medium for conveying remote gestural interactions. The main problem is that video introduces distortions into interpersonal communication, which interfere with their interaction, including aspects such as awareness of gaze, relative size of gestures and differential access to a mutual environment (Heath & Luff, 1991). However, it has also been found that over extended periods, users are able to develop interaction mechanisms, which can overcome some of these problems (Dourish et al., 1996).

Many of the more promising attempts at the use of video as a means of mediating or linking gestures between remote parties have been those which employ video in relation to some shared resource around which the interaction can be organized and made intelligible, rather than through a stand-alone video link. This would seem especially relevant for developers of computer supported collaborative systems, because of the important role that shared resources and objects often play in design activities (Brereton & McGarry, 2000).

The VideoWhiteBoard was designed for remote shared collaborative drawing (Tang & Minneman, 1991). A video feed of the remote drawing partner and their drawing was projected onto the rear of a semi-transparent drawing surface with an accompanying audio link. A local partner could draw on the front side with a regular dry-erase marker and the remote partner would appear as a shadowy figure standing just on the other side of the wall. Collaborators could therefore see and hear the gestures and talk of their remote partner in

relation to the drawing that they made and get a sense of how far their partner was standing from the wall by the blurriness of the shadow. Through observations of the system in use participants were seen to make a variety of gestures, such as pointing gestures referencing parts of the drawing, elicitation such as cocking of the hand to the ear to request the partner to speak up and full body gestures such as shrugs. Another system, ClearBoard used the same basic metaphor of a remote participant standing behind the whiteboard, but transmitted full-color video rather than a shadow only (Ishii & Kobayashi, 1992). This allowed participants to maintain shared awareness of eye-gaze and thereby supported the transition from shared drawing to face-to-face discussions.

Another metaphor that has been explored with video is to convey video of the physical workspace of a participant to their remote partner, in order to provide a shared reference for gesturing. In the DOVE system, a remote instructor could view and make pen gestures on a video stream of a participant's workspace in order to guide them through a simple assembly task. The annotated video was then displayed back to the participant on a separate monitor in the workspace along with audio from the instructor (Fussel et al., 2004). This has been taken further by projecting video of the hands of a remote 'helper' down onto a desktop surface at which a local participant was engaged in an assembly task, thus producing a 'mixed reality ecology' (Kirk et al., 2005).

Collaborative virtual environments are distributed virtual realities designed to support collaborative activities (Churchill & Snowdon, 1998). Users are typically represented in such systems as avatars. Though the potential value of providing avatars with the ability for gestural expression has long been recognised (Benford et al., 1995), gestural interactions are still not well supported and often rely on the typing of text commands to trigger pre-defined scripted gestures (Moore et al., 2007). Though some systems allow for pointing gestures to be made, such gestures are markedly more difficult to make and interpret in a collaborative

virtual environment than they are in the real world (Wong & Gutwin, 2010). The utility of adding support for pointing gestures to collaborative virtual environments has been investigated in the context of a simple design task of rearranging furniture within a room (Hindmarsh et al., 1998). Though there was a benefit from the use of gestures, several interaction problems were apparent due to each participant only having a fragmentary view onto the world, needing to refer to objects explicitly and verbally even when visible to both partners, and due to the disruption of interactional resources normally used to make sense of another's activity (Hindmarsh et al., 1998).

As our review illustrates, a number of systems have been developed to support gesture in remote computer supported cooperative work, ranging from devices dedicated to support pointing specifically (such as tele- and laser pointers), to devices involving video that in various ways are meant to convey gesture (and other information) more generally in a manner as close as possible to face-to-face interaction. Each of these devices clearly has their own justification, but also their own problems. In particular with respect to pointing, most devices appear to be designed to support pointing primarily as an indexical practice only, i.e. as a practice for coordinating the attention of multiple participants towards a particular object, for referencing objects in the environment or for drawing relations between objects. As we will illustrate in this paper, however, the role of pointing in collaborative design as well as presumably in any other interactional context is much more multi-faceted than merely being an indexical practice. In particular, we will show how pointing is used to (re-)establish intersubjectivity, i.e. understanding or agreement, between participants and that this is accomplished through a variety of forms of pointing. With this rather complex picture in mind, we will consequently propose a bricolage approach to the support of pointing in mediated cooperative design, where the focus is not so much on developing devices that can mimic pointing per se, but rather on providing resources that can be used by participants in

interaction to achieve the actions and activities that they might otherwise achieve through pointing. Before launching our analysis and our concluding proposal for how to address pointing in mediated cooperative design, we briefly below introduce the material on which we base our observations, our method of analysis and devices of description.

BACKGROUND TO THE DATA

The data that we consider for analysis comes from a design workshop conducted at SPIRE (Sønderborg Participatory Innovation Research Center) with the participants from a newly formed collaborative project focusing on designing a new type of sustainable energy generator that can replace the noisy, polluting and fault-prone diesel engines that are currently used to power independent camps and shelters for landmine clearing operations in Angola. The project collaborators and participants in the workshop include partners from industry (manufacturers of devices such as solar panels and fuel cells), an NGO involved in projects in developing countries, and researchers and developers from two Danish universities. Picture [1] shows the team members at one of the two group tables at the workshop. Although we have since analysed this data for the participants' uses of gestures, this was not the purpose of the workshop, nor was it the original reason video was taken of the session. Both the workshop and its documentation on video were organised as project events, and they would have taken place as planned with or without this particular study in mind. In this regard, our analysis is of a natural design activity at the early stages of a newly formed project.

[INSERT PICTURE 1 HERE]

The entire collaborative project, as well as this particular workshop, was organised as a participatory innovation effort, in the sense that care was given to involving the voices of the potential users of the final design, as well as people with a stake in the new product, e.g. manufacturers. As the potential users in this case were primarily located in Africa, whereas the stakeholders from industry were located in Denmark, SPIRE sought to bring in the users' perspectives through playing short videos on various themes from the users perspective (e.g. user activities, dimensions, maintenance, transport of comparable equipment) at various points during the workshop, in order to help the participants design the generator (see Yliriksi & Buur, 2007). The videos were played on a screen that is not visible in picture [1], but is located on the wall to the left of the camera view.

The particular design workshop we are focusing on took place on the second occasion the stakeholders had met each other. After the partners introduced their technologies to each other, they spent one hour sketching their ideas out, with the assistance of an experienced sketcher. The finished sketches were pinned to the board visible in picture [1] right behind two of the participants, Claes and Daphne. In the second part of the workshop, the participants used various objects such as cardboard and foam pieces as well as toy trucks, motorcycles and figurines to design and build coarse small-scale models of their final product, a generator that could be transported either on a truck or a motorcycle. A preliminary model can be found on the table between the participants in picture [1]. The data we consider for our study is taken exclusively from the second part of the design activity, i.e. where the idea boards have already been prepared and the model is being built. This second part of the workshop lasted for just over two hours.

METHOD AND APPROACH

We scrutinised video recordings of these two hours for instances of pointing. In collecting such instances, we chose to focus on pointing as an action, rather than as a gestural expression that can be defined through a physical description of a movement or action. That is to say, in our pointing collection we did not define pointing as requiring for instance an extension of the (index) finger towards some object (cf. McNeill, 1992; Bekker et al., 1995). Instead we follow researchers such as Kendon and Versante (2003), who define pointing as a physical action with which a participant in an interaction invites co-participants to pay attention to something in their shared environment.

As will be argued throughout this paper, pointing (and indeed most other gestures) is not produced in isolation as an individual and independent action, but is rather a sociocultural practice employed as one component of a set of interactional practices used by people in interaction and is as such both conceptually, morphologically and linguistically complex (Haviland, 2003). This view is in line with the analytic tradition on which we draw here, namely that of ethnomethodology and Conversation Analysis. As Mondada (2008) argues, this approach (among other things) “...aims to describe organizational patterns of behavior which exploit in an indexical *and* systematic way various multimodal resources in their detail: grammatical, prosodic, gestural, visual resources are studied as being mobilized, arranged and possibly reconfigured by participants in the local organization of their action, sensitive to the contingencies of context” (3). Conversation Analysis (see for instance Heritage, 1984) as well as other ethnomethodological approaches, attempts to construct an emic account of actions and practices, i.e. an account which is grounded in the perspectives of the participants in an interaction, rather than on a researcher’s analytical perspective (see, for instance Sacks, 1995; Garfinkel, 1996). Taking an emic approach to interaction entails capturing as much as possible all the different features and modalities of an interaction that are available to the participants themselves. This means that our transcripts of the video

include features such as intonation, mispronunciations, hesitation markers, inbreaths and nonsensical utterances, as well as an indication of where physical actions (such as pointing) occur in the concurrent talk. The interaction taking place during the design workshop has been transcribed using Transana¹, and in accordance with the transcription system advocated by Jefferson (2004). However, in order to ease the reading for people who are not familiar with the Jeffersonian transcription system, we present our examples in standard orthography, marking only where the most relevant non-verbal productions of the participants are located in relation to the ongoing talk (indicated with the symbol §) and where participants are producing talk simultaneously (indicated with the square bracket []). In addition, we have provided only an English version of the transcript, though the original interaction was conducted in Danish. The original transcripts can be accessed on request to the authors.

[INSERT PICTURE 2 HERE]

In order to produce images illustrating the dynamics of the pointing gestures, one of us developed a computer program, called ‘Tracey’² which allows visual traces of movement to be made on video. With the Tracey program, an analyst can construct a visual trace of the movement of a body-part by clicking on it as it moves through a sequence of frames from a video. It is up to the analyst to choose the part of the body on which to click to define this series of points depending on what aspect of movement is relevant for the analysis, which is in line with our decision not to pre-define pointing as involving particular parts of the body (e.g. an extended index finger). From the series of points, the program constructs a connecting line and overlays this on the image from the video. An example of these traces is

¹ See <http://transana.org>

² Available at <http://jaredonovan.com/programming/tracey>

shown above in picture [2], which shows the trace from three subsequent sections in the performance of a pointing gesture by Brian (the gesture is analyzed further below in Example 4). In the sequence of pictures, Brian extended his arm from a rest position to point at a poster (left) then scratched his nose (center) and returned to a rest position (right). As can be seen in the pictures, the thickness with which the line of the trace is drawn by the program is varied according to the distance between points. This means that places where the hands are in a rest position or where a pointing gesture is sustained at a single position stand out as spots on the line. In contrast, places where the person moved a lot, such as when extending the arm to point at something, are rendered as long thin stretches of the trace. For the purposes of print legibility, selected elements of video frames have been traced over with a black line to make clearer details such as hand position, body posture, and gaze direction.

ANALYSIS: POINTING AS A PRACTICE FOR ESTABLISHING INTERSUBJECTIVITY IN A DESIGN WORKSHOP

A crucial aspect of cooperative design activities, indeed of almost every activity in which human beings are involved, is the establishment, negotiation and maintenance of intersubjectivity. In other words, in order for a cooperative activity to be even partially successful the co-participants need to be able to understand each other, to share a certain level of “common ground” (Clark et al., 1983), to agree on what they are doing, what they have done and where they are going. In the following, we will demonstrate how pointing is one of the devices with which participants in cooperative design can manage intersubjectivity. At its most simple, pointing can be understood as an indexical practice with which one speaker calls something to the attention of others (Tomasello, 2006), i.e. to designate an entity in the environment and locate it in space so that others are able to identify what is currently being talked about (Liszkowski, 2006; Visser, 2009). However, we will

demonstrate that “designating an entity” is in itself a practice, a practice for establishing intersubjectivity between participants because it provides a possibility to inquire about, check, affirm or correct own or other participants current interpretation of the ongoing interaction and design task. In order to show this, we have chosen four cases in which one or more points are produced. Whilst the cases we show may not be exhaustive in terms of the numerous variations with which pointing can be produced in its various contexts, they are meant to be representative cases that together illustrate that pointing can be employed as a practice for establishing intersubjectivity. We also wish to underscore a finding by Visser (2010), that there is no one-to-one match between the function of pointing and the form of the point. We extend this finding here by showing how the particular function of pointing is determined by its specific place in a sequence of interaction, rather than its gestural form.

Pointing to check understanding

We begin by illustrating how pointing can be employed as a means for first checking understanding and then correcting understanding. In the following example, the participants in our design workshop thus produce various points to make sure everyone understand where they currently are in the design process. Whilst Anna and Claes are adding further units to their joint design and talking and laughing about that (lines 01-03), Daphne, who was not present at the beginning of the workshop, inquires whether the item in Claes’s hand is a fuel cell (line 04, picture [3]). She thus reveals herself to be lacking understanding at this point, though her naming of the item as a fuel cell suggests that she has reason to believe that she does in fact understand part of the design.

Example (1)

Claes is building a structure. Anna leans over the table and picks up some material. Both Anna and Claes's actions are fully visible to Daphne.

01 Anna: This one is it's a fuel cell. Then there's a tube here.
02 Claes: heh heh heh [hah hah heh
03 Anna: [heh heh heh heh h[eh
04 Daphne: [What's§ that one is that a fuel cell,
05 Daphne: §lifts hand with extended
06 finger and points to structure held by Claes
07 §(0.3)
08 Daphne: §retracts hand

[INSERT PICTURE 3 HERE]

The point produced by Daphne in lines 05-06 (picture [3]) is placed at the same time as she produces the reference “that one”. With this, Daphne thus establishes a link between the real world and her talk, making it clear to the others what she is referring to and drawing their attention to that object. But in addition to that, the point, along with Daphne's verbal contribution performs a practical task, that of checking whether her current understanding of their joint design project is correct. Or, in other words, Daphne points to the object not just to get the other's attention to that object, but to make sure that intersubjectivity in the form of joint understanding has been reached at this point. As we shall see in the continuation of this extract, this is indeed not the case, as Daphne's identification of the object as a fuel cell is in fact wrong.

Example (1) (continued)

- 09 Claes: No this one th[at is that§ that's §this one
- 10 Anna: [No.
- 11 Claes: §Turns head and upper body in direction of board
- 12 Claes: **§Points with hand holding structure**
- 13 **towards board**
- 14 (0.3)
- 15 Daphne: §Torques head and upper body towards board
- 16 §(1.0)
- 17 Claes: §Scoots on chair towards board
- 18 Claes: You're just getting (.) a fast (.) (guided tour)
- 19 §Look it's that one.
- 20 **§Points to specific part on board**
- 21 (0.8)
- 22 Claes: That's like (.) e:h (.) the core unit.

Here, Claes corrects or repairs (Schegloff et al., 1977) Daphne's understanding that the object in his hand is meant to represent a fuel cell, and does, so, among other things by pointing to various things in their environment. First, he uses a point to indicate that the item in his hand is identical to an item on the board, thus implying that it cannot be a fuel cell (lines 12-13, picture [4]). He then moves to the board and locates this item specifically by pointing to a drawing of the core unit (line 20, picture [5]). This point is accompanied by a "look-prefaced" utterance (Sidnell, 2007), which in itself serves to call attention to the link between the item in his hand and the core unit. Finally, he states explicitly that the thing he holds in

his hand and the item he is pointing to on the board is the core unit. Both Claes's verbal and gestural contributions are thus addressed to establish intersubjectivity between the participants, by making sure that Daphne who has revealed herself to have misunderstood the design now understands correctly. Whilst Claes's pointing thus serves to locate and identify various objects for Daphne, this designation of entities is in itself done in the service of remedying Daphne's faulty understanding of the design.

Example (1) thus illustrates how pointing may serve a particular interactional function and is used in a particular interactional context, namely one in which a potential problem needs to be solved. The point produced by Daphne is thus part of her activity of checking whether she has understood what was going on correctly (has identified a part of the design in the intended manner). Likewise, Claes uses his points as a resource for establishing mutual understanding, though he does so by in fact correcting Daphne's misunderstanding. In other words, all the points in this example are not merely indexing a particular referent or item, but are doing so in the service of solving a misunderstanding.

Visser (2009) argues that there is no one-to-one correspondence between the form and function of a gesture and as pictures [3], (above) and [4] and [5] (below) illustrate, this is true also of pointing that is employed in the service of solving or correcting a misunderstanding.

Thus, the points produced by Daphne in lines 05-06 (picture [3]) and by Claes in line 20 (picture [5]) very precisely locate a particular item (while, in Claes' case, naming it), whereas the first point produced by Claes in lines 12-13 (picture [4]) merely suggests a direction and a place towards which the others should look.

[INSERT PICTURE 4 & 5 HERE]

As pictures [3-5] together illustrate, pointing is not a single, definable movement, even when employed for one particular function, that of solving a problem of understanding. Rather, pointing can be performed in a variety of ways to index where co-participants in the current spate of talk should direct their attention (see also Goodwin, 2003; Haviland, 2003; Kendon & Versante, 2003). Moreover, pointing is in itself part of a larger set of physical practices with which something can be brought to attention. In picture [4], for instance, it is not the point alone that the direction in which to turn the attention, but also the direction of Claes' gaze and the posture of his body. It is thus not pointing, as a simple iconic gesture that is of interest or relevance here, but rather the *action of calling attention to an object* (whether this be done by pointing the index finger in the direction of an object, turning towards an object, gazing at an object, referring to an object) and it is this action that the participants in extract (1) employ to solve a problem of understanding.

Pointing to correct or repair understanding

In the following example we see how pointing (thus calling attention to an object) is enlisted to solve a problem of misunderstanding, i.e. to correct a misunderstanding. Here, the group is in the process of finishing their model, when Finn (in line 01) states that there need to be wires connecting the different parts (from the devices producing electricity to the devices using electricity). The wires have in fact already been put in place by Claes at an earlier stage, where he even notified the others verbally that that was what he was doing. Nevertheless, Finn has apparently failed to understand – or has forgotten – this.

Example (2)

01 Finn: And then there should be some wires connected somehow.

02 (1.5)
03 Claes: Yes but the wires are there.
04 Claes: **§points to model**
05 (0.3)
06 Finn: Oh that's right it's there

In line with the more specific points employed by Daphne and Claes in example (1), Claes here (in line 04) employs a point that exactly locates where the wires are positioned (see picture [6]).

[INSERT PICTURE 6 HERE]

By doing so, Claes provides visual evidence for his concurrent statement that the wires *are* in place (line 03). With this, he implies that Finn has somehow missed something, leading him to make the faulty conclusion that the wires are still missing. By directing Finn's attention to the wires Claes thus manages to correct Finn's misunderstanding, as evidenced also by Finn's subsequent response in line 05, where he produces the realization token "oh that's right" with which he treats the information given by Claes as something he has only now understood (or remembered) (Emmertsen & Heinemann, 2010).

Our next case similarly illustrates how pointing is employed to enlist an object to correct misunderstanding between the participants, but in this case the quality of the pointing is very different to that in example (2). The object referred or pointed to is an abstract, distant location and the pointing is thus correspondingly conceptually complex (Haviland, 2003), done as a backward, over-the-shoulder point in the direction of the screen where the video about Africa has been shown earlier. This point is illustrated in picture [7]. As the trace in the

picture shows, the pointing gesture in this example is not the stereotypical gesture of an arm and index finger extended out from the body, but a much subtler gesture made with a flick of the fingers back over the shoulder to the video without moving the hand away from the area of the face.

[INSERT PICTURE 7 HERE]

Example (3)

01 Claes: Nyeah but what could We could get four hundred
02 watts from one.
03 (0.6)
04 Daphne: eh Yeah (in a couple of years)
05 (0.6)
06 Claes: Y[es=No but §down there. down there.
07 Claes **§points backwards to videoscreen**
08 Daphne: At the moment it's two hundred eighty.=Yes no[now
09 Claes: [Yes
10 Daphne: sorry yes

Here, the participants of the workshop are trying to figure out how many different units they need in their design in order to provide sufficient resources (electricity, heating and water) at the site they are designing for. In lines 01-02, Claes formulates what Labov and Fanshel (1977) terms a “B-event” statement, a statement that concerns something that someone else has better access and hence greater rights to know about. In our case, Claes makes a

stipulation about the efficiency of solar panels in a context where Daphne, who works for the solar panel company, is present. Claes displays his awareness of this by directing his gaze at Daphne, thus selecting her as the recipient of his statement (Goodwin, 1979). At the same time, however, Claes reformulates his utterance from being a question (“what could we”) to being a statement (“We could”), in effect answering his own (unstated) question. Whereas the question form, for instance “what could we get from a panel” would have allowed Daphne to provide her expert knowledge as information to Claes, the statement form merely invites her to confirm (or disconfirm) the information given. As can be seen from line 04, Daphne produces what initially may appear to be a confirmation, a “yes”. However, the structural aspects of her response are designed to project a negative, ‘dispreferred’ (Pomerantz, 1984) answer, in that it is delayed by (0.6) seconds and furthermore preceded by a hesitation marker “eh”. Finally, Daphne adds the qualifying “in a couple of years” to her “yes”, thus cancelling out her confirmation as being valid only at some point in the future, but not now.

At this point, then, Daphne has basically told Claes that his assumption about how many watts a solar panel can produce is wrong. Corrections or disconfirmations such as these can be delicate social matters; they are indications of a breakdown in intersubjectivity and social solidarity which interaction in general is designed to achieve and maintain (Sacks, 1995; Clayman, 2002). As illustrated in examples (1) and (2), pointing can be employed exactly in such positions of potential breakdown. In previous examples, pointing was thus employed as part of a larger practice, to solve problems of misunderstanding. In example (3), the potential breakdown in intersubjectivity is more severe, as in this case Daphne has specifically disconfirmed (and thus corrected) something that Claes has stated *in a manner that suggested he was an expert*. Again, pointing is here deployed to enlist an object as being part of the participants’ shared experience, and again this is done in order to solve interactional trouble. Thus, Claes, by pointing in the direction of the video-screen (line 06, pic [7]), enlists the

setting in which their design will eventually be placed (Africa) and uses this shared experience of having seen the conditions in Africa as the grounds for his statement about how much energy a solar panel can produce, suggesting it was based on the local contingencies of the use context, not on the specifications of the solar panels themselves. In turn, Daphne accepts these contingencies, confirms that Claes' stipulation about the efficiency of the solar panels was indeed correct and even apologizes for having made a faulty correction (see the "sorry, yes" in line in line 10) and the interactional trouble is thus resolved.

Pointing to pre-empt trouble

Examples (1), (2) and (3) together illustrated that pointing can be employed not merely to direct co-participants attention towards an object, but to do so to solve a problem of intersubjectivity in a context where some interactional trouble has occurred, i.e. where one participant has failed to understand, has misunderstood or, even been corrected. Pointing, in this context of trouble thus serves (along with other practices) as a resource for solving a problem of intersubjectivity that the participants are facing and need to deal with before moving on to the next part of their design task.

In our next example, pointing is also employed to enlist an object, but in this case the point and its accompanying verbal actions appear to be used not just to solve trouble, but to *pre-empt* it.

Example (4)

01 Brian: But that could be the box or what,
02 (0.6)
03 Brian: so you wouldn't have to carry[[

04 Daphne: [You [could
05 Ewan?: [Yes
06 Daphne (just break) with to ([find out)
07 Brian: [§you know this one
08 Brian: §Points to board
09 (1.4)
10 **0.5 seconds in, point is retracted to scratch nose**
11 Ewan: But then it's still easier to have a thin
12 or a telescope you can pull up.

In line 01, Brian proposes that a pole needed for getting the solar panels in a high enough position on the ground could be used at the same time as part of the box within which to carry the solar panels to the site. As the (0.6) second silence in line 02 shows, Brian does not get any immediate uptake of his proposal. Proposals are contingent upon a co-participant's acceptance and a lack of immediate uptake such as in this example is interpreted and treated as a problem by the proposer as well as by co-participants (Heinemann et al., 2009).

However, studies show that participants in interaction (Svennevig, 2008) have a preference for interpreting indications of trouble in the least problematic way possible, for instance by treating a lack of uptake as a problem of hearing or understanding, rather than as a problem of agreement. Indeed, there could be many different explanations for why Brian's proposal is not ratified straight away, in particular in this case because a) it is not obvious who (if anyone in particular) he is addressing his proposal to and b) two of the group (Claes and Daphne) have temporarily left the table to glue some pieces together and thus may not have heard his proposal at all. In line 03, Brian displays his interpretation of the lack of uptake, as being a problem of understanding, by adding another part to his utterance, further detailing what his

proposal would entail in practical terms (“then you wouldn’t have to carry”). By initiating this part with a conjunction (then), Brian constructs this utterance as being part of his earlier turn, thus effectively erasing the (0.6) silence and giving his co-participants another chance at affirming his proposal. At this point, Daphne, who is at a different location in the room and engaged in trying to glue a part of the design together, together with Claes, responds with something that could be a ratification of Brian’s proposal (the “you could” in line 04). When Brian turns to look at Daphne, however, it becomes obvious that her utterance was directed at Claes and had nothing to do with his proposal. Turning back, still without any uptake of his proposal, Brian makes a further specification of what he meant with “that could be the box”, this time by pointing (in line 08) to and thus locating for the others what he meant to refer to with “that”. Here, the point is done with an extended index finger towards the board that the participants have earlier constructed together, and targeting a particular item there (picture [8]). As in our previous cases, Brian’s point thus enlists (part of) an item that is part of their shared experience and directs the other participants’ attention towards it. As picture [8] illustrates, this particular pointing movement is very similar to the mid-specific point in picture [4] of example (1) and thus lies somewhere between the very specific point delivered by Daphne and Claes in example (1) (pictures [3] and [5]) on the one hand and the very broad, unfocused point in example (3), picture [7].

[INSERT PICTURE 8 HERE]

With the point and its accompanying verbal contribution, Brian once again treats the lack of uptake as a problem of understanding, rather than it indicating that the others do not like his proposal. By pointing to the board, he thus attempts to identify what he was talking about, in order to make it easier for the others to understand and hence to agree with his proposal. As it

happens, he does not succeed in soliciting agreement from the others, as is evident from Ewan's turns at talk in lines 11-12, where the proposal is effectively discarded by comparing it unfavorably to another solution. Brian's lack of success, however, should not retract from the fact that he integrates a pointing gesture that locates a specific item he has referred to as part of a larger practice for pursuing agreement with a proposal he has problems getting ratified by the others, in this way, he seeking to avoid, or pre-empt a potentially upcoming disagreeing response, i.e. a response that would reject his proposal.

SUMMARY

Through these examples, we have tried to illustrate that although pointing certainly is a way of fixing linguistic references to objects in the world and thus identifies and locates these objects for others, this is not the only – or even primary – thing that is accomplished through pointing. Our analysis shows that “designating an entity”, for instance by pointing is a practice that can be employed by the participants in this design workshop in order to solve or prevent problems of intersubjectivity (e.g. misunderstandings or disagreements). We have furthermore sought to demonstrate that this employment of pointing is not dependent on a particular form, shape or size of the point, but that both specific and abstract pointing, with or without an extended index finger can be used for this purpose, the crucial thing being that some item in the physical (or imagined) environment is enlisted to “solve” the interactional trouble. Naturally, pointing is not the only way in which the environment can be so enlisted (other practices that may figure prominently in this regard could be gaze, other gestures, as well as the actual handling or placing of objects, see for instance Clark, 2003). Likewise, gestural reference to the physical environment is not the only way participants can manage problems of intersubjectivity, though this may serve a more prominent role in the context of performing a practical task such as designing technical and material configurations. But it is

noteworthy that pointing seems to be a tool readily employed to do this kind of ‘trouble’ management. We did not, for instance, see designers pointing at particular objects (e.g. solar panels) just because they happen to be talking about those elements of the system at the moment. Pointing is accountably more than just fixing a point of others’ attention, or specifying and disambiguating a linguistic reference for the sake of clarity.

With this in mind, we also observe that in our data, “shared” objects are not simply shared by virtue of communal physical or visual access. The wires, the fuel cells, etc. became shared by being co-opted into the work of achieving intersubjectivity. That is, sharing physical spaces and objects does not of itself enable the participants to share objects in a social or intersubjective sense. For research concerned with understanding design practice, this is an important point.

As we look to possible applications of analyses like this one, it is shared experiences, and the ability to refer to shared experiences, that are the more relevant practices to try to support in computer-mediated communication, rather than providing shared access to objects, spaces, or visual fields. We feel entitled to say this on account of the ways in which physical objects, spaces and visual fields were enlisted in order to index shared experiences and to head off intersubjective ‘troubles’, rather than being important for simply being physically present, being objects of particular types or qualities, or because they were relevant semiotic markers of conversational objects.

We readily agree with previous research that gestures can take various forms and that they can serve a range of functions in design. But interestingly, with the analytic lens that we have employed here, we have shown how the particular function of pointing (as a tool to achieve intersubjectivity) is not determined by its form or the manner of its production, but draws its function from its *sequential placement in interaction*—i.e. what the current social circumstances are, what has just happened, and what it is that hangs on whatever happens

next. It is precisely *this* local sequential context that is omitted from classification schemes that abstract the various functions of gesture, yet it is this context that furnishes each particular gesture with its meaning and usefulness. Our recommendation for future research on gesture in design would be to first build up a substantial corpus of naturalistic examples of gesture that preserve the interactional details of their production, prior to glossing over these details in service of generic classifications schemes, particularly as gesture research in design is still searching for semantic and/or context-related regularities in form-function relationships (Visser, 2010).

IMPLICATIONS FOR COMPUTER-MEDIATED COMMUNICATION

In this paper, we have presented an analysis of the use of pointing gestures within a face-to-face design meeting. While such studies are useful in themselves for the kinds of things they tell us about gestures in design (which is an area still deserving of much research), our aim here is also to explore the implications of our findings for the development of computer mediated communication systems, in order that they might be improved to support gestural interactions between remote designers.

In relation to our focus on intersubjectivity, we have shown in the examples how pointing served to support people to check understandings with each other, to correct and preempt misunderstandings and to pursue agreement. The analysis also shows that pointing gestures do not conform to strict preexisting standards of form, but encompass a diversity of movements ranging from quick flicks of the fingers to more stereotypical pointing gestures involving an extended arm and index finger. Our analysis also highlights that there is an array of contextual details through which pointing becomes intelligible. Prominent among these are the relation of pointing gestures to ongoing talk, how pointing gestures are linked to gaze, the

positioning of pointing gestures with objects in the environment and how people position themselves in relation to each other and the space when pointing.

We are cognizant that findings of the sort presented above can be difficult to translate into ready implications for systems design. The approach we have taken in our analysis, to attend to the interactional detail of particular examples, militates against a broad abstracting approach - both in the analysis itself and in its application to design. Nevertheless, from a system development perspective, one implication for design that can be taken from these findings is that system designers should at least be *aware* that pointing gestures might encompass a wider range of forms and purposes than is usually assumed, and may relate to a wider range of contextual details. Providing designers with this wider understanding would be beneficial both in order that they make sure that potentially important aspects of interaction around pointing are not interfered with by new systems, as well as for the possibility that such systems might actually respond to or mediate these aspects of interaction.

Our focus in this paper has been on the analysis of several instances of pointing gestures in a face-to-face design activity. The task of actually designing and building a system that would actually respond to or mediate these aspects of interaction is beyond the scope of what we can present here, so we must remain somewhat vague in how our findings might be translated into specific features of a system. Instead, we offer a higher-level argument for a particular approach to the design of such systems, that our findings would support.

One problem for systems designers in making use of our findings is that in laying out the richness and subtlety of face-to-face interactions, it is likely that the interactions offered by computer mediated systems will be found lacking by comparison. A plausible response would be to focus on bringing the interactions provided by systems closer to those of face-to-face interactions, such as by providing extra multimodal information (video display of

gestures, relation to objects and verbal activity) (Tang & Leifer, 1988), making computer representations responsive to a wider range of pointing gesture forms (Tory et al., 2008), or questioning whether alternative pointing modalities provide an adequate substitute for face to face pointing gestures (Visser, 2009).

While it certainly seems a worthwhile undertaking to continue to improve the fidelity of computer-mediated interactions for design and keep a critical eye on the adequacy of current interfaces, we also wary of an implicit assumption that *naturalism* is the key to improving systems' abilities to act as mediators of gestural interactions. As a goal for design, naturalism is problematic for several reasons. It leads to the idea of a *more or less real* representation, which implies that there will be a most-natural system, a singular solution to the problem of mediating gestures (cf. Matthews, 2006). It's also problematic as a goal because it is difficult to know exactly what aspects of a gesture make a representation natural. As observed by many gesture researchers (and as borne out by our analysis), it is not only the physical form of a gesture that is important for its meaning but also details such as how it relates to speech, the space within which it is performed, the material artifacts, its sequential position and the particulars of its performance. It seems unlikely that a boundary could be placed on what a system would need to include in its representation in order to make it natural 'enough'.

In fact, many of the more interesting computer-mediated communication systems rely on unnatural devices as part of the interaction. For instance, the projection of a remote helper's hands into a local workspace in the same orientation as the hands of their local partner as demonstrated in Kirk et al.'s (2005) mixed ecologies approach would be a highly unnatural position if it were enacted face-to-face because it would entail the helper speaking aloud their instructions while reaching their arms around either side of the partner from behind.

An alternative approach to naturalism, which we believe could be more productive for system design, is to aim to support the creation of *bricolage* solutions – that is, to favour the design

of small, partial solutions that users could – as bricoleurs – combine and bring into use in order to convey their gestural actions. But what might such a bricolage approach look like in concrete terms?

As it turns out, designers of computer mediated communication systems may not have to look very far for good examples. Consider the VideoWhiteboard system, which was introduced earlier. Constructed as it was from off the shelf video cameras, projectors and speaker phones, artfully arranged in relation to two semi-transparent but otherwise unspectacular drawing surfaces, it actually provides a wonderful example of the spirit of bricolage as used in design (Buxton, 2007). From this perspective, a strategy for supporting end users as bricoleurs might be to try to identify the recurring elements of systems (e.g. projector-camera pairings, display surfaces, drawing implements) and consider how these might be incorporated into new kinds of systems that users could bring together in particular ways to suit their needs.

We see it as important to consider how this bringing together might be done both in the moment-to-moment interactions within a design meeting as well as in the more deliberate ahead-of-time processes of configuration – such as the day-before setting up of a room. When engaging in activities of bricolage as part of the set up for a design meeting on the day before, we expect that users would be able to take their time to configure a system for the particular needs that they anticipate their meeting will have (whether they need a VideoWhiteboard, or a VideoPond). In the case of the moment-to-moment interactions within a design meeting, we expect a more ad-hoc approach, for instance improvising a shared drawing implement as a pointer, or repositioning a camera-projector over a newly created model in order to make a presentation to remote participants. The key here is to think of computer supported cooperative design not in terms of systems that are provided for use by system designers, but as configurations that are brought into use by user-bricoleurs.

Intersubjectivity and its moment-to-moment management are not, we think, productively conceptualized as ‘problems’ for systems developers to remedy once and for all through the innovative design of new computer-mediated communication systems. Rather, they are participants’ matters, for them to negotiate in situ. In this respect, the issue for system design is not about replicating the natural affordances of face-to-face environments, but about providing the users various resources that can be pointed to and gestured with as resources for design participants to achieve and maintain their intersubjective understanding of an unfolding design situation.

References:

Bates, E., Bretherton, I., Shore, C., & McNew, S. (1983). Names, gestures, and objects: Symbolization in infancy and aphasia. In *Children's language* (Nelson, K.E. , Ed.), Vol. 4, pp. 59-123. Hillsdale, New Jersey: Lawrence Erlbaum Associates.

Bekker, M. M., Olson, J. S., & Olson, G. M. (1995). Analysis of gestures in face-to-face design teams provides guidance for how to use groupware in design. *Proceedings of the 1st conference on Designing interactive systems: processes, practices, methods, & techniques*, pp. 157-166. Ann Arbor, Michigan, United States: ACM. doi:[10.1145/225434.225452](https://doi.org/10.1145/225434.225452)

Benford, S., Bowers, J., Fahlén, L. E., Greenhalgh, C., & Snowdon, D. (1995). User embodiment in collaborative virtual environments. *Proceedings of the SIGCHI conference on Human factors in computing systems*, pp. 242-249. Denver, Colorado, United States: ACM Press/Addison-Wesley Publishing Co. doi:[10.1145/223904.223935](https://doi.org/10.1145/223904.223935)

Brereton, M., & McGarry, B. (2000). An observational study of how objects support engineering design thinking and communication: implications for the design of tangible media. *Proceedings of the SIGCHI conference on Human factors in computing systems*, pp. 217-224. The Hague, The Netherlands: ACM. doi:[10.1145/332040.332434](https://doi.org/10.1145/332040.332434)

Buxton, B. (2007). *Sketching user experiences: getting the design right and the right design*. San Francisco, United States: Elsevier/Morgan Kaufmann.

Churchill, E., & Snowdon, D. (1998). Collaborative virtual environments: An introductory review of issues and systems. *Virtual Reality*, 3(1), 3-15. doi:[10.1007/BF01409793](https://doi.org/10.1007/BF01409793)

Clark, H. H. (2003) Pointing and placing. In *Pointing: Where Language, Culture, and Cognition Meet* (Kita, S.. Ed.), pp. 243-268. New Jersey: Lawrence Erlbaum.

Clark, H. H., Schreuder, R., & Buttrick, S. (1983). Common ground at the understanding of demonstrative reference. *Journal of Verbal Learning and Verbal Behavior*, 22(2), 245-258.

doi:[10.1016/S0022-5371\(83\)90189-5](https://doi.org/10.1016/S0022-5371(83)90189-5)

Clayman, S. (2002). Sequence and solidarity. *Group cohesion, trust and solidarity*, 19, 229-253.

Dourish, P., Adler, A., Bellotti, V., & Henderson, A. (1996). Your place or mine? Learning from long-term use of audio-video communication. *Comput. Supported Coop. Work*, 5(1), 33-62.

Dyck, J., Gutwin, C., Subramanian, S., & Fedak, C. (2004). High-performance telepointers. *Proceedings of the 2004 ACM conference on Computer supported cooperative work*, pp. 172-181. Chicago, Illinois, USA: ACM.

doi:[10.1145/1031607.1031636](https://doi.org/10.1145/1031607.1031636)

Emmertsen, S., & Heinemann, T. (2010). Realization as a device for remedying problems of affiliation in interaction. *Research on Language and Social Interaction*, 43(2), 109-132.

Fussell, S. R., Setlock, L. D., Yang, J., Ou, J., Mauer, E., & Kramer, A. D. I. (2004). Gestures Over Video Streams to Support Remote Collaboration on Physical Tasks. *Human-Computer Interaction*, 19(3), 273-309.

doi:[10.1207/s15327051hci1903_3](https://doi.org/10.1207/s15327051hci1903_3)

Garfinkel, H. (1996). Ethnomethodology's program. *Social Psychology Quarterly*, 59(1), 5-21.

Goodwin, C. (1979). The Interactive Construction of a Sentence in Natural Conversation. In *Everyday language: studies in ethnomethodology* (Psathas, G., Ed.), pp. 97-121. New York: Irvington Publishers.

Goodwin, C. (2003). Pointing as Situated Practice. In *Pointing: Where Language, Culture, and Cognition Meet* (Kita, S., Ed.), pp. 217-241. New Jersey: Lawrence Erlbaum.

Goodwin, C. (2006). Human Sociality as Mutual Orientation in a Rich Interactive Environment: Multimodal Utterances and Pointing in Aphasia. In *Roots of Human Sociality*, (Enfield, N.J., & Levison, S.C., Eds.), pp. 96

125. New York: Berg.

Gutwin, C., & Penner, R. (2002). Improving interpretation of remote gestures with telepointer traces. *Proceedings of the 2002 ACM conference on Computer supported cooperative work*, pp. 49-57. New Orleans, Louisiana, USA: ACM. doi:[10.1145/587078.587086](https://doi.org/10.1145/587078.587086)

Haviland, J. B. (2003) How to Point in Zinacantán. In *Pointing: Where Language, Culture, and Cognition Meet* (Kita, S., Ed.), pp. 139-170. New Jersey: Lawrence Erlbaum.

Heath, C., & Luff, P. (1991). Disembodied conduct: communication through video in a multi-media office environment. *Proceedings of the SIGCHI conference on Human factors in computing systems: Reaching through technology*, pp. 99-103. New Orleans, Louisiana, United States: ACM. doi:[10.1145/108844.108859](https://doi.org/10.1145/108844.108859)

Heinemann, T., Mitchell, R., & Buur, J. (2009). Co-constructing meaning with materials in innovation workshops. In *Objets et communication*, MEI 30-31 (Darras, B., & Belkhamza, S., Eds.), pp. 289-304. Paris: L'Harmattan.

Heritage, J. (1984). *Garfinkel and ethnomethodology*. Cambridge: Polity Press.

Hindmarsh, J., Fraser, M., Heath, C., Benford, S., & Greenhalgh, C. (1998). Fragmented interaction: establishing mutual orientation in virtual environments. *Proceedings of the 1998 ACM conference on Computer supported cooperative work*, pp. 217-226. Seattle, Washington, United States: ACM. doi:[10.1145/289444.289496](https://doi.org/10.1145/289444.289496)

Hindmarsh, J., & Heath, C. (2000). Embodied reference: A study of deixis in workplace interaction. *Journal of Pragmatics*, 32(12), 1855-1878. doi:[10.1016/S0378-2166\(99\)00122-8](https://doi.org/10.1016/S0378-2166(99)00122-8)

Ishii, H., & Kobayashi, M. (1992). ClearBoard: a seamless medium for shared drawing and conversation with eye contact. *Proceedings of the SIGCHI conference on Human factors in computing systems*, pp. 525-532. Monterey, California, United States: ACM. doi:[10.1145/142750.142977](https://doi.org/10.1145/142750.142977)

- Jefferson, G. (2004). Glossary of transcript symbols with an introduction. In *Conversation analysis: studies from the first generation* (Lerner, G., Ed.), pp. 13-31. Amsterdam: John Benjamins.
- Jordan, B., & Henderson, A. (1995). Interaction analysis: foundations and practice. *The Journal of the Learning Sciences*, 4(1), 39-103.
- Kendon, A. (2004). *Gesture: visible action as utterance*. Cambridge: Cambridge University Press.
- Kendon, A., & Versante, L. (2003). Pointing by Hand in “Neapolitan”. In *Pointing: Where Language, Culture, and Cognition Meet* (Kita, S., Ed.), pp. 109-138. New Jersey: Lawrence Erlbaum.
- Kirk, D., Crabtree, A., & Rodden, T. (2005). Ways of the hands. *Proceedings of the ninth conference on European Conference on Computer Supported Cooperative Work*, pp. 1-21. Paris, France: Springer-Verlag New York, Inc.
- Kuzuoka, H., Oyama, S., Yamazaki, K., Suzuki, K., & Mitsuishi, M. (2000). GestureMan: a mobile robot that embodies a remote instructor's actions. *Proceedings of the 2000 ACM conference on Computer supported cooperative work*, pp. 155-162. Philadelphia, Pennsylvania, United States: ACM. doi:[10.1145/358916.358986](https://doi.org/10.1145/358916.358986)
- Labov, W., & Fanshel, D. (1977). *Therapeutic Discourse: Psychotherapy As Conversation*. New York: Academic Press.
- Liszkowski, U. (2006). Infant pointing at twelve months: Communicative goals, motives, and social-cognitive abilities. In *Roots of Human Sociality*, (Enfield, N.J., & Levison, S.C., Eds.), pp. 153-178. New York: Berg.
- Matthews, B. (2006). Grammar, meaning and movement-based interaction. *OzCHI 2006*, pp. 405-408.
- McNeill, D. (1992). *Hand and mind*. Chicago: University of Chicago Press.

Mondada, L. (2008). Using Video for a Sequential and Multimodal Analysis of Social Interaction: Videotaping Institutional Telephone Calls. *Forum: Qualitative Social Research*, 9(3), Art. 39, <http://www.qualitative-research.net/index.php/fqs/article/viewArticle/1161/2566>

Moore, R., Ducheneaut, N., & Nickell, E. (2007). Doing Virtually Nothing: Awareness and Accountability in Massively Multiplayer Online Worlds. *Computer Supported Cooperative Work (CSCW)*, 16(3), 265-305. doi:[10.1007/s10606-006-9021-4](https://doi.org/10.1007/s10606-006-9021-4)

Osawa, N. (2006). Aggregate pointers to support large group collaboration using telepointers. *CHI '06 extended abstracts on Human factors in computing systems*, pp. 1169-1174. Montréal, Québec, Canada: ACM. doi:[10.1145/1125451.1125671](https://doi.org/10.1145/1125451.1125671)

Osawa, N. (2007). Pointer delegation for group collaboration using telepointers. *CHI '07 extended abstracts on Human factors in computing systems*, pp. 2603-2608. San Jose, CA, USA: ACM. doi:[10.1145/1240866.1241049](https://doi.org/10.1145/1240866.1241049)

Pomerantz, A. (1984). Agreeing and disagreeing with assessments: some features of preferred/dispreferred turn shapes. In *Structures of social action* (Atkinson, J.M., & Heritage, J., Eds.), pp. 57-101. Cambridge: Cambridge University Press.

Sacks, H. (1995). *Lectures on conversation*. Oxford: Blackwell.

Sánchez, J. A., Strazzulla, D., & Paredes, R. G. (2008). Enhancing interaction and collaboration in multimedia rooms with multilayered annotations and telepointers. *Proceedings of the VIII Brazilian Symposium on Human Factors in Computing Systems*, pp. 117-125. Porto Alegre, RS, Brazil: Sociedade Brasileira de Computação.

Schegloff, E.A., Jefferson, G., & Sacks, H. (1977). The preference for self-correction in the organization of repair in conversation. *Language* 53(2), 361-382.

Sidnell, J. (2007). 'Look'-prefaced turns in first and second position: launching, interceding and redirecting

action. *Discourse Studies*, 9(3), 387-408. doi:[10.1177/1461445607076204](https://doi.org/10.1177/1461445607076204)

Svennevig, J. (2008). Trying the easiest solution first in other-initiation of repair. *Journal of Pragmatics*, 40(2), 333-348. doi:[10.1016/j.pragma.2007.11.007](https://doi.org/10.1016/j.pragma.2007.11.007)

Tang, J. C. (1989). *Toward an understanding of the use of shared workspaces by design teams*. Doctoral Dissertation, Stanford University.

Tang, J. C., & Leifer, L. J. (1988). A framework for understanding the workspace activity of design teams. *Proceedings of the 1988 ACM conference on Computer-supported cooperative work*, pp. 244-249. Portland, Oregon, United States: ACM. doi:[10.1145/62266.62285](https://doi.org/10.1145/62266.62285)

Tang, J. C., & Minneman, S. (1991). VideoWhiteboard: video shadows to support remote collaboration. *Proceedings of the SIGCHI conference on Human factors in computing systems: Reaching through technology*, pp. 315-322. New Orleans, Louisiana, United States: ACM. doi:[10.1145/108844.108932](https://doi.org/10.1145/108844.108932)

Tomasello, M. (2006). Why don't apes point? In *Roots of Human Sociality*, (Enfield, N.J., & Levison, S.C., Eds.), pp. 506-524. New York: Berg.

Tory, M., Staub-French, S., Po, B. A., & Wu, F. (2008). Physical and Digital Artifact-Mediated Coordination in Building Design. *Computer Supported Cooperative Work (CSCW)*, 17(4), 311-351. doi:[10.1007/s10606-008-9077-4](https://doi.org/10.1007/s10606-008-9077-4)

Visser, W. (2010). Function and Form of Gestures in a Collaborative Design Meeting. *Gesture in Embodied Communication and Human-Computer Interaction. 8th International Gesture Workshop, GW 2009*, pp. 61-72. Heidelberg: Springer.

Visser, W. (2009). The function of gesture in an architectural design meeting. In *About Designing. Analysing design meetings* (McDonnell, J., & Lloyd, P., Eds.), pp. 269-284. London: Taylor Francis.

Wong, N., & Gutwin, C. (2010). Where are you pointing?: the accuracy of deictic pointing in CVEs. *Proceedings of the 28th international conference on Human factors in computing systems*, pp. 1029-1038. Atlanta, Georgia, USA: ACM. doi:[10.1145/1753326.1753480](https://doi.org/10.1145/1753326.1753480)

Yamazaki, K., Yamazaki, A., Kuzuoka, H., Oyama, S., Kato, H., Suzuki, H., & Miki, H. (1999). GestureLaser and GestureLaser Car. *ECSCW '99*, pp. 239-258.

Ylirisku, S., & Buur, J. (2007). *Designing with video, focusing the user-centred design process*. London: Springer.

AUTHOR BIOGRAPHIES:

Jared Donovan is a post doc in user-centred design at the SPIRE research centre. His research focuses on how understanding the use of gesture in skilled professional work may be used to inform the design of interactive systems.

Trine Heinemann is a post doc in interaction analysis at the SPIRE research centre and the Institute of Business Communication and Information Science. Her research focuses on how people manage their ordinary life through talking.

Ben Matthews is associate professor of design studies at the Mads Clausen Institute, University of Southern Denmark. His research interests include research methodology for design studies, user-centred design and sociological approaches to the study of practice.

Jacob Buur is professor of user-centred design at the Mads Clausen Institute, and research director for the SPIRE centre for participatory innovation at the University of Southern Denmark. His research continues to extend the tools and practices of participatory design into new arenas, such as industrial manufacturing and business modeling.

FIGURE CAPTIONS:

Picture 1: The participants in focus at the workshop. Clockwise from left foreground: Anna, an engineer from a fuel cell manufacturer; Brian, an engineer from a manufacturer of production equipment; Claes, a university professor specializing in power grid management; Daphne, an engineer from a solar panel manufacturer; Ewan, a manager of a small manufacturer of solar hot water systems. The final participant, Finn, who is an engineer and university researcher in the field of participatory innovation, is not visible in this picture.

Picture 2: A visual annotation program was developed to represent traces of movement.

Picture 3: Daphne points to the thing in Claes' hand (around line 05).

Picture 4: Claes points towards the board (around line 8)

Picture 5: Claes points to the board (around line 14)

Picture 6: Claes locates where the wires are positioned (around line 04).

Picture 7: A backward, over the shoulder point in the direction of the screen (around line 06).

Picture 8: Brian points to board (around line 07).