

# Global patterns of marine mammal, seabird, and sea turtle bycatch reveal taxa-specific and cumulative megafauna hotspots

Rebecca L. Lewison<sup>a,1</sup>, Larry B. Crowder<sup>b</sup>, Bryan P. Wallace<sup>c</sup>, Jeffrey E. Moore<sup>d</sup>, Tara Cox<sup>e</sup>, Ramunas Zydelis<sup>f</sup>, Sara McDonald<sup>g</sup>, Andrew DiMatteo<sup>h</sup>, Daniel C. Dunn<sup>i</sup>, Connie Y. Kot<sup>i</sup>, Rhema Bjorkland<sup>j</sup>, Shaleyla Kelez<sup>k</sup>, Candan Soykan<sup>l</sup>, Kelly R. Stewart<sup>d,m</sup>, Michelle Sims<sup>n</sup>, Andre Boustany<sup>g</sup>, Andrew J. Read<sup>i</sup>, Patrick Halpin<sup>g</sup>, W. J. Nichols<sup>c</sup>, and Carl Safina<sup>p</sup>

<sup>a</sup>Department of Biology, San Diego State University, San Diego, CA 92182-4614; <sup>b</sup>Center for Ocean Solutions, Stanford University, Monterey, CA 93940; <sup>c</sup>Marine Flagship Species Program, Oceanic Society, Washington, DC 20010; <sup>d</sup>Marine Mammal and Turtle Division, Southwest Fisheries Science Center, National Marine Fisheries Service, National Oceanic and Atmospheric Administration, La Jolla, CA 92037; <sup>e</sup>Marine Sciences Program, Savannah State University, Savannah, GA 31404; <sup>f</sup>DHI, DK-2970 Hørsholm, Denmark; <sup>g</sup>Nicholas School of the Environment, Marine Science and Conservation Program, Duke University, Durham, NC 27708-0328; <sup>h</sup>Naval Facilities Engineering Command Atlantic, US Department of the Navy, Norfolk, VA 23508; <sup>h</sup>Nicholas School of the Environment, Marine Science and Conservation Program, Duke University, Beaufort, NC 28516-9721; <sup>j</sup>Fishery Resource Analysis and Monitoring Division, North West Fisheries Science Center, National Marine Fisheries Service, Seattle, WA 98112; <sup>k</sup>ecOceanica, Lima 41, Peru; <sup>h</sup>National Audubon Society Headquarters, San Francisco, CA 94104; <sup>m</sup>The Ocean Foundation, Washington, DC 20036; <sup>n</sup>Department for Health, University of Bath, Bath BA2 7AY, United Kingdom; <sup>o</sup>California Academy of Sciences, San Francisco, CA 94118; and <sup>p</sup>Blue Ocean Institute, School of Marine and Atmospheric Sciences, Stony Brook University, Stony Brook, NY 11794-5000

Edited by James A. Estes, University of California, Center for Ocean Health, Santa Cruz, CA, and accepted by the Editorial Board February 19, 2014 (received for review October 9, 2013)

Recent research on ocean health has found large predator abundance to be a key element of ocean condition. Fisheries can impact large predator abundance directly through targeted capture and indirectly through incidental capture of nontarget species or bycatch. However, measures of the global nature of bycatch are lacking for air-breathing megafauna. We fill this knowledge gap and present a synoptic global assessment of the distribution and intensity of bycatch of seabirds, marine mammals, and sea turtles based on empirical data from the three most commonly used types of fishing gears worldwide. We identify taxa-specific hotspots of bycatch intensity and find evidence of cumulative impacts across fishing fleets and gears. This global map of bycatch illustrates where data are particularly scarce—in coastal and small-scale fisheries and ocean regions that support developed industrial fisheries and millions of small-scale fishers—and identifies fishing areas where, given the evidence of cumulative hotspots across gear and taxa, traditional species or gear-specific bycatch management and mitigation efforts may be necessary but not sufficient. Given the global distribution of bycatch and the mitigation success achieved by some fleets, the reduction of air-breathing megafauna bycatch is both an urgent and achievable conservation priority.

 $fisheries\ by catch\ |\ trophic\ downgrading\ |\ long lines\ |\ gillnets\ |\ trawls$ 

cean health, a measure of the overall condition of marine ecosystems, has been the focus of a number of recent studies (1) that have shown that the impact fisheries can have on ocean health. Over the past 50 y, total world fisheries production has increased from 19.3 million tons in 1950 to more than 154 million tons today (2), and although fisheries management initiatives have reduced exploitation rates in some regions, a large fraction of stocks (approximately 63%) is still classified as overfished or collapsed (2, 3). Beyond the direct effects of fish removal, fishing exerts indirect effects through incidental capture of nontarget species or bycatch (4, 5). [The term bycatch is also defined as all unwanted, unmanaged, or discarded catch (4). Megafauna species are targets of fisheries in some countries, although targeted fisheries are a less common fishery interaction than incidental capture at the global scale.] Also, it is one of the primary causes of observed declines of seabirds, marine mammals, and sea turtles, collectively termed air-breathing marine megafauna (6-9). Fisheries bycatch is a product of susceptibility (driven by the distribution, type, and magnitude of fisheries effort)

and vulnerability (based on ecological characteristics of the bycaught species; e.g., life history and species distribution) (10). For some depleted species, such as Pacific leatherback turtle (*Dermochelys coriacea*), Amsterdam Albatross (*Diomedea amsterdamensis*), vaquita (*Phocoena sinus*), Atlantic hump-backed dolphin (*Sousa teuszii*), and Australian and New Zealand sea lion (*Neophoca cinerea* and *Phocarctos hookeri*), fisheries bycatch has been identified as the single largest threat to extant populations (7, 11–15).

Beyond issues of species viability, declines in marine megafauna lead to major changes in ecosystem function and process (16, 17). This loss of megafauna, referred to as trophic downgrading, has

#### **Significance**

Loss of megafauna, termed trophic downgrading, has been found to affect biotic interactions, disturbance regimes, species invasions, and nutrient cycling. One recognized cause in airbreathing marine megafauna is incidental capture or bycatch by fisheries. Characterizing megafauna bycatch patterns across large ocean regions is limited by data availability but essential to direct conservation and management resources. We use empirical data to identify the global distribution and magnitude of seabird, marine mammal, and sea turtle bycatch in three widely used fishing gears. We identify taxa-specific hotspots and find evidence of cumulative impacts. This analysis provides an unprecedented global assessment of the distribution and magnitude of air-breathing megafauna bycatch, highlighting its cumulative nature and the urgent need to build on existing mitigation successes.

Author contributions: R.L.L., L.B.C., B.P.W., J.E.M., T.C., D.C.D., A.J.R., P.H., W.J.N., and C. Safina designed research; R.L.L., L.B.C., B.P.W., J.E.M., T.C., R.Z., S.M., D.C.D., C.Y.K., R.B., S.K., C. Soykan, K.R.S., M.S., and A.B. performed research; R.L.L., L.B.C., B.P.W., J.E.M., T.C., R.Z., S.M., A.D., C.Y.K., C. Soykan, K.R.S., and M.S. analyzed data; and R.L.L., L.B.C., B.P.W., J.E.M., T.C., and C. Soykan wrote the paper.

The authors declare no conflict of interest

This article is a PNAS Direct Submission. J.A.E. is a guest editor invited by the Editorial Board.

Data deposition: The information reported in this paper has been deposited in the OBIS SeaMAP database (ID 1117).

<sup>1</sup>To whom correspondence should be addressed. E-mail: rlewison@mail.sdsu.edu.

This article contains supporting information online at www.pnas.org/lookup/suppl/doi:10.1073/pnas.1318960111/-/DCSupplemental.

reverberating effects on biotic interactions, disturbance regimes, species invasions, and nutrient cycling (17). Fisheries bycatch, a major driver of trophic downgrading, can be difficult to assess; accurate bycatch data collection requires dedicated and trained observers and considerable resources across fleets and vast oceans (18). Nevertheless, a comprehensive understanding of the extent and magnitude of bycatch is a necessary first step to direct conservation actions that may ameliorate this threat.

We conducted a direct global assessment of fisheries bycatch using empirical data from peer-reviewed publications, agency and technical reports, and symposia proceedings published between 1990 and 2008 to characterize bycatch in three taxonomic groups (seabirds, marine mammals, and turtles) and three general categories of widely used fishing gear (gillnets, longlines, and trawls). This direct and comprehensive assessment differs from most previous studies that have focused on a proxy of bycatch (e.g., fisheries yield) rather than empirical bycatch data (19), a single species or taxon (20-22), or a single type of fishing gear in one region (23, 24), often without consideration of the spatial distribution of bycatch. A direct, spatially explicit cross-taxa and cross-gear bycatch assessment is necessary to analyze the complex patterns of global bycatch. Without such information, well-intentioned fisheries management schemes, such as modifications to gear or the location or timing of fishing effort, may reduce bycatch of one taxon but exert collateral damage on other species (e.g., a switch from demersal longlines that take seabirds to bottom set gillnets may reduce the bycatch of seabirds but increase bycatch of small cetaceans) (25). The concern regarding collateral damage stems from the one-to-many relationship among gear and bycatch species—one species may be caught by multiple gear types and one gear type may catch multiple species within a single fishing region. The one-to-many relationship among gear and bycatch species can lead to cumulative population or assemblage effects that may be greater than the sum of individual effects.

We used a multitaxa, multigear bycatch database to answer three questions. (i) Where is bycatch highest by taxon and gear type? (ii) Are there hotspots of cumulative bycatch across taxa and gear? (iii) Where are the gaps in existing bycatch data? Because there are no standard metrics for reporting bycatch within or among ocean regions, substantial nonuniformity exists among available bycatch data. For example, in a single taxa (sea turtles) and a single gear type (gillnets), 17 different metrics were used to report bycatch (table 1 in ref. 9). The lack of standard metrics for bycatch reporting presents a formidable impediment to direct comparison or integrated analyses of existing bycatch data. To address this lack of conformity, we used expert knowledge to allow for synthesis among bycatch records. Expert knowledge has been shown to be a necessary approach to account for data gaps and synthesize existing knowledge and disparate data (26-29). Our expert panel consisted of 17 independent experts (5, 6, and 6 experts with expertise in seabirds, marine mammals, and sea turtles, respectively) with at least 5 y of experience in fisheries bycatch evaluating the intensity of each bycatch record from high (five) to low (one) within each gear category type. Bycatch intensity represents a common metric of bycatch level or severity that integrates bycatch rate, species affected, spatial location, and fishing effort information (Materials and Methods). Working independently, at least three experts reviewed each record, and we averaged intensity scores to account for differences among respondents. Using these expertbased bycatch intensity scores, we then mapped patterns of bycatch intensity of all documented bycatch reports by taxa and gear and generated a cumulative map integrated across taxa and gear.

#### Results

Bycatch Intensity by Taxa and Gear Type. Because the traditional approach to characterizing bycatch has been taxa- or gearspecific, we first mapped by catch intensity to illustrate patterns in megafauna bycatch by taxonomic group (Fig. 1) and gear type (Fig. S1). Among the three taxa, sea turtles had statistically higher bycatch intensity followed by marine mammals and then seabirds [generalized linear model; F(2,2,117) = 98.65, P < 0.001]. This difference among taxa likely reflects the tenuous conservation status of sea turtles: six of seven sea turtle species are classified as threatened with extinction by the International Union for Conservation of Nature (redlist.org). We also found significant differences within taxa among regions with available data (regions shown in Fig. 2). High-intensity sea turtle bycatch was most prevalent in three fishing areas—the southwest Atlantic Ocean, eastern Pacific Ocean, and Mediterranean Sea. Marine mammal bycatch intensity was highest in the eastern Pacific Ocean and Mediterranean Sea, whereas seabird bycatch was highest in the southwest Atlantic Ocean and the southern Indian Ocean, where several petrel and albatross breeding colonies are located (23).

Considering bycatch intensity by gear categories worldwide (Fig. S1), we found that gillnets had the highest bycatch intensity scores followed by longlines and then trawls [F(2,2.052)] = 10.927, P < 0.001]. Within a gear type, we found differing patterns of




Fig. 1. Bycatch intensity for (A) seabirds, (B) marine mammals, and (C) sea turtles for records from 1990 to 2008. Three gear categories (gillnet, longline, and trawl) are represented by separate symbols, and symbol size is scaled to reflect the proportional amount of observed fishing effort for each record. Bycatch data records that did not have reported observed effort are shown in Fig. S2.




Fig. 2. Geographic regions used for analysis: 1, northeast Pacific; 2, southeast Pacific; 3, eastern Tropical Pacific; 4, northwest Atlantic/Caribbean; 5, northeast Atlantic; 6, southwest Atlantic; 7, eastern Atlantic; 8, Mediterranean; 9, western Indian Ocean; 10, eastern Indian Ocean; 11, northwest Pacific; 12, southwest Pacific; and 13, southern Ocean/Antarctica.

bycatch intensity among regions, with some gears associated with both high- and low-intensity bycatch. For gillnets, however, bycatch intensity was similar among fishing regions (mean SE = 0.35). Longline and trawl bycatch intensity did suggest that there were differences in intensity among regions, because intensity values were significantly higher in the eastern Pacific Ocean than other regions where data are available [F(9,1.844) = 5.927, P < 0.01].

Despite these broad patterns, gear-specific bycatch intensity was found to be variable within a region, with a single gear type associated with both very high- and very low-intensity bycatch. This intraregional variability could reflect bias in bycatch data availability or data accuracy, because the level of fishing effort influences the precision of the reported bycatch rate (9, 30) and differences in fishing effort practice or distribution, or it could reflect the highly variable nature of spatiotemporal overlap between fishing effort and megafauna (31).

Cumulative Bycatch Intensity. To consider potential impacts to wide-ranging megafauna species as an assemblage, we calculated cumulative bycatch patterns across large ocean regions. To consider the impact of bycatch from different fleets and gears, we calculated a cumulative bycatch intensity index for all bycatch records in each region. Cumulative intensity  $(I_C)$  was calculated as

$$I_C = \frac{\sum_i (R_i \times OE_i)}{r_c},$$
 [1]

where the mean product of  $R_i$ , the bycatch intensity score for each record within a region, and  $OE_i$ , the scaled observed fishing effort for each record within a region, is divided by  $r_c$ , the total number of data records per region. Weighting the bycatch scores by the relative amount of fishing effort observed resulted in

greater weight being given to the more precise bycatch estimates, because estimate precision is highly correlated with the level of observed effort (9, 30). Cumulative megafauna bycatch intensities varied among regions, with the highest cumulative scores (>1 SD) occurring in the Mediterranean and the southwest Atlantic (Fig. 3 and Table 1), although these values could not be calculated in data-poor regions.

#### Discussion

Widespread Nature of Megafaunal Bycatch. These results represent the most complete representation of the global distribution of megafauna bycatch. Our synthesis reveals bycatch hotspots that may be driven by megafauna density (32–36), fishing intensity (37), or a combination of both density and intensity. We found evidence of taxon-specific hotspots of bycatch intensity (e.g., southwest Atlantic and Mediterranean for turtles, eastern Pacific Ocean for marine mammals, and southwest Atlantic for seabirds) as well as some significant differences in bycatch intensity among gears and regions (e.g., gillnets in all regions and long-lines and trawls in the eastern Pacific Ocean).

These spatial patterns are most directly influenced by data availability but also likely influenced by (i) the global distribution of air-breathing megafauna, (ii) the distribution of fishing effort, and (iii) the success of bycatch mitigation for some gear types, taxa, and regions. The distribution of megafauna and subsequent bycatch is likely influenced by both oceanographic (32-36) and physiological forces [i.e., this group of (primarily) endothermic megafauna is more likely to occur in cooler waters] (38). Additionally, the distribution of fishing effort is known to be nonrandom, with greater effort concentrated in productive Eastern Boundary Currents and shallow coastal zones (39). The patterns of species and vessel distribution and biophysical features may account for the documented hotspots in the eastern Pacific and southwestern Atlantic, respectively. Finally, regional bycatch mitigation efforts have altered the global distribution of bycatch intensity. For example, turtle excluder devices in trawl fisheries have been implemented successfully in Australian fisheries, where the bycatch of sea turtles has been reduced by 90% (40). Likewise, a suite of seabird mitigation devices has successfully reduced the bycatch of albatross and petrels in longline vessels in Hawaii, Alaska, and the Southern Ocean (41, 42).

Despite these improvements and other important technological and policy improvements (43), bycatch remains a significant threat to many populations of megafauna, because many nations and regional fisheries management agencies do not require or enforce the use of proven bycatch reduction measures; bycatch mitigation is long on potential solutions and short on effective implementation (44). Furthermore, although targeted, top-down mitigation implementation and enforcement have proven effective for some fishing sectors [e.g., seabird bycatch mitigation measures in the Southern Ocean (45)], community-level




Fig. 3. Calculated cumulative bycatch intensity (Eq. 1) for all taxonomic groups and gear types. Bycatch intensity values were used to generate a raster surface from an inverse weighted distance function for polygons with available data. Interpolated values are displayed using the same color ramp as in Fig. 1. Numbers represent the number of data records represented within each polygon.

Table 1. Calculated cumulative bycatch intensity and associated bycatch records for 10 ocean regions

Ocean region	Cumulative bycatch intensity	Number of bycatch records included
Northwest Pacific	2.53	224
Southeast Pacific	3.59	120
Northwest Atlantic/	2.84	215
Caribbean		
Northeast Atlantic	3.37	124
Southwest Atlantic	3.84	155
Southeast Atlantic	3.0	81
Mediterranean	4.77	90
Eastern Indian Ocean	3.23	69
Southwest Pacific	2.73	217
Southern Ocean/Antarctica	3.28	188

Cumulative scores were only calculated for regions with more than 50 bycatch records. Ocean regions are shown in Fig. 2.

engagement is needed to successfully reduce bycatch in lessregulated, small-scale fisheries (46–48).

Bycatch as a Cumulative Threat to Megafaunal Assemblages. Beyond the taxon- and gear-specific patterns that can be used to inform management and conservation action for a particular species group or region, our analyses highlight potential cumulative impacts of bycatch across gears and taxa. Our findings suggest that traditional management and mitigation efforts that are species-, taxa-, or gear-specific may be necessary but not sufficient. Many species included in the database are wide-ranging, traveling hundreds to thousands of kilometers, and thus, encounter fishing vessels from numerous fleets that deploy many types of fishing gear. Because the loss of marine megafauna has been linked to major changes in marine ecosystem function and process (17), the cumulative effect of bycatch across fisheries sectors and fleets represents a threat to both species viability and ecosystem process. This data synthesis suggests a confluence of species- and ecosystem-level effects for at least two regions—the Mediterranean and the southwest Atlantic-that are experiencing large cumulative bycatch impacts and that are areas of high-intensity bycatch for particular taxa.

Identification of Critical Data Gaps and Needs. Our analyses also identified several critical knowledge gaps. One data gap is the disparity in information from different fisheries sectors. Highseas and industrial fisheries have been the focus of more data collection than coastal or small-scale fisheries (>50% of all records), a result driven by the infrastructure of the industrial fisheries and the national and regional management organizations that oversee these fisheries (49). The lack of information from coastal and small-scale fisheries is troubling given that bycatch in small-scale fisheries can be substantial (on par with or exceeding bycatch levels in industrial fisheries) (31, 50, 51), suggesting that small-scale fisheries may pose a much greater challenge to marine megafauna than previously thought. Existing data from small-scale fisheries show that this sector requires mitigation (31) in addition to data collection to help guide efforts to develop appropriate conservation strategies.

This assessment also illustrates the disparities in the availability of bycatch data among regions (Fig. 3). The most obvious data gaps are in the Indian Ocean, eastern Atlantic, southeast Asia, and central and western Pacific. Although some bycatch data exist in these ocean areas (Fig. S1), there is relatively little information for these large fishing regions that are known to support highly developed industrial fisheries as well as many millions of small-scale fishers (52, 53). It is likely that other undocumented hotspots of bycatch exist in these regions, where data are simply not available.

In this assessment, we provide a synoptic view of existing records of air-breathing megafauna bycatch interactions. However, a detailed map of global fishing effort is needed to fully contextualize these interaction data. Information on the amount and spatial distribution of fishing effort is rarely reported, because fishing activity is typically reported as landed catch because of the relative ease of data collection at landing sites (54). Catch data provide information on the harvest of target species but do not represent fishing effort because of variable catchability in space and time. As with bycatch data, fishing effort mapping has been hindered by a lack of data, but there have been a number of attempts to map fishing effort in large ocean regions (35, 55–57). Even with the inherent imprecision of such mapping exercises and their inability to capture dynamic changes to fisheries, these maps, together with bycatch data, can serve as the foundation for spatially explicit bycatch risk assessments. Maps that provide gross estimates of total fishing effort can be combined with bycatch data to help frame the potential risk that fisheries pose to megafauna in particular fishing regions.

#### Conclusions

Our analysis shows that air-breathing megafauna bycatch is widespread at a global level and that the bycatch landscape is complex, because bycatch intensity varies substantially within and among gears and regions. Wide-ranging megafauna species are likely to encounter multiple gears and experience cumulative effects from multiple fisheries across the seascape. This assessment also identifies critical data gaps (most notably, the need for more data from small-scale and coastal fisheries, gillnets and trawls, and large fishing regions that are known to support highly developed industrial fisheries as well as many millions of smallscale fishers).

This comprehensive bycatch assessment can be used to improve our understanding of population-level effects of bycatch (13), develop and strengthen existing dynamic management approaches to minimizing bycatch (58–60), and prioritize management and conservation efforts worldwide (23, 61). It is likely that many hotspots of bycatch of marine megafauna remain to be identified, particularly in small-scale fisheries and data-deficient ocean regions. This synoptic approach also supports the development of fisheries management strategies that focus on cumulative impacts to avoid the transfer effect (i.e., the reduction of bycatch of one species or taxon that leads to bycatch of another species) and address both the species- and ecosystem-level effects of megafauna bycatch.

Given the global nature of megafauna bycatch, there is a need for cross-sectoral and coordinated international action to effectively reduce bycatch of this assemblage in high-seas and coastal waters. Although some national and regional fisheries agencies have initiated bycatch reduction measures (62), these measures have not been globally adopted. Reducing bycatch levels in coastal fisheries sectors will require coordination across national boundaries using integrated approaches that link conservation actions with sustaining human livelihoods, incentives, and commitment to protecting the environment (63-67). Management structures that focus on solutions with fisher communities, cooperatives, and councils taking an active role in developing and testing mitigation measures to reduce bycatch have proven effective in many areas (47, 48, 68, 69). Although megafauna bycatch is pervasive and in some regions, intense, the recovery of depleted populations is possible if threats are mediated (70). There is an urgent need for the development and adoption of participatory and adaptive approaches to promote sustainable harvest practices, reduce the bycatch of air-breathing and other marine megafauna through effective mitigation, and ultimately, protect the health and function of marine ecosystems.

#### **Materials and Methods**

We compiled a global bycatch database from peer-reviewed publications, agency and technical reports, and symposia proceedings published between 1990 and 2008 (a complete bibliography of the sources in the database is in Data Sources S1). We chose three taxa (seabirds, marine mammals, and sea turtles), because they represent marine megafauna that are not typically retained or commercially valuable (i.e., in contrast to sharks or large finfish). We focused on the three most globally distributed fishing gear and used gear categories recognized by the Food and Agriculture Organization of the United Nations (www.fao.org/fishery/topic/1617/en) (13). Despite the broad nature of these gear categories, which included several different gear types within each gear category (e.g., trawls includes both bottom and midwater trawls), this classification scheme allowed us to draw general conclusions over two decades, hundreds of studies, and multiple spatial scales, while balancing relevant variation and details. The database represents bycatch information from direct observation, termed observer data, as well as interviews with fishers (~10% of all records). Because much of the bycatch literature exists outside scientific literature databases, we also directly contacted agencies around the world in charge of collecting and collating bycatch information to ensure that our database was comprehensive (Data Sources S1 has a complete bibliography of the sources in the database). The research team systematically evaluated records for errors by species groups. We did not include logbook data, because such data have been found to underrepresent observed bycatch of marine megafauna (6). Even observer data, while providing the most accurate direct measure of bycatch, have been shown to underestimate bycatch, because bycaught individuals may drop out of fishing gear during hauls or go undetected (42). A record in the database represents a unique bycatch report for a particular species and includes records in which zero bycatch was observed. A single reference may contain many records. The database contains a total of 2,270 records across the three taxa and gear types included in this study (Table S1). More information on the database fields and database access is in SI Text.

Bycatch Intensity Scores. We solicited input from 17 independent scientists who are established experts and leaders in research on seabirds (n = 5), marine mammals (n = 6), or sea turtles (n = 6) with an established familiarity with fisheries bycatch. Our use of expert knowledge followed guidelines established by existing literature in the field (ref. 26 and references therein). Our selection criteria for panelists were independence (to avoid conflict of interest), research expertise, and years of experience (≥5 y) (26). Experts came from government agencies, research institutions, and academia from different countries (Argentina, Brazil, Taiwan, United States, and United Kingdom). To support the expert knowledge process, participants were given a specific elicitation to help them draw on appropriate data and relevant background information (26). Each participant was given three datasheets: one for each gear category—trawl, gillnet, and longline-for the taxonomic group for which she or he had expertise. Each taxa group had at least five different experts, and every record in the database was reviewed and scored by at least three experts. For each bycatch record, experts were asked to evaluate the intensity represented by each bycatch record from high (five) to low (one) within each gear category type. Bycatch intensity scores integrated all of the information for each record (e.g., bycatch per unit effort, species information, gear type, region, any spatial information, and the amount of observed fishing effort from which the bycatch rate was calculated) and generated a common measure across all records. In this way, bycatch intensity reflects not only the recorded bycatch but also, the spatial and species-specific information. For example, record A could have the same bycatch per unit effort as record B, but if the species caught in record A is a common species and the species caught in record B is endangered, the bycatch intensity score for the two records would reflect those differences. A high-intensity bycatch score (i.e., five) may reflect both the reported bycatch rate as well as the status of the population or stock caught, because the

experts were given all of the species and spatial information that was provided with the bycatch record. Experts were instructed to score records within but not among gear categories, such that a record with high-intensity bycatch in one gear category (e.g., gillnets) would not be considered equivalent to a record with high-intensity bycatch in another gear category (e.g., trawls). Expert responses were aggregated (averaged) to control for differences among experts (26). Intensity scores were analyzed for differences by taxa, gear, and region using generalized linear models in STATIS-TICA (Statsoft), and therefore, we could test for effects of categorical and continuous predictor variables assuming a Poisson distribution and log canonical link functions.

**Bycatch Maps.** All geospatial analysis was performed and all maps were visualized using ArcGIS 10.0 software (ESRI). Individual bycatch records were assigned an initial location based on geographic information in the source material. In some cases, precise latitude and longitude coordinates were provided. More often, only coarse geographic data, such as ocean region or relation to geographic features, were provided. In these instances, records were assigned a location based on the named geographic features in the reference. To visualize individual records at the global scale, overlapping or highly clustered points were exploded out into 0.5° grids centered on the initial locations.

To represent the precision of the bycatch estimates, we determined the proportional fishing effort to reflect the amount of observed fishing effort on which the bycatch estimate was based. Proportional effort was calculated as the ratio of the observed effort for the record to the summed total amount of fishing effort observed for each gear category and each taxon. These proportional values were divided into three classes to represent the lower 5%, middle 90%, and upper 5% of records. This classification yielded scaled fishing effort for each taxon and gear type. Weighting records based on the amount of effort used to generate a bycatch rate is important, because it has been directly linked to the precision of reported rates (i.e., rates based on relatively little observed effort tend to exhibit substantial error vs. rates based on a large amount of fishing effort) (9, 30). Therefore, records based on more fishing effort (larger symbols) are likely to be more precise than those records based on lower levels of effort (smaller symbols). Ranked bycatch records that did not report observed fishing effort were mapped separately (Fig. S2).

Cumulative Bycatch Intensity. We evaluated cumulative bycatch intensity across all taxa and gears, both graphically and numerically, to consider the total aggregate bycatch using the bycatch intensity scores. Although records from gear categories were scored independently, the cumulative bycatch calculation serves to identify areas where high-intensity bycatch among gear types overlaps. Graphically, bycatch intensity values were used to generate a raster surface from an inverse weighted distance function to consider cumulative bycatch intensity. The extent of the smoothed convex hull was a 2.5° buffer around all points. This spatial extent formed the polygon groups given in the cumulative surface figure and was used to limit the extent. Interpolated values were displayed using the same color ramp as the other visualization methods (dark blue, 1; red, 5). Numerically, we calculated cumulative bycatch intensity for ocean regions with more than 50 records. Cumulative intensity  $(I_C)$  was calculated as in Eq. 1 (the mean product of  $R_i$ , the bycatch intensity score for each record within a region, and OEi, the scaled observed fishing effort for each record within a region, divided by  $r_c$ , the total number of data records per region).

**ACKNOWLEDGMENTS.** We thank the many researchers who participated as expert panelists for their time and commitment to a time-consuming process. This work was also supported by numerous student research assistants at Duke University and San Diego State University, notably K. James. This work was part of Project Global Bycatch Assessment of Long-Lived Species (GLoBAL), supported by the Gordon and Betty Moore Foundation.

- Lotze HK, Coll M, Dunne JA (2011) Historical changes in marine resources, food-web structure and ecosystem functioning in the Adriatic Sea, Mediterranean ecosystem. *Ecosystems* 14:198–222.
- Food and Agriculture Organization (2012) The State of World Fisheries and Aquaculture. Available at www.fao.org/docrep/016/i2727e/i2727e00.htm. Accessed March 6 2014
- 3. Worm B, et al. (2009) Rebuilding global fisheries. Science 325(5940):578–585.
- Davies RWD, Cripps SJ, Nickson A, Porter G (2009) Defining and estimating global marine fisheries bycatch. Marine Policy 33:661–672.
- 5. Hall MA (1996) On by-catches. Rev Fish Biol Fish 6:319–352.
- Baum JK, et al. (2003) Collapse and conservation of shark populations in the Northwest Atlantic. Science 299(5605):389–392.
- Rivalan P, Barbraud C, Inchausti P, Weimerskirch H (2010) Combined impacts of longline fisheries and climate on the persistence of the Amsterdam Albatross Diomedea amsterdamensis. Ibis (Lond 1859) 152(1):6–18.
- Crowder LB, Heppell SS (2011) The decline and rise of a sea turtle: How Kemp's Ridleys are recovering in the Gulf of Mexico. Solutions 2:67–73.
- Wallace BW, et al. (2010) Global patterns of fisheries bycatch of marine turtles: Implications for research and conservation. Conserv Lett 3:1–12.
- Lewison RL, et al. (2013) Biology of Sea Turtles, eds Wyneken J, Lohmann K, Musick J (CRC, Boca Raton, FL), Vol 3, pp 329–352.
- D'agrosa C, Lennert-Cody CE, Vidal O (2000) Vaquita bycatch in Mexico's artisanal gillnet fisheries: Driving a small population to extinction. Conserv Biol 14(4):1110–1119.

- 12. Weir CR, Van Waerebeek K, Jefferson TA, Collins T (2011) West Africa's Atlantic humpback dolphin (Sousa teuszii): Endemic, enigmatic and soon endangered? Afr Zool 46(1):1-17.
- 13. Wallace BW, et al. (2013) Impacts of fisheries bycatch on marine turtle populations worldwide: Toward conservation and research priorities. Ecosphere 4(3):1-12.
- 14. Hamer DJ, et al. (2013) The endangered Australian sea lion extensively overlaps with and regularly becomes by-catch in demersal shark gill-nets in South Australian shelf waters. Biol Conserv 157:386-400.
- 15. Robertson BC, Chilvers BL (2011) The population decline of the New Zealand sea lion Phocarctos hookeri: A review of possible causes. Mammal Rev 41(4):253-275
- 16. Bearzi G, Politi E, Agazzi S, Azzellino A (2006) Prey depletion caused by overfishing and the decline of marine megafauna in eastern Ionian Sea coastal waters (central Mediterranean). Biol Conserv 127:373-382.
- 17. Estes JA, et al. (2011) Trophic downgrading of planet Earth. Science 333(6040): 301-306.
- 18. Soykan CU, et al. (2008) Why study bycatch? Endanger Species Res 5:91-102.
- 19. Halpern BS, et al. (2008) A global map of human impact on marine ecosystems. Science 319(5865):948-952.
- 20. Watson JW, Epperly SP, Foster D, Shah AK (2005) Fishing methods to reduce sea turtle mortality associated with pelagic longlines. Can J Fish Aquat Sci 62(5):965-981.
- 21. Barcelona SG, Ortiz de Urbina JM, de la Serna JM, Alot E, Macias D (2010) Seabird bycatch in Spanish Mediterranean large pelagic longline fisheries, 2000-2008. Aquat Living Resour 23(4):363-370.
- 22. Forney KA, Koboyashi DR, Johnston DW, Marchetti JA, Marsik MG (2011) What's the catch? Patterns of cetacean bycatch and depredation in Hawaii-based pelagic longline fisheries. Mar Ecol (Berl) 32(3):380-391.
- 23. Croxall JP, et al. (2012) Seabird conservation status, threats and priority actions: A global assessment. Bird Conserv Int 22(1):1-34.
- 24. Reeves RR, McClellan K, Werner TB (2013) Marine mammal bycatch in gillnet and other entangling net fisheries, 1990 to 2011. Endanger Species Res 20:71-97.
- 25. Read AJ, Drinker P, Northridge S (2006) Bycatch of marine mammals in U.S. and global fisheries. Conserv Biol 20(1):163-169.
- 26. McBride MF, Burgman MA (2012) Expert Knowledge and Its Application in Landscape Ecology, eds Perera AH, Drew CA, Johnson SJ (Springer Science, New York), pp 11-38.
- 27. Gobbi M, Riservato E, Bragalanti N, Lencioni V (2012) An expert-based approach to invertebrate conservation: Identification of priority areas in central-eastern Alps. J Nat Conserv 20:274-279.
- 28. Iglecia MN, Collazo JA, McKerrow AJ (2012) Use of occupancy models to evaluate expert knowledge-based species-habitat relationships. Avian Conservation & Ecology 7(2):5.
- 29. Martin TG, et al. (2012) Eliciting expert knowledge in conservation science. Conserv Biol 26(1):29-38
- 30. Sims M, Cox TC, Lewison RL (2008) Modeling spatial patterns in fisheries bycatch: Improving bycatch maps to aid fisheries management, Ecol Appl 18(3):649-661.
- 31. Peckham SH, et al. (2007) Small-scale fisheries bycatch jeopardizes endangered Pacific loggerhead turtles, PLoS ONE 2(10):e1041.
- 32. Weimerskirch H, et al. (2002) GPS tracking of foraging albatrosses. Science 295(5558): 1259.
- 33. Block BA, et al. (2011) Tracking apex marine predator movements in a dynamic ocean. Nature 475(7354):86-90.
- 34. Lewison RL, Nel D, Taylor F, Croxall JP, Rivera K (2005) Thinking big-taking a largescale approach to seabird bycatch. Mar Ornithol 33:1–5.
- Worm B, et al. (2006) Impacts of biodiversity loss on ocean ecosystem services. Science 314(5800):787-790.
- Tittensor DP, et al. (2010) Global patterns and predictors of marine biodiversity across taxa. Nature 466(7310):1098-1101.
- Stewart KR, et al. (2010) Characterizing fishing effort and spatial extent of coastal fisheries. PLoS ONE 5(12):e14451.
- 38. Cairns DK, Gaston AJ, Huettmann F (2008) Endothermy, ectothermy and the global structure of marine vertebrate communities. Mar Ecol Prog Ser 356:239-250.
- 39. Middleton JF (2000) Wind forced upwelling: The role of the surface mixed layer. J Phys Oceanogr 30(5):745-763.
- 40. Haine OS, Garvey JR (2005) Northern Prawn Fishery Data Summary 2005. Logbook Program, Australian Fisheries Management Authority, Canberra, Australia. Available at www.afma.gov.au/wp-content/uploads/2010/06/NPF-Data-Summary-2005-2.pdf? afba77. Accessed March 6, 2014.
- 41. Croxall JP. Nicol S (2004) Management of Southern Ocean fisheries: Global forces and future sustainability. Antarct Sci 16(4):569-584.

- 42. Gilman E, Brothers N, Kobayashi DR (2005) Principles and approaches to abate seabird by-catch in longline fisheries. Fish and Fisheries 6(1):35-49.
- 43. Sales G, et al. (2010) Circle hook effectiveness for the mitigation of sea turtle bycatch and capture of target species in a Brazilian pelagic longline fishery. Aguat Conserv Mar Freshwater Ecosyt 20(4):428-436.
- 44. Cox TM, et al. (2007) Comparing effectiveness of experimental and implemented bycatch reduction measures: The ideal and the real. Conserv Biol 21(5):1155-1164.
- 45. Croxall JP, Trathan PN, Murphy EJ (2002) Environmental change and Antarctic seabird populations. Science 297(5586):1510-1514.
- 46. Jenkins LK (2010) Profile and influence of the successful fisher-inventor of marine conservation technology. Conservation & Society 8(1):44-54.
- 47. Hall MA, et al. (2007) Working with fishers to reduce bycatches. Bycatch Reduction in the World's Fisheries, ed Kennelly SJ (Springer, Berlin), pp 235-286.
- 48. Peckham SH, Maldonado Díaz D (2012) Sea Turtles of the Eastern Pacific, eds Seminoff JA, Wallace BP (Univ of Arizona Press, Tuscon, AZ), pp 279-301.
- 49. Lewison RL, Crowder LB (2007) Putting longline bycatch of sea turtles into perspective. Conserv Biol 21(1):79-86
- 50. Alfaro-Shigueto J, Mangel JC, Bernedo F (2011) Small-scale fisheries of Peru: A major sink for marine turtles in the Pacific. J Appl Ecol 48(6):1432-1440.
- 51. López-Barrera EA, Longo GO, Monteiro-Filho ELA (2012) Incidental capture of green turtle (Chelonia mydas) in gillnets of small-scale fisheries in the Paranaguá Bay, Southern Brazil. Ocean Coast Manag 60:11-18.
- 52. Walmsley SA, Leslie RW, Sauer WHH (2006) Managing South Africa's trawl bycatch. ICES J Mar Sci 64:405-412.
- 53. Bhathal B, Pauly D (2008) Fishing down marine food webs' and spatial expansion of coastal fisheries in India, 1950-2000. Fisheries Research 91(1):26-34.
- 54. McClusky SM, Lewison RL (2008) Quantifying fishing effort: A synthesis of current methodsand their applications. Fish and Fisheries 9:188-200.
- 55. Tuck GN, Polacheck T, Bulman C (2003) Spatio-temporal trends of longline fishing effort in the Southern Ocean and implications for seabird bycatch. Biol Conserv 114(1):1-27
- 56. Lewison RL, Freeman SA, Crowder LB (2004) Quantifying the effects of fisheries on threatened species: The impact of pelagic longlines on loggerhead and leatherback sea turtles. Ecol Lett 7(3):221-231.
- 57. Waugh SM, Filippi DP, Kirby DS, Abraham E, Walker N (2012) Ecological risk assessment for seabird interactions in Western and Central Pacific longline fisheries. Mar Policy 36(4):933-946
- 58. Howell E, Kobayashi D, Parker D, Balazs G (2008) Turtlewatch: A tool to aid in the bycatch reduction of loggerhead turtles, Caretta caretta, in the Hawaii-based pelagic longline fishery. Endanger Species Res 5:267-278
- 59. Hobday AJ, Hartog JR, Spillman CM, Alves O (2011) Seasonal forecasting of tuna habitat for dynamic spatial management. Can J Fish Aguat Sci 68(5):898-911.
- 60. Dunn DC, et al. (2013) Empirical move-on rules to inform fishing strategies: A New England case study. Fish and Fisheries, 10.1111/faf.12019.
- 61. Wallace BP, et al. (2011) Global conservation priorities for marine turtles. PLoS ONE 6(9):e24510
- 62. Small CJ (2005) Regional Fisheries Management Organisations: Their Duties and Performance in Reducing Bycatch of Albatrosses and Other Species (BirdLife International, Cambridge, United Kingdom).
- 63. Ban NC, Alidina HM, Ardon JA (2013) Cumulative impact mapping: Advances, relevance and limitations to marine management and conservation, using Canada's Pacific waters as a case study. Mar Policy 34(5):76-886.
- 64. Pomeroy RS (2012) Managing overcapacity in small-scale fisheries in Southeast Asia. Mar Policy 36(2):520-527.
- 65. Lewison RL, et al. (2011) Ingredients for addressing the challenges of fisheries bycatch. Bull Mar Sci 87(2):235-250.
- 66. Shester GG, Micheli F (2011) Conservation challenges for small-scale fisheries: Bycatch and habitat impacts of traps and gillnets. Biol Conserv 14(5):1673-1681
- 67. Davis JL, Le B, Coy AE (2011) Building a model of commitment to the natural environment to predict ecological behavior and willingness to sacrifice. J Environ Psychol
- 68. Piovano S, Basciano G, Swimmer Y (2012) Evaluation of a bycatch reduction technology by fishermen: A case study from Sicily. Mar Policy 36(1):272-277.
- 69. Alfaro-Shigueto J, et al. (2010) Where small can have a large impact: Structure and characterization of small-scale fisheries in Peru. Fisheries Research 106(1):8-17.
- 70. Salomon AK, et al. (2011) Bridging the divide between fisheries and marine conservation science. Bull Mar Sci 87(2):251-274.

## **Supporting Information**

### Lewison et al. 10.1073/pnas.1318960111

#### SI Text

Database Data Fields and Database Availability. Data fields. The database included data fields to capture data on the ocean region in which the fishing occurred, any spatial information (e.g., longitude, latitude, and named water body) where gear was deployed, the nationality of the fleet, the total fishing effort, the observed fishing effort, the metric in which fishing effort was reported, gear type and characteristics, estimates of total bycatch, bycatch rates, the metric in which bycatch rates were reported, the amount of mortality observed, species identification, species group identification, any demographic data (size, age, and reproductive status) on bycaught individuals, and the source of the information.

To be included in the analyses described in the text, a data record had to include the following minimum information: spatial location, gear type, bycatch rate, and the amount of effort observed on which the rate was calculated. For some records, spatial location had to be manually georeferenced. Only records that included information on the amount of fishing effort observed are included in Figs. 1 and 2; data records without reported observed fishing effort information are shown in Fig. S2.

Database availability. The bycatch database is included in the OBIS SeaMAP data repository (http://seamap.env.duke.edu/dataset/1117). A full bibliography of the documents included in the database is provided in Data Sources S1.




Fig. S1. Bycatch intensity for all taxonomic groups mapped by gear category: (A) gillnet, (B) longline, and (C) trawl. Symbol size is scaled to reflect the proportional amount of observed fishing effort for each record.




Fig. S2. Bycatch intensity for data records in which observed fishing effort was not reported for (A) seabirds, (B) marine mammals, and (C) sea turtles. Three gear categories (gillnet, longline, and trawl) are represented by separate symbols.

Table S1. Total number of records in the bycatch database by taxa and gear type (N = 2,270)

	Total number	Number of records by gear type			
	of records	Gillnet	Longline	Trawl	
Seabirds	799	158	575	66	
Marine mammals	538	339	57	142	
Sea turtles	933	255	552	126	

### **Other Supporting Information Files**

Data Sources S1 (PDF)

Seal	hii	rds

	Seabirds				
	authors	year	title	journal	volume
	Agreement on the Conservation of				
1	Albatross and Petrels	2004	Report of the working group on fish stock assessment (extract on incidental mortality)	SC-CCAMLR XIII/4	
	Alaska Fisheries Science Center				
2	Seabird Program	2005	Annual Seabird Bycatch Estimates for 2005		
3	Alaska Fisheries Science Center	2011	Preliminary Seabird bycatch estimates for Alaskan groundfish fisheries, 2007-2010		
	Agnew D.J., Black A.D., Croxall J.P.,		Experimental evaluation of the effectiveness of weighting regimes in reducing seabird by-catch in the longline		
4	Parkes G.B.	2000	toothfish fishery around South Georgia.	CCAMLR Science	7
	Agnew, D.J.		· · · · · · · · · · · · · · · · · · ·		
5	Kirkwood, G. P.	2005	A statistical method for estimating the level of iuu fishing: application to CCAMLR subarea 48.3	CCAMLR Science	12
-	Yu. B. Artyukhin, A. V. Vinnikov and				
6	D.A. Terentiev	2006	Sea Birds and Bottom Longline Fishery in the Kamchatka Region	Environmental Impact of Fisheries	
Ü	b./t. referriev	2000	An assessment of CCAMLR measures employed to mitigate seabird mortality in longlining operations for	Environmental impact of risheries	
7	Ashford, J.R., and J.P. Croxall	1998	Dissostichus eleginoides around South Georgia	CCAMLR Science	5
,		1330	Dissostictius elegitiolides al outili Soutili Georgia		J
	Bailey, K., P.G. Williams, and D.	1996	Du catch and discards in western Dasific tuna fisheries: A review of CDC data holdings and literature	South Pacific Commission, Oceanic Fisheries Programme.	
8	Itano	1996	By-catch and discards in western Pacific tuna fisheries: A review of SPC data holdings and literature.	Technical Report No. 34	
	Daired C I	2001	Depart on the International Fishers! Former on Calving the Incidental Continue of Continue in Legaline Fishering	Availand New Zeeland Department of Consequenting	
9	Baird, S.J.	2001	Report on the International Fishers' Forum on Solving the Incidental Capture of Seabirds in Longline Fisheries	Auckland, New Zealand. Department of Conservation	
10	Baird, S., and D. Thompson	2002	Seabirds and the hoki (Macruronus novazealandiae) trawl fishery: a review of current knowledge	NIWA Client Report No. WLG2002/5	
11	Baird, S.J.	2004	Incidental capture of seabird species in commercial fisheries in New Zealand waters, 2001-02	New Zealand Fisheries Assessment Report 2004/60	
12	Baird, S.J.	2004	Incidental capture of seabird species in commercial fisheries in New Zealand waters, 2000-01	New Zealand Fisheries Assessment Report 2004/58	
13	Baird, S.J.	2005	Incidental capture of seabird species in commercial fisheries in New Zealand waters, 2002-03	New Zealand Fisheries Assessment Report 2005/2	
14	Baker, B., Wise, B.	2005	The impact of pelagic longline fishing on the flesh-footed shearwater Puffinus carneipes in Eastern Australia	Biological Conservation	126
	Baker, Double, Gales, Tuck, Abbott,				
	Ryan, Petersen, Robertson,		a global assessment of the impact of fisheries-related mortality on shy and white capped albatrosses:		
15	Alderman	2007	Conservation implications		
16	Bakken, V., Falk, K.	1998	Incidental take of seabirds in commercial fisheries in the artic countries		
	Barcelona, S.G., J.M. Ortiz de				
	Urbina, J.M. de la Serna, E. Alot, and	ł			
17	D. Macias	2010	Seabird bycatch in Spanish Mediterranean large pelagic longline fisheries 2000-2008	Aquatic Living Resources	23
	Barnes K.N., Ryan P.G., and Baix-			· · · · · ·	
18	Hinzen Ch.	1997	The impact of the hake Merlucius spp. Longline off South Africa on Procellariiform seabirds.	Biological Conservation	82
			Sexual segregation of foraging zones in porcellariiform birds: implications of accidental capture on commercial	-	
19	Bartle, J.	1990	fishery longlines of Grey Petrels (Procellaria cinerea)	notornis	37
20	Bartle, J.	1991	Incidental capture of seabirds in the New Zealand subantarctic squid trawl fishery, 1990	Bird Conservation International	1
20	20. 0.0, 3.	1331	more than supraire of seasons in the new Zealand Susantaretic squad travel inner y, 1990	5.1.d co.i.sc. ration international	-
21	Barton J.	2002	Fisheries and fisheries management in Falkland IslandsConservation Zones	Aquatic Conservation: Marine and Freshwater Ecosystems	12
	Beerkircher, L. Brown, C.,	2002	Tisheries and histories management in Falkiana islandsconservation 2011es	Aquade conservation. Marine and Freshwater Ecosystems	14
22	Abercrombie, D., Lee, D.	2005	Overview of the SEFSC pelagic observer program in the northwest atlantic from 1992-2002	Col. Vol. Sci. Pap. ICCAT	58
22	Aberti offible, D., Lee, D.	2005	Overview of the 2Ft.2C height observer high all the hourilinest grantiff hour 1225-5005	Coi. voi. 3ci. Pap. ICCAT	30
22	E I Dalda A Camilia	2004	Cookind montality on localing fishering on the western M. W	Dialogical Companyation	00
23	E.J. Belda, A. Sanchez	2001	Seabird mortality on longline fisheries on the western Mediterranean: factors affecting bycatch and proposed	Biological Conservation	98
	Benjamins, S, D.W. Kulka, and J.				_
24	Lawson	2008	Incidental catch of seabirds in Newfoundland and Labrador gillnet fisheries, 2001-2003	Endangered Species Research	5
			Seabird interaction rates estimated from observer data (2004-2011) in the Hawaii-based shallow and deep-set	Western and Central Pacific Fisheries Commission 7th	
25	Bigelow, K.A.	2011	longline fisheries	Regular Session. PIFSC Working Paper WP-11-009	
	Bord lascaigh Mhara (Irish Sea			Final report to the Commission of the European	
26	Fisheries Board - BIM)	2000	Diversification trials with alternative tuna fishing techniques including the use of remote sensing technology.	Communities. EU Contract No. 98/010	
27	Brothers, N.P., and A.B. Foster	1997	Seabird catch rates: an assessment of causes and solutions in Australia's domestic tuna longline fishery	Marine Ornithology	25
	, ,		The influence of environmental variables and mitigation measures on seabird catch rates in the Japanese tuna	<b>3</b> ,	
28	Brothers, N., R. Gales, and T. Reid	1999	longline fishery within the Australian Fishing Zone, 1991-1995	Biological Conservation	88
	Bugoni, L., Neves, T., Carvalho, D.,	2000			
29	Peppes, F.	2007	Hook-and-line fisheries in Brazil: Description and impact on seabirds		
23		_00,			

	Bugoni, L, TS Neves, NO Leite JR, D Carvalho, G Sales, RW Furness, CE Stein, FV Peppes, BB Giffoni, DS				
30	Monteiro	2008	Potential bycatch of seabirds and turtles in hook-and-line fisheries of the Itaipava fleet, Brazil  Marine turtles, mammals and seabirds captured incidentally by the Spanish surface longline fisheries in the	Fisheries Research 90 (2008) 217-224	
31	Caminas, J.A. & Valeiras, J. Cardoso, L.G., L. Bugoni, P.L.	2001	Mediterreanean Sea	Rapp. Comm. Int. Mer Medit.	36
32	Mancini, and M. Haimovici Carretta, J.V., T. Price, D. Petersen,	2011	Gillnet fisheries as a major mortality factor of Magellanic penguins in wintering areas Estimates of marine mammal, sea turtle, and seabird mortality in the California drift gillnet fishery for swordfish	Marine Pollution Bulletin	62
33	and R. Read John Chardine, Julie Porter, Kenton	2004	and thresher shark, 1996-2002	Marine Fisheries Review	66
34	Wohl Cherel Y., H. Weimerskirch, G.	2000	Workshop on Seabird Incidental Catch in the Waters of Arctic Countries Interactions between longline vessels and seabirds in Kerguelen waters and a method to reduce seabird	Conservation of Arctic Flora and Fauna	
35	Duhamel	1996	mortality	Biological Conservation	75
36 37	Christensen Clemens, A.	1995 2006	Bycatches in the salmon drift net Annual report on seabird interactions and mitigation efforts in the Hawaii longline fishery for 2005 Seabird interactions with longline fisheries in the Australian fishing zone: assessment report for the National	International Countil for the Exploration. Report of the Baltic Salmon and trout assessment working group NMFS PIRO Adminstrative Report AR-PIRO-05-06 Australian Government Deptarment of Agriculture,	
38	Commonwealth of Australia John Cooper, Nicola Baccetti, Eduardo J. Belda, John J. Borg, Daniel Oro, Costas	2003	Plan of Action for reducing the incidental catch of seabirds in longline fisheries	Fisheries and Forestry	
39	Papaconstantinou and Antonio Sanchez	2007	Seabird mortality from longline fishing in the Mediterranean Sea and Macaronesian waters: a review and a way forward	Scientia Marina	67
40	John Cooper and Peter G. Ryan	2004	South African National plan of action for reducing the incidental catch of seabirds in longline fisheries	Marine and Coastal Management, Department of Environmental Affairs and Tourism, Cape Town	
41	Mindaugas Dagys, Ramunas Zydelis	2002	Bird bycatch in fishing nets in Lithuanian coastal waters in wintering season 2001-2002	Acta Zoologica Lituanica	
42	Darby, J.T., and S.M. Dawson	2000	Bycatch of yellow-eyed penguins (Megadyptes antipodes) in gillnets in New Zealand waters 1979-1997	Biological Conservation	93
43 44	Davoren, G.K. DeGange, A.R., and R.H. Day de la Serna, Jose Miguel Ortiz de Urbina, Jose Maria	2007 1991	Effects of gill-net fishing on marine birds in a biologicl hotspot in the northwest Atlantic Mortality of seabirds in the Japanese land-based gillnet fishery for salmon	Conservation Biology The Condor	21 93
45	Garcia Barcelona, Salvador K. Delord N. Gasco H. Weimerskirch C. Barbraud	2006	Peces espada en peligro	Revista Electronica del Instituto Espanol de Oceanografia	5
46	T. Micol	2005	Seabird mortality in the Patagonian toothfish longline fishery around Crozet and Kerguelen islands, 2001–2003	CCAMLR Science	12
47	Department of Fisheries and Oceans	2003	Status report and future directions towards the development of a national plan of action for the reduction of incidental catch of seabirds in domestic and foreign longline fisheries in Canadian waters	Canadian Technical Report of Fisheries and Aquatic Sciences	2471
48	Department of Fisheries and Oceans Dietrich, K.S., E.F. Melvin and L.	2007	National Plan of Action for reducing the incidental catch of seabrids in longline fisheries Integrated weight longlines with paired streamer lines - Best practice to prevent seabird bycatch in demersal	Fisheries and Oceans Canada	
49	Conquest.	2008	longline fisheries	Biological Conservation	141
50	Dietrich, K.S., and S.M. Fitzgerald	2010	Analysis of 2004-2007 vessel-specific seabird bycatch data in Alaska demersal longline fisheries.	AFSC Processed Report 2010-04	
51	Euan Dunn and Christian Steel	2001	The impact of longline fishing on seabirds in the north-east Atlantic: recommendations for reducing mortality		
52 53	Euan Dunn Falk, K., and J. Durinck	2007 1991	The case for a community plan of action for reducing incidental catch of seabirds in longline fisheries. The by-catch of Thick-billed Murres in salmon drift nets off West Greenland in 1988.	Birdlife International Occasional Paper Canadian Wildlife Service	

	Favero M., Khatchikian C.E., Arias A., Silva Rodriguez M.P., Canete G,				
54	and Mariano-Jelicich R.  Forney, K.A., S.R. Benson, and G.A.	2003	Estimates of seabird by-catch along the Patagonian Shelf by Argentineane longline fishing vessels, 1999-2001.	Bird Conservation International Seabird bycatch: Trends, roadblocks and solutions. E.F. Melvin, and J.K. Parrish (eds). University of Alaska Sea	13
55	Cameron	2001	Central California gillnet effort and bycatch of sensitive species, 1990-1998	Grant US Fish and Wildlife Service Chesapeake Bay Field Office	
56	Forsell, D.J.	1999	Mortality of migratory waterbirds in Mid-Atlantic coastal anchored gillnets during March and April 1998	Administrative Report	
57	Gales, R., N. Brothers, and T. Reid Gandini P.A., Frere E., Pettovello	1998	Seabird mortality in the Japanese tuna longline fishery around Australia, 1988-1995	Biological Conservation	86
58	A.D., Cedrola P.V.	1999	Interaction between Magellanic Penguins and shrimp fisheries in Patagonia, Argentina	The Condor	101
59	Gandini, P., Frere, E. Geernaert, T.O., H.L. Gilroy, S.M.	2006	Spatial and temporal patterns in the bycatch of seabirds in the Argentinian longline fishery		
	Kaimmer, G.H. Williams, and R.J.		A feasibility study that investigates options for monitoring bycatch of short-tailed albatross in the Pacific		
60	Trumble	2001	hablibut fishery off Alaska	NMFS and IPHC	
	Gilman, E., C. Boggs, and N.		Performance assessment of an underwater setting chute to mitigate seabird bycatch in the Hawaii pelagic		
61	Brothers	2003	loneline tuna fishery	Ocean and Coastal Management	46
			Assessment of strategies to reduce seabird bycatch employed by Hawaii pelagic longline tuna vessels and of		
62	Gilman, E. Gilman, E., N. Brothers, and D. R.	2004	observer program data collection protocols	Western Pacific Regional Fishery Management Council	
63	Kobayashi Glass N., Lavarello I., Glass J.P., and	2007	Comparison of three seabird bycatch avoidance methods in Hawaii-based pelagic longline fisheries	Fisheries Science	73
64	Ryan P.G.	2000	Longline fishing at Tristan da Cunha: impacts on seabirds	Atlantic Seabirds	2
	Gomez Laich A., M. Favero, R. Mariano-Jelicich, G. Blanco, G. Canete, A. Arias, P. Silva Rodriguez,		Environmental and operational variability affecting mortality of Black-browed Albatrosses associated with long-		
65	and H. Brachetta	2006	liners in Argentina	Emu	
66	GonzalesZevallos, D. and Yorio, P. Gonzalez-Zevallos, D., Yorio, P.,	2006	Seabird use of discards and incidental captures at the Argentine hake fishery in the Golfo San Jorge, Argentina Seabird mortality at trawler warp cables and a proposed mitigation measur: A case of study in Golfo San Jorge,	Marine Ecology Progress Series	316
67	Caille, G. Hale, L.F., L.D. Hollensead, and J.K.	2007	Patagonia, Argentina	Biological Conservation	136
68	Carlson	2007	Characterization of the shark bottom longline fishery: 2007	NMFS Tech Memo (SEFSC)	564
69	Nancy Harrison and Mark Robins	1992	The threat from nets to seabirds	RSPB Conservation Review 6, 1992	
70	Hata, D.N.	2006	Incidental captures of seabirds in the US Atlantic pelagic longline fishery, 1986-2005	NOAA SEFSC	
	Heinemann, D., N. Klaer, T.				
71	Polacheck, G. Tuck and T. Davis	2002	The effects of longlining on seabird populations: by-catch estimation, archival tagging and population modeling	CSIRO Marine Research Final Report AFMA 97/98	
72	Huang, HW., and KM. Liu	2010	Bycatch and discards by Taiwanese large-scale tuna longline fleets in the Indian Ocean	Fisheries Research	106
73	International Fishers Forum	2002	Proceedings of the Second International Fishers Forum, November 19-22, 2002. Noreen M. Parks, ed.  Proceedings of the International Tuna Fishers Conference on Responsible Fisheries & Third International Fishers		
74	International Fishers Forum	2006	Forum, July 25-29, 2005.		
75	Indian Ocean Tuna Commission Jahncke, J. Goya, E.	2006	Report of the Second Session of the IOTC Working Party on Bycatch Seychelles, 31 July - 1 August 2006.		
76	Guillen, A.	2001	Seabird by-catch in small-scale longline fisheries in northern Peru  Albatros y Petreles: su interaccion con la flota de palangre pelagico Uruguaya en el Atlantico Sudoccidental	Waterbirds	24
77	Jimenez, S, and A. Domingo Jimenez, S., M. Abreu, M. Pons, M.	2007	(1998-2006)	ICCAT Col. Vol. Sci. Pap.	60
78	Ortiz, and A. Domingo Gustavo Jiménez-Uzcátegui Jeffrey Mangel Joanna Alfaro-Shigueto	2010	Assessing the impact of the pelagic longline fishery on albatrosses and petrels in the southwest Atlantic	Aquatic Living Resources	23
79	Dave Anderson	2006	Fishery bycatch of the waved albatross Phoebastria irrorata, a need for implementation of agreements	Galapagos Research	64
80	Bogdan Kiez, and Teresa Tomek	1990	Bird Mortality in Fishing Nets in the Gulf of Gdansk, Polish Baltic Coast	Pelagicus	5

81	Klaer, N. Polacheck, T. Laich, A., Favero, M., Mariano-	1998	The influence of environmental factors and mitigation measures on by-catch rates of seabirds by Japanese longline fishing vessels in the Australian region	Emu	98
82	Jelicich, R., Blanco, G., Canete, G., Arias, A., Rodroguez, P., Brachetta, H.	2006	Environmental and Operational Variability affecting the mortality of black-browed albatrosses associated with long-liners in argentina	Emu	106
	Laneri, K., M. Louzao, A. Martinez- Abrain, J.M. Arcos, E.J. Belda, J. Guallart, A. Sanchez, M. Gimenez, R.		Trawling regime influences longline seabird bycatach in the Mediterranean: new insights from a small-scale		
83	Maestre, and D. Oro	2010	fishery	Marine Ecology Progress Series Proceedings. Fisherie Bycatch: Consequences and	420
84	Lanza, H.M., and C.R. Griffin	1997	Seabird entanglement by commercial fisheries in the northwestern Atlantic  Observer data held by the oceanic fisheries programme covering tuna fishery bycatches in the Western and	Management. Alaska Sea Grant Report 97-02	
85	Lawson, T.	2001	Central Pacific Ocean	Standing Committee on Tuna and Billfish SWG-9	
86	Nilamon de Oliveira Leite Jr., Carlos Eduardo Stein, João Carlos Alciati Thomé,Tatiana Neves	2006	MONITORAMENTO DA PESCA DE CURRICO E ESPINHEL DE SUPERFÍCIE NA LOCALIDADE DE ITAIPAVA/ES E SUA INTERAÇÃO COM TARTARUGAS E AVES MARINHAS.	II Jornada de Conservação e Pesquisa de Tartarugas Marinhas no Atlântico Sul Ocidental 14 e 15 de Novembro de 2005 - Praia do Cassino, Brasil	
87	Lokkeborg & Robertson	2002	Seabird and longline interactions	Biological Conservation	
88	S. Lokkeborg	2003	Review and evaluation fo three m	Fisheries Research	60
89		2004	English summary of Fiskeriverket Informerar 2004:8		
	Majluf, P., Babcock, E., Riveros, J.,				
90	Schreiber, M., Alderete, W.	2002	Catch and Bycatch of Sea Birds and Marine Mammals in the Small-Scale Fishery of Punta San Juan, Peru Incidental catch and interactions of marine mammals and birds in the Cook Inlet salmon driftnet and setnet	Conservation Biology	16
91	Manly, B.F.J.	2006	fisheries	Cook Inlet Observer Program 1999-2000	
92	Manly, B.F.J	2007	Incidental take and interactions of marine mammals and birds in the Kodiak Island Salmon Set gillnet fishery, 2002 and 2005	Kodiak Island AMMOP 2002 and 2005	
	de la Mare, W. K. Kerry, K. R.	1994	Population Dynamics of the Wandering Albatross (Diomedea exulans) on Macquarie Island and the Effects of	Polar Biology	14
		1994	Mortality from Longline Fishing	Polar Biology	14
93	,,				
93 94	McVea, T.A. and S.J. Kennelly, eds.	2005	Proceedings of the 4th International Fisheries Observer Conference. Sydney, Australia; 8-11 November 2004.		
	McVea, T.A. and S.J. Kennelly, eds. Mejuto, J.		Proceedings of the 4th International Fisheries Observer Conference. Sydney, Australia; 8-11 November 2004.	-	
	McVea, T.A. and S.J. Kennelly, eds.		Proceedings of the 4th International Fisheries Observer Conference. Sydney, Australia; 8-11 November 2004.  Preliminary overall estimations of bycatch landed by the Spanish surface longline fleet targeting swordfish (Xiphias gladius) in the Pacific Ocean and interactions with marine turtles and sea birds: years 1990-2005.	Working group on bycatch. 6th Meeting. La Jolla, California (USA) 9-10 Februaryo 2007. Document BYC-6-INF A	
94	McVea, T.A. and S.J. Kennelly, eds. Mejuto, J. Garcia-Cortes, B. Ramos-Cartelle, A.	2005	Preliminary overall estimations of bycatch landed by the Spanish surface longline fleet targeting swordfish	Working group on bycatch. 6th Meeting. La Jolla, California (USA) 9-10 Februaryo 2007. Document BYC-6-	
94	McVea, T.A. and S.J. Kennelly, eds. Mejuto, J. Garcia-Cortes, B. Ramos-Cartelle, A. Ariz, J. Mejuto, J., Garcia-Cortes, B., Ramos-Cartelle, A., Ariz, J.	2005	Preliminary overall estimations of bycatch landed by the Spanish surface longline fleet targeting swordfish (Xiphias gladius) in the Pacific Ocean and interactions with marine turtles and sea birds: years 1990-2005.	Working group on bycatch. 6th Meeting. La Jolla, California (USA) 9-10 Februaryo 2007. Document BYC-6- INF A Working group on bycatch. 6th Meeting. La Jolla,	
94 95 96	McVea, T.A. and S.J. Kennelly, eds. Mejuto, J. Garcia-Cortes, B. Ramos-Cartelle, A. Ariz, J. Mejuto, J., Garcia-Cortes, B., Ramos- Cartelle, A., Ariz, J. Melvin, E.F., J.K. Parrish, and L.T.	2005	Preliminary overall estimations of bycatch landed by the Spanish surface longline fleet targeting swordfish (Xiphias gladius) in the Pacific Ocean and interactions with marine turtles and sea birds: years 1990-2005.  Preliminary overall estimations of bycatch landed by the Spanish surface longline fleet targeting swordfish (Xiphias gladius) in the Pacific Ocean and interactions with marine turtles and sea birds: years 1990-2005.	Working group on bycatch. 6th Meeting. La Jolla, California (USA) 9-10 Februaryo 2007. Document BYC-6- INF A Working group on bycatch. 6th Meeting. La Jolla, California (USA) 9-10 Februaryo 2007. Document BYC-6- INF A	
94 95	McVea, T.A. and S.J. Kennelly, eds. Mejuto, J. Garcia-Cortes, B. Ramos-Cartelle, A. Ariz, J. Mejuto, J., Garcia-Cortes, B., Ramos-Cartelle, A., Ariz, J.	2005	Preliminary overall estimations of bycatch landed by the Spanish surface longline fleet targeting swordfish (Xiphias gladius) in the Pacific Ocean and interactions with marine turtles and sea birds: years 1990-2005.  Preliminary overall estimations of bycatch landed by the Spanish surface longline fleet targeting swordfish	Working group on bycatch. 6th Meeting. La Jolla, California (USA) 9-10 Februaryo 2007. Document BYC-6-INF A Working group on bycatch. 6th Meeting. La Jolla, California (USA) 9-10 Februaryo 2007. Document BYC-6-	13
94 95 96 97	McVea, T.A. and S.J. Kennelly, eds. Mejuto, J. Garcia-Cortes, B. Ramos-Cartelle, A. Ariz, J. Mejuto, J., Garcia-Cortes, B., Ramos-Cartelle, A., Ariz, J. Melvin, E.F., J.K. Parrish, and L.T. Conquest. Stehn, R.A., K.S. Rivera, S. Fitzgerald	2005 2007 2007 1999	Preliminary overall estimations of bycatch landed by the Spanish surface longline fleet targeting swordfish (Xiphias gladius) in the Pacific Ocean and interactions with marine turtles and sea birds: years 1990-2005.  Preliminary overall estimations of bycatch landed by the Spanish surface longline fleet targeting swordfish (Xiphias gladius) in the Pacific Ocean and interactions with marine turtles and sea birds: years 1990-2005.  Novel tools to reduce seabird bycatch in coastal gillnet fisheries	Working group on bycatch. 6th Meeting. La Jolla, California (USA) 9-10 Februaryo 2007. Document BYC-6-INF A Working group on bycatch. 6th Meeting. La Jolla, California (USA) 9-10 Februaryo 2007. Document BYC-6-INF A  Conservation Biology in: (eds) E.F. Melvin, and J.K. Parrish. 2001. Seabird Bycatch: trends, roadblocks and solutions. AK-SG-01-01	
94 95 96 97	McVea, T.A. and S.J. Kennelly, eds. Mejuto, J. Garcia-Cortes, B. Ramos-Cartelle, A. Ariz, J.  Mejuto, J., Garcia-Cortes, B., Ramos-Cartelle, A., Ariz, J. Melvin, E.F., J.K. Parrish, and L.T. Conquest.  Stehn, R.A., K.S. Rivera, S. Fitzgerald and K.D. Wohl Melvin, E.F., J.K. Parrish, K.S.	2005 2007 2007 1999 2001	Preliminary overall estimations of bycatch landed by the Spanish surface longline fleet targeting swordfish (Xiphias gladius) in the Pacific Ocean and interactions with marine turtles and sea birds: years 1990-2005.  Preliminary overall estimations of bycatch landed by the Spanish surface longline fleet targeting swordfish (Xiphias gladius) in the Pacific Ocean and interactions with marine turtles and sea birds: years 1990-2005.  Novel tools to reduce seabird bycatch in coastal gillnet fisheries  Incidental Catch of Seabirds by Longline Fisheries in Alaska	Working group on bycatch. 6th Meeting. La Jolla, California (USA) 9-10 Februaryo 2007. Document BYC-6- INF A Working group on bycatch. 6th Meeting. La Jolla, California (USA) 9-10 Februaryo 2007. Document BYC-6- INF A Conservation Biology in: (eds) E.F. Melvin, and J.K. Parrish. 2001. Seabird Bycatch: trends, roadblocks and solutions. AK-SG-01-01 Fairbanks: University of Alaska Sea Grant College Program	
94 95 96 97 98 99	McVea, T.A. and S.J. Kennelly, eds. Mejuto, J. Garcia-Cortes, B. Ramos-Cartelle, A. Ariz, J.  Mejuto, J., Garcia-Cortes, B., Ramos-Cartelle, A., Ariz, J. Melvin, E.F., J.K. Parrish, and L.T. Conquest.  Stehn, R.A., K.S. Rivera, S. Fitzgerald and K.D. Wohl Melvin, E.F., J.K. Parrish, K.S. Dietrich, and O.S. Hamel	2005 2007 2007 1999 2001 2001	Preliminary overall estimations of bycatch landed by the Spanish surface longline fleet targeting swordfish (Xiphias gladius) in the Pacific Ocean and interactions with marine turtles and sea birds: years 1990-2005.  Preliminary overall estimations of bycatch landed by the Spanish surface longline fleet targeting swordfish (Xiphias gladius) in the Pacific Ocean and interactions with marine turtles and sea birds: years 1990-2005.  Novel tools to reduce seabird bycatch in coastal gillnet fisheries  Incidental Catch of Seabirds by Longline Fisheries in Alaska  Solutions to seabird bycatch in Alaska's demersal longline fisheries	Working group on bycatch. 6th Meeting. La Jolla, California (USA) 9-10 Februaryo 2007. Document BYC-6- INF A Working group on bycatch. 6th Meeting. La Jolla, California (USA) 9-10 Februaryo 2007. Document BYC-6- INF A Conservation Biology in: (eds) E.F. Melvin, and J.K. Parrish. 2001. Seabird Bycatch: trends, roadblocks and solutions. AK-SG-01-01 Fairbanks: University of Alaska Sea Grant College Program Final Report	ı
94 95 96 97 98 99	McVea, T.A. and S.J. Kennelly, eds. Mejuto, J. Garcia-Cortes, B. Ramos-Cartelle, A. Ariz, J. Mejuto, J., Garcia-Cortes, B., Ramos-Cartelle, A., Ariz, J. Melvin, E.F., J.K. Parrish, and L.T. Conquest.  Stehn, R.A., K.S. Rivera, S. Fitzgerald and K.D. Wohl Melvin, E.F., J.K. Parrish, K.S. Dietrich, and O.S. Hamel Merkel, F.R.	2005 2007 2007 1999 2001 2001 2004	Preliminary overall estimations of bycatch landed by the Spanish surface longline fleet targeting swordfish (Xiphias gladius) in the Pacific Ocean and interactions with marine turtles and sea birds: years 1990-2005.  Preliminary overall estimations of bycatch landed by the Spanish surface longline fleet targeting swordfish (Xiphias gladius) in the Pacific Ocean and interactions with marine turtles and sea birds: years 1990-2005.  Novel tools to reduce seabird bycatch in coastal gillnet fisheries  Incidental Catch of Seabirds by Longline Fisheries in Alaska  Solutions to seabird bycatch in Alaska's demersal longline fisheries  Impact of hunting and gillnet fishery on wintering eiders in Nuuk, Southwest Greenland	Working group on bycatch. 6th Meeting. La Jolla, California (USA) 9-10 Februaryo 2007. Document BYC-6-INF A Working group on bycatch. 6th Meeting. La Jolla, California (USA) 9-10 Februaryo 2007. Document BYC-6-INF A  Conservation Biology in: (eds) E.F. Melvin, and J.K. Parrish. 2001. Seabird Bycatch: trends, roadblocks and solutions. AK-SG-01-01 Fairbanks: University of Alaska Sea Grant College Program Final Report Waterbirds	
94 95 96 97 98 99	McVea, T.A. and S.J. Kennelly, eds. Mejuto, J. Garcia-Cortes, B. Ramos-Cartelle, A. Ariz, J.  Mejuto, J., Garcia-Cortes, B., Ramos-Cartelle, A., Ariz, J. Melvin, E.F., J.K. Parrish, and L.T. Conquest.  Stehn, R.A., K.S. Rivera, S. Fitzgerald and K.D. Wohl Melvin, E.F., J.K. Parrish, K.S. Dietrich, and O.S. Hamel	2005 2007 2007 1999 2001 2001	Preliminary overall estimations of bycatch landed by the Spanish surface longline fleet targeting swordfish (Xiphias gladius) in the Pacific Ocean and interactions with marine turtles and sea birds: years 1990-2005.  Preliminary overall estimations of bycatch landed by the Spanish surface longline fleet targeting swordfish (Xiphias gladius) in the Pacific Ocean and interactions with marine turtles and sea birds: years 1990-2005.  Novel tools to reduce seabird bycatch in coastal gillnet fisheries  Incidental Catch of Seabirds by Longline Fisheries in Alaska  Solutions to seabird bycatch in Alaska's demersal longline fisheries	Working group on bycatch. 6th Meeting. La Jolla, California (USA) 9-10 Februaryo 2007. Document BYC-6- INF A Working group on bycatch. 6th Meeting. La Jolla, California (USA) 9-10 Februaryo 2007. Document BYC-6- INF A Conservation Biology in: (eds) E.F. Melvin, and J.K. Parrish. 2001. Seabird Bycatch: trends, roadblocks and solutions. AK-SG-01-01 Fairbanks: University of Alaska Sea Grant College Program Final Report	ı
94 95 96 97 98 99	McVea, T.A. and S.J. Kennelly, eds. Mejuto, J. Garcia-Cortes, B. Ramos-Cartelle, A. Ariz, J.  Mejuto, J., Garcia-Cortes, B., Ramos-Cartelle, A., Ariz, J. Melvin, E.F., J.K. Parrish, and L.T. Conquest.  Stehn, R.A., K.S. Rivera, S. Fitzgerald and K.D. Wohl Melvin, E.F., J.K. Parrish, K.S. Dietrich, and O.S. Hamel Merkel, F.R. Mitchell, L Moloney, C. L. Cooper, J.	2005 2007 2007 1999 2001 2001 2004	Preliminary overall estimations of bycatch landed by the Spanish surface longline fleet targeting swordfish (Xiphias gladius) in the Pacific Ocean and interactions with marine turtles and sea birds: years 1990-2005.  Preliminary overall estimations of bycatch landed by the Spanish surface longline fleet targeting swordfish (Xiphias gladius) in the Pacific Ocean and interactions with marine turtles and sea birds: years 1990-2005.  Novel tools to reduce seabird bycatch in coastal gillnet fisheries  Incidental Catch of Seabirds by Longline Fisheries in Alaska  Solutions to seabird bycatch in Alaska's demersal longline fisheries  Impact of hunting and gillnet fishery on wintering eiders in Nuuk, Southwest Greenland Birdbycatch	Working group on bycatch. 6th Meeting. La Jolla, California (USA) 9-10 Februaryo 2007. Document BYC-6-INF A Working group on bycatch. 6th Meeting. La Jolla, California (USA) 9-10 Februaryo 2007. Document BYC-6-INF A  Conservation Biology in: (eds) E.F. Melvin, and J.K. Parrish. 2001. Seabird Bycatch: trends, roadblocks and solutions. AK-SG-01-01 Fairbanks: University of Alaska Sea Grant College Program Final Report Waterbirds	ı
94 95 96 97 98 99 100 101	McVea, T.A. and S.J. Kennelly, eds. Mejuto, J. Garcia-Cortes, B. Ramos-Cartelle, A. Ariz, J. Mejuto, J., Garcia-Cortes, B., Ramos-Cartelle, A., Ariz, J. Melvin, E.F., J.K. Parrish, and L.T. Conquest.  Stehn, R.A., K.S. Rivera, S. Fitzgerald and K.D. Wohl Melvin, E.F., J.K. Parrish, K.S. Dietrich, and O.S. Hamel Merkel, F.R. Mitchell, L Moloney, C. L. Cooper, J. Ryan, P. G.	2005 2007 2007 1999 2001 2001 2004 2003	Preliminary overall estimations of bycatch landed by the Spanish surface longline fleet targeting swordfish (Xiphias gladius) in the Pacific Ocean and interactions with marine turtles and sea birds: years 1990-2005.  Preliminary overall estimations of bycatch landed by the Spanish surface longline fleet targeting swordfish (Xiphias gladius) in the Pacific Ocean and interactions with marine turtles and sea birds: years 1990-2005.  Novel tools to reduce seabird bycatch in coastal gillnet fisheries  Incidental Catch of Seabirds by Longline Fisheries in Alaska  Solutions to seabird bycatch in Alaska's demersal longline fisheries  Impact of hunting and gillnet fishery on wintering eiders in Nuuk, Southwest Greenland Birdbycatch  Use of a Population-Model to Assess the Impact of Longline Fishing on Wandering Albatross Diomedea exulans	Working group on bycatch. 6th Meeting. La Jolla, California (USA) 9-10 Februaryo 2007. Document BYC-6- INF A Working group on bycatch. 6th Meeting. La Jolla, California (USA) 9-10 Februaryo 2007. Document BYC-6- INF A  Conservation Biology in: (eds) E.F. Melvin, and J.K. Parrish. 2001. Seabird Bycatch: trends, roadblocks and solutions. AK-SG-01-01 Fairbanks: University of Alaska Sea Grant College Program Final Report Waterbirds Email - Word Doc	27
94 95 96 97 98 99 100 101	McVea, T.A. and S.J. Kennelly, eds. Mejuto, J. Garcia-Cortes, B. Ramos-Cartelle, A. Ariz, J.  Mejuto, J., Garcia-Cortes, B., Ramos-Cartelle, A., Ariz, J. Melvin, E.F., J.K. Parrish, and L.T. Conquest.  Stehn, R.A., K.S. Rivera, S. Fitzgerald and K.D. Wohl Melvin, E.F., J.K. Parrish, K.S. Dietrich, and O.S. Hamel Merkel, F.R. Mitchell, L Moloney, C. L. Cooper, J. Ryan, P. G. Siegfried, W. R.	2005 2007 2007 1999 2001 2001 2004	Preliminary overall estimations of bycatch landed by the Spanish surface longline fleet targeting swordfish (Xiphias gladius) in the Pacific Ocean and interactions with marine turtles and sea birds: years 1990-2005.  Preliminary overall estimations of bycatch landed by the Spanish surface longline fleet targeting swordfish (Xiphias gladius) in the Pacific Ocean and interactions with marine turtles and sea birds: years 1990-2005.  Novel tools to reduce seabird bycatch in coastal gillnet fisheries  Incidental Catch of Seabirds by Longline Fisheries in Alaska  Solutions to seabird bycatch in Alaska's demersal longline fisheries  Impact of hunting and gillnet fishery on wintering eiders in Nuuk, Southwest Greenland Birdbycatch	Working group on bycatch. 6th Meeting. La Jolla, California (USA) 9-10 Februaryo 2007. Document BYC-6-INF A Working group on bycatch. 6th Meeting. La Jolla, California (USA) 9-10 Februaryo 2007. Document BYC-6-INF A  Conservation Biology in: (eds) E.F. Melvin, and J.K. Parrish. 2001. Seabird Bycatch: trends, roadblocks and solutions. AK-SG-01-01 Fairbanks: University of Alaska Sea Grant College Program Final Report Waterbirds	ı
94 95 96 97 98 99 100 101	McVea, T.A. and S.J. Kennelly, eds. Mejuto, J. Garcia-Cortes, B. Ramos-Cartelle, A. Ariz, J. Mejuto, J., Garcia-Cortes, B., Ramos-Cartelle, A., Ariz, J. Melvin, E.F., J.K. Parrish, and L.T. Conquest.  Stehn, R.A., K.S. Rivera, S. Fitzgerald and K.D. Wohl Melvin, E.F., J.K. Parrish, K.S. Dietrich, and O.S. Hamel Merkel, F.R. Mitchell, L Moloney, C. L. Cooper, J. Ryan, P. G. Siegfried, W. R. Moreno, C.A., R. Hucke-Gaete, and	2005 2007 2007 1999 2001 2001 2004 2003	Preliminary overall estimations of bycatch landed by the Spanish surface longline fleet targeting swordfish (Xiphias gladius) in the Pacific Ocean and interactions with marine turtles and sea birds: years 1990-2005.  Preliminary overall estimations of bycatch landed by the Spanish surface longline fleet targeting swordfish (Xiphias gladius) in the Pacific Ocean and interactions with marine turtles and sea birds: years 1990-2005.  Novel tools to reduce seabird bycatch in coastal gillnet fisheries  Incidental Catch of Seabirds by Longline Fisheries in Alaska  Solutions to seabird bycatch in Alaska's demersal longline fisheries  Impact of hunting and gillnet fishery on wintering eiders in Nuuk, Southwest Greenland Birdbycatch  Use of a Population-Model to Assess the Impact of Longline Fishing on Wandering Albatross Diomedea exulans Populations	Working group on bycatch. 6th Meeting. La Jolla, California (USA) 9-10 Februaryo 2007. Document BYC-6-INF A Working group on bycatch. 6th Meeting. La Jolla, California (USA) 9-10 Februaryo 2007. Document BYC-6-INF A  Conservation Biology in: (eds) E.F. Melvin, and J.K. Parrish. 2001. Seabird Bycatch: trends, roadblocks and solutions. AK-SG-01-01 Fairbanks: University of Alaska Sea Grant College Program Final Report Waterbirds Email - Word Doc  Biological Conservation	27
94 95 96 97 98 99 100 101	McVea, T.A. and S.J. Kennelly, eds. Mejuto, J. Garcia-Cortes, B. Ramos-Cartelle, A. Ariz, J.  Mejuto, J., Garcia-Cortes, B., Ramos-Cartelle, A., Ariz, J. Melvin, E.F., J.K. Parrish, and L.T. Conquest.  Stehn, R.A., K.S. Rivera, S. Fitzgerald and K.D. Wohl Melvin, E.F., J.K. Parrish, K.S. Dietrich, and O.S. Hamel Merkel, F.R. Mitchell, L Moloney, C. L. Cooper, J. Ryan, P. G. Siegfried, W. R.	2005 2007 2007 1999 2001 2001 2004 2003	Preliminary overall estimations of bycatch landed by the Spanish surface longline fleet targeting swordfish (Xiphias gladius) in the Pacific Ocean and interactions with marine turtles and sea birds: years 1990-2005.  Preliminary overall estimations of bycatch landed by the Spanish surface longline fleet targeting swordfish (Xiphias gladius) in the Pacific Ocean and interactions with marine turtles and sea birds: years 1990-2005.  Novel tools to reduce seabird bycatch in coastal gillnet fisheries  Incidental Catch of Seabirds by Longline Fisheries in Alaska  Solutions to seabird bycatch in Alaska's demersal longline fisheries  Impact of hunting and gillnet fishery on wintering eiders in Nuuk, Southwest Greenland Birdbycatch  Use of a Population-Model to Assess the Impact of Longline Fishing on Wandering Albatross Diomedea exulans	Working group on bycatch. 6th Meeting. La Jolla, California (USA) 9-10 Februaryo 2007. Document BYC-6- INF A Working group on bycatch. 6th Meeting. La Jolla, California (USA) 9-10 Februaryo 2007. Document BYC-6- INF A  Conservation Biology in: (eds) E.F. Melvin, and J.K. Parrish. 2001. Seabird Bycatch: trends, roadblocks and solutions. AK-SG-01-01 Fairbanks: University of Alaska Sea Grant College Program Final Report Waterbirds Email - Word Doc	27

105	Murray, S., S. Wanless, and M.P. Harris Nel, D.C., J.L. Nel, P.G. Ryan, N.T.W.	1994	The Effects of Fixed Salmon (Salmo salar) Nets on Guillemot (Uria aalge) and Razorbill (Alca torda) in Northeast Scotland in 1992.	Biological Conservation	70
106	Klages, R.P. Wilson, and G.	2000	Foraging ecology of grey-headed mollymawks at Marion Island, southern Indian Ocean, in relation to longline fishing activity.	Biological Conservation	96
107	Nel, D., Ryan, P., Watkins, B.	2002	Seabird mortality in the patagonian toothfish longline fishery around the Prince Edward Islands, 1996-2000	Antarctic Science	14
108	Neves T., Olmos F.	1997	Albatross mortality in fisheries off the coast of Brazil	Albatross Biology and Conservation (eds. Robertson G. and Gales R.)	ı
109	, , , , , , , , , , , , , , , , , , ,	2003	Plano de Acao national para a Conservacao de Albatrozes e Petreis	Report	
110	National Marine Fisheries Service	2000	US HI LL seabird data	excel spreadsheet	
				•	
111	National Marine Fisheries Service	2006	2006 Annual Report to the Western and Central Pacific Fisheries Commission	PIFSC Data Report DR-06-005	
112	National Marine Fisheries Service	2006	Summary of seabird bycatch in Alaskan groundfish fisheries, 1993 through 2004		
113	Osborne R.F., Mullins P.	2001	Report on the hake longline scientific programme conducted from August to December 2000	Report	
11/	Osterblom, H., T. Fransson, and O. Olsson	2002	Bycatches of common guillemot (Uria aalge) in the Baltic Sea gillnet fishery	Biological Conservation	105
	Perez J.A.A, Wahrlich R.	2002	A bycatch of the gillnet monkfish Lophius gastrophysus fishery off southern Brazil	Fisheries Research	72
	Petersen, S.	2005	Initial bycatch assessment: South Africa's domestic longline fisher, 2000-2003	BirdLife South Africa	-
	Samantha Petersen and Steve				
117	Kirkman	2005	Initial bycatch assessment: demersal longline fishery July 2000-November 2004	BirdLife South Africa	
			Incidental mortality of seabirds, turtles and sharks: A Review of data collected east of 20 degrees by South		
	Samantha Petersen	2005	African observers	BirdLife South Africa	
119	Petersen, X. and Z. McDonell Petersen, S.L., M. Honig, and D.C.	2007	A Bycatch Assessment of the Cape horse Mackerel Mid-water trawl fishery off South Africa	WWF Birdlife South Africa	
120	· · · · · · · · · · · · · · · · · · ·	2008	The impact of longline fisheries on seabirds in the Benguela current large marine ecosystem	ICCAT	62
	Phillips, E.M., H.M. Nevins, S.A. Hatch, A.M. Ramey, M.A. Miller,				
121	and J.T. Harvey	2010	Seabird bycatch in Alaska demersal longline fishery trials: A demographic summary	Marine Ornithology	38
122	John F. Piatt and Patrick J. Gould	1994	Post Breeding Dispersal and Drift-net Mortlaity of Endangered Japanese Murrelets	The Auk	3
	Reid T.A., Sullivan B.J., Pompert J.,		Seabird mortality associated with Patagonian Toothfish (Dissostichus eleginoides) longliners in Falkland Islands		
123	Enticott J.W. and Black A.D.	2004	waters	Emu	104
				Inter-American Tropical Tuna Commision Working Group	
124	River, K.S.	2006	Seabirds and fisheries in the IATTC area	to Review Stock Assessments: 7th Mtg Doc SAR-7-05c	
125	Robertson, B.C., and B.L. Chilvers	2011	The population decline of the New Zealand sea lion Phocarctos hookeri: a review of possible causes	Mammal Review	41
12/	Dahina M	1991	Synthetic Gill Nets and Seabirds.	Joint Venture Between World Wildlife Fund (UK) and Royal	l
	Robins, M. Rogan, E., and M. Mackey	2007	Megafauna bycatch in drift nets for albacore tuna (Thunnus alalunga) in the NE Atlantic	Society for the Protection of Birds. Fisheries Research	86
	Romanov, E.V.	2001	Bycatch in the tuna purse-seine fisheries of the western Indian Ocean	Fishery Bulletin	100
	Ryan P.G., Boix-Hinzen Ch.	1998	Tuna longline fisheries off Southern Africa: the need to limit seabird bycatch	South African Journal of Science	94
	Ryan, P., Boix-Hinzen, C.	1999	Consistent male-biased seabird mortality in the patagonian toothfish longline fishery	The Auk	116
	Ryan P.G., Keith D.G., and Kroese				
131	M.	2001	Seabird bycatch by tuna longline fisheries off southern Africa, 1998-2000	South African Journal of Marine Science	24
	Ryan, Peter G.				
132	Watkins, Barry P.	2002	Reducing incidental mortality of seabirds with an underwater longline setting funnel  Bait loss caused by seadbirds on longline fisheries in the nothwestern Mediterranean: is night setting an effective	Biological Conservation	104
133	A. Sanchez and E.J. Belda	2003	mitigation measure?	: Fisheries Research	60
	Scientific Committee for the	_000			30
	Conservation of Antarctic Marine				
134	Living Resources	2000	Report of the Nineteenth Meeting of the Scientific Committee		
135	Mac V. Rawson	1997	Fisheries Bycatch Consequences and Management	University of Alaska Sea Grant College Program	
136	Simeone A., Bernal M., Meza J.	1999	Incidental mortality of Humboldt Penguins Spheniscus humboldti in gill nets, central Chile	Marine Ornithology	27
	Soto J.M.R., Colabuono F.I., Filippini		Analise das capturas de Albatrozes e Petreis (procellariiformes) no espinhel pelagico operante na costa sul do		
137	Α.	2003	Brasil e ao largo, utilizando medidas mitigadoras.	Resumos do XI Congresso Brasileiro de Ornitologia	

	Stagi A Mar Formira B Marin V				
120	Stagi A., Vaz-Ferreire R., Marin Y., and Joseph L.	1997	The conservation of albatrosses in Uruguayan waters	Albatross biology and conservation	
130	and Joseph L.	1997	Marine birds drowning in fishing nets in the Gulf of Gdansk (southern Baltic): numbers, species composition, age	Albatross biology and conservation	
139	Stomoniowicz I	1994	and sex structure	Ornis Svecica	4
139	Stempniewicz, L.	1994	allu sex structure	Offils Svecica	4
4.40	Strann, K-B, W. Vader, and R.	4004	A. L. Carlotte, C. Calebra and Carrotte Manager	Cookinds (ad) C. Warders and M. da L. Brands	42
	Barrett	1991	Auk mortality in fishing nets in north Norway	Seabirds (ed) S. Wanless and M. de L. Brooke	13
141	Sullivan B.	2004	Falkland Islands plan of action for reducing incidental catch of seabirds in trawl fisheries	Report	
	Sullivan, B.J., T.A. Reid., L. Bugoni	2006	Seabird mortality on factory trawlers in the Falkland Islands and beyond	Biological Conservation	131
143	Swarbrick	1994	Investigation of selectivity of static	Royal Commission on Environmental Pollution	
	Tamini, L.L., J.E. Perez, G.E.		Magelanic Penguin Spheniscus magellanicus and fish as bycatch in the cornalito Sorgentinia incisa fishery at		_
144	Chiaramonte, H.L. Cappozzo	2002	Puerto Quequen, Argentina	Atlantic Seabirds	4
	Christopher W. Thompson, Monigue		Population Characteristics of Common Murres and Rhinoceros Auklets Entangled in Gillnets in Puget Sound,	and the second second	=0
145	L. Wilson and Darlene DeGhetto	1998	Washington, from 1993 to 1994	Northwestern Naturalist	79
			Ecosystem effects of fishing in the Mediterranean: An analysis of the major threats of fishing gear and practices		
			to biodiversity and marine		
			MEDITERRANEAN: AN ANALYSIS OF THE MAJOR		
			THREATS OF FISHING GEAR AND PRACTICES		
146	Tudela, Sergi	2004	TO BIODIVERSITY AND MARINE HABITS	FAO	
			Fisheries bycatch mortalities of sooty shearwaters (Puffinus griseus) and short-tailed shearwaters (P.		
147	Uhlmann, S.	2003	tenuirostris).	New Zealand Dept. of Conservation Internal Series#92	
	Uhlmann, Sebastian				
	Fletcher, David				
148	Moller, Henrik	2005	Estimating incidental takes of shearwaters in driftnet fisheries: lessons for the conservation of seabirds	Biological Conservation	123
				International Council for the Exploration of the Sea (ICES):	
				Theme Session J 17 1: Efficiency, Selectivity and Impacts of	f
149	Urtans, E. and J. Priednieks	2000	The present status of seabirds by-catch in Latvian coastal fishery of Baltic Sea	Passive Fishing Gears	
	Julio Valeiras and Juan Antonio				
150	Caminas	2003	The incidental capture of seabirds by Spanish drifting longline fisheries in the Western Mediterranean Sea	Scientia Marina	67
	Roberta S. Wallace, Karen				
	Grzybowski, Edward Diebold,				
	Margaret G. Michaels, J. Andrew			Waterbirds: The International Journal of Waterbird	
151	Teare and Mary Jo Willis	1999	Movements of Humboldt Penguins from a Breeding Colony in Chile	Biology	22
	Watkins, B.P., S.L. Petersen, and		Interactions between seabirds and deep-water hake trawl gear: an assessment of impacts in South African		
152	P.G. Ryan.	2008	waters	Animal Conservation	11
	Weimerskirch, Henri				
	Capdeville, Didier				
153	Duhamel, Guy	2000	Factors affecting the number and mortality of seabirds attending trawlers and long-liners in the Kerguelen area	Polar Biology	23
	Wienecke, Barbara		Seabird and seal fisheries interactions in the Australian Patagonian toothfish Dissostichus eleginoides trawl	<del>-</del> ·	
154	Robertson, Graham	2002	fishery	Fisheries Research	54
	Williams, R.		•		
155	Capdeville, D.	1996	Seabird interactions with trawl and longline fisheries for Dissostichus eleginoides and Champsocephalus gunnari	CCAMLR Science	3
	World Wildlife Fund	2004	Driftnet fishery for salmon in the Pacific and its influence on marine ecosystem	Environmental IMAC of Fisheries	-
157	Yorio, P., G. Caille	1999	Seabird interactions with coastal fisheries in Northern Patagonia: use of discards and incidental captures in nets	Waterbirds	22
157	, G. Cumc		season a mediations and establish marrieries in reor trient in transformation of unsecretary and including captures in rect		

Marine	mamma	ls
--------	-------	----

	Marine mammals:				
	authors	year	title	journal	volume
	About C. B. Costo C. Bissississis V.				
	Abud, C., P. Costa, C. Dimitriadis, V. Franco, P. Laporta, C. Passadore, M.				
1	Piedra, and M Szephengyi.	2007	Incidental capture of Franciscana dolphins Pnotoporia blainvillei in artisanal gillnetting of the Uruguayan coast.	Final Report of the Rufford Marine Laing Foundation	
				En: Arena, G. & M. Rey (eds): Captura de grandes peces	
				pelagicos (pez espada y atunes) en el Atlantico	
				Sudoccidental, y su interaccion con otras poblaciones.	
2	Achaval, F., Y.H. Marin, & L.C. Barea	2000	Captura incidental de tortugas con palangre pelagico oceanico en el atlantico sudoccidental	INAPE-Uruguay	
	Juan Jose Alava, Maria Jose				
	Barragan, Christina Castro and Raul				
3	Carvajal	2005	A note of strandings and entanglements of humback whales (Megaptera novaeangliae) in Ecudaor	J. Cetacean Res. Manage.	7
				December of the Toronto fourth Associal Commencions on	
	Alfaro-Shigueto, J., Dutton, P., Vega,			Proceedings of the Twenty-fourth Annual Symposium on Sea Turtle Biology and Conservation. NOAA Technical	
	D., Mangel, J.C., Santillan, L., de Paz,			Memorandum NMFS-SEFSC-567 (eds R. B. Mast, B. J.	
4	N.	2007	RECORDS OF LEATHERBACK TURTLE BYCATCH FROM PERU	Hutchinson & A. H. Hutchinson).	
•				,	
	Joanna Alfaro Shigueto, Jeffrey C.				
5	Mangel and Koen Van Waerebeek	2008	Small cetacean captures and CPUE estimates in artisanal fisheries operating from a port in Peru, 2005-2007	IWC Scientific Committee Meeting Santiago, June 2008	
			Incidental capture and mortality of sea turtles in the industrial shrimp trawling fishery of northeastern		
6	Alio, JJ, LA Marcano, DE Altuve	2010	Venezuela	Ciencias Marinas	36
7	Allen, B.M., and R.P. Angliss	2011	Alaska marine mammal stock assessments, 2011	NOAA Tech Memo NMFS-AFSC-223	
	Amande, M.J., J. Ariz, E. Chassot, A.				
	Delgado de Molina, D. Gaertner, H.				
	Murua, R. Pianet, J. Ruiz and P.				
8	Chavance	2010	Bycatch of the European purse seine tuna fishery in the Altantic Ocean for the 2003-2007 period	Aquatic Living Resources	23
9	Amir, O., Berggren, P., Jiddawi, N.	2002	The incidental catch of dolphins in gillnet fisheries in Zanzibar, Tanzania	Western Indian Ocean J. Mar. Sci.	1
				in. P. Berggre, O.A. Amir, A. Guissamulo, N.S. Jiddawi, Z.	
				Ivgasy, E. Stensland, A. Sarnblad, and V.G. Cockcroft.	
	Amir, O.A., P. Berggren, and N.S.			Sustainable dolphin tourism in East Africa. 2007. Western	
10	Jiddawi	2007	Estimates of bycatch of dolphins in Menai Bay, Zanzibar, using onboard observer programmes	Indian Ocean Marine Science Association. 72 pp.	
			Incidental capture of sea turtles by High seas longline pelagic fisheries in Costa Rica's Exclusive Economic Zone	Proceedings from the 21st Annual Symposium on Sea	
11	Arauz, R.	2004	(EEZ) - A second look	Turtle Biology and Conservation, Philadelphia, USA	
	F Archer	200.	(LLL) // Second look	Tartie Biology and conservation, I made pina, co.	
	T Gerrodette				
	S Chivers		Annual estimates of the unobserved incidental kill of pantropical spotted dolphin (Stenella attenuata attenuata)		
12	A Jackson	2004	calves in the turna purse-seine fishery of the eastern tropical Pacific	Fisheries Bulletin	102
				4th Meeting of the Parties to ASCOBANS; Esbjerg,	
13	ASCOBANS	2003	MOP4/Doc. 24(S) - Fourth Meeting of the Parties. Resolution No. 6: Incidental Take of Small Cetaceans.	Denmark, 19-22 August 2003	
			Differential distribution within longline transects of loggerhead turtles and swordfish captured by the Spanish		
14	Baez, J., Real, R., Caminas, J.	2007	Mediterranean surface longline fishery	J. Mar. Biol. Ass. U.K.	87
	Baker, C. S., B. L. Chilvers, R.				
	Constantine, S. DuFresne, R. H.				
15	Mattlin, A. van Helden, and R.	2010	Consequence of the Consequence of New Zooland marine areas and Joseph and Consequence Consequence of New Zooland Consequence of N	New Zealand Journal of Marine and Freshwater Research 44:101-115.	
15	Hitchmough	2010	Conservation status of New Zealand marine mammals (suborders Cetacea and Pinnipedia), 2009		
16	Bailey, K., P.G. Williams, and D. Itano	1996	By-catch and discards in western Pacific tuna fisheries: A review of SPC data holdings and literature.	South Pacific Commission, Oceanic Fisheries Programme. Technical Report No. 34	
17	Baird, S., Bradford, E.	2000	Estimation of Hector's dolphin bycatch from inshore fisheries, 1997/8 fishing year	recimear report No. 54	
1,	Banaru, D., I. Dekeyser, G. Imbert,	2000	Non-target and released alive by-catch distributions observed during French driftnet fishery in the northwestern	1	
18	and L. Laubier	2010	Mediterranean Sea (2000-2003 database)	Journal of Oceanography, Research and Data	3
			· · · · · · · · · · · · · · · · · · ·	3 , ,,	

Barlow, J., R.L. Brownell, D.P. DeMaster, K.A. Forney, M.S. Lowry. S. Osmek, T.J. Ragen, R.R. Reeves, 19 and R.J. Small 1995 U.S. Pacific marine mammal stock assessments NOAA Tech Memo NMFS-SWFSC-219 Barlow, J., Cameron, G. 2003 Field experiments show that acoustic pingers reduce marine mammal bycatch in the california drift net fishery Marine Mammal Science 19 Fisheries and fisheries management in Falkland Islands Conservation Zones 12 Barton, J. 2002 Aquatic Conservation Beerkircher, L. Brown, C., Overview of the SEFSC pelagic observer program in the northwest atlantic from 1992-2002 Col. Vol. Sci. Pap. ICCAT 58 Abercrombie, D., Lee, D. 2005 1994 A note on cetacean bycatches in German waters Rep. Int. Whal. Commn. Harald Benke Simon Berrow, Maria O'Neill, Biology and Environment: Proceedings of the Royal Irsih Discarding practives and marine mammmals by-catch in the Celtic Sea herring fishery 98 Deirdre Brogan 1998 Academy Incidental capture of cetaceans in Irish waters 1998 The Irish Naturalists Journal 26 Berrow, S.D. and E. Rogan Incidental mortality of Franciscana (Pontoporia blainvillei) in the artisanal fishery of Praia Grande, Sao Paulo Bertozzi, C.P. and A.N. Zerbini 2002 State, Brazil LAJAM Bord Iascaigh Mhara Irish Sea Report to the European Commission DG XIV Refernece Fisheries Board 1997 The Physical Interaction between Grey Seals and Fishing Gear PEM/93/06 Bord Iascaigh Mhara (Irish Sea Final report to the Commission of the European 2000 Fisheries Board - BIM) Diversification trials with alternative tuna fishing techniques including the use of remote sensing technology. Communities. EU Contract No. 98/010 Bjorge, A., N. Oien, S. Hartvedt, G. Dispersal and bycatch mortality in gray, Halichoerus grypys, and harbor, Phoca vitulina, seals tagged at the Bothun, T. Bekkby 2002 Marine Mammal Science 18 Incidental mortality of Franciscana dolphin Pontoporia blainvillei in coastal gillnet fisheries in northern Buenos Bordino, P. and D. Albareda 2004 IWC working paper SC/56/SM11 Aires, Argentina Bravington, M.V., and K.D. Bisack Estimates of harbour porpoise bycatch in the Gulf of Maine sink gillnet fishery, 1990-1993 Report of the International Whaling Commission 46 National Tuna Fishery Report (NFR-2) presented at the 16th Meeting of the Standing Committee on Tuna and Billfish (9-16 July, 2003, Mooloolaba, Australia). Secretariat of the Pacific Community, Noumea, New Bromhead, D. and J. Findlay 2003 Tuna and billfish fisheries of the Eastern Australian fishing zone and adjacent high seas. Caledonia. Jose Maria Brotons and Antonio Maria Grau 2008 Estimatind the impact of interactions between bottlenose dolphins and artisinal fisheries in the Balearic Islands Marine Mammal Science 24 In: Arena, G. & M. Rey (eds): Captura de grandes peces pelagicos (pez espada y atunes) en el Atlantico Brum, Federico L., and Yamandu H. Interacciones entre mamiferos marinos y la pesqueria de pez espada Xiphias gladius con palangre pelagico en el Sudoccidental, y su interaccion con otras poblaciones. 2000 Atlantico Sudoccidental INAPE-Uruguay Campbell, R. A., B. L. Chilvers, S. 2006 Pages 455-469 in A. W. Trites, S. K. Atkinson, D. P. Childerhouse, and N. J. Gales Conservation management issues and status of the New Zealand (Phocarctos hookeri) and Australian DeMaster, L. W. Fritz, T. S. Gelatt, L. D. Rea, and K. M. 35 (Neophoca cinerea) sea lion Wynne, editors. Sea Lions of the World Assessing and managing interactions of protected and listed marine species with commercial fisheries in FRDC Report - Project 2007/059 2007 Campbell, R. Western Australia Marine turtles, mammals and seabirds captured incidentally by the Spanish surface longline fisheries in the Caminas, J.A. & Valeiras, J. 2001 Mediterreanean Sea Capella Alzueta, J. Florez-Gonzalez, L. Falk Fernandez, P. Mortality and anthropogenic harassment of humpback whales along the Pacific coast of Colombia Memoirs of the Queensland Museum 47 Memorias del Taller de Trabajo sobre el Impacto de las Capella, Juan, Florez-Gonzalez, L., Actividades Antropogenicas en Mamiferos Marinos en el Herrera, Julio Pacifico Sudeste. Bogata, Colombia, 28 al 29 de noviembre Falk, Patricia, Tobon, Isabel C. Captura incidental e intencional de grandes cetaceos en Colombia de 2006. Guayaquil, Ecuador. Cappozzo, H.L., M.F. Negri, F.H. Perez, D. Albareda, F. Monzon, and LE Corcuera 2007 Incidental mortality of Franciscana dolphin (Pontoporia blainvillei) in Argentina Latin American Journal of Aquatic Mammals 41 John K. Carlson 2001 The Directed Shark Gillnet Fishery: Right Whale Season, 2001 Nation Marine Fisheries Service John Carlson and Ivy Baremore 2002 The Directed Shark Gillnet Fishery: Non-Right Whale Season, 2002 National Marine Fisheries Service John K. Carlson and Ivy E. Baremore 2003 The Directed Shark Gillnet Fishery: Catch and Bycatch, 2003 National Marine Fisheries Service

44	Carretta, J.V., J. Barlow, K.A. Forney,		II.S. Pacific marine mammal stock assessments: 1001	NOAA Tash Mama NMFS SWESS 217	
	M.M. Muto, and J. Baker Carretta, J.V., T. Price, D. Petersen,	2001	U.S. Pacific marine mammal stock assessments: 2001 Estimates of marine mammal, sea turtle and seabird mortality in the California drift gillnet fishery for swordfish	NOAA Tech Memo NMFS-SWFSC-317	
45	and R. Read	2004	and thresher shark, 1996-2002	Marine Fisheries Review	66
46	Carretta, J.V., and J. Barlow Carretta, J.V., K.A. Forney, E. Oleson, K. Martien, M.M. Muto, L. Carswell, R.L. Brownell Jr., J. Robbins, D.K. Mattila, K. Ralls, and	2011	Long-term effectiveness, failure rates, and "dinner bell" properties of acoustic pingers in a gillnet fishery	Marine Technology Society Journal	45
47	M.C. Hill	2011	U.S. Pacific marine mammal stock assessments: 2010	NOAA Tech Memo NMFS-SWFSC-476	
48 49	Commission of the European Communities Chivers, Susan J.	2002	Incidental Catches of Small Cetaceans - Commission Staff Working Paper.  Age structure of female Eastern spinner dolphins (Stenella longirostris orientalis) incidently killed in the Eastern Tropical Pacific tuna purse-seine fishery	Report of the Second Meeting of the Subgroup on Fishery and Environment (SGFEN) of the Scientific, Technical, and Economic Committee for Fisheries (STECF).  Administrative Report LJ-02-11  Southwest Fisheries Science Center, NMFS, NOAA	
50 51	Chilvers, B. Louise	2008	New Zealand sea lions <i>Phocarctos hookeri</i> and squid trawl fisheries: bycatch problems and management option	s Endangered Species Research, Vol. 5: 193–204, 2008	
52	Couperus, A.S.	1997	Interactions Between Dutch Midwater Trawl and Atlantic White-sided Dolphins (Lagenorhynchus acutus) Southwest of Ireland	Journal of Northwest Atlantic Fishery Science	22
53 54	Couperus, A.S. Couperus, A.S. Crespo, E.A., Pedraza, S.N., Dans,	1997 2007	By-catch of marine mammals and discards in pelagic fisheries (MAMDIS).  Monitoring of incidental catches of cetaceans by Dutch pelagic trawlers in 2006.	Report #CFP 94/018 - Agricultural Research Department, Netherlands Institute for Fisheries Research. Centre for Fishery Research 07.004	
55	S.L., Alonso, M.K., Reyes, L.M., Garcia, N.A., Coscarella, M.	1997	Direct and indirect effects of the highseas fisheries on the marine mammal populations in the northern and central Patagonian coast	Journal of Northwest Atlantic Fisheries Science	22
56	Crowder, L.B. and R.A. Myers D'Agrosa, Caterina, Lennert-Cody,	2001	A Comprehensive Study of the Ecological Impacts of the Worldwide Pelagic Longline Industry.	2001 First Annual Report to the Pew Charitable Trusts.	
57	Cleridy E., Vidal, Omar de la Serna, Jose Miguel	2000	Vaquita Bycatch in Mexico's Artisanal Gillnet Fisheries: Driving a Small Population to Extinction	Conservation Biology	14
58	Ortiz de Urbina, Jose Maria Garcia Barcelona, Salvador Denuncio, R., R. Bastida, M. Dassis, G. Giardino, M. Gerpe, and D.	2006	Peces espada en peligro	Revista Electronica del Instituto Espanol de Oceanografia	5
59	Rodriguez	2011	Plastic ingestion in Franciscana dolphins, Pontoporia blainvillei (Gervais and d'Orbigny, 1844), from Argentina	Marine Pollution Bulletin	62
60	Di Beneditto, A.P.M.	2003	Interactions between gillnet fisheries and small cetaceans in northern Rio de Janeiro, Brazil: 2001-2002	LAJAM	2
61	Euan Dunn	2007	The case for a community plan of action for reducing incidental catch of seabirds in longline fisheries	Birdlife International	
62	Fairfield, C., and L.P. Garrison	2008	Estimated bycatch of marine mammals and sea turtles in the U.S. Atlantic pelagic longline fleet during 2007	NOAA Tech Memo NMFS-SEFSC-572	
63	Fairfield-Walsh, C., and L.P. Garrison	2006	Estimated bycatch of marine mammals and turtles in the U.S. Atlantic pelagic longline fleet during 2005	NOAA Tech Memo NMFS-SEFSC-539	
64	Fairfield-Walsh, C., and L.P. Garrison	2007	Estimated bycatch of marine mammal and turtles in the U.S. Atlantic pelagic longline fleet during 2006.	NOAA Tech Memo NMFS-SEFSC-560	
65	Fernando Felix and Jorge Samaniego Fernando Felix, Ben Haase, Jay W.	1994	Incidental Catches of Small Cetaceans in the Artisanal Fisheries of Ecuador	Rep. Int. Whal. Commn.	
66	Davis, David Chiluiza and Paola Amador	1997	A Note on Recent Strandings and Bycatches of Sperm Whales (Physeter macrocephalus) and Humpback Whales (Megaptera novaeangliae) in Ecuador.	Rep. Int. Whal. Commn.	47
67	Fernando Felix, Mercedes Munoz and Ben Haase	2006	Byactch of Humback Whales in Artisinal Fishing Gear in Eucador During 2005.	IWC workshop April 2006 Seabird bycatch: Trends, roadblocks, and solutions. E.F.	
68	Forney, K.A., S.R. Benson, and G.A. Cameron	2001	Central California gillnet effort and bycatch of sensitive species, 1990-1998	Melvin, and J.K. Parrish (ed). University of Alaska Sea Grant	

69	Forney, K.A., and D.R. Kobayashi Fortuna, C.M., C. Vallini, E. Filidei Jr., M. Ruffino, I. Consalvo, S. Di	2007	Updated estimates of mortality and injury of cetaceans in the Hawaii-based longline fishery, 1994-2005	NOAA Tech Memo NMFS SWFSC	412
=-0	Muccio, C. Gion, U. Scacco, E. Tarulli, O. Giovanardi, and A.	2010	By-catch of cetaceans and other species of conservation concern during pair trawl fishing operations in the	Charitan and Eurlan (Carall)	26
70	Mazzola Jean-Mark Fromentin and Henri	2010	Adriatic Sea (Italy) Results of the 2003 observer program on board the French purse seiner targeting the atlantic bluefin tuna in the	Chemistry and Ecology (Suppl.)	26
71	Farrugio	2005	Mediterranean sea	Col. Vol. Sci. Pap. ICCAT	58
72	Garrison, L.P.	2003	$Estimated\ by catch\ of\ marine\ mammals\ and\ turtles\ in\ the\ U.S.\ At lantic\ pelagic\ longline\ fishery\ during\ 2001-2002.$	NOAA technical Memorandum NOAA Fisheries-SEFSC-515	
73	Lance Garrison	2003	Protected Species Interactions with the directed shark gillnet fishery of Florida and Georgia from 1992-2002	SEFSC, Miami Laboratory	
74	Garrison, L.P. and P.M. Richards	2004	Estimated bycatch of marine mammals and turtles in the U.S. Atlantic pelagic longline fleet during 2003	NOAA Tech Memo NMFS-SEFSC-527	
75	Garrison, L.P. Garrison, L.P., L. Stokes, and C.	2005	Estimated bycatch of marine mammals and turtles in the U.S. Atlantic pelagic longline fleet during 2004	NOAA Tech Memo NMFS-SEFSC-531	
76	Fairfield	2009	Estimated bycatch of marine mammals and sea turtles in the U.S. Atlantic pelagic longline fleet during 2008	NOAA Tech Memo NMFS-SEFSC-591	
77	Goldsworthy, S., Hamer, D., Page, B.	2007	Assessment of the implications of interactions between fur seals & sea lions & the southern rock lobster & gillnet sector of the Southern and Eastern Scalefish and Shark Fishery (SESSF) in SA	SARDI Aquatic Sciences Publication No. F2007/000711. SARDI Research Report Series No. 225	
78	Goldsworthy, D. Page Gonener, S., and S. Bilgin	2007	A risk-assessment approach to evaluating the significance of seal bycatch in two Australian fisheries  The effects of pingers on harbour porpoise, Phocoena phocoena, bycatch and fishing effort in the turbot gill net	Biological Conservation 139: 269-285	
79		2009	fishery in the Turkish Black Sea Coast	Turkish Journal of Fisheries and Aquatic Sciences	9
80	Greenland, J.A., and C.J. Limpus	2005	Marine wildlife stranding and mortality database annual report 2004. I. Dugong	Conservation technical and data report	2004
81	Greenland, J.A., and C.J. Limpus	2006	Marine wildlife stranding and mortality database annual report 2005. I. Dugong	Conservation technical and data report	2005
82	Greenland, J.A., and C.J. Limpus	2008	Marine wildlife stranding and mortality database annual report 2007. I. Dugong	Conservation technical and data report	2007
83	Greenland, J.A., and C.J. Limpus Gribble, N.A., G. McPherson, and B.	2010	Marine wildlife stranding and mortality database annual report 2008. I. Dugong  Effect of the Queensland shark control program on non-target species: whale, dugong, turtle and dolphin: a	Conservation technical and data report	2010
84	Lane	1998	review.	Marine Freshwater Research	49
85	Ben Haase and Fernando Felix	1994	A Note of the Incidental Mortality of Sperm Whales (Physter marcocephalus) in Ecuador Harbour porpoise interactions with the 2001 selective salmon fisheries in southern Brazil Columbia and license	Rep. Int. Whal. Commn. Selective Salmon Fisheries Science Program Report.	
86 87	Hall, A., G. Ellis, and A.W. Trites	2002	holder reported small cetacean by-catch	Fisheres and Ocean Canada	
	Hamer, D.J., Ward, T.M.,				
88	Goldsworthy, S.D., McGarvey, R. and Rogers, P.J.	2007	Measurement and Mitigation of Operational Interactions between the South Australian Sardine Fishery and Common Dolphins Conservation Biology Report to PIRSA Fisheries	SARDI Aquatic Sciences Publication No.F2006/000212. SARDI Research Report Series No. 174.	
			Operational interactions between the South Australian Sardine Fishery and Common Dolphins in 2006-07:	SARDI Aquatic Sciences Publication No. F2007/001098.	
89	Hamer, D. et al	2007	assessing the effectiveness of the industry Code of Practice	SARDI Research Report Series No. 252	
	Hamer, D.J., T.M. Ward, and R.		Measurement, management, and mitigation of operational interactions between the South Australian Sardine		
90	McGarvey	2008	Fishery and short-beaked common dolphin (Delphinus delphis)	Biological Conservation	141
	Hamer, D.J., Ward, T.M.,			Report to Great Australian Bight Marine Park Steering	
	Goldsworthy, S.D., and		Effectiveness of the Great Australian Bight Marine Park in protecting the Australian sea lion (Neophoca cinerea)	Committee. SARDI Aquatic Sciences Publication No.	
91	Shaughnessy, P.D	2009	from by-catch mortality in shark gill-nets.	F2009/000227-1, SARDI Research Report Series No. 357	
92	Shadginicssy, 1.15	2003	Tomby catch mortality in shark gill nets.	12005/000227 1,5/MDT Research Report Series No. 557	
	D.J. Hamer, S.D. Goldsworthy, D.P.				
	Costa, S.L. Fowler, B. Page, and		The endangered Australian sea lion extensively overlaps with and regularly becomes by-catch in demersal shark		
93	M.D. Sumner	2013	gill-nets in South Australian shelf waters  Distribution and abundance of small cetatceans in the North Sea adjacent waters: a review of existing	Biological Conservation 157: 386-400	
94	Hammond et al	1995	information		
				in. Case studies of the management of elasmobranch	
95	Hanson, D.L.	1999	22. Management of shark fisheries off the west coast of the USA	fisheries. (ed.) R. Shotton. FAO	378
96	Hill, P.S., and D.P. DeMaster	1998	Alaska marine mammal stock assessments, 1998	NOAA Tech Memo NMFS-AFSC-97	

	Hodgson, A., H. Marsh, S. Delean,		Is attempting to change marine mammal behaviour a generic solution to the bycatch problem? A dugong case		
97	and L. Marcus	2007	study	Animal Conservation	10
	Hooker, S.K., R.W. Baird, and M.A.	4007	Colored to all the state of New York Festive Consider 4004 4005	Laterational Miles Commission Decreased SC/40/05	
98	Showell	1997	Cetacean strandings and bycatches in Nova Scotia, Eastern Canada, 1991-1996	International Whaling Commission Document. SC/49/05	
	Hooper, J. Clark, J. M.				
	Charman, C.				
99	Agnew, D.J.	2005	Seal mitigation measures on trawl vessels fishing for krill in CCAMLR Subarea 48.3	CCAMLR Science	12
100	ICES SGBYC	2008	Report of the study group for bycatch of protected species (SGBYC)	ICES CM 2008/ACOM: 48	
			.,,		
	Iniguez, M., Hevia, M., Gasparrou,		Preliminary estimate of incidental mortality of Commerson's Dolphins (Cephalorhynchus commersonii) in		
101	C., Tomsin, A., Secchi, E.	2003	artisanal setnet fishery in la angelina beach and ria gallegos, santa cruz, argentina	LAJAM	2
102	Indian Ocean Tuna Commission	2006	Report of the Second Session of the IOTC Working Party on Bycatch Seychelles, 31 July - 1 August 2006.		
103	A.A. Jayaprakash, P. Nammalwar, S.	1005	Incidental by-catch of dolphins at fisheries harbour, Cochin with a note on their conservation and management in India.	Journal of the Marine Biological Association of India	37
103	Krishna Pillai and M.N.K. Elayath	1995	in India	Journal of the Marine Biological Association of India	37
	Karamanlidis, A.A., E. Androukaki, S.				
	Adamantopoulou, A. Chatzispyrou,				
	W.M. Johnson, S. Kotomatas, A.				
	Papaopoulos, V. Paravas, G.				
	Paximadis, R. Pires, E. Tounta, P.				
104	Dendrinos	2008	Assessing accidental entanglement as a threat to the Mediterranean monk seal Monachus monachus	Endangered Species Research	5
105	Kaschner	2001	Review of small cetacean bycatch	4th Meetings of the Parties (MOP 4)	
106	Carl Kinze	1994	Incidental catches of harbour porpoises in Danish waters 1986-1989	Rep. In. Whal. Comm	
	Kirkwood, J.K., P.M. Bennett, P.D.		Fatanalament in fishing annual ather source of death in actions about a the access of Fauland and		
107	Jepson, T. Kuiken, V.R. Simpson, and J.R. Baker	1997	Entanglement in fishing gear and other causes of death in cetaceans stranded on the coasts of England and Wales	Veterinary Record	141
107	J.N. Bakei	1557	Incidental catch of non-targeted marine species in the Western Indian Ocean: problems and mitigation	Workshop Proceedings: 13-15 November 2006, Mayotte,	141
108	Kiszka, J. and C. Muir, eds.	2007	measures.	France	
	On the by-catch of harbour				
	porpoise (Phocoena phocoena) in				
	German fisheries in the Baltic and				
109	the North Sea	1996	Kock, K.H. and H. Benke	Archive of Fishery and Marine Research	44
	Krishnan, A.A., K.S. Yousuf, P.L.				
	Kumaran, N. Harish, B. Anoop, V.V				
	Afsal, M. Rajagopalan, E. Vivekanandan, P.K. Krishnakemar,				
110		2008	Stomach contents of cetaceans incidentally caught along Mangalore and Chennai coasts of Indian	Estaurine, Coastal, and Shelf Science	76
110	Kuiken, T., V.R. Simpson, C.R.	2000	Standard Contents of Cotaccars moderntary coaght along mangalore and Chemia coasts of malari	Estadime, Codstal, and Shell Science	, ,
	Allchin, P.M. Bennett, G.A. Codd,				
	E.A. Harris, G.J. Howes, S. Kennedy,				
	J.K. Kirkwood, R.J. Law, N.R.		Mass mortality of common dolphins (Delphinus delphis) in southwest England due to incidental capture in		
111	Merrett, and S. Philips	1994	fishing gear.	Veterinary Record	134
	Fire Leaves	4000	The Effect of Associate Alexander the bound of body	Paper SC/51/SM41 - International Whaling Commission	
112 113	Finn Larsen	1999	The Effect of Acoustic Alarms on the bycatch of harbour porpoises in the Danish North Sea gill net fishery	Scientific Committee	
113	Finn Larsen	2000	Improving the mechanism of pinger attachement for the Danish North Sea gill net fishery.	International Whaling Commission Scientific Committee -	
114	Larsen, F., M. Vinther, and C. Krog	2002	Use of pingers in the Danish North Sea wreck net fishery.	Report #SC/54/SM32 (unpublished)	
11-7			2. p p		
	Laurent, L., Caminas, J.A., Casale, P.,				
	Delforio, M., DeMetrio, G.,			Project-EC-DG Fisheries 98-008. EU Commission Report,	
	Kapantagakis, A., Margaritoulis, D.		Assessing marine turtle bycatch in European drifting longline and trawl fisheries for identifying fishing	Joint project of BIOINSIGHT, IEO, IMBC, STPS and	
115	Politou, C-Y, Valeiras, J.	2001	regulations	University of Bari.	
				SCTB14 Working Paper, SWG-10: Oceanic Fisheries	
116	Lawson, T.	2001	Methods for analysing bycatches with observer data.	Programme, Secretariat of the Pacific Community.	

			Observer data held by the oceanic fisheries programme covering tuna fishery bycatches in the Western and		
117	Lawson, T.	2001	Central Pacific Ocean	Standing Committee on Tuna and Billfish SWG-9	
	Leeney et al	2008	Spatio-temporal analysis of cetacean	Biodiversity and Conservation	
	Cecilia Lezama, Philip Miller,		Informe Final. IMPACTO DE LA PESQUERÍA ARTESANAL URUGUAYA EN LAS POBLACIONES DE		
119	Alejandro Fallabrino	2003	TORTUGAS MARINAS		
120	Liu, LL., SJ. Chen, LS. Chou, CD. Dong nd CW. Chen	2003	Accumulation of Butyltin compounds in the pantropical spotted dolphin, Stenella attenuata	Journal of Food and Drug Analysis	11
120	Lopez-Mendilaharsu M,	2003	Accumulation of Butyltin compounds in the participical spotted dolphin, Steriella attenuata	Journal of Food and Drug Analysis	11
	Bauza A,				
	Laporta M,				
	Caraccio MN,				
	Lezama C,				
	Calvo V, Hernandez M,				
	Estrades A,				
	Aisenberg A,			Final Report: British Petroleum Conservation Programme	
	Fallabrino A.	2003	Review and conservation of sea turtles in Uruguay.	& National Fish and Wildlife Foundation	
122	A. Lopez et al.	2003		Biological Conservation	111
123	Lopez, B.D.	2006	Interactions between Mediterranean bottlenose dolphins (Tursiops truncatus) and gillnets off Sardinia, Italy	Ices Journal of Marine Science	63
123	Lopez-Mendilaharsu M,	2000	The received between medicendined about enough and (1 disapport an editor) and gimets on our annu, italy	ises souther of the mic solenice	
	Bauza A,				
	Laporta M,				
	Caraccio MN,				
	Lezama C, Calvo V,				
	Hernandez M,				
	Estrades A,				
	Aisenberg A,			Final Report: British Petroleum Conservation Programme	
124	Fallabrino A.	2003	Review and conservation of sea turtles in Uruguay.	& National Fish and Wildlife Foundation	
	Lopez-Mendilaharsu, M., G. Sales, B.				
	Giffoni, P. Miller, F. Niemeyer		Distribucion y composicion de tallas de las tortugas marinas (Caretta caretta y Dermochelys coriacea) que		
	Fiedler, and A. Domingo.	2007	interactuan con el palangre pelagico en el Atlantico Sur. Col. Vol. Sci. Pap. ICCAT 60:2094-2109.		
126		2004	English summary of Fiskeriverket Informerar 2004:8	Symposium on Biology and Management of Seals in the	
127	Lunneryd, S.G., and S. Konigson	2005	By-catch of seals in Swedish commericial fisheries	Baltic area. 15-18 February, Helsinki	
	Majluf, P., Babcock, E., Riveros, J.,				
128	Schreiber, M., Alderete, W.	2002	Catch and Bycatch of Sea Birds and Marine Mammals in the Small-Scale Fishery of Punta San Juan, Peru	Conservation Biology	16
	Mangel, J.C., J. Alfaro-Shigueto, K.				
	Van Waerebeek, C. Caceres, S.				
129	Bearhop, M.J. Witt, and B.J. Godley	2010	Small cetacean captures in Peruvian artisanal fisheries: high despite protective legislation	Biological Conservation	143
420	March D.F.I	2006	Incidental catch and interactions of marine mammals and birds in the Cook Inlet salmon driftnet and setnet	Cool latet Ohanna Parana 4000 2000	
130	Manly, B.F.J. Mansur, E.F., B.D. Smith, R.M.	2006	fisheries, 1999-2000 Two incidents of fishing gear entanglements of Ganges river dolphins (Platanista gangetica gangetica) in	Cook Inlet Observer Program, 1999-2000	
131	Mowgli, and M.A.A. Diyan	2008	waterways of the Sundarbans mangrove forest, Bangladesh	Aquatic Mammals	34
			Sightings and bycatch of small pelagic cetaceans, new information registered by volunteer fishermen off Sao		
132	Marigo, J., and B. de B. Giffoni	2010	Paulo, Brazil	Brazilian Journal of Oceanography	58
133	Marine Connection	2007	The South West Delphia Report	A joint publication by the Marine Connection & The Wildlife Trusts.	
133	IVIA IIIE COIIIIECLIOII	2007	The South West Dolphin Report	whame Husts.	
134	McVea, T.A. and S.J. Kennelly, eds.	2005	Proceedings of the 4th International Fisheries Observer Conference. Sydney, Australia; 8-11 November 2004.		
			Overview on the current status of cetacean-fisheries conflicts including bycatch and depredation with a critical	ACCOBAMS. International workshop on bycatch within the	
135	Mihaylov, K.	2008	review of historical data	ACCOBAMS area	
136	A. Miragiuolo, B. Mussi and G. Bearzi	2002	Observation of Driftnetting Off the Island of Ischia, Italy with Indirect Evidence of Dolphin Bycatch.		
	Morizur	1996	Bycatch and discarding in Pelagic trawl		

	Morizur, Y., S.D. Berrow, N.J.C. Tregenza, A.S. Couperus, and S.				
138	Pouvreau	1999	Incidental catches of marine mammals in pelagic trawl fisheries of the northeast Atlantic.	Fisheries Research International Whaling Commission Scientific Committee -	41
139	Northridge, S.P. and P.S. Hammond	1999	Estimation of porpoise mortality in UK gill and tangle net fisheries in the North Sea and west of Scotland.  Monitoring levels required in European Fisheries to assess cetacean bycatch, with particular reference to UK	Report SC/51/SM42	
140	Northridge, S. and L. Thomas Northridge, S., A. Kingston, L.	2003	fisheries	Final Report to DEFRA (EWD) - August 2003 Contract Report to DEFRA on the Work Conducted 2005-	
141	Thomas, and A. Mackay	2007	Second Annual Report on the UK Cetacean Bycatch Monitoring Scheme	2006	
142	Northridge, S., and A. Kingston	2009	Common dolphin bycatch in UK fisheries	International Whaling Commission Scientific Committee SC/61/SM37. June 2009 Madeira, Portugal	
143	O'Brien, J.W., and J.S. Sunada	1994	A review of the southern California experimental drift longline fishery for sharks, 1988-1991	CalCOFI Report	35
144	B. Ozturk, A. A. Ozturk and A. Dede Bayram Ozturk, Ayaka Amaha	1999	Cetacean bycatch in the western coast of the Turkish Black Sea in 1993-1997	Annual Conference of the European Cetacean Society	
145	Ozturk and Ayhan Dede	2001	Dolphin Bycatch in the Swordfish Fishery in the Agean Sea Compilation of marine mammal incidental take data from the domestic and joint venture groundfish fisheries in	Rapp. Cotton, Int. Mer Medit	
146	Perez, M.A.	2003	the U.S. EEZ of the North Pacific, 1989-2001	NOAA Tech Memo NMFS-AFSC-138	
147	Perez J.A.A, Wahrlich R.	2005	A bycatch of the gillnet monkfish Lophius gastrophysus fishery off southern Brazil  Analysis of marine mammal bycatch data from the trawl, longline, and pot groundfish fisheries of Alaska, 1998-	Fisheries Research	72
148	Perez, M.A.	2006	2004, defined by geographic areea, gear type, and catch target groundfish species	NOAA Tech Memo NMFS-AFSC-167	
149	Petersen, X. and Z. McDonell	2007	A Bycatch Assessment of the Cape horse Mackerel Mid-water trawl fishery off South Africa Harbour porpoises (Phocoena phocoena) in the North Sea: numerical responses to changes in environmental	WWF Birdlife South Africa	
150	Reijnders, P.J.H.	1992	conditions	Netherlands Journal of Aquatic Ecology	26
	,		Estimated Takes of Protected Species in the Commercial Directed Shark Bottom Longline Fisher 2003,2004 and		
151	Richards, P.M.	2007	2005	National Marine Fisheries Service	
152	Robertson, B.C., and B.L. Chilvers	2011	The population decline of the New Zealand sea lion Phocarctos hookeri: a review of possible causes	Mammal Review Report of the International Whaling Commission - Report	41
153	Rogan, E. and S.D. Berrow	1996	A Review of Harbour Porpoises, Phocoena phocoena, in Irish Waters.	#46.	
154	Rogan, E. and M. Mackey	2007	Megafauna bycatch in drift nets for albacore tuna in the NE Atlantic	Fisheries Research	86
155	Romanov, E.V.	2001	Bycatch in the tuna purse-seine fisheries of the western Indian Ocean	Fishery Bulletin	100
156	Evgeny V. Romanov	2002	Bycatch in the tuna purse-seine fisheries of the western Indian Ocean	Fishery Bulletin	100
	Rosas, F.C.W., E.L.A. Monteiro-Filho,		Incidental catches of Franciscana (Pontoporia blainvillei) on the southern coast of Sao Paulo state and the coast		
157	and M.R. de Oliveira	2002	of Parana state, Brazil	LAJAM	1
				Working paper presented to the 10th Advisory Committee meeting of ASCOBANS Bonn, Germany, April 2003.	
158	Ross, A.	2003	Cetacean bycatch in pelagic trawl fisheries in the Celtic Sea, Biscay, Channel area - a case for emergency action.	Document AC10/Doc. 19.	
159	Ross, A. and S. Isaac	2004	The Net Effect? A review of cetacean bycatch in pelagic trawls and other fisheries in the north-east Atlantic.  Incidental catches of franciscana in coastal gillnet fisheries in the Franciscana Management Area III: period 1999-	WDCS Report for Greenpeace.	
160	Secchi, E., Kinas, P., Muelbert, M. Siebert, U., A. Gilles, K. Lucke, M.	2004	2000	IWC Scientific Working Paper SC/56/SM17	
	Ludwig, H. Benke, K.H. Kock, and M.		A decade of harbour porpoise occurrence in German waters - analyses of aerial surveys, incidental sightings and		
161	Scheidat	2006	strandings.	Journal of Sea Research	56
	Silva, M.A., R. Feio, R. Prieto, J.M.				
162	Goncalves, and R.S. Santos	2002	Interactions between cetaceans and the tuna fishery in the Azores Patterns in the mortality of common dolphins (Delphinus delphis) on the Portugese coast, using stranding	Marine Mammal Science	18
163	Silva, M.A. and M. Sequeira	2003	records, 1975-1998	Aquatic Mammals	29
164	Silvani, L., M. Gazo, and A. Aguilar Sjare, B., D. Walsh, G.B. Stenson,	1999	Spanish driftnet fishing and incidental catches in the western Mediterranean	Biological Conservation Fisheries and Oceans Canada, Canadian Science Advisory	90
165	and S. Benjamins Spencer, N., Santos-Vazquez, M.B.,	2005	An update on harp seal (Pagophilus groenlandicus) by-catch estimates in the Newfoundland lumpfish fishery	Secretariat Research Document 2005-049 European Commission - Report #XIV/1999/01 Lot	
166	and G.J. Pierce	2001	Evaluation of the state of knowledge concerning by-catches of cetaceans.	7(31/12/99 - 31/10/00)	

	Sumpton, W.D., S.M. Taylor, N.A.		Gear selectivity of large-mesh nets and drumlines used to catch sharks in the Queensland Shark Control		
167 168	Gribble, G. McPherson, and T. Ham Swarbrick	2011 1994	Program	African Journal of Marine Science	33
168	Swarbrick	1994	Investigation of selectivity of static	Royal Commission on Environmental Pollution	
169	Arda M. Tonay and Bayram Ozturk Arda M. Tonay, Ayhan Dede and	2003	Cetacean bycatches in the Turbot fishery on the western coast of the Turkish Black Sea.	International Symposium of Fisheries and Zoology	
170	Ayaka A. Ozturk Tregenza, N.J.C., S.D. Berrow, P.S.	2007	Stomach contents of bycaught Harbour Porpoises (Phocoena phocoena) from the Marmara Sea	Rapp. Comm. Int. Mer Medit	38
171	Hammond, and R. Leaper Tregenza, N.J.C., S.D. Berrow, P.S.	1997	Harbour porpoise (Phocoena phocoena L.) by-catch in set gillnets in the Celtic Sea.	ICES Journal of Marine Science	54
172	Hammond, and R. Leaper	1997	Common dolphin, Delphinus delphis L., bycatch in bottom set gillnets in the Celtic Sea	Report of the International Whaling Commission Report of the International Whaling Commission #48.	47
173	Tregenza, N.J.C. and A. Collet	1998	Common Dolphin (Delphinus delphis) Bycatch in Pelagic Trawl and Other Fisheries in the Northeast Atlantic	SC/49/NA9	
	Trippel, E.A., J.Y. Wang, M.B. Strong,				
174	L.S. Carter, and J.D. Conway Trippel, E.A., M.B. Strong, J.M.	1996	Incidental mortality of harbour porpoise (Phocoena phocoena) by the gill net fishery in the lower Bay of Fundy	Can. J. Fish. Aquat. Sci.	53
175	Terhune, and J.D. Conway	1999	Mitigation of harbour porpoise (Phocoena phocoena) by-catch in the gillnet fishery in the lower Bay of Fundy	Canadaian Journal of Fisheries and Aquatic Sciences Canadian Technical Report for Fisheries and Aquatic	56
176	Trippel, E.A., and T.D. Shepherd	2004	By-catch of harbour porpoise (Phocoena phocoena) in the lower Bay of Fundy gillnet fishery, 1998-2001	Sciences	2521
177	Sergi Tudela and Paolo Guglielmi	2003	Biodiversity impact of the Moroccan driftnet fleet operating in the Alboran Sea (SW Mediterranean)  Ecosystem effects of fishing in the Mediterranean: An analysis of the major threats of fishing gear and practices to biodiversity and marine  MEDITERRANEAN: AN ANALYSIS OF THE MAJOR  THREATS OF FISHING GEAR AND PRACTICES	WWF	
178	Tudela, Sergi	2004	TO BIODIVERSITY AND MARINE HABITS	FAO Report of the International Whaling Commission. Special	
179	Van Waerebeek, K., and J.C. Reyes Van Waerebeek, K., MF. Van	1994	A note on the incidental fishery mortality of southern Minke whales off western South America	Issue	15
	Bressem, F. Felix, J. Algaro-Shigueto, A. Garcia-Godos, L. Chavez-				
180	Lisambart, K. Onton, D. Montes, and R. Bello	1997	Mortality of dolphins and porpoises in coastal fisheries off Peru and southern Ecuador in 1994	Biological Conservation	81
100	Vidal, O. Van Waerebeek, K.	1557	Mortanty of dolphins and polyoses in coastal instelles on Ferd and southern ecdador in 1994	biological conservation	01
181	Findley, L. T.	1994	Cetaceans and gillnet fisheries in Mexico, Central America and the wider Caribbean: a preliminary review	Report of the International Whaling Commission	
182	Vinther, M.	1999	Bycatches of harbour porpoises (Phocoena phocoena L.) in Danish set-net fisheries Updated estimates of harbour porpoise (Phocoena phocoena) bycatch in the Danish North Sea bottom-set	Journal of Cetacean Research and Management	1
183	Vinther, M. and F. Larsen Wade, P. R. Watters, G. M.	2004	gillnet fishery	Journal of Cetacean Research Management	6
	Gerrodette, T.		Depletion of spotted and spinner dolphins in the eastern tropical Pacific: modeling hypotheses for their lack of		
184	Reilly, S. B.	2007	recovery	Marine Ecology-Progress Series	343
	Waring, G.T., E. Josephson, K. Maze-				
185	Foley, and P.E. Rosel West, I.F., J. Molloy, M.F.	2010	U.S. Atlantic and Gulf of Mexico marine mammal stock assessments - 2010 Seabird and Marine Mammal Bycatch Reduction Through Fishing Industry Funded Research: The New Zealand	NOAA Tech Memo NMFS-NE-219	
186	Donoghue, and C. Pugsley Wienecke, Barbara	1999	Conservation Services Levy Program  Seabird and seal fisheries interactions in the Australian Patagonian toothfish Dissostichus eleginoides trawl	Marine Technology Society Journal	33
187	Robertson, Graham	2002	fishery	Fisheries Research	54
188	Yeung, C.	1999	Estimates of marine mammal and marine turtle bycatch by the U.S. Atlantic pelagic longline fleet in 1998.	NOAA Tech Memo NMFS-SEFSC-430	
189	Yeung, C.	2011	Estimates of marine mammal and marine turtle bycatch by the U.S. Atlantic pelagic longline fleet in 1999-2000	NOAA Tech Memo NMFS-SEFSC-467	

	K.S.S.M. Yousouf, A.K. Anoop, B. Anoop, V.V. Afsal, E.				
190	Vivenkanandan, R.P. Kumarran, M. Rajagopalan, P.K. Krishnakumar and P. Jayasankar	2008	Observations on incidental catch of cetaceans in three landing centres along the Indian coast	JMBA2- Biodiversity Records	
	Alfredo Zavala-Gonzales, Jorge Urban-Ramirez and Carlos Esquivel-				
191	Macias Zeeberg, J., A. Corten, and E. de	1994	A note on artisinal fisheries interactions with small cetaceans in Mexico.	Rep. Int. Whal. Commn.	
192 193	Graaf Zerbini, A.N., and J.E. Kotas	2006 1998	Bycatch and release of pelagic megafauna in industrial trawler fisheries of Northwest Africa A note on cetacean bycatch in pelagic driftnetting off southern Brazil	Fisheries Research Report of the International Whaling Committee	78 48
	Sea turtles				
	authors	year	title	journal	volume
1	Abdulqader, Ebrahim A.A.	2010	Turtle captures in shrimp trawl nets in Bahrain	Aquatic Ecosystem Health & Management En: Arena, G. & M. Rey (eds): Captura de grandes peces pelagicos (pez espada y atunes) en el Atlantico Sudoccidental, y su interaccion con otras poblaciones.	13
2	Achaval, F., Y.H. Marin, & L.C. Barea Aguilar, R., Mas, J., Pastor, X.	2000 1995	Captura incidental de tortugas con palangre pelagico oceanico en el atlantico sudoccidental Impact of Spanish swordfish longline fisheries on the loggerhead sea turtle Caretta caretta population in the Western Mediterranean	INAPE-Uruguay	
4	Albareda, D., P. Bordino, L. Prosdocimi, S. Rodriguez-Heredia, M.F. Zapata, V. Gonzalez-Carman Albareda, D., Prosdocimi, L.,	2007	Green sea turtle (Chelonia mydas) by-catch in the artisanal gillnet fishery of southern Samborombón Bay, Buenos Aires, Argentina	4ta Reunión de Investigación y Conservación de Tortugas Marinas en el Atlántico Sur Occidental (ASO) y III Jornadas de Conservación e Investigación de Tortugas Marinas en el Atlántico Sur Occidental (ASO), 25 al 28 de octubre de 2007	l
5	Alvarez, K., Di Paola, J. L., Massola, V., Gonzalez-Carman, V., Dellacasa, R., Gonzalez, R., Bordino, P., & Uhart, M.	2008	Sea turtle conservation problems in Argentina: By-catch and marine debris ingestion	28th Annual Symposium on Sea Turtle Biology and Conservation. Book of Abstracts. Dean, K. and Lopez, M. eds.	
6	Alfaro-Shigueto, J., Dutton, P., Vega, D., Mangel, J.C., Santillan, L., de Paz, N.	2004	Records of leatherback turtle bycatch from Peru	Proceedings from the 24th Annual Symposium on Sea Turtle Conservation and Biology, San Jose, Costa Rica	
	Alfaro-Shigueto, J., Dutton, P., Vega, D., Mangel, J.C., Santillan, L., de Paz,			Proceedings of the Twenty-fourth Annual Symposium on Sea Turtle Biology and Conservation. NOAA Technical Memorandum NMFS-SEFSC-567 (eds R. B. Mast, B. J.	
7	N.	2007	RECORDS OF LEATHERBACK TURTLE BYCATCH FROM PERU	Hutchinson & A. H. Hutchinson).	
8	Joanna Alfaro Shigueto, Jeffrey C. Mangel and Koen Van Waerebeek	2008	Small cetacean captures and CPUE estimates in artisanal fisheries operating from a port in Peru, 2005-2007	IWC Scientific Committee Meeting Santiago, June 2008	
	Alfaro-Shigueto, Joanna, Jeffrey C. Mangel, Francisco Bernedo, Peter H. Dutton, Jeffrey A. Seminoff, and				
9	Brendan J. Godley	2011	Small-scale fisheries of Peru: a major sink for marine turtles in the Pacific Incidental capture and mortality of sea turtles in the industrial shrimp trawling fishery of northeastern	Journal of Applied Ecology	
10	Alio, JJ, LA Marcano, DE Altuve	2010	Venezuela	Ciencias Marinas	36
11	Alvarez de Quevedo, Irene Amande, M.J., J. Ariz, E. Chassot, A. Delgado de Molina, D. Gaertner, H. Murua, R. Pianet, J. Ruiz and P.	2004	Bottom trawling is a Threat for the Conservation of Loggerhead Sea Turtles off North-eastern Spain	Book of Abstracts	
12	Chvance Ambrose, E.E., B.B. Solarin, C.E.	2010	Bycatch of the European purse seine tuna fishery in the Atlantic Ocean for the 2003-2007 period	Aquatic Living Resources	23
13	Isebor, and A.B. Williams	2005	Assessment of fish by-catch species from coastal artisanal shrimp beam trawl fisheries in Nigeria	Fisheries Research	71

14	Arauz, Randall	1996	A description of the Central America shrimp fisheries with estimates of incidental capture and mortality of sea turtles	J. A. Keindiri, D. E. Barriard, J. A. Musick, and B. A. Bell, editors. Proceedings of the Fifteenth Annual Workshop on Sea Turtle Biology and Conservation. NOAA Technical Memorandum NMFS-SEFSC-387.	
	Augus D. D. Marson I. Narsonia and			S. P. Epperly and J. Braun, editors. Proceedings of the	
15	Arauz, R., R. Vargas, I. Naranjo, and C. Gamboa	1998	Analysis of the incidental capture and mortality of sea turtles in the shrimp fleet of Pacific Costa Rica.  Description of the Eastern Pacific High-Seas Longline and Coastal Gillnet Swordfish Fisheries of South America,	Seventheenth Annual Sea Turtle Symposium. U.S. Dep. Commer. NOAA Tech. Memo. NMFS-SEFSC-415	
16	Arauz, R.	1999	including sea turtle interaction, and management recommendations.	Proceedings from the 19th Annual Symposium on Sea	
	Arauz, R., Rodriguez, O., Vargas, R.,			Turtle Biology and Conservation, South Padre Island, TX,	
17	Segura, A.	2000	Incidental capture of sea turtles by Costa Rica's longline fleet EQUITABLE FISHERIES AND CONSERVATION OF MARINE RESOURCES: AN EVALUATION OF PUBLIC LAW, Central	USA	
18	Arauz, R.	2000	American Report		
19	Arauz, R.	2004	Incidental capture of sea turtles by High seas longline pelagic fisheries in Costa Rica's Exclusive Economic Zone (EEZ) - A second look	Proceedings from the 21st Annual Symposium on Sea Turtle Biology and Conservation, Philadelphia, USA	
19	Azevedo, Venâncio Guedes de	2004	(LLZ) - A Second book	Turtle Biology and Conservation, Filladelphia, OSA	
20	Matsuura, Yasunobu Matsuura	2002	Caracterização das capturas ocorridas em um cruzeiro de pesca na frota espinheleira comercial Differential distribution within longline transects of loggerhead turtles and swordfish captured by the Spanish		
21	Baez, J., Real, R., Caminas, J.	2007	Mediterranean surface longline fishery	J. Mar. Biol. Ass. U.K.	87
			Differential distribution within longline transects of loggerhead turtles and swordfish captured by the Spanish		
22	Baez, J., R. Real, J. Caminas	2007	Mediterranean surface longline fishery		
	Jose C. Baez, Ramundo Real, Carlos				
	Garcia-Soto, Jose M. de la Serna,		Loggerehead turtle by-catch depends on distance to the coast, independent of fishing effort: implications for		
23	David Marcias and Juan A. Caminas Bahia, Natalia Cristina Fidelis, Ana	2007	conservation and management	Marine Ecology Progress Series	338
24	Cristina Vigliar Bondioli Bailey, K., P.G. Williams, and D.	2010	Interacao das tartarugas marinhas com a pesca artesenal de cerco-fixo em Cananeia, litoral sul de Sao Paulo	Biotemas South Pacific Commission, Oceanic Fisheries Programme.	23
25	Itano	1996	By-catch and discards in western Pacific tuna fisheries: A review of SPC data holdings and literature.  Research Plan to Assess Marine Turtle Hooking Mortality: Results of an Expert Workshop Held in Honolulu,	Technical Report No. 34	
26	Balazs, G.H. and S.G. Pooley	1994	Hawaii November 16-18, 1993	NOAA/NMFS Technical Memorandum	
27	Balazs, G., Pooley, S., Marukawa, S.	1995	Guidelines for handling marine turtles hooked or entangled in the Hawaii longline fishery: results of an expert workshop held in Honolulu, Hawaii March 15-17, 1995		
	Banaru, D., I. Dekeyser, G. Imbert,		Non-target and released alive by-catch distributions observed during French driftnet fishery in the northwestern		_
28	and L. Laubier	2010	Mediterranean Sea (2000-2003 database)	Journal of Oceanography, Research and Data	3
29	Barata, P.C.R., Gallo, B.M.G., Dos Santos, S., Azevedo, V.G., Kotas, J.E.	1998	Captura acidental da tartaruga marinha Caretta caretta na pesca de espinhel de superficie na zee Brasilleira e em aguas internacionales	Resumos expandidos, XI Semana Nacional de Oceanografia, Rio Grande, RS, Brazil	
23	Barata, P., Lima, E., Borges-Martins, M., Scalfoni, J., Bellini, C., Siciliano,	1550			
30	S.	2004	Records of the leatherback sea turtle (Dermochelys coriacea) on the Brazilian coast 1969-2001	J. Mar. Bio. Ass. U.K.	84
	I.E. Baremore, J.K. Carlson, L.D.		, , , ,	NMFS Southeast Fishery Science Center Technical	
31	Hollensead, D.M. Bethea Beerkircher, L. Brown, C.,	2007	Catch and Bycatch in U.S. Southeast Gillnet Fisheries, 2007.	Memorandum	
32	Abercrombie, D., Lee, D.	2005	Overview of the SEFSC pelagic observer program in the northwest atlantic from 1992-2002	Col. Vol. Sci. Pap. ICCAT	58
33	Beverly, S.	2004	New deep setting longline techniquw for bycatch mitigation	Secretariat of the Pacific Community Western and Central Pacific Fisheries Commission - Scientific Committee Third Regular Session. 13-24 August	
34	Beverly, S. and L. Chapman	2007	Interactions Between Sea Turtles and Pelagic Longline Fisheries.  Developments (2006-2007) in scientific research on the use of modified fishing gear to reduce longline bycatch	2007, Hawaii, USA.  Western and Central Pacific Fisheries Commission	
35	Boggs, C.H. and Y. Swimmer	2007	of sea turtles.	Scientific Committee Third Regular Session.	
	Eds.: Bolten, A.B., H.R. Martins, and		Workshop to design an experiment to determine the effects of longline gear modification on sea turtle bycatch		
36	K. A. Bjorndal.	1998	rates; 2-4 September 1998, Horta, Azores, Portugal  Prelminary results of experiments to evaluate effects of hook type on sea turtle bycatch in the swordfish		
37	Bolten, Alan, et al	2002	longline fishery in the Azores	Azores project summary	

J. A. Keinath, D. E. Barnard, J. A. Musick, and B. A. Bell,

38	Bolten, A.B. and K. A. Bjorndal	2003	Experiment to evaluate gear modification on rates of sea turtle bycatch in the swordfish longline fishery in the Azores - Phase 2.	Final Project Report - NOAA Award #NA16FM1378	
30	boiten, A.b. and K. A. bjoindar	2003	Experiment to evaluate gear modification on rates of sea turtle bycatch in the swordfish longline fishery in the	Tillal Floject Report - NOAA Award #NATOFWI1378	
39	Bolten A.B. and K.A. Bjorndal	2004	Azores - Phase 3  Loggerhead turtle (Caretta caretta) bycatch in Canadian pelagic Ionline fisheries: Relative importance in the	Final Project Report - NOAA Award #NA16FM2589	
40	John C. Brazner and James McMillan	2008	western North Atlantic and opportunities for mitigation	Fisheries Research	91
41	Brewer, David, et al	2006	The impact of turtle excluder devices and bycatch reduction devices on diverse tropical marine communities in Australia's northern prawn trawl fishery	Fisheries Research	81
42	Program D	2002	A ravious of turtle by catch in the Wastern and Central Decific Ocean turn fishering	Proceedings of the Western Pacific Sea Turtle Cooperative	!
42	Brogan, D. Bugoni, L, TS Neves, NO Leite JR, D Carvalho, G Sales, RW Furness, CE	2002	A review of turtle by-catch in the Western and Central Pacific Ocean tuna fisheries	Research and Management Workshop	
43	Stein, FV Peppes, BB Giffoni, DS Monteiro	2008	Potential bycatch of seabirds and turtles in hook-and-line fisheries of the Itaipava fleet, Brazil	Fisheries Research 90 (2008) 217-224	
	Burgess, Emma, Mark Dimech, Raymond Caruana, Michael Darmanin, Helen Raine, Alan				
44	Harrison, and Patrick J. Schembri	2010	Non-target by-catch in the maltese bluefin tuna (thunnus thynnus) longline fishery (central Mediterranean) Tendencias espacio-temporales en las capturas accidentales to tortuga boba (Caretta caretta) en la costa	Collect. Vol. Sci. Pap. ICCAT	65
45	Buron, P. Garcia	2010	catalana entre los anos 2000 y 2009	Anales Universitarios de Etologia	4
46	Caminas	1997			
47	Caminas, J.A., Valeiras, J., de la Serna, J.M.	2001	Spanish surface longline gear types and effects on marine turtles in the western Mediterranean Sea Sea turtles of the Mediterranean Sea: population dynamics, sources of mortality and relative importance of	The 1st Mediterranean Conference on Marine Turtles	
48	Caminas, Juan A.	2004	fisheries impacts		
	Juan A. Caminas, Jose C. Baez, Xulio		Differential loggerhead by-catch and direct mortality due to surface longlines according to boat strata and grear		
49	Valeiras and Raimundo Real	2006	type	Scienta Marina	70
50	John K. Carlson	2001	The Directed Shark Gillnet Fishery: Right Whale Season, 2001	Nation Marine Fisheries Service	
51	John K. Carlson and Ivy E. Baremore J.K. Carlson, D.M. Bethea, I.E.	2003	The Directed Shark Gillnet Fishery: Catch and Bycatch, 2003	National Marine Fisheries Service	
52	Baremore John K. Carlson and Donna M.	2005	The directed shark gillnet fishery: catch and bycatch, 2004	NMFS Southeast Fisheries Science Center, 05-01	
53	Bethea	2007	Catch and Bycatch in the Shark Gillnet Fishery: 2005-2006	National Marine Fisheries Service	
54	Carranza, A., Domingo, A., & Estrades, A.	2006	Pelagic longline: a threat to sea turtles in the equatorial eastern Atlantic?	Biological Conservation (submitted & reviewed by R. Lewison) UNPUBLISHED REPORT	
34	Carlos Carreras, Luis Cardona and	2000	reagne to highlife. A difference to sea cardes in the equational castern retained.	Ecwison, our oblishes her our	
55	Alex Aguilar	2004	Incidental catch of the loggerhead turtle (Caretta caretta) off the Balearic Islands (western Mediterranean)	Biological Conservation Southwest Fisheries Science Center Administrative Report	117
56	J.V. Carretta J.V. Carretta, T. Price, D. Petersen	2002	Preliminary Estimates of Cetacean Mortality in California Gillnet Fisheries for 2001  Estimates of Marine Mammal, Sea Turtle, and Seabird Mortality in the California Drift Gillnet Fishery for	02-12	
57	and R. Read	2004	Swordfish and Thresher Shark, 1996-2002	Marine Fisheries Review	
58	J.V. Caretta and S.J. Chivers	2004	Preliminary Estimates of Marine Mammal Mortality and Biological Sampling of Cetaceans in California Gillnet Fisheries for 2003	Southwest Fisheries Science Center Administrative Report SC/56/SM1	,
59	J.V. Carretta and L. Enriquez	2007	Marine mammal and sea turtle bycatch in the California/Oregon thresher shark and swordfish drift gillnet fishery in 2006	Southwest Fisheries Science Center Administrative Report LJ-07-06	,
60	Carretta, J.V., and J. Barlow Carruthers, E.H., D.C. Schneider,	2011	Long-term effectiveness, failure rates, and "dinner bell" properties of acoustic pingers in a gillnet fishery Estimating the odds of survival and identifying mitigation opportunities for common bycatch in pelagic longline	Marine Technology Society Journal	45
61	and J.D. Neilson	2009	fisheries.	Biological Conservation	142
62	Casale, P., Laurent, L., & DeMetrio, G.	2004	Incidental capture of marine turtles by the Italian trawl fishery in the north Adriatic Sea	Biological Conservation	119
	Paolo Casale, Lorenzo Cattarino, Daniella Freggi, Massimiliano and			-	
63 64	Roberto Argano	2007 2008	Incidental catch of marine turtles by Italian trawlers and longliners in the central Mediterranean Incidental catch of marine turtles in the Mediterranean Sea:captures, mortality, priorities.	Aquatic Conservation: Marine and Freshwater Ecosystems	17
04	Casale, P.	2008	modernal catch of marine turdes in the Mediterranean Sea:Captures, mortality, priorities.	WWF Italy, Rome	

65	Casale, P., Daniela Freggi and Massimiliano Rocco	2008	Mortality induced by drifting longline hook and branchlines in loggerhead sea turtles, estimated through observation in captivity	Aquatic Conservation: Marine and Freshwater Ecosystems	18
66 67	Casale, P. Cattarino, L. et al	2008 2006	Incidental catch of marine turtles in the Mediterranean Sea: captures, mortality, priorities. WWF Italy, Rome. Turtle bycatch around Lampedusa Island, Central Mediterranean	Book of Abstracts 2nd SPC Heads of Fisheries Meeting Working Paper #5. Noumea, New Caledonia. Coastal Fisheries Programme, Marine Resources Division, Secretariat of the Pacific	
68	Chapman, L.	2001	Bycatch in the tuna longline fishery.	Community.	
69	Cheng, I-J, and T-H Chen	1997	The incidental capture of five species of sea turtles by coastal setnet fisheries in the easter waters of Taiwan	Biological Conservation International Workshop on the Migration, Foraging Habits	82
70	Cheng, I.J., C.M. Chen, and T.P. Wei, eds.	2000	Sea Turtle Conservation in Taiwan and the Using of Satellite Telemetry as a Tool to Reach the Goal of International and Regional Conservation Cooperation.	and Nesting Ecology of Marine Turtles in Taiwan. 12-14 April 1999 Taipei, Taiwan. Western Pacific Sea Turtle Cooperative Research and	
71	Cheng	2002	Current sea turtle research and conservation in Taiwan	Management Workshop	
72	Chevalier, J.	2001	Etude des captures accidentelles de tortues marines liées à la pêche au filet dérivant dans l'ouest guyanais.	Office National de la Chasse et de la Faune Sauvage, Paris. Libro de Resumenes II Reunion sobre la investigacion y	
72	Contato, Maria C.D., Jules M.R.	2004	Captura incidental de tartaruga-de-couro Dermochelys coriacea e tartaruga-verde Chelonia mydas em redes-de-		
73 74	Soto, Fabiano D. Rosa Coogan, CC	2004 1996	emalhe-de-fundo no sul do Brasil Section 7 of the Endangered Species Act and Pelagic Longline Fisheries	occidental NOAA Technical Memorandum NMFS-OPR-7	
	Dean, Kama and Lopez-Castro,				
75	Melania C. , compilers	2010	Proceedings of the Twenty-eighth Annual Symposium on Sea Turtle Biology and Conservation, 2009	NOAA Technical Memorandum NOAA NMFS-SEFSC-603	
	Michele Deflorio, Aida Aprea, Aldo Correrio, Nicoletta Santamaria and				
76	Gregorio De Metrio	2005	Incidental captures of sea turtles by swordfish and albacore longlines in the Ionian sea Estimation des captures accidentelles de tortues marines par les fileyeurs de la pêche côtière en Guyane.	Fisheries Science	71
77	Delamare, A.	2005	AgroCampus Rennes.		
	de la Serna, Jose Miguel Ortiz de Urbina, Jose Maria				
78	Garcia Barcelona, Salvador	2006	Peces espada en peligro Etude des captrues accidentelles de tortues marines par la peche maritime dans les eaux de l'archipel	Revista Electronica del Instituto Espanol de Oceanografia	5
79	Delcroix, E.	2003	Guadeloupeen. AEVA.		
	Deflorio, M., Aida Aprea, Aldo Correrio, Nicoletta Santamaria and				
80	Gregorio De Metrio Canadian Dept. of Fisheries and	2005	Incidental captures of sea turtles by swordfish and albacore longlines in the Ionian sea	Fisheries Science	71
81	Oceans	2002	Report on Sea Turtle Interactions in the 2001 Pelagic Longline Fishery.		
	di Natale, A., A. Mangano, A. Maurizi, L. Montaldo, E. Navarra, S. Pinca, G. Schimmenti, G. Torchia, M.		A review of driftnet catches by the Italian fleet: species composition, observers data, and distribution along the		
82	Valastro Domingo, A., Sales G, Giffoni B,	1995	net	Col. Vol. Sci. Pap. ICCAT	44
83	Miller P, Laporta M, and M. G	2006	Captura incidental de tortugas con palangre pelagico en el atlantico por las flotas de Brasil y Uruguay.	Col. Vol. Sci. Pap. ICCAT	59
84	Domingo Domingo, Andres, Caren Barcelo, Yonat Swimmer, Maite Pons, Philip	2008	ANZUELOS CIRCULARES VS. ANZUELOS "J" EN LA FLOTA PALANGRERA URUGUAYA		
85	Miller	2009	Anzuelos circulares vs. anzuelos "J" en la flota palangrera uruguaya	Collect. Vol. Sci. Pap. ICCAT CREA, editor. VII Simposio sobre medio ambiente: Estado Actual y Perspectivas de la Investigación y Conservación	64
86	Donoso, M. and P. H. Dutton	2007	Distribucion y abundancia relativa de tortugas marinas capturadas incidentalmente por la flota palangrera industrial chilena de pez espada en el Pacifico Sur Oriental. Page  Sea turtle bycatch in the Chilean pelagic longline fishery in the southeastern Pacific: Opportunities for	de las Tortugas Marinas en las Costas del Pacifico Sur Oriental, Antofagasta, Chile.	
87	Donoso, Miguel, Peter H. Dutton	2010	conservation	Biological Conservation	143

	Echwikhi, Khaled, Imed Jribi, Mohamed Nejmeddine Bradai,				
88	Abderrahmen Bouain Echwikhi, K., I Jribi, M.N. Bradai, and	2010	Gillnet fishery - loggerhead turtle interactions in the Gulf of Gabes, Tunisia	Herpetological Journal	20
89 90	A. Bouain Eckert, S. A. and L. Sarti M. Epperly, S., J. Braun, A. J. Chester, F.	2010 1997	Effect of type of bait on pelagic longline fishery - loggerhead turtle interactions in the Gulf of Gabes (Tunisia) Distant fisheries implicated in the loss of the world's largest leatherback nesting population.	Aquatic Conservation: Marine and Freshwater Ecosystems Marine Turtle Newsletter	20 78
91	A. Cross, J. V. Merriner, and P. A. Tester.	1995	Winter distribution of sea turtles in the vicinity of Cape Hatteras and their interactions with the summer flounder trawl fishery.	Bulletin of Marine Science	56
	Epperly, S., L. Avens, L. Garrison, T. Henwood, W. Hoggard, J. Mitchell,				
92	J. Nance, J. Poffenberger, C. Sasso, E. Scott-Denton, and C. Yeung	2002	Analysis of Sea Turtle Bycatch in the Commercial Shrimp Fisheries of Southeast U.S. Waters and the Gulf of Mexico.	NOAA Technical Memorandum NMFS-SEFSC-490	
93	C. Fairfield-Walsh and L.P. Garrison	2006	Estimated bycatch of marine mammals and turtles in the US Atlantic pelagic longline fleet during 2005	NMFS Southeast Fisheries Science Center Technical Memorandum, NMFS-SEFSC-539 NMFS Southeast Fisheries Science Center Technical	
94	C. Fairfield-Walsh and L.P. Garrison	2007	Estimated bycatch of marine mammals and turtles in the US Atlantic pelagic longline fleet during 2006	Memorandum, NMFS-SEFSC-560	
95	Fallabrino, Alejandro Lezama, Cecilia Miller, Philip	2006	Incidental capture of a leatherback turtle (Dermochelys coriacea) by artisanal fishermen off Valizas, Uruguay	Proceedings of the Twenty-Third Annual Symposium on Sea Turtle Biology and Conservation. NOAA Technical Memorandum NMFS-SEFSC-536	
96	Food and Agriculture Organization of the United Nations (FAO).	2001	Tropical shrimp fisheries and their impact on living resources.	FAO Fisheries Circular No. 974	
97	Fennessy, S.T., and B. Isaksen Ferreira R.L., Martins H.R., Silva	2007	Can by catch reduction devices be implemented successfully on prawn trawlers in the Western Indian Ocean	African Journal of Marine Science	29
98	A.A., Bolten A.B. Fortuna, C.M., C. Vallini, E. Filidei Jr., M. Ruffino, I. Consalvo, S. Di Muccio, C. Gion, U. Scacco, E.	2001	Impact of swordfish fisheries on sea turtles in the Azores.	Arquipelago. Life and Marine Sciences	18
99	Tarulli, O. Giovanardi, and A. Mazzola	2010	By-catch of cetaceans and other species of conservation concern during pair trawl fishing operations in the Adriatic Sea (Italy)  Results of the 2003 observer program on board the french purse seiner targeting Atlantic bluefin tuna in the	Chemistry and Ecology (Suppl.)	26
100	Fromentin, JM., and H. Farrugio Galeana-Villasenor, Ildefonso,	2005	Mediterranean Sea	ICCAT	58
101	Felipe Galvan-Magana, Heriberto Santana-Hernandez	2009	Pesca con anzuelos en barcos palangreros del Oceano Pacifico mexicano: efectos en la captura y peso de tiburones y otras especies	Revista de Biologia Marina y Oceanografia	44
102	B.J. Gallaway	2001	Leatherback sea turtles and the California/Oregon Drift Gillnet Fishery		
103	Garrison, L.P.	2003	Estimated bycatch of marine mammals and turtles in the U.S. Atlantic pelagic longline fishery during 2001-2002.	NOAA technical Memorandum NOAA Fisheries-SEFSC-515	
104	Garrison, L.	2003	Protected species interactions with the directed shark gillnet fishery of Florida and Georgia from 1999-2002	NMFS Southeast Fishery Science Center NMFS Southeast Fisheries Science Center Technical	
105	Garrison, L.P.	2003	Estimated Bycatch of marine mammals and turtles in the US alantic pelagic longline fleet during 2001-2002	Memorandum	
106	Lance Garrison	2003	Protected Species Interactions with the directed shark gillnet fishery of Florida and Georgia from 1992-2002	SEFSC, Miami Laboratory NMFS Southeast Fisheries Science Center Technical	
107	L.P. Garrison and P.M. Richards	2004	Estimated bycatch of marine mammals and turtles in the US atlantic pelagic longline fleet during 2003	Memorandum, NMFS-SEFSC-527 NMFS Southeast Fisheries Science Center Technical	
108	L.P. Garrison	2005	Estimated bycatch of marine mammals and turtles in the US atlantic pelagic longline fleet during 2004	Memorandum, NMFS-SEFSC-531 NMFS Southeast Fisheries Science Center Technical	
109	L.P. Garrison Garrison, Lance P., Lesley Stokes	2005	Estimated bycatch of marine mammals and turtles in the US atlantic pelagic longline fleet during 2004	Memorandum, NMFS-SEFSC-531	
	and Carol Fairfield	2009	Estimated Bycatch of Marine Mammals and Sea Turtles in the US Atlantic Pelagic Longline Fleet During 2008	NOAA Technical Memorandum NMFS-SEFSC-591 UNEP; Regional Activity Centre for Specially Protected	
111	G. Gerosa and P. Casale	1999	Interaction of Marine Turtles with Fisheries in the Mediterranean.	Areas (RAC/SPA). Tunis, Tunisia	

	Giffoni, Bruno de Barros, Gilberto Sales, Carlos Eduardo Neves Consulim, Fernando Niemeyer				
112	Fiedler, Fabiano Peppes, and Yonat Swimmer	2005	Experimento com anzol circular na zee brasileira e em aguas adjacentes para mitigar a captura de tartarugas marinhas na pescaria de espinhel pelagico	III Reunión sobre la investigación y conservación de tortugas marinas del Atlántico Sur Occidental.	
113	Giffoni, B., A. Domingo, G. Sales, F. Niemeyer Fiedler, P. Miller	2008	Interaccion de tortugas marinas (Caretta caretta y Dermochelys coriacea) con la pesca de palangre pelagico en el Atlantico Sudoccidental: una perspectiva regional para la conservacion  Proceedings of the technical workshop on mitigating sea turtle bycatch in coastal net fisheries. 20-22 January	Collective Volumes of Scientic Papers for the International Commission for the Conservation of Atlantic Tunas	6
114	Gilman, E. (Ed.) Gilman, E., Ishazaki, A., Chang, D.,	2009	2009, Honolulu, USA Proceedings of the fifth International Fishers Forum on Marine Spatial Planning and Bycatch Mitigation.	Western Pacific Regional Fishery Management council	
115	Liu, W.Y., Dalzell, P. (Editors) Godley, B.J., Broderick, A.C.,	2011	Western Pacific Regional Fishery Management Council, Honolulu, USA		
116	Campbell, L.M., Ranger, S., and Richardson, P.B.	2004	An Assessment of the Status and Exploitation of Marine Turtles in the UK Overseas Territories in the Wider Caribbean. Final Project Report	Department of Environment, Food and Rural Affairs and the Foreign and Commonwealth Office. Reporte Tecnico Final presentado a Conservacion	
117	Gomez-Cubillos, M. C., D. F. Amorocho, et al.	2008	Reduccion de la captura incidental de tortugas marinas en redes de pesca y espinel en la costa del Pacifico Colombiano.	Internacional Colombia, Centro de Investigacion para el manejo ambiental y el desarrollo	
118	Gopi, G.V., Pandav, B., Choudhury, B.C.	2002	A quantitative analysis of incidental capture of sea turtles and mortalities during commercial shrimp trawling along the coastal waters of Orissa	Wildlife Institute of India	
	Grace, Mark A., John Watson, and		Time, Temperature, and Depth Profiles for a Loggerhead Sea Turtle (Caretta caretta) Captured With a Pelagic		
119	Dan Foster Gribble, N.A., G. McPherson, and B.	2010	Longline  Effect of the Queensland shark control program on non-target species: whale, dugong, turtle and dolphin: a	Southeastern Naturalist	9
120	Lane	1998	review.	Marine Freshwater Research	49
121	Gueguen, F.	2000	Captures accidentelle de tortues marines par la flotile crevetttiere de Guyane Française	Bull. Soc. Herp. Fr	93
	Hale, L.F., L.D. Hollensead, and J.K.				
122	Carlson	2007	Characterization of the shark bottom longline fishery: 2007	NMFS Tech Memo (SEFSC)	564
123	Hale, LF, SJB Gulak, and JK Carlson	2010	Characterization of the shark bottom longline fishery, 2009	NOAA Technical Memorandum NMFS-SEFSC-596	
	Hamann, M., C. Limpus, G. Hughes,				
124	J. Mortimer, and N. Pilcher. Carlos R. Hasbun and Mauricio	2006	Assessment of the conservation status of the leatherback turtle in the Indian Ocean and South East Asia.	IOSEA Marine Turtle Memorandum of Understanding.	
125	Vasquez	1999	Sea Turtles of El Slavador	Marine Turtle Newsletter	85
126	Hobsbawn PI and Wilson DT Hodgson, A., H. Marsh, S. Delean,	2010	Australian National Report to the Scientific Committee of the Indian Ocean Tuna Commission for 2009  Is attempting to change marine mammal behaviour a generic solution to the bycatch problem? A dugong case	Report to the Indian Ocean Tuna Commission	
127	and L. Marcus	2007	study	Animal Conservation	10
				S. Petersen, D. Nel, and A. Omardien, editors. Towards an	
	Honig, M. B., S. L. Petersen, and A.			Ecosystem Approach to Longline Fisheries in Benguela: An	
128	Duart	2007	The impact of pelagic longline fisheries on sea turtles in the Benguela Current Large Marine Ecosystem.	assessment of impacts on seabirds, sea turtles and sharks.	
129	Huang, HW., and KM. Liu	2010	Bycatch and discards by Taiwanese large-scale tuna longline fleets in the Indian Ocean	Fisheries Research	106
130	Huang, Hsiang Wen Huang, Hsiang Wen and Kwang-	2010	Report of the Taiwanese observer program for large-scale tuna longline fisheries in the Atlantic Ocean in 2007	Collect. Vol. Sci. Pap. ICCAT	65
131	ming Liu	2010	Bycatch and discards by Taiwanese large-scale tuna longline fleets in the Indian Ocean	Fisheries Research	106
132	Humphrey, S. and A. Wilson, eds.	2005	Recent News from the WWF Africa and Madagascar Marine Turtle Programme	Marine Turtle Update	
133	Hurtado, Mario	1991	Captura de tortugas marinas durante las faenas de pesca artesanal en el Ecuador	Comision Permanente del Pacifico Sur	19
134	International Fishers Forum	2002	Proceedings of the Second International Fishers Forum, November 19-22, 2002. Noreen M. Parks, ed.  Proceedings of the International Tuna Fishers Conference on Responsible Fisheries & Third International Fishers		
135	International Fishers Forum	2006	Forum, July 25-29, 2005.		
136	Indian Ocean Tuna Commission	2006	Report of the Second Session of the IOTC Working Party on Bycatch Seychelles, 31 July - 1 August 2006.		

137	IOTC EU Commission directorate general for maritime affairs and fisheries Ishihara, Takashi, Naoki Kamezaki, Yoshimasa Matsuzawa, Futoshi	2010	Rapport de l'union europeenne pour le comite scientifique de la CTOI de 2010	IOTC-2010-SC-Inf05	
138	Iwamoto	2011	Reentry of Juvenile and Subadult Loggerhead Turtles into Natal Waters of Japan	Current Herpetology	30
139	D.R. Johnson, C. Yeung, C.A. Brown Imed Jribi, Khaled Echwikhi,	1999	Estimates of marine mammal and marine turtle bycatch by the US atlantic pelagic longline fleet in 1992-1997	NMFS Southeast Fishery Science Center Technical Memorandum, NMFS-SEFSC-418	
140	Mohamed Nejmeddine Bradai and Abderrhmen Bouain	2008	Incindental capture of sea turtles by longlines in the Gulf of Gabes (South Tunisia): A comparative study between bottom and surface longlines	Scientia Marina	72
141	F. Julian and M. Beeson	1998	Estimates of marine mammal, turtle, and seabird mortality for two California gillnet fisheries: 1990-1995	Fishery Bulletin	
143	Kapantagakis, A. and L. Lioudakis. Kaplan, I.C. Keinath, J.A., D.E. Barnard, J.A. Musick, and B.A. Bell, eds. Shaleyla Kelez Sara, Camelia Manrique Bravo and Ximena Velez-	2006 2005 1996	Sea turtle by-catch in the greek drifting long line fishery. A risk assessment for Pacific leatherback turtles (Dermochelys coriacea). Proceedings of the 15th Annual Symposium on Sea Turtle Biology and Conservation - 20-25 February 1995, Hilton Head, SC	Twenty Sixth Annual Symposium on Sea Turtle Biology and Conservation. Book of Abstracts. Frick, M., A. Panagopoulou, A.F. Rees, and K. Williams, eds. International Sea Turtle Society, Athens, Greece. Canadian Journal of Fisheries and Aquatic Science.  NOAA Technical Memorandum NMFS-SEFSC-387	62
145	Zuazo	2006	Shark longline fishery and sea turtles in Peruvian waters		
146	Kim, S.S., D.H. An, D.Y. Moon, and S.J. Hwang	2007	Comparison of Circle Hook and J Hook Catch Rate for Target and Bycatch Species Taken in the Korean Tuna Longline Fishery During 2005-2006 Incidental catch of non-targeted marine species in the Western Indian Ocean: problems and mitigation	Western and Central Pacific Fisheries Commission Scientific Committee Third Regular Session 13-24 August 2007 Honolulu, HI Workshop Proceedings: 13-15 November 2006, Mayotte,	
147	Kiszka, J. and C. Muir, eds.	2007	measures.  Evaluation of Time-area Closures to Reduce Incidental Sea Turtle Take in the Hawaii-based Longline Fishery:	France NMFS Pacific Islands Fishery Science Center Technical	
148	D.R. Kobayashi and J.J. Polovina Kotas, J.E., S. dos Santos, V.G. de	2005	Generalized Additive Model (GAM) Development and Retrospective Examination	Memorandum, NMFS-PIFSC-4	
149	Azevedo, B.M.G. Gallo, & P.C.R. Barata	2004	Incidental capture of loggerhead (Caretta caretta) and leatherback (Dermochelys coriacea) sea turtles by the pelagic longline fishery off southern Brazil	Fish. Bull.	102
150	Largacha, E., Parrales, M., Rendon, L., Velasquez, V., Orozco, M., & Hall, M.	2005	Working with the Ecuadorian fishing community to reduce the mortality of sea turtles in longlines: the first year March 2004-March 2005	Western Pacific Regional Fisheries Management Council Report, March 2005	
151	Laurent	1999	Assessing marine turtle bycatch in European drifting longline and trawl fisheries for identifying fishing regulations	EUROPEAN MARINE TURTLE PROJECT, PROTOCOL MANUAL, PROJECT EC-DG XIV-98/008	
152	Laurent, L., Caminas, J.A., Casale, P., Delforio, M., DeMetrio, G., Kapantagakis, A., Margaritoulis,D. Politou, C-Y, Valeiras, J.	2001	Assessing marine turtle bycatch in European drifting longline and trawl fisheries for identifying fishing regulations	Project-EC-DG Fisheries 98-008. EU Commission Report, Joint project of BIOINSIGHT, IEO, IMBC, STPS and University of Bari.	
	Lawson, T.	2001	Observer data held by the oceanic fisheries programme covering tuna fishery bycatches in the Western and Central Pacific Ocean	Standing Committee on Tuna and Billfish SWG-9	
154	Lazar, B., V. Ziza, and N. Tvrtkovic	2006	Interactions of gillnet fishery with loggerhead sea turtles Caretta caretta in the Northern Adriatic Sea.	Twenty Sixth Annual Symposium on Sea Turtle Biology and Conservation. Book of Abstracts. Frick, M., A. Panagopoulou, A.F. Rees, and K. Williams, eds. International Sea Turtle Society, Athens, Greece.	
155	Nilamon de Oliveira Leite Jr., Carlos Eduardo Stein, João Carlos Alciati Thomé,Tatiana Neves Cecilia Lezama, Philip Miller,	2006	MONITORAMENTO DA PESCA DE CURRICO E ESPINHEL DE SUPERFÍCIE NA LOCALIDADE DE ITAIPAVA/ES E SUA INTERAÇÃO COM TARTARUGAS E AVES MARINHAS. Informe Final. IMPACTO DE LA PESQUERÍA ARTESANAL URUGUAYA EN LAS POBLACIONES DE	II Jornada de Conservação e Pesquisa de Tartarugas Marinhas no Atlântico Sul Ocidental 14 e 15 de Novembro de 2005 - Praia do Cassino, Brasil	
156	Alejandro Fallabrino	2003	TORTUGAS MARINAS		

157	Cecilia Lezama, Mariana Ríos , Matías Feijóo , Diana Pérez- Etcheverry , Andrés Estrades	2006	ANÁLISIS PRELIMINAR DEL IMPACTO DE LA PESQUERÍA ARTESANAL SOBRE Chelonia mydas EN LOS BAJOS DEL SOLÍS, URUGUAY	II Jornada de Conservação e Pesquisa de Tartarugas Marinhas no Atlântico Sul Ocidental 14 e 15 de Novembro de 2005 - Praia do Cassino, Brasil	
158	Livingstone, S. R., and R. J. Downie Lopez-Mendilaharsu M, Bauza A, Laporta M, Caraccio MN, Lezama C, Calvo V, Hernandez M,	2006	Trinidad's leatherbacks: The net cost? Pages 254-255 in Book of Abstracts. Twenty Sixth Annual Symposium on Sea Turtle Biology and Conservation. International Sea Turtle Society, Athens, Greece.		
159	Estrades A, Aisenberg A, Fallabrino A. Lopez-Mendilaharsu M, Bauza A, Laporta M, Caraccio MN, Lezama C, Calvo V, Hernandez M,	2003	Review and conservation of sea turtles in Uruguay.	Final Report: British Petroleum Conservation Programme & National Fish and Wildlife Foundation	
160	Estrades A, Aisenberg A, Fallabrino A.	2003	Review and conservation of sea turtles in Uruguay.	Final Report: British Petroleum Conservation Programme & National Fish and Wildlife Foundation	
161	Lopez-Mendilaharsu, M., G. Sales, B Giffoni, P. Miller, F. Niemeyer Fiedler, and A. Domingo.	2007	Distribucion y composicion de tallas de las tortugas marinas (Caretta caretta y Dermochelys coriacea) que interactuan con el palangre pelagico en el Atlantico Sur. Col. Vol. Sci. Pap. ICCAT 60:2094-2109.		
	Lum, Lori Lee Lynch	2006 2003	Assessment of incidental sea turtle catch in the artisanal gillnet fishery in Trinidad and Tobago, West Indies Australia BFT and billfish	Applied Herpetology	3
	H.M. Madarie	2006	Estimated By-Catch bythe Coastal Fishing Fleet of Surinam	World Wildlife Fund	
	Camelia Manrique Bravo, Shaleyla Kelez and Ximena Velez-Zuazo Mansfield, Katherine	2006 2006	Impact of the common dolphin fish longline fishery on sea turtles along the Peruvian coast between 2003 and 2005  Sources of mortality, movements and behavior of sea turtles in Virginia	The College of William and Mary dissertation	
167	Marcano, L.A. & Alio M., J.J.	1998	Incidental capture of sea turtles by the industrial shrimping fleet off northeastern Venezuela	Proceedings from the XXth Annual Symposium on Sea Turtle Biology and Conservation	
168	Marcano, Luis A., Freddy Arocha, Jose Alio, Jesus Marcano, X. Gutierrez, and G. Vizcaino	2010	Actividades desarrolladas en el programa de investigacion intensiva sobre marlines en Venezuela. Periodo 2007 2008	Collect. Vol. Sci. Pap. ICCAT	65
169	Marcovaldi, M.A. & TAMAR Marcovaldi, M.A., G. Sales, J.C.A. Thome, A.C.C. Dias da Silva, B.M.G. Gallo, E.H.S. Lima, E.P. Lima, and C.	2005	The leatherback sea turtle in Brazil	Presentation given at CCC Atlantic leatherback working group meeting, St. Catherine's, GA, USA	
170	Bellini	2006	Sea turtles and fishery interactions in Brazil: identifying and mititgating potential conflicts.	Marine Turtle Newsletter Presentation given at CCC Atlantic leatherback working	112
171	Marcovaldi, M.A. & TAMAR Margaritoulis, D. and A.	2005	The leatherback sea turtle in Brazil Proceedings of the First Mediterranean Conference on Marine Turtles. Barcelona Convention - Bern Convention	group meeting, St. Catherine's, GA, USA	
172	Demetropoulos, eds.	2003	Bonn Convention. Rome, 24-28 October 2001.	NMFS Pacific Islands Fishery Science Center Technical	
173	M.L. McCracken	2004	Modeling a very rare event to estimate sea turtle bycatch: lessons learned	Memorandum, NMFS-PIFSC-3	

174	McCracken, M.L.	2004	Modeling a very rare event to estimate sea turtle bycatch: lessons learned	Memorandum	
175	Mejuto, J., Garcia-Cortes, B., Ramos- Cartelle, A., Ariz, J.	2007	Preliminary overall estimations of bycatch landed by the Spanish surface longline fleet targeting swordfish (Xiphias gladius) in the Pacific Ocean and interactions with marine turtles and sea birds: years 1990-2005.	Working group on bycatch. 6th Meeting. La Jolla, California (USA) 9-10 Februaryo 2007. Document BYC-6- INF A	
176	P. Miller, M. Laporta, A. Fallabrino, and P. Sanchez	2004	Tortugas marinas y la pesca de arrastre costero en el estuario del Plata: Qué está ocurriendo aqui?	Libro de resumenes II Reunión sobre la investigación y conservación de tortugas marinas del Atlántico Sur Occidental.	
177	Miller,P., Domingo, A., Laporta, M. & Fallabrino, A.	2005	Leatherback turtles and the Uruguayan fisheries	Presentation at the CCC Atlantic leatherback working group meeting, St. Catherine's, GA, USA	
178	Philip Miller, Martin Laporta, Andres Domingo, Cecilia Lezama, and Mariana Rios Danielle S. Monteiro	2006	BYCATCH ASSESSMENT OF SEA TURTLES BY A COASTAL BOTTOM TRAWL FISHERY ON THE RIO DE LA PLATA ESTUARY, URUGUAY	26th Annual Symposium on Sea Turtle Biology and Conservation Book of Abstracts	1815
179	Leandro Bugoni Sérgio C. Estima Tiago B.R. Gandra	2006	A pescaria de emalhe de superfície direcionada à captura de tubarões-martelo e a interação com tartarugas marinhas no litoral norte do Rio Grande do Sul	II Jornada de Conservação e Pesquisa de Tartarugas Marinhas no Atlântico Sul Occidental. 14 e 15 de Novembro de 2005. Praia do Cassino, Brasil	
180	Danielle S. Monteiro, Sérgio C. Estima, Samara P. Junqueira, Leandro Bugoni, Tiago B.R. Gandra	2006	OCORRÊNCIA DE Chelonia mydas E INTERAÇÃO COM A PESCA ARTESANAL NO INTERIOR DO ESTUÁRIO DA LAGOA DOS PATOS - RS	II Jornada de Conservação e Pesquisa de Tartarugas Marinhas no Atlântico Sul Ocidental 14 e 15 de Novembro de 2005 - Praia do Cassino, Brasil International Technical Expert Workshop on Marine Turtle	
181	Moon, D-Y Marine Resources Assessment	2003	Bycatch in Korean tuna fisheries in the western and central Pacific Ocean based on the scientific observations	Bycatch in Longline Fisheries Reference No. FISH/2005/28A - Service Contract	
182	Group, Ltd. (MRAG) Mug, Moises, Martin hall, and Nick	2008	$Field\ study\ to\ assess\ some\ mitigation\ measures\ to\ reduce\ by catch\ of\ marine\ turtles\ in\ surface\ longline\ fisheries.$	SI2.439703 "Assessment of Turtle Bycatch"	
183	Vogel	2008	Bycatch Initiative: Eastern Pacific Programme A vehicle towards sustainable fisheries Estimated Average Annual Bycatch of Loggerhead Sea Turtles (Caretta caretta) in US Mid-Atlantic Bottom Otter	WWF/IATTC NMFS Northeast Fisheries Science Center Reference	
184	K.T. Murray	2006	Trawl Gear, 1996-2004 Estimated Bycatch of Loggerhead Sea Turtles (Caretta caretta) in U.S. Mid-Atlantic Scallop Trawl Gear, 2004-	Document, 06-19 NMFS Northeast Fisheries Science Center, Reference	
185	K.T. Murray	2007	2005, and in Scallop Dredge Gear, 2005 Endangered Species Act - Section 7 Consultation. Biological Opinion. Reinitiation of consultation on the Atlantic	Document	7
186	National Marine Fisheries Service	2004	Pelagic Longline Fishery for highly migratory species.		
187	NMFS National Marine Fisheries Service, Pacific Islands Region, Sustainable	2006	Final Environment Assessment and Regulatory Impact Review Regulatory Flexibility Act Analysis of Sea Turtle Conservation Measures for the Pound Net Fishery in Virginia Waters of the Chesapeake Bay		
188	Fisheries Division Ocean Fisheries Programme -	2010	Endangered Species Act Section 7 Consultation, Biological Opinion		
189	Secretariat of the Pacific Community Pacheco, JC, DW Kerstetter, FH	2001	A review of turtle by-catch in the western and central Pacific Ocean tuna fisheries	A report for the South Pacific Regional Environment Programme	
190	Hazin, Humberto Hazin, RSSL Segundo, JE Graves, F Carvalho, PE Travassos Panou, A., Antypas, G.,	2009	A comparison of circle hook and J hook performance in a western equatorial Atlantic Ocean pelagic longline fishery	Fisheries Research	107
191	Giannopoulos, Y., Moschonas, S., Mourelatos, D., Mourelatos, G., Mourelatos, C., Toumazatos, P., Tselentis, L, Voutsinas, N., & Voutsinas, V.	1992	Incidental catches of loggerhead turtles, Caretta caretta, in swordfish longlines in the Ionian Sea, Greece	Testudo	3
192	Panou, A.Tselentis, L., Voutsinas, N., Mourelatos, Ch., Kaloupi, S., Voutsinas, V., & Moschonas, S.	1999	Incidental catches of marine turtles in surface long line fishery in the Ionian Sea, Greece	Contributions to the Zoogeography and Ecology of the Eastern Mediterranean Region	1
193	Passerotti, Michelle S., John K. Ccarlson, Simon JB Gulak	2009	Catch and bycatch in US Southeast Gillnet Fisheries, 2009	NOAA Technical Memorandum NMFS-SEFSC-600	

NMFS Pacific Islands Fishery Science Center Technical

	Peckham, Hoyt S. Maldonado, David Walli, Andreas				
194	Ruiz, Georgita Crowder, Larry B.	2007	Small-scale fisheries bycatch jeopardizes endangered Pacific loggerhead turtles	PloS One	
	Perez J.A.A, Wahrlich R.	2007	A bycatch of the gillnet monkfish Lophius gastrophysus fishery off southern Brazil	Fisheries Research	72
	Petersen, S.	2005	Initial bycatch assessment: South Africa's domestic longline fisher, 2000-2003	BirdLife South Africa	12
130	retersen, s.	2003	Incidental mortality of seabirds, turtles and sharks: A review of data collected east of 20 degrees by South	First Meeting of the IOTC Bycatch Working Party - Phuket,	
197	Petersen, S.	2005	African observers	20 July 2005	
137	Samantha Petersen and Steve	2003	Amount observers	20 July 2003	
198	Kirkman	2005	Initial bycatch assessment: demersal longline fishery July 2000-November 2004	BirdLife South Africa	
130	Kirkirian	2003	Incidental mortality of seabirds, turtles and sharks: A Review of data collected east of 20 degrees by South	Bridging South Arrica	
199	Samantha Petersen	2005	African observers	BirdLife South Africa	
133	Petersen, Samantha L., Maria B	2003	Ameun observers	WWF South Africa Report Series Understanding and	
	Honig, Peter G Ryan, Les G			Mitigating Vulnerable Bycatch in southern African Trawl	
200	Underhill, and Ronel Nel	2010	Turtle bycatch in the pelagic longline fishery off Southern Africa	and Longline Fisheries	
200	Phillips, E.M., H.M. Nevins, S.A.	2010	Tartie byeaten in the pelagic longine lishery on southern Airied	and congine risheries	
	Hatch, A.M. Ramey, M.A. Miller,				
201	and J.T. Harvey	2010	Seabird bycatch in Alaska demersal longline fishery trials: A demographic summary	Marine Ornithology	38
	Pinedo, M.C. & Polacheck, T.	2004	Sea turtle by-catch in pelagic longline sets off southern Brazil	Biological Conservation	119
	Piovano, Susanna, Yonat Swimmer,		Are circle hooks effective in reducing incidental captures of loggerhead sea turtles in a Mediterranean longline	Aquatic Conservation: Marine and Freshwater	
203	and Cristina Giacoma	2009	fishery?	Ecosystems	19
203	Pacific Islands Regional Office	2003	Pacific Islands Regional Observer Program American Samoa Longline annual status report January 1, 2010 -	2005/5101115	13
204	(NMFS)	2011	December 31, 2010		
20.	(2)				
205	Pacific Islands Regional Office	2005	Hawaii Longline Observer Program Shallow Set Annual Status Report, January 1 - December 31, 2004	NMFS Pacific Islands Regional Office Annual Status Report	
	C				
206	Pacific Islands Regional Office	2006	Pacific Islands Regional Observer Program Shallow Set Annual Status Report, January 1 - December 31, 2005	NMFS Pacific Islands Regional Office Annual Status Report	
207	Pacific Islands Regional Office	2007	Pacific Islands Regional Observer Program Shallow Set Annual Status Report, January 1 - December 31, 2006	NMFS Pacific Islands Regional Office Annual Status Report	
			Pacific Islands Regional Observer Program Shallow Set Quarterly Status Report, January 1, 2007 - March 31,		
			2007; Pacific Islands Regional Observer Program Shallow Set Quarterly Status Report, April 1, 2007- June 30,	NMFS Pacific Islands Regional Office Quarterly Status	
208	Pacific Islands Regional Office	2007	2007; Pacific Islands Regional Observer	Report	
209	Poiner, I. R., and A. N. M. Harris	1996	Incidental capture, direct mortality and delayed mortality of sea turtles in Australia's Northern Prawn Fishery	Marine Biology	125
				Global Change: Mankind-Marine Environment	
			Catch, Bycatch of Sharks, and Incidental Catch of Sea Turtles in the Reunion-based Longline Swordfish Fishery	Interactions, Proceedings of the 13th French-Japanese	
	Poisson, Francois	2011	(Southwest Indian Ocean) Between 1997 and 2002	Oceanography Symposium	
211	Pons, M.	2008	Machine Learning Procedures: An application to bycatch data	х	
	Pons, Maite, Soledad Marroni, Irene				
	Machado, Badih Ghattas, and		Machine learning procedures: an application to by-catch data of the marine turtles Caretta caretta in the	- 11	
212	Andres Domingo	2009	Southwestern Atlantic Ocean	Collect. Vol. Sci. Pap. ICCAT	64
				Fishery Resource Grant: 06-FEG-02. ESA Scientific	
213	Price, B and C Van Salsbuy	2007	Low-Profile Gillnet Testing in the Deep Water Region of Pamlico Sound, NC.	Research Permit #1563.	
	n: nl		Evaluations of turtle excluder device (TED) performance in US southeast Atlantic and Gulf of Mexico skimmer		
	Price, Blake, and Jeff Gearhart	2011	trawl fisheries	NOAA Technical Memorandum NMFS - SEFSC - 615	
215	ProDelphinus	2010	Final Programmatic Report Narrative	National Fish and Wildlife Foundation	
	Rees, A.F., M. Frick, A.		Describes of the boundary of the control of the con		
	Panagopoulou and K. Williams,		Proceedings of the twenty-seventh annual symposium on sea turtle biology and conservation NOAA Technical		
216	compilers	2008	Memorandum NMFS-SEFSC-572	NOAA Technical Memorandum NMFS-SEFSC-572	
	Dishards DA4	2007	Estimated Takes of Protected Species in the Commercial Directed Shark Bottom Longline Fisher 2003,2004 and	Notice of Martin Etales Contin	
217	Richards, P.M.	2007	2005	National Marine Fisheries Service	
218	Pichards P.M	2007	Estimated Takes of Protected Species in the Commercial Directed Shark Bottom Longline Fisher 2006.	National Marine Fisheries Service	
218	Richards,P.M.	2007	Estimated Takes of Frotested Species in the Commercial Directed Shark bottom Longline Fisher 2006.	Proceedings of the Western Pacific Sea Turtle Cooperative	
219	Robins, C.	2002	Fishers and sea turtle research	Research and Management Workshop	
219	C. M. Robins, A. M. Goodspeed, I. R.	2002	ו ואופו א מווע אפע געו נוכ ו כאכמו נוו	nesearch and management workshop	
220	Poiner and B. D. Harch	2002	Monitoring the Catch of Turtles in Northern Prawn Fishery		
220	i omer and b. b. Haltil	2002	monitoring the category further in northern trawn ranely		

	V 1 C		2002 2007	Programa nacional para la conservacion de las tortugas marinas y continentales en Colombia Megafauna bycatch in drift nets for albacore tuna in the NE Atlantic	Fisheries Research	86
		Rosales, Carlos A., Manuel Vera,				
		•	2010	Varamientos y captura incidental de tortugas marinas en el litoral de Tumbes, Peru	Rev. peru biol.	17 50
24		Rueda, J.V. Rueda, L., R. J. Sagarminaga, J. C.	1990	Dying Turtles in Colombian Waters Still a Mystery Testing mackerel bait as a possible bycatch mitigation measure for the Spanish Mediterranean swordfish	Marine Turtle Newsletter	50
		Baez, J. A. Caminas, S. A. Eckert, and		longlining fleet. Page 262 in Book of Abstracts. Twenty Sixth Annual Symposium on Sea Turtle Biology and		
22			2006	Conservation. International Sea Turtle Society,		
				Reporte final del proyecto "Estimación de la Tasa de Captura Incidental de Tortugas Marinas en las Actividades		
22	.6 K	Ruiz-Slater, M., and J. Acevedo	2006	de Pesca Ribereña en la Costa de Michoacán". Gobierno de Michoacán, Fondo Ecológico Banamex.	In: L. Prosdocimi, D. Albareda, S. Rodriguez Heredia, S.	
					Moron, & J.L. Di Paola (eds). Il Reunion sobre la	
	S	iales, G., B.B. Giffoni, P.C.R. Barata,			investigacion y conservacion de tortugas marinas del	
22	7 &	& G. Maurutto	2004	Interacao de tartarugas marinhas com a pesca de espinhel pelagico na costa brasilera - 1999 - 2003	atlantico sur occidental.	
					Journal of the Marine Biological Association of the United	
22		ales, G, BB Giffoni, & PCR Barata antana Hernandez, H. & Valdez	2008	Incidental capture of sea turtles by the Brazilian pelagic longline fishery	Kingdom, 2008, 88(4), 853-864.	
23		,	2003	La captura incidental en pesqueria de palangre del Pacifico oriental mexicano, con enfasis en tortugas marinas	Insituto Nacional de la Pesca, presentation, not a paper	
		antana Hernandez, H. and J. J.	2003	Selectividad y eficiencia del palangre de deriva con tres tipos de anzuelo y dos tipos de carnada en la pesca de	instate reasonal de la resea, presentation, not a pape.	
23	0 V	/aldez Flores	2006	tiburon. SAGARPA. Instituto Nacional de la Pesca		
					II Reunion sobre la investigacion y conservacion de	
23			2004 1997	de Santa Catarina, Brasil Fisheries Bycatch Consequences and Management	tortugas marinas del Atlantico Sur Occidental University of Alaska Sea Grant College Program	
23	12 IV	viac v. Rawson	1997	Fisheries Bycatch Consequences and Management	University of Alaska Sea Grant College Program	
23	3 S	iegura, A. & Arauz, R.	1995	By-catch capture of sea turtles by two kinds of experimental longline gears in Pacific Costa Rica waters		
23	4 S	hanker, K.	2004	Marine turtle status and conservation in the Indian Ocean		
2.	- c	The state of the s	4000	Constitution of California described and a state of the constitution of the constitution of the california of the califo	Pintorial Consequence	00
2:		ilvani, L., M. Gazo, and A. Aguilar ioto, Jules M.R., and Rodrigo C. P.	1999	Spanish driftnet fishing and incidental catches in the western Mediterranean	Biological Conservation	90
23			1997	Chelonia mydas in the northern region of the Patos Iagoon, South Brazil	Marine Turtle Newsletter	77
					Seminoff, J.A., compiler. 2003. Proceedings of the Twenty-	
	_				Second Annual Symposium on Sea	
23		ioto, Jules M.R., Thiago Z. Serafini, and Arthur A.O. Celini	2003	Sea turtle mortality in pelagic drifnets off the southern Brazilian coast	Turtle Biology and Conservation. NOAA Technical Memorandum NMFS-SEFSC-503	
2.	, u	ind Author A.O. Centil	2003	Sea tarde mortality in penagic armites on the southern brazilian coast	Wellordiddin WW 3 SE SC SCS	
	S	umpton, W.D., S.M. Taylor, N.A.		Gear selectivity of large-mesh nets and drumlines used to catch sharks in the Queensland Shark Control		
23	8 G	Gribble, G. McPherson, and T. Ham	2011	Program	African Journal of Marine Science	33
	c.	wimmer, Yonat, Jenny Suter,				
		Randall Arauz, Keith Bigelow,				
		Andres Lopez, Ilena Zanela, Alan				
	В	Bolanos, Jorge Ballestero, Raul				
		, 0, 00	2011	Sustainable fishing gear: the case of modified circle hooks in a Costa Rican longline fishery	Marine biology	158
24		aiwan observer data Trent, D.E. Parshley and J.K.	2000	"Sea turtle by-catchment"		
24		•	1997	Catch and Bycatch of the Shark Gillnet Fishery Off Georgia and East Florida	Marine Fisheries Review	59
_				Ecosystem Effects of fishing in the Mediterranean: An analysis of the major threats of fishing gear and practices		
24	2 T	udela	2000	to biodiversity and marine habitats	FAO Fisheries Department	
	-	udala C. A. Kai Kai F. Maurico El		Defined Selving and hindingsity, again, again, the again that a selvent selven		
2/		udela, S., A. Kai Kai, F. Maynou, El Andalossi and P. Guglielmi	2005	Driftnet fishing and biodiversity conservation: the case study of the large-scale Moroccan driftnet fleet operating in the Alboran Sea (SW Mediterranean)	Biological Conservation	121
2.		Jlloa-Ramirez, P	_003	eperating in the Alborati Sea (STF Mediterration)	18th International Symposium on Sea Turtle Biology and	
24	4 G	Gonzalez-Ania, L.V.	1998	Incidence of marine turtles in the Mexican long-line tuna fishery in the Gulf of Mexico	Conservation	
		/arghese, Sijo, S. Varghese and V.S.				
24	5 S	Somvanshi	2010	Impact of tuna longline fishery on sea turtles of Indian seas	Current Science	98

	Watson, J., C. Bergmann, A. Shah, D.			Reports on Experiments conducted in 2004. Unpublished	
246	Foster, and S. Epperly	2004	Evaluation of 18/0 circle hooks in the Gulf of Mexio tuna fishery	SEFSC report	
				Canadian Journal of Fisheries and Aquatic Sciences 62:965	<i>j</i> -
247	Watson, JW et al	2005	Fishing methods to reduce sea turtle mortality associated with pelagic longlines	981 (2005)	
				INPFC Symposium on biology, distribution and stock	
	Markey II I A. Beleve C.II			assessment of species caught in the high seas driftnet	
240	Wetherall, J.A., Balazs, G.H., Tokunaga, R.A., and Y.Y. Yong	1993	Bycatch of Marine Turtles in North Pacific High-Seas Driftnet Fisheries and Impacts on the Stocks.	fisheries in the North Pacific Ocean. J. Ito et al. (eds.). Bulletin No. 53 (III)	
248	Tokunaga, K.A., and Y.Y. Yong	1993	bycatch of Marine Turtles in North Pacific High-Seas Driftnet Fisheries and Impacts on the Stocks.	Bulletin NO. 53 (III)	
	White, Michael, Idriz Haxhiu, Enerit				
	Sacdanaku, Lazion Petritaj, Merita				
	Rumano, Fundime Osmani, Blerina				
	Vrenozi, Prue Robinson, Stephanos				
249	Kouris, Liza Boura, and Lily Venizelos	2009	Monitoring and conservation of important sea turtle feeding grounds in the Patok area of Albania, 2008-2010		
	Whoriskey, Sophie, Randall Arauz,				
250	and Julia K. Baum	2011	Potential impacts of emerging mahi-mahi fisheries on sea turtle and elasmobranch bycatch species	Biological Conservation	
			Distribution and relative abundance of sea turtles caught incidentally by the U.S. pelagic longline fleet in the		
251	W.N. Witzell	1999	western North Atlantic Ocean, 1992-1995	Fishery Bulletin	97
	Western Pacific Regional Fishery				
252	Council	2007	North Pacific Loggerhead Sea Turtle Expert Workshop, December 19-20 2007	WCPFC, NOAA	
253	Xiaojie, D. and X. Liuxiong	2003	Marine Turtles Caught by China Longline Fishery in the Mediterranean Sea and Atlantic Ocean		
				NMFS Southeast Fisheries Science Center Technical	
254	C. Yeung	1999	Estimates of marine mammal and marine turtle bycatch by the US Atlantic pelagic longline fleet in 1998	Memorandum, NMFS-SEFSC-430	
255	C Verre	2004	Estimates for the common land and the total broads by the US attention last land in floating 4000, 2000.	NMFS Southeast Fisheries Science Center Technical	
255	C. Yeung	2001	Estimates of marine mammal and marine turtle bycatch by the US atlantic pelagic longline fleet in 1999-2000	Memorandum, NMFS-SEFSC-467	
256	Yokota, Kosuke, Masashi Kiyota, Hiroshi Okamura	2009	Effect of bait species and color on sea turtle bycatch and fish catch in a pelagic longline fishery	Fisheries Research	97
256	Zainudin, Imam Musthofa, Lida Pet-		Effect of part species and color on sea turtle bycatch and fish catch in a peragic longime fishery	ristieries Research	97
	Soede, Creusa Hitipeuw, and				
257	Windya Adnyana	2007	Interaction of Sea Turtles with Indonesian Fisheries Preliminary Findings	Indian Ocean Turtle Newsletter	6
237	Zeeberg, J., A. Corten, and E. de	2007	interaction of sea Parties with magnesian Fisheries - Freminiary Findings	maian occan rance newsletter	Ü
258	Graaf	2006	Bycatch and release of pelagic megafauna in industrial trawler fisheries of Northwest Africa	Fisheries Research	78
250					. 0