



## Green fabrication of biologically active magnetic core-shell Fe<sub>3</sub>O<sub>4</sub>/Au nanoparticles and their potential anticancer effect

Zahra Izadiyan<sup>a,\*</sup>, Kamyar Shameli<sup>a,\*</sup>, Mikio Miyake<sup>a</sup>, Sin-Yeang Teow<sup>b</sup>, Suat-Cheng Peh<sup>b,c</sup>, Shaza Eva Mohamad<sup>a</sup>, Siti Husnaa Mohd Taib<sup>a</sup>

<sup>a</sup> Department of Environment and Green Technology, Malaysia-Japan International Institute of Technology, Universiti Teknologi Malaysia, Jalan Sultan Yahya Petra, 54100 Kuala Lumpur, Malaysia

<sup>b</sup> Department of Medical Sciences, School of Healthcare and Medical Sciences (SHMS), Sunway University, Jalan Universiti, Bandar Sunway, 47500, Selangor Darul Ehsan, Malaysia

<sup>c</sup> Anatomical Pathology Department, Sunway Medical Centre, Jalan Lagoon Selatan, Bandar Sunway, 47500, Selangor Darul Ehsan, Malaysia

### ARTICLE INFO

#### Keywords:

Core-shell  
Fe<sub>3</sub>O<sub>4</sub>/Au nanoparticles  
Magnetic  
*Juglans regia*  
Green husk  
Anticancer assay

### ABSTRACT

Core-shell Fe<sub>3</sub>O<sub>4</sub>/Au nanostructures were constructed using an advanced method of two-step synthesis from *Juglans regia* (walnut) green husk extract. Several complementary methods were applied to investigate structural and magnetic properties of the samples. X-ray diffraction (XRD), high-resolution transmission electron microscopy (HR-TEM), electron diffraction, optical, thermogravimetric analysis (TGA), and vibrating sample magnetometer (VSM) were used for nanoparticle characterizations. As shown by HR-TEM, the mean diameter of core-shell Fe<sub>3</sub>O<sub>4</sub>/Au nanoparticles synthesized using co-precipitation method was  $6.08 \pm 1.06$  nm. This study shows that the physical and structural properties of core-shell Fe<sub>3</sub>O<sub>4</sub>/Au nanoparticles possess intrinsic properties of gold and magnetite. VSM revealed that the core-shell Fe<sub>3</sub>O<sub>4</sub>/Au have high saturation magnetization and low coercivity due to the magnetic properties. The core-shell nanoparticles show the inhibitory concentration (IC)<sub>50</sub> of 235 µg/ml against a colorectal cancer cell line, HT-29. When tested against non-cancer cells, IC<sub>50</sub> was not achieved even up to 500 µg/ml. This study highlights the magnetic properties and anticancer action of core-shell Fe<sub>3</sub>O<sub>4</sub>/Au nanoparticles. This compound can be ideal candidate for cancer treatment and other biomedical applications.

### 1. Introduction

The necessity of modern science and technology in novel materials with specific properties increases the interest of the global scientific community in nanophysics researchers [1,2]. In recent decades, a large number of successes and scientific data in nanotechnology allow a creation of nanomaterials with required structural, physical and chemical properties [3–5]. The ability to control structure of nanocomposite can lead to the development of new technologies in the fields of chemistry, physics and material science [6]. At present, the nanomaterials with multiple functions which can be used for various applications are of growing interest.

In recent years, inorganic nanoparticles with various compositions, physical features, and functionalities have been widely synthesized and used as drug vehicles in order to overcome multidrug-resistant cancer cells. In recent years, inorganic nanoparticles with various compositions, physical features, and functionalities have been widely

synthesized and used as drug vehicles in order to overcome multidrug-resistant cancer cells [7].

In particular, core-shell nanostructures are attracting more interests due to their universal compositions and structures [8–10]. The interaction between the core and shell in a nanostructure can lead to new properties and functions [11,12]. In order to achieve different effects and physical properties, various organic and inorganic compounds can be used as materials for core and shell nanostructure constructions [13]. Materials used in core-shell nanostructures and consequently, their physical properties can make a new class of nanomaterials useful in a wide range of applications (e.g. nanomedicine, nanooptics, magnetic devices, bionanotechnology and others) [14–16].

Core-shell nanostructures can be generated by a sequential two-step synthesis, in which the core is first created and then the shell is built up [17]. In such process, the uniform coating of the core and the regulation of the shell thickness are crucial. To achieve this, the charge and selectivity of the core can be modified by polymers and surfactants,

\* Corresponding author.

E-mail addresses: [zahra\\_izadiyan@yahoo.com.my](mailto:zahra_izadiyan@yahoo.com.my) (Z. Izadiyan), [kamyarshameli@gmail.com](mailto:kamyarshameli@gmail.com) (K. Shameli).

<https://doi.org/10.1016/j.msec.2018.11.008>

Received 7 February 2018; Received in revised form 15 September 2018; Accepted 4 November 2018

Available online 06 November 2018

0928-4931/ © 2018 Elsevier B.V. All rights reserved.