Guest Editorial Large-Scale Multiple Antenna Wireless Systems

Michail Matthaiou, *Member, IEEE*, George K. Karagiannidis, *Senior Member, IEEE*, Erik G. Larsson, *Senior Member, IEEE*, Thomas L. Marzetta, *Fellow, IEEE*, and Robert Schober, *Fellow, IEEE*

THE DATA rate demands of wireless systems will continue to grow for the foreseeable future. Since current technologies are not capable of supporting these demands, new and more efficient antenna configurations need to be devised. One of the most viable solutions is the deployment of Large-scale multiple antenna (LSMA) wireless systems. LSMA wireless systems with hundreds of low-power antennas, that may be colocated at a base station (BS) site, spread out on the face of a building, or distributed geographically, provide a plethora of advantages over conventional multipleinput multiple-output (MIMO) and cooperative networks. In particular, these large-scale systems offer higher data rates, increased link reliability, and potential power savings, since the transmitted RF energy can be more sharply focused in space, while many random impairments (e.g., thermal noise and intercell interference) can be averaged out. We note that these gains can be achieved by coherent, but simple, processing (e.g., linear reception techniques in an uplink scenario). LSMA also entails a revolution in hardware. Expensive ultra-linear forty-Watt amplifiers are replaced by many cheap low-power devices whose combined action, only, has to meet stipulated tolerances. Likewise it is expected that lower resolution A/D and D/A converters can be used. Equally importantly, the analysis of large-scale systems can be carried out using tools from random matrix theory, which has attracted considerable research interest. For all these reasons, the area of LSMA systems has recently emerged at the forefront of wireless communication research.

With the above vision, a Call for Papers for a special issue in the IEEE JOURNAL ON SELECTED AREAS IN COM-MUNICATIONS, was published in July 2011. The invited topics included information theoretic issues of LSMA systems, efficient feedback reduction and power allocation strategies, channel estimation, propagation measurements, and channel

E. G. Larsson is with the Department of Electrical Engineering (ISY), Linköping University, 581 83, Linköping, Sweden (email: erik.larsson@isy.liu.se).

T. L. Marzetta is with Bell Laboratories, Alcatel-Lucent, 600 Mountain Avenue, Murray Hill, NJ 07974, USA (e-mail: tlm@research.bell-labs.com).

R. Schober is with the Department of Electrical and Computer Engineering, The University of British Columbia, Vancouver, BC V6T 1Z4, Canada (email: rschober@ece.ubc.ca).

L. Milstein is the J-SAC Board Representative for this issue of IEEE Journal on Selected Areas in Communications.

Digital Object Identifier 10.1109/JSAC.2013.130201

modeling of LSMA systems as well as antenna design and experimental demonstrations. By the deadline in February 2012, we received 44 manuscripts, out of which 18 were finally accepted after a thorough and rigorous review process.¹ Unfortunately, due to space constraints, several high-quality manuscripts could not be accommodated in this JSAC issue.

The papers appearing in this special issue can be classified into three broad thematic categories: capacity/sum rate analysis of LSMA systems, design of efficient signal processing algorithms suitable for LSMA systems (e.g., beamforming (BF) design, precoding, channel estimation, power allocation), and antenna theoretic issues of LSMA systems. A brief description of each of the accepted papers is provided in the following for the convenience of the readers.

The paper by Yang, Durisi, and Riegler, entitled, "On the Capacity of Large-MIMO Block-Fading Channels," characterizes the capacity of Rayleigh block-fading MIMO channels in the noncoherent setting. The authors prove that unitary spacetime modulation (USTM) is not capacity-achieving at high signal-to-noise ratio (SNR) when the total number of antennas exceeds the coherence time of the fading channel (measured in symbols)—a situation that is relevant for LSMA systems. Moreover, the authors show that the high-SNR capacity-achieving input distribution, which they refer to as beta-variate space-time modulation, yields substantial rate gains over USTM at SNR values of practical relevance.

The paper by Zhang, Wen, Jin, Gao, and Wong, entitled, "On Capacity of Large Scale MIMO Multiple Access Channels with Distributed Sets of Correlated Antennas," investigates a large-scale MIMO system consisting of multiple users and one BS with several distributed antenna sets. Each link between a user and an antenna set forms a twosided spatially correlated MIMO channel with line-of-sight components. A deterministic equivalent of the ergodic sum rate and an algorithm for evaluating the capacity-achieving input covariance matrices for the uplink large-MIMO antenna channels are proposed. The presented derivations are based on novel techniques from large dimensional random matrix theory, under the assumption that the numbers of antennas at the terminals grow large with a fixed ratio.

The paper by Guthy, Utschick, and Honig, entitled, "Large System Analysis of Sum Capacity in the Gaussian MIMO Broadcast Channel," examines the large system sum capacity in the MIMO broadcast channel with infinitely many transmit and receive antennas. First, the case of non-cooperating re-

M. Matthaiou is with the Department of Signals and Systems, Chalmers University of Technology, 412 96, Gothenburg, Sweden (email: michail.matthaiou@chalmers.se).

G. K. Karagiannidis is with Department of Electrical and Computer Engineering, Aristotle University of Thessaloniki, 54124 Thessaloniki, Greece (e-mail: geokarag@auth.gr).

¹Papers coauthored by Guest Editors were handled independently by Senior Editors.

ceivers, i.e., multiple-input single-output, is considered and an exact analytical expression for the asymptotic sum capacity is derived. Then, a lower bound is presented for the general case of cooperating antennas at each receiver. Finally, the losses in sum rate of two sub-optimum schemes based on spatial ZF are analyzed asymptotically.

The paper by Hoydis, ten Brink, and Debbah entitled, "Massive MIMO in the UL/DL of Cellular Networks: How Many Antennas Do We Need?," studies the achievable rates with linear precoders and detectors which are proven to be asymptotically tight. The analysis accounts for channel estimation, pilot contamination, and an arbitrary path loss and antenna correlation for each link, in the uplink and downlink of non-cooperative multi-cellular time-division duplexing systems. The authors derive how many antennas per user-terminal are needed to achieve $\eta\%$ of the ultimate performance limit, that would be obtained with infinitely many antennas, and how many more antennas are needed with matched filter and eigenbeamforming to achieve the performance of minimum mean-square error detection and regularized ZF, respectively.

The paper by Yang and Marzetta, entitled, "Performance of Conjugate and Zero-forcing Beamforming in Large-Scale Antenna Systems," compares the performance of two prominent linear precoders. The authors derive explicit capacity lower bounds, which account for channel-state information acquisition overhead and errors, as well as the suboptimality of the precoders. Optimized trade-off curves are generated to show that for high spectral-efficiency and low energyefficiency zero-forcing (ZF) outperforms conjugate BF, while at low spectral-efficiency and high energy-efficiency the opposite holds. A comparison of computational burdens yields a surprise that in an optimized system, conjugate BF may require more computations than ZF.

The paper by Matthaiou, Zhong, McKay, and Ratnarajah entitled, "Sum Rate Analysis of ZF Receivers in Distributed MIMO Systems," presents upper and lower bounds on the uplink achievable sum rate of distributed MIMO systems assuming ZF reception. By taking the effects of the largescale fading and path-loss into account, the authors also pursue a detailed large-system analysis and provide asymptotic expressions when the number of antennas at the BS grows large, and when the number of antennas at both ends grows large with a fixed and finite ratio.

The paper by Fernandes, Ashikhmin, and Marzetta, entitled, "Inter-Cell Interference in Noncooperative TDD Large Scale Antenna Systems," derives new expressions for the signalto-interference-plus-noise ratio (SINR) of both downlink and uplink channels, in the scenario of an infinite number of antennas. The authors demonstrate that the contamination of the channel estimates happens whenever a pilot sequence is received at a BS simultaneously with non-orthogonal signals coming from other users. Moreover, a method to avoid such simultaneous transmissions from adjacent cells, thus significantly decreasing interference, is proposed.

The paper by Özgür, Lévêque, and Tse, entitled, "Spatial Degrees of Freedom of Large Distributed MIMO Systems and Wireless Ad hoc Networks," pursues an asymptotic capacity analysis of distributed MIMO systems, where wireless users with single transmit and receive antennas cooperate in clusters to form distributed transmit and receive antenna arrays. In particular, the authors investigate how the capacity scales with the number of cooperating users, the area of the clusters and the separation between them. They also use this result to investigate whether distributed MIMO provides capacity gains over traditional multi-hop in large ad-hoc networks, with n source-destination pairs randomly distributed over an area A. The results contradict the available results in the literature and include scaling optimal architectures for a new intermediate regime, that had not been previously considered.

The paper by Aggarwal, Koksal, and Schniter, entitled, "On the Design of Large Scale Wireless Systems," considers the downlink of large Orthogonal Frequency-Division Multiple Access (OFDMA)-based networks and studies their performance as a function of the number of transmitters, users, and resource-blocks. The authors analyze the expected achievable sum rate as a function of the above variables and derive novel upper and lower bounds for a general spatial geometry of transmitters, a truncated path-gain model, and a variety of fading models. They also establish the associated scaling laws for dense and extended networks, and develop a distributed resource allocation scheme that achieves the same sum rate scaling as that of the proposed upper bound.

The paper by Hong, Sun, Baligh, Luo, entitled, "Joint Base Station Clustering and Beamformer Design for Partial Coordinated Transmission in Heterogeneous Networks," looks at a heterogeneous multicell multiuser MIMO network, and devises BS clustering and linear BF algorithms using optimization with sparsity constraints. A novel feature of the proposed algorithm is that it performs BS clustering and beamformer design jointly rather than separately, while the cluster size can be controlled by adjusting a single parameter.

The paper by Zhang, Yuan, and Ping, entitled, "Hermitian Precoding for Distributed MIMO Systems with Individual Channel State Information," studies a distributed multiuser MIMO system with each transmitter only having partial channel state information (CSI), and proposes a novel Hermitian precoding technique for this scenario. The optimality of the proposed precoder is analytically investigated.

The paper by Dai, Wang, and Yang, entitled, "Spectrally Efficient Time-Frequency Training OFDM for Mobile Large-Scale MIMO Systems," proposes a time-frequency training orthogonal frequency-division multiplexing (TFT-OFDM) transmission scheme suitable for large-scale MIMO systems. In this algorithm each TFT-OFDM symbol, without cyclic prefix, adopts the time-domain training sequence and the frequencydomain orthogonal grouped pilots as the time-frequency training information. At the receiver, a corresponding timefrequency joint channel estimation method is proposed, where the received time-domain training sequence is used for path delay estimation without interference cancellation. The authors also demonstrate that the new TFT-OFDM MIMO scheme achieves higher spectral efficiency and lower low-density parity-check coded bit error rate, compared with conventional large-scale OFDM MIMO systems.

The paper by Yin, Gesbert, Filippou, and Liu, entitled, "A Coordinated Approach to Channel Estimation in Large-scale Multiple-antenna Systems," develops a scheme for coordination between cells in order to limit pilot contamination in large-scale multiuser MIMO systems. The coordination makes use of additional second-order statistical information about the user channels, which is shown to offer a powerful way of discriminating across interfering users.

The paper by Zhou and Ma, entitled, "Element-Based Lattice Reduction Algorithms for Large MIMO Detection," develops and analyzes new element-based lattice reduction (ELR) algorithms for MIMO detection problems of large dimensions. The proposed ELR-aided detectors yield better error performance than the existing low-complexity detectors for large MIMO systems while maintaining lower complexity.

The paper by Zakhour and Hanly, entitled, "Min-Max Power Allocation in Cellular Networks with Coordinated Beamforming," considers BS cooperation in the form of coordinated BF, focusing on min-max fairness in the power usage. The authors show that the optimal BF strategies have an interesting nested ZF structure, while the optimal solution is characterized in general, and an algorithm is proposed that converges to the optimal transmit parameters, for feasible SINR targets. Interestingly, the asymptotically optimal beamformers only require the BSs to have local instantaneous CSI, thereby reducing the signaling overhead.

The paper by Studer and Larsson, entitled, "PAR-Aware Large-Scale Multi-User MIMO-OFDM Downlink," investigates an OFDM-based downlink transmission scheme for large-scale multi-user MIMO wireless systems. A novel downlink transmission scheme, which achieves a low peak-toaverage (power) ratio (PAR), is devised. The proposed scheme jointly performs multi-user precoding, OFDM modulation, and PAR reduction by solving a convex optimization problem. Moreover, the authors develop a corresponding fast iterative truncation algorithm and demonstrate significant PARreduction capabilities.

The paper by Alrabadi, Tsakalaki, Huang, and Pedersen, entitled, "Beamforming via Large and Dense Antenna Arrays above a Clutter," studies the BF performance of large and dense antenna arrays with arbitrarily many elements. Two modes are investigated: Single-layer BF and multi-layer BF. In the first mode, a practical BF criterion is revisited and employed in order to assess the far-field and the near-field effects on the BF performance of large-scale antennas above a clutter. In the multi-layer BF mode, the RF coverage is divided into a number of directive non-overlapping sector-beams in a deterministic manner within the MIMO system. The authors also present the optimal number of layers that maximizes the users' sum-rate given a constrained antenna array.

The paper by Taluja and Hughes, entitled, "Diversity Limits of Compact Broadband Multi-Antenna Systems," investigates the impact of coupling on bandwidth, in the context of circular arrays. It is shown that mutual coupling creates eigen-modes with diverse frequency responses, using the standard matching techniques. Furthermore, the authors present an optimization methodology of well-known communication techniques, such as Diversity-OFDM, regarding the above effects.

The guest editorial team would like to express their appreciation to all the authors of the papers submitted to this special issue. Moreover, we are grateful to all the reviewers involved in the review process, for delivering high-quality review reports. We would also like to express our gratitude to the JSAC team: the Editor-in-Chief Dr. Martha Steenstrup, the Senior Editor Prof. Laurence B. Milstein, the Executive Editor Laurel Greenidge and the IEEE publications staff (Sue Lange in particular) for their fantastic support and input, which made this issue successful.



Michail Matthaiou (S'05–M'08) was born in Thessaloniki, Greece in 1981. He obtained the Diploma degree (5 years) in Electrical and Computer Engineering from the Aristotle University of Thessaloniki, Greece in 2004. He then received the M.Sc. (with distinction) in Communication Systems and Signal Processing from the University of Bristol, U.K. and Ph.D. degrees from the University of Edinburgh, U.K. in 2005 and 2008, respectively. From September 2008 through May 2010, he was with the Institute for Circuit Theory and Signal

Processing, Munich University of Technology (TUM), Germany working as a Postdoctoral Research Associate. In June 2010, he joined Chalmers University of Technology, Sweden as an Assistant Professor and in 2011 he was awarded the Docent title. His research interests span signal processing for wireless communications, random matrix theory and multivariate statistics for MIMO systems, and performance analysis of fading channels.

Dr. Matthaiou is the recipient of the 2011 IEEE ComSoc Young Researcher Award for the Europe, Middle East and Africa Region and a co-recipient of the 2006 IEEE Communications Chapter Project Prize for the best M.Sc. dissertation in the area of communications. He was an Exemplary Reviewer for IEEE COMMUNICATIONS LETTERS for 2010. He has been a member of Technical Program Committees for several IEEE conferences such as ICC, GLOBECOM, etc. He currently serves as an Associate Editor for the IEEE TRANSACTIONS ON COMMUNICATIONS, IEEE COMMUNICATIONS LETTERS and as a Lead Guest Editor of the special issue on "Large-scale multiple antenna wireless systems" of the IEEE JOURNAL ON SELECTED AREAS IN COMMUNICATIONS. He is an associate member of the IEEE Signal Processing Society SPCOM technical committee.



George K. Karagiannidis (SM'2003) was born in Pithagorion, Samos Island, Greece. He received the University Diploma (5 years) and Ph.D degree, both in electrical and computer engineering from the University of Patras, in 1987 and 1999, respectively. From 2000 to 2004, he was a Senior Researcher at the Institute for Space Applications and Remote Sensing, National Observatory of Athens, Greece. In June 2004, he joined the faculty of Aristotle University of Thessaloniki, Greece where he is currently Associate Professor (four-level academic rank

system) of Digital Communications Systems at the Electrical and Computer Engineering Department and Head of the Telecommunications Systems and Networks Lab.

His research interests are in the broad area of digital communications systems with emphasis on communications theory, energy efficient MIMO and cooperative communications, cognitive radio and optical wireless communications. He is the author or co-author of more than 180 technical papers published in scientific journals and presented at international conferences. He is also author of the Greek edition of a book on "Telecommunications Systems" and co-author of the book "Advanced Wireless Communications Systems", Cambridge Publications, 2012. He is co-recipient of the Best Paper Award of the Wireless Communications Symposium (WCS) in the IEEE International Conference on Communications (ICC'07), Glasgow, U.K., June 2007.

Dr. Karagiannidis has been a member of Technical Program Committees for several IEEE conferences such as ICC, GLOBECOM, VTC, etc. In the past he was Editor for Fading Channels and Diversity of the IEEE TRANSAC-TIONS ON COMMUNICATIONS, Senior Editor of IEEE COMMUNICATIONS LETTERS and Editor of the EURASIP Journal of Wireless Communications & Networks. He was Lead Guest Editor of the special issue on "Optical Wireless Communications" of the IEEE JOURNAL ON SELECTED AREAS IN COMMUNICATIONS.

Since January 2012, he is the Editor-in Chief of the IEEE COMMUNICA-TIONS LETTERS.



Erik G. Larsson received his Ph.D. degree from Uppsala University, Sweden, in 2002. Since 2007, he is Professor and Head of the Division for Communication Systems in the Department of Electrical Engineering (ISY) at Linköping University (LiU) in Linköping, Sweden. He has previously been Associate Professor (Docent) at the Royal Institute of Technology (KTH) in Stockholm, Sweden, and Assistant Professor at the University of Florida and the George Washington University, USA.

His main professional interests are within the areas of wireless communications and signal processing. He has published some 80 journal papers on these topics, he is co-author of the textbook *Space-Time Block Coding for Wireless Communications* (Cambridge Univ. Press, 2003) and he holds 10 patents on wireless technology.

He is Associate Editor for the IEEE TRANSACTIONS ON COMMUNICA-TIONS and he has previously been Associate Editor for several other IEEE journals. He is a member of the IEEE Signal Processing Society SAM and SPCOM technical committees. He is active in conference organization, most recently as the Technical Chair of the Asilomar Conference on Signals, Systems and Computers 2012 and Technical Program co-chair of the International Symposium on Turbo Codes and Iterative Information Processing 2012.



Thomas L. Marzetta (F'03) was born in Washington, D.C. He received the PhD in electrical engineering from the Massachusetts Institute of Technology in 1978. His dissertation extended, to two dimensions, the three-way equivalence of autocorrelation sequences, minimum-phase prediction error filters, and reflection coefficient sequences. He worked for Schlumberger-Doll Research (1978–1987) to modernize geophysical signal processing for petroleum exploration. He headed a group at Nichols Research Corporation (1987–1995) which

improved automatic target recognition, radar signal processing, and video motion detection. He joined Bell Laboratories in 1995 (formerly part of AT&T, then Lucent Technologies, now Alcatel–Lucent). He has had research supervisory responsibilities in communication theory, statistics, and signal processing. He specializes in multiple-antenna wireless, with a particular emphasis on the acquisition and exploitation of channel-state information. He is the originator of Large-Scale Antenna Systems which can provide huge improvements in wireless spectral-efficiency and energy-efficiency.

Dr. Marzetta was a member of the IEEE Signal Processing Society Technical Committee on Multidimensional Signal Processing, a member of the Sensor Array and Multichannel Technical Committee, an associate editor for the IEEE Transactions on Signal Processing, an associate editor for the IEEE Transactions on Image Processing, and a guest associate editor for the IEEE Transactions on Information Theory Special Issue on Signal Processing Techniques for Space-Time Coded Transmissions (Oct. 2002) and for the IEEE Transactions on Information Theory Special Issue on Space-Time Transmission, Reception, Coding, and Signal Design (Oct. 2003).

Dr. Marzetta was the recipient of the 1981 ASSP Paper Award from the IEEE Signal Processing Society. He was elected a Fellow of the IEEE in Jan. 2003.



Robert Schober (S'98–M'01–SM'08–F'10) was born in Neuendettelsau, Germany, in 1971. He received the Diplom (Univ.) and the Ph.D. degrees in electrical engineering from the University of Erlangen-Nuermberg in 1997 and 2000, respectively. From May 2001 to April 2002 he was a Postdoctoral Fellow at the University of Toronto, Canada, sponsored by the German Academic Exchange Service (DAAD). Since May 2002 he has been with the University of British Columbia (UBC), Vancouver, Canada, where he is now a Full Professor and

Canada Research Chair (Tier II) in Wireless Communications. Since January 2012 he is an Alexander von Humboldt Professor and the Chair for Digital Communication at the Friedrich Alexander University (FAU), Erlangen, Germany. His research interests fall into the broad areas of Communication Theory, Wireless Communications, and Statistical Signal Processing.

Dr. Schober received the 2002 Heinz MaierLeibnitz Award of the German Science Foundation (DFG), the 2004 Innovations Award of the Vodafone Foundation for Research in Mobile Communications, the 2006 UBC Killam Research Prize, the 2007 Wilhelm Friedrich Bessel Research Award of the Alexander von Humboldt Foundation, the 2008 Charles McDowell Award for Excellence in Research from UBC, a 2011 Alexander von Humboldt Professorship, and a 2012 NSERC E.W.R. Steacie Fellowship. In addition, he received best paper awards from the German Information Technology Society (ITG), the European Association for Signal, Speech and Image Processing (EURASIP), IEEE WCNC 2012, IEEE Globecom 2011, IEEE ICUWB 2006, the International Zurich Seminar on Broadband Communications, and European Wireless 2000. Dr. Schober is a Fellow of the Canadian Academy of Engineering and a Fellow of the Engineering Institute of Canada. He is currently the Editor-in-Chief of the IEEE TRANSACTIONS on COMMUNI-CATIONS.