

# Handbook of Machine Vision

*Edited by*  
*Alexander Hornberg*



WILEY-VCH Verlag GmbH & Co. KGaA

## Contents

<b>1</b>	<b>Processing of Information in the Human Visual System</b>	<b>1</b>
	<i>Prof. Dr. F. Schaeffel, University of Tübingen</i>	
1.1	Preface	1
1.2	Design and Structure of the Eye	1
1.3	Optical Aberrations and Consequences for Visual Performance	5
1.4	Chromatic Aberration	9
1.5	Neural Adaptation to Monochromatic Aberrations	12
1.6	Optimizing Retinal Processing with Limited Cell Numbers, Space and Energy	13
1.7	Adaptation to Different Light Levels	13
1.8	Rod and Cone Responses	15
1.9	Spiking and Coding	18
1.10	Temporal and Spatial Performance	19
1.11	ON/OFF Structure, Division of the Whole Illuminance Amplitude in Two Segments	20
1.12	Consequences of the Rod and Cone Diversity on Retinal Wiring	21
1.13	Motion Sensitivity in the Retina	21
1.14	Visual Information Processing in Higher Centers	23
1.14.1	Morphology	23
1.14.2	Functional Aspects – Receptive Field Structures and Cortical Modules	24
1.15	Effects of Attention	26
1.16	Color Vision, Color Constancy, and Color Contrast	27
1.17	Depth Perception	28
1.18	Adaptation in the Visual System to Color, Spatial, and Temporal Contrast	29
1.19	Conclusions	30
	References	32

<b>2</b>	<b>Introduction to Building a Machine Vision Inspection</b>	<b>35</b>
	<i>Axel Telljohann, Consulting Team Machine Vision (CTMV)</i>	
2.1	Preface	35
2.2	Specifying a Machine Vision System	36
2.2.1	Task and Benefit	37
2.2.2	Parts	37
2.2.2.1	Different Part Types	38
2.2.3	Part Presentation	38
2.2.4	Performance Requirements	39
2.2.4.1	Accuracy	39
2.2.4.2	Time Performance	39
2.2.5	Information Interfaces	39
2.2.6	Installation Space	40
2.2.7	Environment	41
2.2.8	Checklist	41
2.3	Designing a Machine Vision System	41
2.3.1	Camera Type	41
2.3.2	Field of View	42
2.3.3	Resolution	43
2.3.3.1	Camera Sensor Resolution	44
2.3.3.2	Spatial Resolution	44
2.3.3.3	Measurement Accuracy	44
2.3.3.4	Calculation of Resolution	45
2.3.3.5	Resolution for a Line Scan Camera	45
2.3.4	Choice of Camera, Frame Grabber, and Hardware Platform	46
2.3.4.1	Camera Model	46
2.3.4.2	Frame Grabber	46
2.3.4.3	Pixel Rate	46
2.3.4.4	Hardware Platform	47
2.3.5	Lens Design	48
2.3.5.1	Focal Length	48
2.3.5.2	Lens Flange Focal Distance	49
2.3.5.3	Extension Tubes	49
2.3.5.4	Lens Diameter and Sensor Size	50
2.3.5.5	Sensor Resolution and Lens Quality	50
2.3.6	Choice of Illumination	50
2.3.6.1	Concept: Maximize Contrast	51
2.3.6.2	Illumination Setups	51
2.3.6.3	Light Sources	52
2.3.6.4	Approach to the Optimum Setup	52
2.3.6.5	Interfering Lighting	53
2.3.7	Mechanical Design	53

2.3.8	Electrical Design	53
2.3.9	Software	54
2.3.9.1	Software Library	54
2.3.9.2	Software Structure	54
2.3.9.3	General Topics	55
2.4	Costs	56
2.5	Words on Project Realization	57
2.5.1	Development and Installation	57
2.5.2	Test Run and Acceptance Test	58
2.5.3	Training and Documentation	58
2.6	Examples	58
2.6.1	Diameter Inspection of Rivets	59
2.6.1.1	Task	59
2.6.1.2	Specification	59
2.6.1.3	Design	60
2.6.2	Tubing Inspection	65
2.6.2.1	Task	65
2.6.2.2	Specification	65
2.6.2.3	Design	66
<b>3</b>	<b>Lighting in Machine Vision</b>	<b>73</b>
	<i>I. Jahr, Vision &amp; Control GmbH</i>	
3.1	Introduction	73
3.1.1	Prologue	73
3.1.2	The Involvement of Lighting in the Complex Machine Vision Solution	75
3.2	Demands on Machine Vision lighting	78
3.3	Light used in Machine Vision	82
3.3.1	What is Light? Axioms of Light	82
3.3.2	Light and Light Perception	84
3.3.3	Light Sources for Machine Vision	88
3.3.3.1	Incandescent Lamps / Halogen Lamps	89
3.3.3.2	Metal Vapor Lamps	91
3.3.3.3	Xenon Lamps	92
3.3.3.4	Fluorescent Lamps	93
3.3.3.5	LEDs (Light Emitting Diodes)	95
3.3.3.6	Lasers	99
3.3.4	The Light Sources in Comparison	100
3.3.5	Considerations for Light Sources: Lifetime, Aging, Drift	100
3.3.5.1	Lifetime	100
3.3.5.2	Aging and Drift	102

- 3.4 Interaction of Test Object and Light 105
  - 3.4.1 Risk Factor Test Object 105
    - 3.4.1.1 What Does the Test Object do With the Incoming Light? 106
    - 3.4.1.2 Reflection/reflectance/scattering 107
    - 3.4.1.3 Total Reflection 111
    - 3.4.1.4 Transmission/transmittance 112
    - 3.4.1.5 Absorption/absorbance 113
    - 3.4.1.6 Diffraction 114
    - 3.4.1.7 Refraction 115
  - 3.4.2 Light Color and Part Color 116
    - 3.4.2.1 Visible Light (VIS) – Monochromatic Light 116
    - 3.4.2.2 Visible Light (VIS) – White Light 118
    - 3.4.2.3 Infrared Light (IR) 119
    - 3.4.2.4 Ultraviolet Light (UV) 121
    - 3.4.2.5 Polarized Light 122
- 3.5 Basic Rules and Laws of Light Distribution 125
  - 3.5.1 Basic Physical Quantities of Light 125
  - 3.5.2 The Photometric Inverse Square Law 127
  - 3.5.3 The Constancy of Luminance 128
  - 3.5.4 What Light Arrives at the Sensor – Light Transmission Through the Lens 129
  - 3.5.5 Light Distribution of Lighting Components 131
  - 3.5.6 Contrast 134
  - 3.5.7 Exposure 136
- 3.6 Light Filters 138
  - 3.6.1 Characteristic Values of Light Filters 138
  - 3.6.2 Influences of Light Filters on the Optical Path 140
  - 3.6.3 Types of Light Filters 141
  - 3.6.4 Anti-Reflective Coatings (AR) 143
  - 3.6.5 Light Filters for Machine Vision 144
    - 3.6.5.1 UV Blocking Filter 144
    - 3.6.5.2 Daylight Suppression Filter 144
    - 3.6.5.3 IR Suppression Filter 146
    - 3.6.5.4 Neutral Filter/Neutral Density Filter/Gray Filter 146
    - 3.6.5.5 Polarization Filter 147
    - 3.6.5.6 Color Filters 148
    - 3.6.5.7 Filter Combinations 149
- 3.7 Lighting Techniques and Their Use 150
  - 3.7.1 How to Find a Suitable Lighting? 150
  - 3.7.2 Planning the Lighting Solution – Influence Factors 151
  - 3.7.3 Lighting Systematics 154
    - 3.7.3.1 Directional Properties of the Light 155

3.7.3.2	Arrangement of the Lighting	157
3.7.3.3	Properties of the Illuminated Field	158
3.7.4	The Lighting Techniques in Detail	160
3.7.4.1	Diffuse Bright Field Incident Light	160
3.7.4.2	Directed Bright Field Incident Light	162
3.7.4.3	Telecentric Bright Field Incident Light	163
3.7.4.4	Structured Bright Field Incident Light	165
3.7.4.5	Diffuse/Directed Partial Bright Field Incident Light	169
3.7.4.6	Diffuse/Directed Dark Field Incident Light	173
3.7.4.7	The Limits of the Incident Lighting	176
3.7.4.8	Diffuse Bright Field Transmitted Lighting	177
3.7.4.9	Directed Bright Field Transmitted Lighting	178
3.7.4.10	Telecentric Bright Field Transmitted Lighting	180
3.7.4.11	Diffuse/Directed Transmitted Dark Field Lighting	184
3.7.5	Combined Lighting Techniques	184
3.8	Lighting Control	186
3.8.1	Reasons for Light Control – the Environmental Industrial Conditions	186
3.8.2	Electrical Control	186
3.8.2.1	Stable Operation	186
3.8.2.2	Brightness Control	189
3.8.2.3	Temporal Control: Static-Pulse-Flash	189
3.8.2.4	Some Considerations for the Use of Flash Light	191
3.8.2.5	Temporal and Local Control: Adaptive Lighting	195
3.8.3	Geometrical Control	198
3.8.3.1	Lighting from Large Distances	198
3.8.3.2	Light Deflection	199
3.8.4	Suppression of Ambient and Extraneous Light – Measures for a Stable Lighting	200
3.9	Lighting Perspectives for the Future	201
	References	202
<b>4</b>	<b>Optical Systems in Machine Vision</b>	<b>205</b>
	<i>Dr. Karl Lenhardt, Jos. Schneider Optische Werke GmbH</i>	
4.1	A Look on the Foundations of Geometrical Optics	205
4.1.1	From Electrodynamics to the Light Rays	205
4.1.2	The Basic Laws of Geometrical Optics	208
4.2	Gaussian Optics	210
4.2.1	Reflection and Refraction at the Boundary between two Media	210
4.2.2	Linearizing the Law of Refraction – the Paraxial Approximation	212

- 4.2.3 Basic Optical Conventions 213
- 4.2.4 The Cardinal Elements of a Lens in Gaussian Optics 216
- 4.2.5 The Thin Lens Approximation 221
- 4.2.6 Beam Converging and Beam Diverging Lenses 222
- 4.2.7 Graphical Image Constructions 223
  - 4.2.7.1 Beam Converging Lenses 223
  - 4.2.7.2 Beam Diverging Lenses 224
- 4.2.8 Imaging Equations and Their Related Coordinate Systems 224
  - 4.2.8.1 Reciprocity Equation 225
  - 4.2.8.2 Newton's Equations 226
  - 4.2.8.3 General Imaging Equation 227
  - 4.2.8.4 The Axial Magnification Ratio 229
- 4.2.9 The Overlapping of Object and Image Space 229
- 4.2.10 Focal Length, Lateral Magnification and the Field of View 229
- 4.2.11 Systems of Lenses 231
- 4.2.12 Consequences of the Finite Extension of Ray Pencils 234
  - 4.2.12.1 Effects of Limitations of the Ray Pencils 234
  - 4.2.12.2 Several Limiting Openings 237
  - 4.2.12.3 Characterizing the Limits of Ray Pencils 240
  - 4.2.12.4 The Relation to the Linear Camera Model 243
- 4.2.13 Geometrical Depth of Field and Depth of Focus 244
  - 4.2.13.1 Depth of Field as a Function of the Object Distance  $p$  246
  - 4.2.13.2 Depth of Field as a Function of  $\beta$  247
  - 4.2.13.3 The Hyperfocal Distance 248
  - 4.2.13.4 The Permissible Size for the Circle of Confusion  $d'$  249
- 4.2.14 The Laws of Central Projection—Telecentric System 251
  - 4.2.14.1 An Introduction to the Laws of Perspective 251
  - 4.2.14.2 Central Projection from Infinity – Telecentric Perspective 260
- 4.3 The Wave Nature of Light 268
  - 4.3.1 Introduction 268
  - 4.3.2 The Rayleigh–Sommerfeld Diffraction Integral 269
  - 4.3.3 Further Approximations to the Huygens–Fresnel Principle 272
    - 4.3.3.1 Fresnel's Approximation 273
  - 4.3.4 The Impulse Response of an Aberration Free Optical System 275
    - 4.3.4.1 The Case of Circular Aperture, Object Point on the Optical Axis 278
  - 4.3.5 The Intensity Distribution in the Neighbourhood of the Geometrical Focus 278
  - 4.3.6 The Extension of the Point Spread Function in a Defocused Image Plane 282
  - 4.3.7 Consequences for the Depth of Field Considerations 285
- 4.4 Information Theoretical Treatment of Image Transfer and Storage 287

- 4.4.1 Physical Systems as Linear, Invariant Filters 288
- 4.4.2 The Optical Transfer Function (OTF) and the meaning of spatial frequency 296
- 4.4.3 Extension to the Two-Dimensional Case 298
- 4.4.3.1 The Interpretation of Spatial Frequency Components ( $r, s$ ) 298
- 4.4.3.2 Reduction to One-Dimensional Representations 300
- 4.4.4 Impulse Response and MTF for Semiconductor Imaging Devices 302
- 4.4.5 The Transmission Chain 304
- 4.4.6 The Aliasing Effect and the Space Variant Nature of Aliasing 305
- 4.4.6.1 The Space Variant Nature of Aliasing 312
- 4.5 Criteria for Image Quality 316
- 4.5.1 Gaussian Data 316
- 4.5.2 Overview on Aberrations of Third Order 316
- 4.5.3 Image Quality in the Space Domain: PSF, LSF, ESF and Distortion 317
- 4.5.4 Image Quality in Spatial Frequency Domain: MTF 321
- 4.5.5 Other Image Quality Parameters 323
- 4.5.5.1 Relative Illumination (Relative Irradiance) [17] 323
- 4.5.5.2 Deviation from Telecentricity (for Telecentric Lenses only) 325
- 4.5.6 Manufacturing Tolerances and Image Quality 325
- 4.6 Practical Aspects 326
- References 331

## 5 Camera Calibration 333

*R. Godding, AICON 3D Systems GmbH*

- 5.1 Introduction 333
- 5.2 Terminology 334
- 5.2.1 Camera, Camera system 334
- 5.2.2 Coordinate systems 335
- 5.2.3 Interior Orientation and Calibration 335
- 5.2.4 Exterior and Relative Orientation 335
- 5.2.5 System Calibration 336
- 5.3 Physical Effects 336
- 5.3.1 Optical System 336
- 5.3.2 Camera and Sensor Stability 336
- 5.3.3 Signal Processing and Transfer 337
- 5.4 Mathematical Calibration Model 338
- 5.4.1 Central Projection 338
- 5.4.2 Camera Model 339
- 5.4.3 Focal Length and Principal Point 340



5.4.4	Distortion and Affinity	340
5.4.5	Radial symmetrical distortion	341
5.4.6	Radial Asymmetrical and Tangential Distortion	342
5.4.7	Affinity and Nonorthogonality	343
5.4.8	Variant Camera Parameters	343
5.4.9	Sensor Flatness	345
5.4.10	Other Parameters	345
5.5	Calibration and Orientation Techniques	346
5.5.1	In the Laboratory	346
5.5.2	Using Bundle Adjustment to Determine Camera Parameters	346
5.5.2.1	Calibration based Exclusively on Image Information	347
5.5.2.2	Calibration and Orientation with Additional Object Information	349
5.5.2.3	Extended System Calibration	351
5.5.3	Other Techniques	352
5.6	Verification of Calibration Results	354
5.7	Applications	355
5.7.1	Applications with Simultaneous Calibration	355
5.7.2	Applications with precalibrated cameras	356
5.7.2.1	Tube Measurement within a Measurement Cell	356
5.7.2.2	Online Measurements in the Field of Car Safety	357
5.7.2.3	Other Applications	358
	References	358

## **6 Camera Systems in Machine Vision 361**

*Horst Mattfeldt, Allied Vision Technologies GmbH*

6.1	Camera Technology	361
6.1.1	History in Brief	361
6.1.2	Machine Vision versus Closed Circuit Television (CCTV)	362
6.2	Sensor Technologies	363
6.2.1	Spatial Differentiation: 1D and 2D	364
6.2.2	CCD Technology	364
6.2.3	Full Frame Principle	365
6.2.4	Frame Transfer Principle	366
6.2.5	Interline Transfer	366
6.2.5.1	Interlaced Scan Interline Transfer	367
6.2.5.2	Frame Readout	369
6.2.5.3	Progressive Scan Interline Transfer	370
6.3	CCD Image Artifacts	372
6.3.1	Blooming	372
6.3.2	Smear	372

- 6.4 CMOS Image Sensor 373
  - 6.4.1 Advantages of CMOS Sensors 374
  - 6.4.2 CMOS Sensor Shutter Concepts 376
    - 6.4.2.1 Comparison of CMOS versus CCD 378
    - 6.4.2.2 Integration Complexity of CDD versus CMOS Camera Technology 379
    - 6.4.2.3 Video Standards 379
    - 6.4.2.4 Sensor Sizes and Dimensions 380
    - 6.4.2.5 Sony HAD Technology 381
    - 6.4.2.6 Sony SuperHAD Technology 381
    - 6.4.2.7 Sony EXView HAD Technology 381
  - 6.5 Block Diagrams and their Description 383
    - 6.5.1 Block Diagram of a Progressive Scan Analog Camera 383
      - 6.5.1.1 CCD Read-Out Clocks 383
      - 6.5.1.2 Spectral Sensitivity 386
      - 6.5.1.3 Analog Signal Processing 387
      - 6.5.1.4 Camera and Frame Grabber 388
    - 6.5.2 Block Diagram of Color Camera with Digital Image Processing 389
      - 6.5.2.1 Bayer<sup>TM</sup> Complementary Color Filter Array 389
      - 6.5.2.2 Complementary Color Filters Spectral Sensitivity 390
      - 6.5.2.3 Generation of Color Signals 390
- 6.6 Digital Cameras 393
  - 6.6.1 Black and White Digital Cameras 393
    - 6.6.1.1 B/W Sensor and Processing 394
  - 6.6.2 Color Digital Cameras 396
    - 6.6.2.1 Analog Processing 396
    - 6.6.2.2 One-Chip Color Processing 396
    - 6.6.2.3 Analog Front End (AFE) 398
    - 6.6.2.4 One Push White Balance 399
    - 6.6.2.5 Automatic White Balance 400
    - 6.6.2.6 Manual Gain 400
    - 6.6.2.7 Auto Shutter/Gain 400
    - 6.6.2.8 A/D Conversion 400
    - 6.6.2.9 Lookup Table (LUT) and Gamma Function 401
    - 6.6.2.10 Shading Correction 402
    - 6.6.2.11 Horizontal Mirror Function 403
    - 6.6.2.12 Frame Memory and Deferred Image Transport 404
    - 6.6.2.13 Color Interpolation 404
    - 6.6.2.14 Color Correction 406
    - 6.6.2.15 RGB to YUV Conversion 406
    - 6.6.2.16 Binning versus Area of Interest (AOI) 406
- 6.7 Controlling Image Capture 407

- 6.7.1 Hardware Trigger Modes 408
- 6.7.1.1 Latency (Jitter ) Aspects 409
- 6.7.2 Pixel Data 410
- 6.7.3 Data Transmission 411
- 6.7.4 IEEE-1394 Port Pin Assignment 412
- 6.7.5 Operating the Camera 414
- 6.7.6 HiRose Jack Pin Assignment 414
- 6.7.7 Frame Rates and Bandwidth 415
- 6.8 Configuration of the Camera 418
- 6.8.1 Camera Status Register 418
- 6.9 Camera Noise<sup>1</sup> 420
- 6.9.1 Photon Noise 421
- 6.9.2 Dark Current Noise 421
- 6.9.3 Photo Response Nonuniformity (PRNU) 422
- 6.9.4 Reset Noise 422
- 6.9.5 1/f Noise (Amplifier Noise) 422
- 6.9.6 Quantization Noise 423
- 6.9.7 Noise Floor 423
- 6.9.8 Dynamic Range 423
- 6.9.9 Signal to Noise Ratio 424
- 6.10 Digital Interfaces 424
- References 426

**7 Camera Computer Interfaces 427**

*Tony Iglesias, Anita Salmon, Johann Scholtz, Robert Hedegore, Julianna Borgendale, Brent Runnels, Nathan McKimpton, National Instruments*

- 7.1 Overview 427
- 7.2 Analog Camera Buses 429
- 7.2.1 Analog Video Signal 429
- 7.2.2 Interlaced Video 430
- 7.2.3 Progressive Scan Video 431
- 7.2.4 Timing Signals 431
- 7.2.5 Analog Image Acquisition 432
- 7.2.6 S-Video 432
- 7.2.7 RGB 433
- 7.2.8 Analog Connectors 433
- 7.3 Parallel Digital Camera Buses 434
- 7.3.1 Digital Video Transmission 434
- 7.3.2 Taps 434
- 7.3.3 Differential Signaling 436
- 7.3.4 Line Scan 436

- 7.3.5 Parallel Digital Connectors 437
- 7.3.6 Camera Link 437
- 7.3.7 Camera Link Signals 439
  - 7.3.7.1 Camera Link Connectors 440
- 7.4 Standard PC Buses 440
  - 7.4.1 USB 440
    - 7.4.1.1 USB for Machine Vision 442
  - 7.4.2 IEEE 1394 (FireWire<sup>®</sup>) 442
    - 7.4.2.1 IEEE 1394 for Machine Vision 445
  - 7.4.3 Gigabit Ethernet (IEEE 802.3z) 450
    - 7.4.3.1 Gigabit Ethernet for Machine Vision 451
- 7.5 Choosing a Camera Bus 453
  - 7.5.1 Bandwidth 454
  - 7.5.2 Resolution 455
  - 7.5.3 Frame Rate 457
  - 7.5.4 Cables 457
  - 7.5.5 Line Scan 458
  - 7.5.6 Reliability 458
  - 7.5.7 Summary of Camera Bus Specifications 460
  - 7.5.8 Sample Use Cases 460
    - 7.5.8.1 Manufacturing inspection 460
    - 7.5.8.2 LCD inspection 461
    - 7.5.8.3 Security 461
- 7.6 Computer Buses 462
  - 7.6.1 ISA/EISA 462
  - 7.6.2 PCI/CompactPCI/PXI 464
  - 7.6.3 PCI-X 465
  - 7.6.4 PCI Express/CompactPCI Express/PXI Express 466
  - 7.6.5 Throughput 469
  - 7.6.6 Prevalence and Lifetime 471
  - 7.6.7 Cost 472
- 7.7 Choosing a Computer Bus 472
  - 7.7.1 Determine Throughput Requirements 472
  - 7.7.2 Applying the Throughput Requirements 474
- 7.8 Driver Software 475
  - 7.8.1 Application Programming Interface 476
  - 7.8.2 Supported Platforms 479
  - 7.8.3 Performance 479
  - 7.8.4 Utility Functions 481
  - 7.8.5 Acquisition Mode 481
    - 7.8.5.1 Snap 481
    - 7.8.5.2 Grab 482

7.8.5.3	Sequence	483
7.8.5.4	Ring	483
7.8.6	Image Representation	485
7.8.6.1	Image Representation in Memory	485
7.8.6.2	Bayer Color Encoding	489
7.8.6.3	Image Representation on Disk	491
7.8.7	Image Display	492
7.8.7.1	Understanding Display Modes	492
7.8.7.2	Palettes	494
7.8.7.3	Nondestructive Overlays	494
7.9	Features of a Machine Vision System	495
7.9.1	Image Reconstruction	496
7.9.2	Timing and Triggering	497
7.9.3	Memory Handling	500
7.9.4	Additional Features	502
7.9.4.1	Look-up Tables	502
7.9.4.2	Region of Interest	504
7.9.4.3	Color Space Conversion	505
7.9.4.4	Shading Correction	507
7.9.5	Summary	508

## **8 Machine Vision Algorithms 511**

*Dr. Carsten Steger, MVTEC Software GmbH*

8.1	Fundamental Data Structures	511
8.1.1	Images	511
8.1.2	Regions	513
8.1.3	Subpixel-Precise Contours	515
8.2	Image Enhancement	516
8.2.1	Gray Value Transformations	516
8.2.2	Radiometric Calibration	519
8.2.3	Image Smoothing	525
8.3	Geometric Transformations	536
8.3.1	Affine Transformations	537
8.3.2	Projective Transformations	538
8.3.3	Image Transformations	539
8.3.4	Polar Transformations	544
8.4	Image Segmentation	544
8.4.1	Thresholding	545
8.4.2	Extraction of Connected Components	551
8.4.3	Subpixel-Precise Thresholding	553
8.5	Feature Extraction	555

- 8.5.1 Region Features 556
- 8.5.2 Gray Value Features 560
- 8.5.3 Contour Features 565
- 8.6 Morphology 566
  - 8.6.1 Region Morphology 566
  - 8.6.2 Gray Value Morphology 583
- 8.7 Edge Extraction 587
  - 8.7.1 Definition of Edges in 1D and 2D 587
  - 8.7.2 1D Edge Extraction 591
  - 8.7.3 2D Edge Extraction 597
  - 8.7.4 Accuracy of Edges 605
- 8.8 Segmentation and Fitting of Geometric Primitives 612
  - 8.8.1 Fitting Lines 613
  - 8.8.2 Fitting Circles 617
  - 8.8.3 Fitting Ellipses 619
  - 8.8.4 Segmentation of Contours into Lines, Circles, and Ellipses 620
- 8.9 Template Matching 624
  - 8.9.1 Gray-Value-Based Template Matching 626
  - 8.9.2 Matching Using Image Pyramids 632
  - 8.9.3 Subpixel-Accurate Gray-Value-Based Matching 636
  - 8.9.4 Template Matching with Rotations and Scalings 637
  - 8.9.5 Robust Template Matching 638
- 8.10 Stereo Reconstruction 653
  - 8.10.1 Stereo Geometry 654
  - 8.10.2 Stereo Matching 662
- 8.11 Optical Character Recognition 666
  - 8.11.1 Character Segmentation 667
  - 8.11.2 Feature Extraction 669
  - 8.11.3 Classification 672
- References 688

## 9 Machine Vision in Manufacturing 693

*Dr.-Ing. Peter Waszkewitz, Robert Bosch GmbH*

- 9.1 Introduction 693
- 9.2 Application Categories 694
  - 9.2.1 Types of Tasks 694
  - 9.2.2 Types of Production 696
    - 9.2.2.1 Discrete Unit Production Versus Continuous Flow 697
  - 9.2.3 Types of Evaluations 698
  - 9.2.4 Value-Adding Machine Vision 699
- 9.3 System Categories 700

9.3.1	Common Types of Systems	700
9.3.2	Sensors	701
9.3.3	Vision Sensors	702
9.3.4	Compact Systems	703
9.3.5	Vision Controllers	704
9.3.6	PC-Based Systems	704
9.3.7	Summary	707
9.4	Integration and Interfaces	708
9.5	Mechanical Interfaces	710
9.5.1	Dimensions and Fixation	711
9.5.2	Working Distances	711
9.5.3	Position Tolerances	712
9.5.4	Forced Constraints	713
9.5.5	Additional Sensor Requirements	713
9.5.6	Additional Motion Requirements	714
9.5.7	Environmental Conditions	715
9.5.8	Reproducibility	716
9.5.9	Gauge Capability	718
9.6	Electrical Interfaces	720
9.6.1	Wiring and Movement	721
9.6.2	Power Supply	721
9.6.3	Internal Data Connections	722
9.6.4	External Data Connections	724
9.7	Information Interfaces	725
9.7.1	Interfaces and Standardization	725
9.7.2	Traceability	726
9.7.3	Types of Data and Data Transport	727
9.7.4	Control Signals	727
9.7.5	Result and Parameter Data	728
9.7.6	Mass Data	729
9.7.7	Digital I/O	729
9.7.8	Field Bus	730
9.7.9	Serial Interfaces	730
9.7.10	Network	731
9.7.11	Files	732
9.7.12	Time and Integrity Considerations	732
9.8	Temporal Interfaces	734
9.8.1	Discrete Motion Production	735
9.8.2	Continuous Motion Production	737
9.8.3	Line-Scan Processing	740
9.9	Human–Machine Interfaces	743
9.9.1	Interfaces for Engineering Vision Systems	743

9.9.2	Runtime Interface	745
9.9.3	Remote Maintenance	749
9.9.4	Offline Setup	750
9.10	Industrial Case Studies	752
9.10.1	Glue Check under UV Light	752
9.10.1.1	Solution	752
9.10.2	Completeness Check	754
9.10.3	Multiple Position and Completeness Check	757
9.10.4	Pin Type Verification	760
9.10.5	Robot Guidance	763
9.10.6	Type and Result Data Management	766
9.11	Constraints and Conditions	769
9.11.1	Inspection Task Requirements	769
9.11.2	Circumstantial Requirements	770
9.11.3	Limits and Prospects	773
	References	775
	Index	781