

HARDY–LITTLEWOOD MAXIMAL OPERATOR ON $L^{p(x)}(\mathbb{R})$

ALEŠ NEKVINDA

Abstract. We consider Hardy–Littlewood maximal operator on the general Lebesgue space $L^{p(x)}(\mathbb{R}^n)$ with variable exponent. A sufficient condition on the function p is known for the boundedness of the maximal operator on $L^{p(x)}(\Omega)$ with an open bounded Ω . Our main aim is to find an additional condition to p to guarantee the boundedness of the maximal operator on $L^{p(x)}(\mathbb{R}^n)$. From this point of view we put an emphasis on the behavior of functions p near the infinity. We find a sufficient condition on p such that the maximal operator is bounded on $L^{p(x)}(\mathbb{R}^n)$. We also construct a function p for which the maximal operator is unbounded.

Mathematics subject classification (2000): 46E30, 26D15.

Key words and phrases: maximal operator, Banach function space, Lebesgue spaces, variable exponent.

REFERENCES

- [1] C. BENNET, R. SHARPLEY, *Interpolations of operators*, Pure and Apl. Math., **129**, Academic Press, New York, 1988
- [2] L. DIENING, *Maximal function on Generalised Lebesgue Spaces $L^{p(\cdot)}$* University of Freiburg, preprint, 2002, 2000
- [3] D. E. EDMUNDS, J. LANG, A. NEKVINDA, *On $L^{p(x)}$ norms*, Proc. R. Soc. Lond. A **455**, 1999, 219–225
- [4] D. E. EDMUNDS, A. NEKVINDA, *Averaging operators on $\ell^{\{p_n\}}$ and $L^{p(x)}$* , Math. Inequal. Appl., to appear
- [5] D. E. EDMUNDS, J. RÁKOSNÍK, *Density of smooth functions in $W^{k,p(x)}(\Omega)$* , Proc. Royal Soc. London A, **437**, 1993, 153–167
- [6] D. E. EDMUNDS, J. RÁKOSNÍK, *Sobolev embeddings with variable exponent*, Studia Math. **143**, 2000, 267–293
- [7] E. HEWITT, K. STROMBERG, *Real and Abstract Analysis*, Springer-Verlag Berlin Heidelberg New York, 1965
- [8] O. KOVÁČIK, J. RÁKOSNÍK, *On spaces $L^{p(x)}$ and $W^{k,p(x)}$* , Czech. Math. J., **41**, 1996, 167–177
- [9] A. NEKVINDA, *Equivalence of $\ell^{\{p_n\}}$ norms and shift operators*, Math. Inequal. Appl. **5**, 4, 2002, 711–724
- [10] L. PICK, M. RUŽIČKA, *An example of a space $L^{p(x)}$ on which the Hardy–Littlewood maximal operator is not bounded*, Expositiones Mathematicae **19**, 2001, 369–371
- [11] M. RUŽIČKA, *Electrorheological fluids: mathematical modelling and existence theory*, Habilitationsschrift, Universität Bonn (1998)
- [12] M. RUŽIČKA, *Flow of shear dependent electrorheological fluids*, C. R. Acad. Sci. Paris Série, **I 329**, 1999, 393–398
- [13] S. G. SAMKO, *The density of $C_0^\infty(\mathbb{R}^n)$ in generalized Sobolev spaces $W^{m,p(x)}(\mathbb{R}^n)$* , Soviet Math. Doklady, **60**, 1999, 382–385