

CHALMERS



Head-Up Display for Enhanced User Experience

Infotainment designed around you

Master of Science Thesis in Interaction Design and Technologies

ALEXANDER BOSTRÖM
FREDRIK RAMSTRÖM

Department of Applied Information Technology
CHALMERS UNIVERSITY OF TECHNOLOGY
Gothenburg, Sweden, 2014
Report No. 2014:015
ISSN: 1651-4769

Head-Up Display for Enhanced User Experience

ALEXANDER BOSTRÖM
FREDRIK RAMSTRÖM

© ALEXANDER BOSTRÖM, April 2014

© FREDRIK RAMSTRÖM, April 2014

Examiner: STAFFAN BJÖRK

Report No. 2014:015

ISSN: 1651-4769

Chalmers University of Technology
Department of Applied Information Technology
SE-412 96 Gothenburg
Sweden

Telephone +46 (0)31-772 1000

Abstract

With increased global information consumption, drivers are expecting better user experience for information handling whilst driving and car manufacturers are therefore offering more exciting technologies such as the head-up display (HUD). The aim of the study is to find enhancements of the user experience for HUD in vehicles. This has been done by building a working HUD graphical user interface (GUI) prototype with the Qt framework from requirements gathered from interviews, focus groups and competitor analysis. The prototype was field tested in a Volvo XC90 which gave rise to a concept for how to increase the user experience for HUD. The results from the evaluation of the prototype confirms that the user experience can be enhanced with a more modern interaction, focus on usability and functionality, and by keeping the information amount at a modest level while the driver focuses on the road. The conclusion is that enhancing the HUD will enhance the overall user experience allowing the driver to minimize the perceived inattention, secondary tasks and gain better situational awareness. This is achieved by moving functionality to the HUD from the other information sources within the vehicle and by displaying the information with design adapted to the HUD. The prototype has received great feedback from key stakeholders both internally and externally. The next step is to perform longer tests and in addition to develop functionality to find the perfect balance between information visualization and safety.

KEYWORDS: head-up display, HUD, head-up display in vehicle, inattention, secondary tasks, situational awareness, prototype, information visualization.

Abbreviations

CSD Center Stack Display

DIM Driver Information Module

HDD Head-Down Display

HMI Human-Machine Interaction

HUD Head-Up Display

GUI Graphical User Interface

QML Qt Meta Language

SA Situational Awareness

UX User Experience

Table of Contents

1. Introduction	1
1.1 Aim of the Study	2
1.2 Limitations	2
2. Background	3
2.1 Head-Up Display	3
2.2 Driver Information Module	4
2.3 Center Stack Display	5
2.4 User Experience	6
2.5 Active Safety	7
2.6 Situational Awareness	7
2.7 Driver Inattention & Driver Distraction	8
2.8 Secondary Task	8
3. Technical Description & Theory	10
3.1 Qt Framework	10
<i>3.1.1 Volvo HMI 2.0</i>	<i>11</i>
3.2 Test Vehicle	12
<i>3.2.1 The Head-Up Display</i>	<i>13</i>
<i>3.2.2 Input Device</i>	<i>13</i>
3.3 Driving Simulator	14
4. Methodology	16
4.1 Literature Study	16
4.2 Competitor Analysis	16
4.3 User Interviews	16
4.4 Focus Group	17
4.5 Group Brainstorming	17
4.6 Use Cases and User Stories	17
4.7 Prototypes	18
4.8 Wireframes	18
4.9 Mock-Ups	18
4.10 User Testing	19
<i>4.10.1 Observation</i>	<i>19</i>
4.11 Scrum	19
<i>4.11.1 Scrum Team and Roles</i>	<i>19</i>
<i>4.11.2 Sprint</i>	<i>19</i>
<i>4.11.3 Daily Scrum</i>	<i>20</i>

4.11.4 Sprint Review.....	20
4.11.5 Product Backlog.....	20
4.11.6 Sprint Backlog.....	20
4.11.7 Increment	20
5. Planning	21
6. Execution	22
6.1 Research	22
6.1.1 Literature Study.....	22
6.1.2 Competitor Analysis	22
6.1.3 Interview: Drivers Future Desires.....	23
6.1.4 User Interview	24
6.2 Ideation.....	25
6.2.1 Brainstorming	25
6.2.2 User Stories	26
6.2.3 Focus Groups	27
6.3 Concept Generation & Design	28
6.3.1 Sketching.....	28
6.3.2 Wireframes	28
6.3.3 Graphical Mock-Ups.....	29
6.4 Prototyping	30
6.4.1 Graphical Mock-Ups.....	30
6.4.2 Qt Prototype.....	31
6.5 Testing & Evaluation	33
7. Result.....	34
7.1 Evaluation of Qt HUD Prototype.....	34
7.2 Qt HUD Prototype.....	38
7.2.1 Modes.....	38
7.2.2 Interaction.....	41
7.2.3 Side Bar	42
7.2.4 Applications & Features	43
7.2.4.1 Navigation	43
7.2.4.2 Music Player	44
7.2.4.3 Voice Communication	46
7.2.4.4 Text Communication.....	47
7.2.4.5 Weather and Road Information	48
7.2.4.6 Features.....	49
7.3 HUD Enhancement Concept	50
7.3.1 Recommendations for designing a HUD.....	51
8. Discussion.....	52
8.1 Method Discussion	52

8.2 Result Discussion	55
8.3 Future Work	57
9. Conclusion	58
References	59

Appendix A. Competitive Analysis

Appendix B. User Interview: Enhancements for HUD

Appendix C. Brainstorming

Appendix D. Interview: Drivers Future Desires

Appendix E. Focus Group

Appendix F. Wireframes

Appendix G. Graphical Mock-ups

Appendix H. Use Cases & User Stories

Appendix I. User Testing

Appendix J. Qt Prototype

Acknowledgement

During the project many people helped in different ways. From Chalmers we had Morten Fjeld as our tutor and mentor. From Volvo we would like to thank our supervisor Isabell Oskarsson for her motivation and guidance, together with Claes Edgren and Patrik Palo for their support and extensive knowledge within the subject of HMI, interaction design and automobiles. We would like to thank Ingrid Pettersson, Ebba Lindblom, Jonathan Ström and Anders Larsson for their assistance together with the ones participating in the focus groups and interviews. And finally a big thanks to all our dedicated fearless test drivers, without you we could not had succeeded.

- Alexander Boström & Fredrik Ramström, Gothenburg, Mars 2014

1. Introduction

In year 2012, 1.2 million vehicles worldwide were equipped with head-up display (HUD) and the world market will according to IHS Automotive forecast expand to 9.1 million vehicles in year 2020. With an expected growth of 758 percent in the next 8 years (IHS iSuppli, 2013) will put a great demand on the car manufacturers to supply new technical solutions and functionality together with new ways of user interaction and design of user interfaces to maintain competitiveness and be at the forefront of technology development.

Although HUD was first introduced in cars in the 80s (Chris, 2010) has the functionality offered to the customer not evolved much since then. The user experience is mainly based on moving existing functionality from the DIM to the HUD without adding any extra features, content or graphical solution to the head-up interface. E.g. the top seventeen car manufacturers with models with HUD are displaying the vehicle speed in the HUD as a digit and the navigation is exclusively visualized with a basic arrow, see appendix A.

There are several different HUDs on the market today with different technical solutions that offers different user experiences to the end customer. From high-tech solutions with the HUD projected 2 - 2.5 meters ahead of the driver (Scoltock, 2011), to low-tech solutions where the HUD is projected on a glass/plastic screen inside the car or on the windshield. It is only in recent years as manufacturers have realized that they could create a better user experience for HUD by taking advantage of the recent technical evolution within electronics and offer better solutions to their customers.

There is a great demand of a HUD that enhances the user experience with new ways of displaying and visualizing information without causing inattention or lowering the driver awareness, see appendix D. By accumulating the information stored in the CSD and the DIM, the HUD could take advantage of the active safety systems and minimize the risks when performing secondary tasks while driving (e.g. reading text communication).

The goal of the master thesis is to create a graphical user interface for a HUD that enhances the user experience and can be implemented in a working HUD prototype that will be demonstrated in a fully operational test vehicle. Together with the prototype will also concept guidelines be presented, unfolding how to enhance the user experience for HUD. Furthermore, these ideas and solutions should be aesthetically pleasing, have a functional benefit and help to strengthen the Volvo brand "*designed around you*".

1.1 Aim of the Study

The aim of the study is to utilize existing technology in combination of introducing new ways of interaction and interface visualization to increase the UX in the HUD. The research question this master thesis aims to answer:

“How to increase user experience for HUDs in cars with existing technology?”

1.2 Limitations

The prototype should not depend on expensive hardware or major changes to the car’s architecture, but instead utilize existing technology in a new and creative way, to secure implementation of ideas and solutions in future vehicles. To further limit the scope of the project the concept and prototype will involve the HUD and exclude the user interaction with the CSD and DIM but the project will take advantage of existing functionality in both CSD and DIM.

Clinical testing of inattention, secondary task and situational awareness while using the HUD prototype have not been taken into consideration due to both technical limitations, insufficient resources within the project and explicit focus on infotainment aspect of user experience in HUD and therefor will only the perceived experience of inattention, secondary task and situational awareness be taken into consideration. The working prototype functionality will focus on infotainment and information visualization, and will thereby not take active safety functionality into bigger consideration.

2. Background

Head-up displays have been around since the middle of the 20th century and have primarily been featured in airplanes (Popular Mechanics, 1955). A few attempts to put it in cars have been made, but it is only recently that several major car brands have put it in production models. Therefore it is important to explore how it collaborates with other displays in a car as well other aspects such as active safety, situational awareness, inattention, secondary tasks and what this thesis aims to explore, user experience.

2.1 Head-Up Display

The head-up display (HUD) is a display projected on the windscreen or on a transparent screen in front of the windscreen and gives a feeling of a secondary layer on top of reality, see figure 1. Airplanes have had it for over 60 years (Popular Mechanics, 1955) and the concept of HUD is used daily by pilots in commercial aircrafts such as in the Airbus A380. The display offers crucial information during takeoff and landing while the pilot can have situational awareness and can thereby focus on the primary task in all weather conditions (Airbus, 2007). Already in 1969 did the Bureau of Public Roads of the U.S. Department of Transportation vehicle tests with a HUD that was illuminated on a windscreen. The HUD was tested for navigation by displaying directional arrows and text, and had a maximum of 16 different predefined views (Car head-up display, 1969). The first car on the market with a HUD was the Oldsmobile Cutlass Supreme in year 1988 but unfortunately was the HUD not a big commercial success (Chis, 2010). Since a few years back due to technological advances HUDs have once again been something that more and more car manufacturers are offering their customers. With better HUD technology it has been possible to display advanced information and animations making it an extension of the DIM (Weinberg, Harsham & Medenica, 2011). In the same time the cost been decreased from staggering \$100 000 for a HUD in an aircraft to around \$1000 in a modern car (Stanton, 2014).



Figure 1. Illustration of HUD in vehicle (grey area)

There are different types of projectors that generate the HUD picture on the windshield. The most common ones are cathode-ray tubes (CRT), liquid-crystal displays (LCD), light-emitting diode (LED) and plasma displays (PD). A computer is then supplying the projector with a signal and an optical collimator that prevents parallax error from the emitted light from the projector. Unfortunately the collimator does limit the view angle of the projected image preventing anyone else except the driver and in some extent the passenger behind the driver to see the HUD. The benefit of the collimator is that it allows the driver to see the HUD without refocusing on the projected image while looking at the same direction as the HUD. Beyond using a projector to generate an image are the technology of using optical waveguides and scanning laser beams that are expected to be the future solutions for better HUD performance (Stanton, 2014).

2.2 Driver Information Module

The driver information module (DIM) is a head-down display (HDD) and is the main area in modern cars for displaying driving related information. It is also commonly called instrument cluster and is a part of the car's dashboard. It is located behind the steering wheel in front of the driver, see figure 2, to provide easy access to information through short glances. Some information displayed in the DIM is mandatory by law, such as speedometer, fuel and turn signals (Olaverri-Monreal et al, 2013). Traditionally the DIM has been mainly analog with several gauges, two larger for displaying speed and revolutions per minute (RPM) but it also contains smaller gauges for fuel and heat and an area for warning messages. With technological advances the analog gauges has been replaced either partially or completely with digital displays

(Howard, 2012). With digital displays replacing the physical gauges, different ways of displaying information have been introduced, especially the possibility to have dynamic information visualization depending on the importance in certain situations. Although gauges have often been kept in digital form for information such as speed. It is usually controlled with buttons on the steering wheel and/or levers around the steering wheel.



Figure 2. Illustration of DIM in vehicle (grey area)

2.3 Center Stack Display

The center stack display (CSD) is the display placed in the center of the instrument panel between the driver and the passenger seat, see figure 3, in other words, it is placed in the center stack. The center stack usually has non-driving related information and controls. This includes features such as the climate and media system of the car. E.g. all new Volvo's of model year of 2014 with Volvo Sensus Connected Touch have the following features in the CSD; car phone and mobile phone integration, navigation system, radio, TV, web browser, online music, internet sharing and individual applications (Volvo Car Corporation, 2013b). The input part of the instrument panel has usually consisted of physical controls and with haptic feedback. As with the DIM with technological advances it has been replaced partially with a digital display, which is controlled either with separate physical controls or with a touch interface. With a display in the center stack many new possibilities have been introduced and with dynamic information more features can be added. It has also made it possible to add more sensors to cars such as reversing camera and night vision. With each new generation has the screen been made bigger, and it is not

unlikely that it will replace all the previous controls in the center stack as seen in many concept cars (Private Fleet, 2013) and even some production cars. The CSD is also included in the HDD family together with the DIM.



Figure 3. Illustration of CSD in vehicle (grey area)

2.4 User Experience

User Experience (UX) is about a user's behavior, emotions and attitudes towards a particular product. This involves the entire experience of the interaction with the product (Nielsen & Norman, 2013). Therefore it is also important to distinguish between the complete UX and UX towards a particular area of a product. A user using the CSD of a car will not only experience the interaction with the CSD but also the underlying information and their attitude towards the car company will also affect the UX. Since UX is based on individuals' perspective of a certain product it can be seen as very subjective. UX should not be mixed up with usability. Usability is the quality of the attributes of a product whereas UX covers a much larger area. It is also constantly changing due to circumstances and changes to the product and its uses. User experience (UX) as defined by the ISO 9241-210 standards:

“2.15. User experience: person's perceptions and responses resulting from the use and/or anticipated use of a product, system or service”

(International Organization for Standardization, 2010)

Information architecture is a good way to explain UX since there is a interface, system or

product available i.e. content. The content need to be set into a context, and there is a user interacting with the content in the context. In the center of the three rings is the sweet spot, see figure 4 (Morville, 2004).




Figure 4. Information architecture and the sweet spot

Thereby when designing for user experience in vehicles one need to take into account how to get the user to accept the information system by designing a useful and appealing interface with high usability especially once the vehicle becomes an extension of both the home and the office (Boehm-Davis et al, 2003).

2.5 Active Safety

Active safety in cars is a term that usually refers to systems that help avoid accidents. This is used to mean features such as good view from the driver's seat and effective brakes. Nowadays with technological advances it has expanded to also include systems that help the driver by analyzing the cars state. This means that features like collision warning/avoidance (e.g. blind spot warning or pedestrian warning), active driving assistant and adaptive cruise control etc. are big part of active safety (Volvo Cars, 2013). The similarity with all active safety system is that they activate in response to a possible safety issue, in comparison to passive safety such as seatbelts and airbags that are always present.

2.6 Situational Awareness

Situational awareness (SA) is the perception of one's environment and the elements in said environment. Endsley (1995) divides SA into three main parts. The first is the "*Perception of Elements in the Environment*". This is to perceive the relevant elements of the environment. When driving, relevant elements would be other cars, the road, traffic signs, warning lights and driving information on the instrument panel as well as their current status. The second part is "*Comprehension of the Current Situation*". This is based on the elements of the first part but

goes beyond SA to understand their relevance to current situation in relation to the subject's goals. The driver of a car needs to understand the status of the car when certain warning lights are lit or appropriate speed according to the traffic situation. The third and final part of SA according to Endsley (1995) is "*Projection of Future Status*". This is the highest level of SA and is the ability to predict future behavior, at least short term, of elements in one's surroundings. This is done by combining the first two parts of SA. All these levels combined is SA and since it is affected by elements and their complexity in the subjects surrounding it is critical when for example driving a car to not have too many unnecessary elements in the that will impair the SA of a driver.

2.7 Driver Inattention & Driver Distraction

Inattention and driver distraction is one of the main reasons for accidents. According to Regan, Lee & Young (2008) estimations are that 23 % or more of all accidents are caused by inattention. There are several definitions of driver inattention, but they all tend to tell the same story. Craft & Preslopsky (2009) refers to driver inattention as "*when the driver's mind has wandered from the driving task for some non-compelling reason. In this circumstance the driver is typically focusing on internal thoughts (i.e. daydreaming, problem solving, worrying about family problems, etc.) and not focusing attention on the driving task*". That implies that the driver is not focusing on the primary task and thereby neglecting the task of focusing on driving. Treat (1980) on the other hand is describing driver inattention as "*whenever a driver is delayed in the recognition of information needed to safely accomplish the driving task, because of having chosen to direct his attention elsewhere for some non-compelling reason*". Inattention can thereby be seen as when the driver is not focused on the driving and distracted by internal events, external events or thoughts.

2.8 Secondary Task

Many drivers are performing secondary task while driving that affect the focus on the primary task, see figure 5. Common secondary tasks that drivers are executing while driving are; eating and drinking, smoking, adjusting clothing, adjusting integrated car related equipment (e.g. back mirrors, heating or navigation), adjusting non-integrated devices (cell phone, mp3 player), interaction with passengers, focusing on something outside of the vehicle, interacting with things inside the car (e.g. reading, writing, cleaning and searching) and self-initiated tasks (monologues, daydreaming and singing) (Huemer & Vollrath, 2011).



Figure 5. Driver performing secondary tasks while driving

3. Technical Description & Theory

Technical description explains the technical platform used for development of the working prototype and is divided into three sections. In the first section, Qt Framework is explained, the second section is the technical setup of the test vehicle described and in the last section explains the setup of the driving simulator.

3.1 Qt Framework

Qt (pronounced “*cute*”) is a user interface framework for different platforms, created in C++ by the telecommunications equipment company Nokia and was sold to the finish company Digia Plc in year 2012. Qt facilitates the development of working prototypes and offers a toolkit to easy create new applications to test the user experience in an early stage of a project. Qt project is today developed by the engineers at Digia together with the open community (Qt Digia, 2013).

The Qt Creator tool, see figure 6, is integrated with a code editor that can be used with QML, JavaScript and C++. It also includes a design tool with a visual canvas for creating user interfaces. It does not provide its own compiler but instead uses an external compiler such as Microsoft Visual Studio.




Figure 6. Snapshot of Qt Creator 2.8.1, Qt Quick 5.1

Qt Modeling Language (QML) is a JavaScript declarative language that allows the developer to create objects from custom and predefined object types with properties, e.g. rectangle with the properties width, height and color (Qt Project, 2013). It is mainly used for user interface based

applications and is a part of Qt Quick. QML itself does not provide any rendering engine but this is provided by Qt Quick.

A simple declaration of blue rectangle in QML with 200x200 pixel dimensions:

```
Rectangle {  
    id: rectangle  
    width: 200  
    height: 200  
    color: "#0000ff"  
}
```

An animation of the rectangle above that increases its scale by 50 % over 1000 ms:

```
PropertyAnimation {  
    target: rectangle  
    property: "scale"  
    from: 1  
    to: 1.5  
    duration: 1000  
}
```

3.1.1 Volvo HMI 2.0

The HUD prototype software was designed and developed in Qt Quick and utilized existing structure within the Volvo HMI 2.0 project that included support for DIM, HUD and CSD. Among the three devices were the DIM and HUD connected to each other and the CSD was a separate device. The DIM and HUD was controlled via the steering wheel, while the CSD was controlled via touch controls. The existing project structure included a working connection with the steering wheel, see chapter 3.2.2 for further information. Once a button was pressed on the steering wheel, a signal was sent to EasyCAN, see figure 7. EasyCAN, designed by Volvo, process the controller area network (CAN) signal through transmission control protocol (TCP) and forward the signal to the Mosquito Server (open source library designed for TCP/IP messages). The Mosquito Client then receives, publishes or subscribes to the broadcasted signal from the Mosquito Server. In the last step the Mosquito Client forwards the signal to the HUD. The existing HUD project also had two algorithms; the first one for adjusting the projected image for the curvature of the windshield, without the algorithm became the picture warped and the other algorithm straightens the image due to collimation errors (Volvo Car Corporation, 2013a).




Figure 7. Signal input process (from steering wheel to HUD)

3.2 Test Vehicle

The test vehicle, was a XC90 with a modified dashboard, see figure 8. The DIM was replaced with large high-resolution LCD-display, prototype software and the CSD was represented with an even larger tablet-screen with touch input, mounted on a plate over the center stack, which made climate and media systems of the car inaccessible. The actual DIM of the car was placed in the glove compartment of car, to be able to still have access to all car related information, since only the speed was available on the prototype DIM. The test vehicle was also equipped with a fully functional HUD. In the trunk of the car was the central control point that consisted of a computer that was connected both to the DIM and HUD as extended displays. The car was also fitted with extra batteries to handle the increased consumption of power.



Figure 8. Volvo XC90 test vehicle equipped with HUD

3.2.1 The Head-Up Display

The HUD is mounted in front of the driver between the windshield and the DIM. It has a resolution of 480x320 pixels (width, height) with adjustable height settings (to suit all users) and brightness settings. It is perceived as floating in the air two meters in front of the car on the driver's side and has the same size of a 10 inch tablet device, see figure 9. It consists of several components that together make it possible to project an image in front of the driver. A LCD-display is projecting an image on a mirror that reflects the image on the windscreen. The image is thereby overlaying the surroundings and creating an extra layer of information.




Figure 9. Volvo XC90 test vehicle HUD compared to A4 paper (210mm x 297mm)

3.2.2 Input Device

The input was handled from the steering wheel. It had two button sets attached, one on each side, where the one on the right-hand side was used to handle inputs to the HUD. It was a total of six buttons dedicated for the HUD, four arrow keys, up, down, left, right, in a diamond shape, with a button in the middle and the sixth button down to the left, see figure 10. The input signals were connected to the test vehicles CAN-bus-system. The button set was not made for this steering wheel, and were therefore loosely attached to the steering wheel. Due to the implementation of the input device, only simple presses of buttons were registered, which made long press and

release actions not possible to test with the current hardware.



Figure 10. Input control for Volvo XC90 test vehicle

3.3 Driving Simulator

The driving simulator consisted of a demounted and rebuilt car chassis surrounded by a concave big screen projector. It was connected with hardware and software to simulate a real driving experience in a controlled and safe environment, see figure 11. It allowed testing of different scenarios in a repetitive and scientific environment (e.g. weather conditions and traffic situations). It had the same technology as the test vehicle but lacked an integrated HUD. A HUD was added to the simulator by connecting an additional projector that projected a secondary image on top of the first image. Therefore there were no built in support for using the buttons on the steering wheel to control the HUD. The simulator only supported input signals to the DIM from the steering wheel and touch and gestures to the CSD. The simulation was very realistic when it came to graphics but because of absence of simulation of acceleration, deceleration and g-forces, it led to an increased risk of motion sickness for the driver and passenger.



Figure 11. Volvo driving simulator

4. Methodology

Through the project, a number of methods have been used to standardize the execution, as well as optimize and streamline the process. The methods were used continuously throughout the project at various stages and served as the backbone of the process.

4.1 Literature Study

A literature study is a very important step of a research process. It is usually the first step in a research process after identifying the topic of interest. It also serves to demonstrate one's understanding of the topic as well as relevant works others have performed (Reed, 1998). Doing a literature review can give an overview of the research area, reveal work that has already been done, to not cause any unnecessary work along with several more benefits (Knopf, 2006). The literature study will cover the current research in the field regarding previous research, requirements, functions and needs and will give an understanding of the basic requirements such as laws, technical limitations, physical limitations and relevant overall knowledge about what is important when designing an interface for vehicles (Visocky O'Grady, 2006).

4.2 Competitor Analysis

A competitor analysis is important when developing a product and can be used for generating ideas to add to your own. It is often used to determine who the competitors are, their products and visions offered to the market, in the same time as finding the strengths and weaknesses of the competitors. It can also be important to discover the key elements for success in the market of interest. Competitor analysis also reveals the objectives and strategies of the competitors which can help predict what the market will look like in the future (Knowles, 2002). There are many methods that can be used and one of the most prominent is the SWOT Analysis (strengths, weaknesses, opportunities and threats) that is well suited for non-recurring analysis (Coman & Ronen, 2009).

4.3 User Interviews

User interviews are a way of asking potential users of what they want and what they think of a certain product. There are usually considered four types of interview techniques. Unstructured, were the interviewee is talking freely about the subject. Structured is when the interviewer leads the interview with predefined questions. Semi-structured are a combination of the two before and group interviews are done with a small group and an interview leader. Depending on the situation and the goal of the interview, the best suited interview technique should be used (Preece, Rogers & Sharp, 2002). User Interviews are between 30 to 60 minutes long. It will give a great understanding of how the interviewee thinks and the results can be taken into consideration in the concept and design-phase (U.S. Dept. of Health and Human Services, 2006).

4.4 Focus Group

The focus group is an established research method with focus on the research interest. Focus groups are interviews with a larger group of people at the same time. They are controlled by a moderator who guides the discussion with the participants. In focus groups, the data collected, is everything the participants say during the interview. Before the focus group session can be hold, one need to plan the session by e.g. writing down a script or discussion questions. One also needs to recruit participants with enough knowledge in the field to participate in a discussion. The group often consists of 6 - 8 participants, but there are examples of as few as 4 and as many as 12 participants. The moderator is often a trained professional but that is not a requirement. As a data gathering method, focus groups are a qualitative research method. This means that the data gathered will give a deep understanding of the participants' experiences and viewpoints. Focus groups can be useful in four different stages in a project that focus on academic research:

- Assessment - mainly used to evaluate finished project to get a greater knowledge of the results
- Implementation - used to evaluate the implementation by collecting data
- Planning - used to get input from participants regarding the research design
- Problem Identification - used in the early stage of the project to generate the research question

The results from the focus group are then compiled in a focus group report which then can be used as a basis for the study (Morgan, 1997).

4.5 Group Brainstorming

Brainstorming is when an individual or a group tries to find ideas and solutions to problems. There are many different brainstorming technique methods (e.g. Time Travel, Gap Filling, Brain Writing and Group Ideation) which each has their different uses (Celestine, 2009). Chauncey Wilson (2013) suggests that the brainstorming group should consist of three to ten participants. Participants should ideally have different backgrounds to ensure a breadth of ideas and different approaches to the topic. The group should also be well informed of the topic or problem that they are expected to brainstorm around, to ensure that the generated ideas or solutions are in the right direction. One must also remain neutral to the ideas the group comes forward to during the session in order not to hamper the group's creative abilities. The session is ended with a discussion around the ideas generated to get feedback and find the best ideas (Wilson, 2013).

4.6 Use Cases and User Stories

Use cases define different user goals in detail. This is performed by identifying every step the user needs to perform to accomplish the initial goal. Each use case consists of a title that summarizes what the use case is about, the actors involved, the complete scope, level of importance/priority and a story of how to implement the use case (Cockburn, 2001). User stories are included within use cases. The story is used to ensure that all involved stakeholders are

working towards the same goal, and then the story must be sufficiently detailed so that no misunderstanding may arise. By having these stories, it simplifies the testing of the functionality once it is developed (Cohn, 2004).

4.7 Prototypes

Low-fidelity prototyping is used to in a fast and quick way test a new design or concept without investing too much time and resources in the development (Egger, 2000). Paper prototyping is a low-fidelity prototyping method where mainly paper, post-its, glue and pens are used to create a prototype. The great advantage with using paper prototypes is the shifts of focus from the details to the user interaction between the prototype and the intended user (Klee, 2000).

High-fidelity prototyping is used to create a user interface with more details and functionality (e.g. create the prototype with a tool like Adobe Photoshop together with HTML) to ensure that it more resembles the intended finished product. A high-fidelity prototype requires time and resources and is best used after the initial design or concept has been tested with a low-fidelity prototype. The high-fidelity prototype can be fully working with an interactive user interface (e.g. created with the Qt framework or Adobe Flash) to simulate the concept in a realistic way (Egger, 2000).

4.8 Wireframes

Wireframes is an easy prototyping tool that can appear very different from different situations. It can be anything from a simple sketch to detailed documentation. Wireframes are used when designing and creating prototypes that will show functionality and layout without focusing on the visual aspects of the product. These can be used as rapid low-fidelity prototypes since they require no implementation and nor visually pleasing elements. Wireframes are well used in the beginning of a prototyping phase but can also be used later in development when implementing changes to the layout and functionality (Konigi, 2013). The short creation time of wireframe makes it a low effort when creating them and allows for redesign and experimentation (Arnowitz, Arent & Berger, 2007).

4.9 Mock-Ups

Mock-ups are used to visualize how the final product will look like. This is done without implementing any of the underlying structure or code which means that it can be made much earlier in the process (concept and design-phase). It is also possible to reuse graphical elements created for mock-ups when implementing the working prototype. Mock-ups are more time consuming than simple wireframes but also provides more feedback from testing (Interaction Design Foundation, 2004). *“Generally the last thing that you should do when beginning to design an interactive system is write code”* (Buxton, 2007). Mock-ups are therefore a very good solutions next to implementing the real system.

4.10 User Testing

User testing is a central aspect when designing a product. It is done to measure performance of when users are performing different tasks. To do this the user test needs to be defined together with a clear goal. It can of course provide useful information outside the scope of the test as well. This can be done in a controlled environment or in the field. User testing is used to see if the product satisfies the needs of the end user and to solve usability problems. The tests need to be with the right target group to yield any useful information (Visocky O'Grady, 2006).

4.10.1 Observation

Observation of a user interface involves watching what the user does and listen to what they say. Observation can be done in laboratory or natural environment. There are a variety of different approaches to how to observe a user. For example a user can be observed while performing a predefined set of tasks or just using a product as they would on their own. Each has their different strengths and weaknesses and which approach that should be used varies on the situation and the goals of the test (Preece, Rogers & Sharp, 2002).

4.11 Scrum

Scrum is an overall framework methodology when designing and creating a new product. Scrum enables stable increments in a controlled manner together with great project management. It has been developed and refined by Ken Schwaber and Jeff Sutherland for over 20 years and is based on empiricism, risk control and an iterative way of working (Schwaber & Sutherland, 2013). Scrum consists of several important aspects that are presented in the following subchapters.

4.11.1 Scrum Team and Roles

There are three major roles with different responsibilities included in the Scrum Team:

- A self-organizing Development Team with all the knowledge needed to create the product
- A Product Owner with the responsibility for the Product Backlog and its content
- A Scrum Master that keeps the project up to date with how to use Scrum

(Schwaber & Sutherland, 2013).

4.11.2 Sprint

A Sprint is a time-boxed (up to one month) development period where an Increment is delivered. Different subtasks need to be performed before a Sprint can begin. First one need to have a time-boxed Sprint Planning meeting (maximum duration of 8 hours) where the Scrum Team decides what to deliver in the Sprint and how it will be performed. The information gathered on the Sprint Planning meeting is the baseline for the Sprint Goal, the strategic objective for the upcoming Sprint (Schwaber & Sutherland, 2013).

4.11.3 Daily Scrum

The Development Team has a Daily Scrum session each day (time-boxed to 15 minutes) where each member share what he/she will do today, what has been done yesterday and the current obstacles within the scope of the Sprint Goal. The daily meeting replaces other meetings and allows the team to be constantly updated with the latest on the project. It is recommended that the meeting is held at the same location and at the same time every day (Schwaber & Sutherland, 2013).

4.11.4 Sprint Review

In the end of each Sprint, the Scrum Team and Stakeholders get together for a Sprint Review meeting to review the Increment, update the Product Backlog and to discuss the next step in the development regarding features and functionality. By highlighting what has happened in the past Sprint, one can steer the future development in the right direction (Schwaber & Sutherland, 2013).

4.11.5 Product Backlog

The Product Backlog consist of all the suggested Increments for the entire project and is divided into smaller tasks/features named PBIs (Product Backlog Items) with the following parameters: unique ID number, summary, rank, estimated time to complete and status. The Product Backlog is updated after each Sprint during the Sprint Review meeting or in Sprint Zero, the first Sprint where the first version of the Product Backlog is created (Schwaber & Sutherland, 2013).

4.11.6 Sprint Backlog

For each Sprint a Sprint Backlog is created with all the PBIs that will be delivered and works like a progress map for the Scrum Team to clarify what the team is working on, what each resource is doing and to keep track of the remaining work. The Sprint Backlog is what the team find realistic to achieve during a Sprint to reach the objective during the Sprint, e.g. deliver a type of functionality (Schwaber & Sutherland, 2013).

4.11.7 Increment

The Increment consist of all the executed PBIs with the definition “*Done*” that has been performed during a Sprint together with what has been delivered in previous Sprints. According to Schwaber & Sutherland 2013, the most important part of the increment is “*It must be in useable condition regardless of whether the Product Owner decides to actually release it*” which indicates that the definition of done must be taken seriously (Schwaber & Sutherland, 2013).

5. Planning

A comprehensive literature study of the subject was to be performed in the beginning of the project and to continue throughout the research and analysis phase, see figure 12, to ensure that the latest research findings were taken into consideration. During this phase a competitor analysis that includes test driving of competitor cars, online information evaluation and use of benchmarking sites. For the ideation phase as well as later in project brainstorming were to be used. Most of the group brainstorming would be done with external people for a broader source of ideas. The input from brainstorming and user interviews was to be encapsulated in use cases that are included in the Concept and Design phase of the project to help with establishing requirement and user scenarios. At least two focus groups should be conducted during the project to improve and to get feedback on requirements and ideas. It was planned to be hosted in the middle of the ideation, design and prototyping phase so there would be enough material to get good feedback and it would not too late to improve the prototype with said feedback.

User testing is one of the main tests that would evaluate the different prototypes. The tests of earlier prototypes were mainly to be done with people from Volvo but further into the project and the more advanced the prototypes would get; external people would be invited to come and test the prototypes. With the help of the research and idea generation phase different concepts would be created to evaluate and then create prototypes from the concepts. The early prototypes were going to be wireframes and mockups. These would be used in smaller tests on ourselves and people in our surroundings. The further a concept makes it, the more advanced the prototypes and user tests would be. Finally a working prototype were to be implemented in a car simulator or in a test vehicle with internal and external test drivers.

Scrum was used as the overall working method for the project; this is to ensure the effectiveness of the project, the iterative way of working and development of the different modules are proceeding according to the expectations and plans made.




Figure 12. Project design process

6. Execution

The chapter explains the execution through the project and how the methods have been used, from the research phase to the testing of the prototype together with the evolution of the project. It also describes the requirements that formed the basis of the result presented in chapter 7.

6.1 Research

To understand car human-machine interaction (HMI) and how a HUD could be applied in this area, thorough research has to be done within the field of subject. This have been done by studying articles, comparing other car brands solutions and interviewing potential users to get an understanding of what is expected from a HUD to understand how to increase the user experience.

6.1.1 Literature Study

The literature study was performed by searching the databases of Chalmers University Library and Google Scholar for articles and papers regarding head-up display, user experience in vehicles, driver awareness, inattention, secondary task and active safety in vehicles. The literature study revealed that the subject around enhancing the user experience for HUD was a relatively unexplored area but there were some exciting articles about the subject HUD. Charissis and Papanastasiou (2010) states in their article *Human-machine collaboration through vehicle head up display interface* that HUD is better than HDD in critical situations and that their test participants preferred the HUD over the DIM. The paper *Designing a Direct Manipulation HUD Interface for In-Vehicle Infotainment* by Charissis Vasilis et al designed and tested a HUD prototype for e-mail, SMS and phone calls in a driving simulator and found it to be both effective and not distracting. The full results of the literature study of user experience in vehicles, driver awareness, inattention, secondary task and active safety in vehicles can be found in Chapter 2.

6.1.2 Competitor Analysis

A competitor analysis was executed by a comprehensive investigation of HUDs that are available on the market to end customers or has been officially displayed on motor shows and events. Also working prototypes was taken into consideration. The analysis consisted of going through all car brands on www.a2mac1.net (Automotive Benchmarking), to find models equipped with HUD. Once a model was confirmed further investigations were performed on the manufacturers' official homepage together with a complementary search on the websites Google and YouTube.

The analysis revealed that several car manufacturers already offer HUDs in their range of vehicles with different technical solutions and at different price levels. All the following brands got at least one model with HUD or got a working concept car with HUD; Audi, BMW, Buick, Cadillac, Chevrolet, Citroen, GMC, Hyundai, KIA, Lexus, Mazda, Mercedes-Benz, Peugeot,

Rolls Royce, Toyota and Volkswagen. To find the strengths, weaknesses, opportunities and threats, a SWOT analysis of the market was performed for cars with HUD including what is offered today together with concepts of future models.

The different HUDs that are on the market today, provides a wide range of different features. Most common and included in all HUDs today is the vehicle speed. Vehicle speed is always visualized with a number together with unit (e.g. “10 km/h”) and comes in different scales, placements and colors. Second most common feature is navigation assistance that can be found in $\frac{2}{3}$ of the HUDs. The common design feature of the navigation is turn by turn navigation with an arrow pointing in the direction the driver should go but the level of details varies between the HUDs. Some HUDs just got a plain arrow, other HUDs got a more detailed map displaying the roads and conjunctions together with the arrow showing both the location of the car and the next step in the navigation. The third most common feature is cruise control or active cruise control indication that is included in $\frac{1}{3}$ of the HUDs. Cruise control is most often displayed with the classic cruise control icon (speedometer with an arrow pointing on the selected speed). The active cruise control adds an additional icon displaying a vehicle and the distance is indicated by zones. The fourth most common features are infotainment, warnings messages and collision warning in the HUD. The infotainment is displaying what song is played or name of radio station in plain text. The warning messages are displayed with icons similar to the ones that can be found in the DIM and the collision warning is visualized with a red car approaching the driver's vehicle or with a warning triangle. There are also a lot of features that is only offered in between one to three models; speed limit, lane departure assistant, revolutions per minute, gear, compass heading, temperature, incoming call, lights and blinkers and g-force. These features are mostly visualized in the same way as in the traditional DIM. Some concepts offers more far-fetched and futuristic visualization of all the features mentioned above, especially the navigation was displayed in more advanced and details ways and gives an indication of what to be expected in future HUDs on the market, see appendix A for the full analysis.

As a part of the competitive analysis a BMW 535i equipped with a HUD was driven. This was the first firsthand experience with a car HUD in this project. BMW has what is considered one of the best HUDs on the market and the feature list includes speed, speed limit, navigation, lane keeping and warning messages. Driving with a HUD was distracting at first but quickly became an advantage when driving. It relieved the driver from ever glancing down into the DIM and did not cause any perceived distraction for the driver.

6.1.3 Interview: Drivers Future Desires

The interview was performed with Ingrid Pettersson, PhD student in User Experience at Chalmers University of Technology and Volvo Car Corporation. Pettersson had just completed an interview study to assess what drivers' desire in their future cars. The interview was held at Chalmers and was an open interview with no predefined questions. The results from the

interview was documented and analyzed and transformed into requirements, see appendix D.

From the interview requirements evolved, the most important factors were that drivers would like to have fun in the car, have an interface that personify them in the car and have the possibility for full integration with their cell phone with the car interface. The drivers also wanted that technology should become a part of the user, get the feeling of being unique and have the latest and simplest solutions. They also wanted to know everything about their car, even information that did not assist them in their driving. Hands on functions requested by the users were possibility to have Skype meetings in the vehicle, customizable interface and personalization of driving modes together with innovative modes that correspond to the driving conditions / situation. The full list can be seen in appendix D.

6.1.4 User Interview

User interview with a several participants were conducted. These interviews were done to gather qualitative data about what type of content, features, information and how the HUD should look like. The interviewee was introduced to the scope of the project and then shown graphical mockups, see appendix G, of examples of how a HUD could be visualized. It was open interviews with few predefined questions and the interviewee was freely to talk about the subject and what interested them. A total of eight interviews were held, see appendix B. The tools used for the interviews were graphical-mockups that showed how a HUD might look like. They were two different groups of mockups shown. Group one was shown different types of content in the HUD and the second group that handled the layout of different elements. For demonstration purpose and to get the interviewee a feel for how a HUD looks like, it was demonstrated on a tablet device held at two meters distance to give the user a proper feel of the size and look of the elements in the HUD. They were also demonstrated both on a black background and a picture of a road to test the visibility. In the first few interviews, some wireframes were used, but after bad results of visualizing HUD examples they were replaced with graphical mockups. The graphical mockups were used after the interviewee had time to talk freely about HUD so not to superimpose the idea of what a HUD could be for the subject. The user interviews revealed that the layout should be flexible since 50 % of the interviewees preferred the car information (speed, speed limit and warning messages) to the left, and the other 50 % preferred it to the right, see figure 13. No one wanted the car information in the center while having other information on the screen at the same time.



Figure 13. Left oriented HUD layout (L). Right oriented HUD layout (R).

Negative feedback was also received for mirroring smartphone to HUD, YouTube/video and social media. The interviewees were concerned that displaying too much information in the same time could cause information overflow and could be disturbing while driving but also that the screen was not big enough to display the content. The interviewees gave positive feedback for date and time, navigation help, notifications and text communication (SMS/chat). The most important feature was SMS since many participants were texting while driving and felt that it influenced their way of driving in a negative aspect but also here they were concerned about information overload.

6.2 Ideation

During the ideation phase were the requirements defined for the project, where potential end users had the opportunity to affect the project with their expectations and ideas. The requirements became clearer and more specific as seen in the following chapters.

6.2.1 Brainstorming

Brainstorming has been used throughout the entire project to solve problems and to come up with ideas, but there has also been three main brainstorming sessions used to generate basic ideas, words and features of interest. The tools that were used during the sessions were pens and post-it notes. The post-it notes were placed on a board and grouped together in related categories. The first of these sessions was used to find as many words and features associated with HUD as possible. Although all ideas weren't feasible, there was no limitation to the ideas that was supposed to come out of this. The second session was much the same but handled DIM instead. The third session handled all of the screens; HUD, DIM and CSD.

The results of these sessions lead to a focus in social features. While there were many different features regarding everything from warnings to how the navigation should work, social functions were the prioritized topic after these sessions. Many ideas on what kind of social features and how they should be displayed were generated, see figure 14.

Selection of ideas generated:

- Full Twitter, Facebook and Instagram integration
- Able to see friends who are driving
- Mirror smartphone in HUD
- Mail, Chat and SMS etc

For full result of the brainstorming sessions, see appendix C.



Figure 14. Results from brainstorming sessions around HUD, CSD and DIM

6.2.2 User Stories

To create more refined ideas, relevant for different situation, user stories were created. Ideas from the brainstorming session were used and combined to be of use in real driving scenarios. These were used as reality checks so there were actual situation where an included features might be used. This made them more realistic and also lead to new ideas. The user stories handled different situation from a driver’s perspective. Although this was minor part of the ideation phase, it was still very useful.

The user stories were stored in a matrix with the following columns; “As a/an”, “I want to...” and “so that I...” thus became all stories easier to put into context. E.g. “As a driver, I want to be more relaxed when driving for a longer period of time, so that I don't fall asleep and can focus on more fun stuff”. Focus was unanimous on the driver because due to technical limitations that only allows the driver to see the HUD. The situations that the driver could face was set into context and made it possible to ensure what was important and relevant, and what could be assigned a lower priority. A number of 36 user stories were created to be inspire the creation of the prototype, for the full list of user stories, see appendix H.

6.2.3 Focus Groups

Focus group sessions were performed in groups of 7-8 users with mixed background to get input on content, layout and design in the planning of the HUD. These sessions were held in meeting rooms with whiteboard and the participants had access to paper, pens and post-its. The moderator introduced the subject and the participants had the opportunity to introduce themselves around the table. Initially the moderator started with questions regarding their prior knowledge to the subject and then the focus group started to discuss the questions the moderator supplied to them. The moderator then controlled the discussion subject by introducing new questions and by asking follow up questions for the group to answer. Sketching was also took a big part of the sessions were each participant created a few sketches of possible HUDs. The sessions with participants that did not have much or any experience in the car industry was more prone to discussing the different features and possibilities while those with more experience were more focused on creating detailed sketches. Each session was also monitored by a note taker that wrote a transcript of the discussion. The session was recorded with a tape recorder to assure that the material could be further analyzed in a later stage. The material was later analyzed and structured in a report, see appendix E.

The first session consisted of a mix of both young male and female participants with an academic background with no prior experience from using HUD in vehicles. The participants revealed that the automotive information (speed, speed limit and handbrake indication etc.) was more important than other information, mainly due to safety. The second session was held at Volvo with Volvo employees from the R&D department, see figure 15, and they also wanted to have automotive information in the gaze center with the exception that it would first appear when necessity. Otherwise should the HUD be populated with more interesting information.



Figure 15. Focus group session held at Volvo, Gothenburg, Sweden

The focus groups gave input and feedback to the requirements of the prototype. Overall this was perhaps the most valuable research done before the actual testing of the HUD in a test vehicle. The feedback received changed priority of many of the functions, especially regarding social functions in the HUD. Before the social functions was seen as one of the higher priorities, such as SMS, Facebook and Twitter, but from the feedback of the focus group, driving relevant information was higher prioritized by the participants. Although the first reaction to social features was negative, most admitted to using their smartphone while driving and therefore were positive towards social features being included in the HUD, but it should not be one-sided focus

on social features. Many of the suggestions that came up were futuristic and were in the forefront of technology.

6.3 Concept Generation & Design

The concept generation and design is the phase where the first creative versions of the HUD take its shape in the form of sketches, wireframes and graphical mock-ups.

6.3.1 Sketching

Sketching has been used as a design method throughout the entire project. It has been used as an aid during brainstorming, concept generation and in focus groups. It has also been the main tool when deciding the first version of layout and placement of the design, see figure 16. Since the work has been following an iterative model, sketching has been used several times during the project. These sketches have then been the foundation of more advanced prototypes such as wireframes and mockups.



Figure 16. Early sketch of HUD design and layout

6.3.2 Wireframes

The wireframes have taken a minor role in the project, often being overshadowed by graphical mock-ups. They were used in interviews and focus groups to get the interviewee subjects and understanding of layouts and to be able to give more accurate feedback. The problem with wireframes for testing the HUD is that it does not give the interviewee a real perception of how a HUD looks like in reality. Because of these limitations, wireframes were not a large part of the project in the end and then mainly used for discussions within the project.

During the concept generation and design phase were wireframes created to visualize the ideas and design of the enhancement of the HUD. Wireframes were created for the different features discovered during brainstorming sessions, e.g. menu selection of driving modes, see figure 17. The following wireframes were created: menu, speed, traffic lights, infotainment, modes (sport,

office, elegance, eco+ and race+), navigation, phone call, notifications, games and mobile integration. Also wireframes for font size and positioning were created. For full graphic view of all the wireframes, see appendix F.




Figure 17. Early sketch of HUD wireframe of menu selection feature

6.3.3 Graphical Mock-Ups

A wide range of graphical mock-ups have been used in the project. They have been used to illustrate examples, present ideas and concepts and to define the final look and feel before the working prototype was developed. Early in the project, these were used for user interviews when demonstrating how a HUD might look like. As said earlier this was used instead of wireframes since it gave the user a much more realistic feel of how a HUD looks like. They were often demonstrated on a tablet device held at two meters distance to test the size of elements in the HUD.

The graphical mock-ups of the concept generation ended up in several different versions. These were used before any work with the actual working prototype was started. For more graphical mock-ups from the first iteration, see appendix G. Functionality visualized in different variants were speed, navigation, SMS, mirroring of mobile device, mobile games, clock, driving modes, social media notifications, speed camera warning and YouTube. The visualization stretched the opinion of information overload versus the benefits of keeping secondary tasks and attention demanding tasks in the HUD as seen in figure 18.



Figure 18. Graphical mock-up of HUD (first iteration)

6.4 Prototyping

The last phase in the creative process was the creation of the prototype. It is described in their entirety as an insight into how to go about creating a working HUD prototype in Qt and how to proceed in order to test a prototype.

6.4.1 Graphical Mock-Ups

The second iteration of graphical mock-ups, created in Adobe Photoshop, took the design to the next level providing more realistic visualizations of functionality in the HUD by having more refined graphics to the mock-up. The input from previous phases (research, ideation, concept generation and design) had great influence on how the mock-ups were designed. The following mock-ups were thereby created: (1) eco mode with navigation, (2) notifications with navigation and (3) sport mode with navigation, see figure 19. For the complete content of the graphical mock-ups, see appendix G.




Figure 19. Graphical mock-up of a HUD (second iteration)

6.4.2 Qt Prototype

The Qt prototype was the main prototype of the project and many iterations of it have been created. Since the user research and ideation phase had shown that different modes were of big interest to the users but the actual implementation of the HUD prototype would take some time, it was decided that the focus would be on the most common of the modes (Earth). The other modes would therefore have simpler implementation with less working functionality. Earlier versions of the prototype were made in a widescreen format due to un-clarity of the actual specification of the hardware, see figure 20. It was able to display static information as navigation and notification.



Figure 20. First version of Earth mode

After the corrections in size had been made, the layout of the HUD was drastically changed. Both sides of the HUD had static information, where one side displayed driving relevant information and other side contained a widget menu that was intended to be modifiable, see figure 21. The information displayed here was supposed to be dynamic and of the users choice.

The reasoning behind this was that from the user interviews and focus group, the participants expressed a strong demand for customization.




Figure 21. Second version of Earth mode

What was not implemented in the prototype but a part of the concept for the HUD was a tool for changing settings. The feature is still very necessary for the concept to work and the reason for not implementing it is that the CSD would be a better place to have the settings due to more screen space, unfortunately was the CSD outside scope of the project. These settings would contain the ability to change the content shown in widget menu as well as the layout for the entire HUD. The ability to change the layout was implemented in the prototype.

So far into the development the HUD were mainly reaction based, where the user reacted to notifications in the content area. The interaction was decided to be universal for all the functionality in the HUD. The left and middle buttons were the positive buttons (yes/ok) while the right button was the negative button (no/cancel). The up and down arrows where used for up and down while the menu button was used for hiding or unhide the widget menu, see figure 22.



Figure 22. First set-up of interaction input for HUD

6.5 Testing & Evaluation

The Qt prototype was tested in a Volvo XC90, see Chapter 3.2 for more information about the test vehicle. The focus during the tests was on providing user testing for drivers with a Swedish B driving license, which was required since the prototype was implemented in a road legal vehicle. The participants were in the age range 25 to 60 years, with 56 % of them having a relation to Volvo Car Corporation of a total of 16. The test vehicle was owned and maintained by the department Interaction Advanced Engineering & Research.

The tests were twofold. Part one being a user test with questions on how the user felt and understood specific tasks and part two were observing the users interaction with the head up display. Part one of the user tests was conducted by one of the test leaders sitting in the front passenger seat giving tasks and gathering feedback from the participant. The other leader sat in the passenger seat behind the driver, controlling features such as triggered events and the navigation. The front leader then asked questions about the tasks performed (to find out the satisfaction and efficiency) and had the participant grade it on a scale from one to five after performing the task. The participants were also allowed to rate the overall impression of the HUD and suggest improvements and new features. Part two of the test was conducted by the test leader in the back seat since the HUD was only visible from the driver seat and the seat behind it. This part of the test was observing how the users behave and how they interacted with the HUD to find out the effectiveness and was also rated on a scale from one to five, where one meant they needed help to complete the task and five that completed it without any missteps. The observing of the users was conducted at the same time as part one. The results of the user testing can be found in Chapter 7.1.

7. Result

The results are divided into two sections, the HUD prototype in Qt seen in section 7.1 and the HUD Enhancement Concept in section 7.2.

7.1 Evaluation of Qt HUD Prototype

The results from the user testing are presented in Table 1, 2, and 3, and in Diagram 1, 2 and 3. All the features have been graded on the scale of 1 (low, i.e. failure) to 5 (high, i.e. flawless) in satisfaction, effectiveness and efficiency. Satisfaction and effectiveness was collected through questions to the test participants and the efficiency was rated by the observer in the back seat of the test vehicle. The categories warnings and notifications consist of several different components with an aggregated result, and the components are not presented individually. The column Overall is the final grade that the test driver stated after testing the HUD prototype.

The test participants were also engaged in a discussion while driving, which resulted in comments around the functionality and design of the Qt HUD prototype. From the beginning there was a pin function in the navigation application that allowed the user to pin or unpin the navigation application as default application, the functionality received strong criticism and the function was automated. Many drivers also pointed out that the navigation application was also lacking distance which they felt should be added. The first versions of the music player had more visual feedback, as progress bar and timestamps, but the number of object were scaled down after feedback from the test participants. One driver also suggested that the controls for the music player, such as mute, play/pause, next/previous track should be present for the driver all the time without entering an application to control the music, even when one is engaged in another application. The double functionality to have play and pause on the same button was unfortunately not always clear for all drivers.

While testing the voice application and the text application, some of the test drivers suggested that visual cues could be of assistance while the driver was faced with choices to ease the process. The phone application was something that many thought was well built but there was a mix of opinions if the number in a phone call should be displayed or not, where the older crowd thought the number was important while the younger crowd was content with just the name. Good feedback was that all drivers could read the text in the text communication application and many thought it to be as good as reading it in their cell phone. Something that was not appreciated was the weather application with its blue snowflakes as weather animation, which had very poor visibility.

Notifications and alerts had generally too small font size and sound was something most drivers suggested to be added. The incoming phone call notification had already a ringtone and no one missed that notification. Also, most notifications should to have at least one moving object in them to alert the driver of their presence, since some drivers did not notice incoming

notifications instantly.

Most drivers expected the sidebar and the applications would dim out automatically due to inactivity in input signals. Also, not all icons were clear for the drivers, the text communication icon was unclear to some drivers and had to be upgraded with a better icon. Also the back button icon was unclear, even though it was mapped to the physical button's icon. Overall the users had a problem to connect between the icons and the buttons. The icon on the left side displayed the action on the left button, but most just pressed what felt natural to them and did not take into consideration of the visual placement and the physical placement of the action. Otherwise the information displayed while driving was overall good but during direct sunlight on wet asphalt made the HUD unusable despite sunglasses and sunscreen that some drivers unfortunately got to experience.

Diagram 1. Overview of satisfaction while user testing




Diagram 2. Overview of effectiveness while user testing




Diagram 3. Overview of efficiency while user testing




Table 1. Satisfaction of interacting with the HUD prototype

Feature	Rating (1-5)	Average (1-5)
Nav	5, 5, 5, 4, 4, 3, 3, 4, 4, 4, 3, 4, 4, 3, 4	3,9
Call	5, 4, 5, 5, 4, 3, 5, 3, 4, 4, 4, 4, 4, 4, 4	4,1
Music	5, 5, 5, 5, 5, 4, 4, 2, 3, 3, 3.5, 4, 4, 4, 4	4,0
Weather	4, 5, 5, 5, 5, 4, 5, 4, 4, 4, 3, 4, 4, 3, 4	4,2
SMS	4, 5, 5, 5, 5, 3, 5, 4, 4, 3, 4, 4, 3, 4, 4	4,1
Warnings	5, 5, 3, 4, 5, 4, 4, 3, 4, 4, 3, 4, 4, 4, 4	4,0
Notifications	4, 5, 4, 3, 4, 4, 4, 3, 4, 4, 3, 4, 3, 3, 3	3,7
Overall	4, 3, 4, 5, 4, 4, 5, 2, 4, 4, 4, 3, 4, 4, 3	3,8

Table 2. Efficiency of interacting with the HUD prototype

Task	Rating (1-5)	Average (1-5)
Applications	3, 4, 3, 4, 4, 2, 3, 1, 4, 4, 3, 2, 3, 4, 4	3,2
Notifications	3, 3, 3, 4, 2, 2, 3, 2, 4, 3, 3, 2, 3, 2, 4	2,9

Table 3. Effectiveness of interacting with the HUD prototype

Task	Rating (1-5)	Average (1-5)
Applications	5, 4, 4, 3, 3, 4, 3, 2, 4, 4, 3, 4, 4, 4, 4	3,7
Notifications	4, 4, 4, 2, 3, 4, 3, 3, 4, 3, 2, 3, 2, 3, 3	3,1

7.2 Qt HUD Prototype

The HUD prototype that was created in Qt resulted in a working prototype that was implemented in a road legal test vehicle and consist of different components that together enhances the user experience for the driver. The combination of the components together with the possibility for the user to customize the graphical user interface is visualized with snapshots below but is also available in this video: <http://goo.gl/IePCVG>

7.2.1 Modes

The prototype consists of different modes that are created with the user in focus and were designed for different situations and driving styles. The modes that are included in the working prototype are:

- Earth [Automatic mode]
- Fire [Dynamic mode]
- Air [Luxury mode]

Earth mode is designed for the average user and offers the basic functions and interaction for a seamless and easy way of getting information, see figure 23. The initial view of the mode is clean and nothing extraordinary is blocking the view of the driver unless the driver asks for it. Earth mode is mainly based on the input gathered in the focus groups, see appendix E, that stated that all participants wanted the speed to be static, i.e. always visible, and that Focus should be to both provide essential driver information such as speed and speed warning in combination with navigation, entertainment, communication and live road condition information. Earth mode offers the richest amount of features, allowing the users to have access to all applications and notification types.




Figure 23. Final version of Earth mode

Fire mode compels to drivers that want to know more about the actual driving and are willing to compromise that for less space for information regarding other functions, see figure 26. It

removes the sidebar with car information, and replaces it with a large area showing car related information, see figure 24. Added car information includes gear, throttle, rpm and a larger speedometer. The content area that is used for application is much smaller and at the bottom of the HUD, the application is also slimmed down. Other changes is that some of the more distracting applications, in this case, weather and SMS are not available anymore as well as non-driving related notifications with the exception of an incoming call.




Figure 24. Final version of Fire mode

Air mode is combination of the modes above. It looks very similar to Earth mode but with similar limitations as Fire mode. This mode has the same layout as Earth mode but applications that could be disturbing are removed as well as non-driving related notification. This means that social applications and notification are made unavailable. It is a simple mode intended for situations when one does not want to be disturbed or distracted, see figure 25.




Figure 25. Final version of Air mode

The general layout style can also be changed for all the modes, to give an overall enhancement of the user experience and to meet the different requirements from drivers. The general layout that consists of 3-4 areas depending on mode can be altered in 4 ways. The default layout have the speed and warnings to the left, the menu to the right and the space between is utilized by the

functions, see figure 26.




Figure 26. Left layout style

The second layout put the static information like speed and warnings to the left and the menu to the right to give maximum focus to the content that is displayed in the major left space, see figure 27.



Figure 27. Extra right layout style

The third layout is the first layout but inverted, where the menu is to the left and the speed and warnings are to the right and the content is displayed in between, see figure 28.




Figure 38. Right layout style

The fourth and final layout is the second layout but mirrored with the speed and warnings to the right and the menu to the left, also leaving the space between for content, see figure 29.




Figure 29. Extra left layout style

7.2.2 Interaction

Interaction with the HUD was done exclusively with the keypad on the right side of the steering wheel, see figure 30. It contained a total of six buttons. Unfortunately because of technical limitations, only single presses were registered, which means that interaction such as long press of a button was unavailable. Thereby were the up and down buttons exclusively used for going through lists. This included the app menu as well as lists within applications. The middle button was always used as an okay button, accepting a notification or opening an application, in default mode the right arrow works the same way except in some applications. Similarly the back button is always used to go out of an application and back to the application menu or to deny a notification. In default, the left button is the same as the back button except in some applications. The right and left button can also be inverted for notifications and for opening applications.




Figure 30. Final set-up of interaction interface mapping

7.2.3 Side Bar

For easy access functionality a side bar was added to the layout, see figure 31. The bar design evolved during the development from being a list of functions to be a dynamic set of icons indicating the purpose of each function and also serves as a reminder of what functions the user have available and are currently using. The user had in the beginning the possibility to hide the bar but in the final version was a timer controlling the visibility of the bar. If the user did not interact with the HUD, the timer hides the bar after 10 seconds but once the user touches the input controls, the bar will be visible once again. The user interacted with the bar by toggling between the functions step-by-step with the up and down input buttons unless a critical warning was triggered or an incoming phone call was not answered or rejected. Once the user wanted to open an application, the user pressed the confirm button and simultaneously a visual confirmation was triggered on the selected application resulting in a white border around the active application icon switching to blue and that the icon itself gets inverted colors. The other application icons are also dimmed out with 60 % opacity when an application is active, see figure 30.




Figure 31. Sidebar, left: standing with marker on application, right: application selected

7.2.4 Applications & Features

One important feature in the quest to enhance the user experience in the HUD was to implement individual applications in the working prototype. The applications served as encapsulations of key features that the user could easily access through the sidebar. A total of five applications were created, the reason for the limitation to five was that it was better to create five functional than 10 less well developed. The focus was on quality instead of quantity as seen in the applications.

7.2.4.1 Navigation

One of the most common features requested was the functionality of navigation. The navigation application was illustrated in the sidebar with a purple arrow. Setting the route is done outside of the HUD interface and the interaction path is very simple with no special functions, see figure 34. Inside the application was the user guided by an arrow that changed form (straight, left, right, junction and roundabout etc.) depending on the directions. The application was opened in the content area, see figure 32. Once a route was active, the navigation was the default application displayed in the HUD when no other application was active. Instead once another application was open and there was a route active, the navigation was illustrated within a top notification every time a new event occurred in the directions, see figure 33.




Figure 32. Navigation application




Figure 33. Navigation notification due to music application is opened




Figure 34. Navigation interaction paths

7.2.4.2 Music Player

The second most common feature was the music application which featured the focus on playlist playback. The music player did not provide the ability to choose a specific song, just predefined playlists and a shuffle function. This was done to avoid deep tree structures in the interaction and long scroll lists, see figure 37. It was also the application containing the most interaction; list scrolling, previous, play/pause and next, see figure 35. While music was playing but another application was opened the music player was minimized in the bottom of the HUD, see figure

36.




Figure 35. Music player application




Figure 36. Minimized music player due to other application opened




Figure 37. Music player interaction path

7.2.4.3 Voice Communication

The voice communication application allows making and receiving calls. This was done by with a predefined contact list of people with their phone number and with the ability to make a phone call to them. The calls are displayed with the name of the person, a timer for the length of the phone call and a picture of the contact, as well as appropriate icon for ending the call, see figure 38. An incoming call was displayed in the top of the HUD with a notification containing the name, answer icon (green) and decline icon (red), see figure 39. If accepting the call notification, the view is changed to the call screen. The interaction path can be seen in figure 40.




Figure 38. Voice communication application



Figure 39. Voice communication notification for incoming call




Figure 40. Phone interaction path

7.2.4.4 Text Communication

Same as voice communication this application was implemented with predefined data, allowing receiving and reading incoming text messages. The application is visualized with a letter. The same list as for voice communication was displayed, but instead leads to a text conversation with the person. This application does only allow the driver to read previous messages, not type any own message, see figure 43. The text is displayed on a colored background, blue for the drivers previous messages and green for incoming messages, see figure 41. Incoming text messages are visualized with a notification where the user has the possibility to open (letter icon) and read the message or to hide the notification (cross icon), see figure 42.



Figure 41. Text communication application




Figure 42. Text communication notification




Figure 43. SMS interaction path

7.2.4.5 Weather and Road Information

The weather and road application only contains information and does not allow any interaction in the working prototype, see figure 45. It contains the most graphical information of all the applications, with icons for weather and road conditions, see figure 44. The application is visualized with an illustration of a cloud together with the sun in the sidebar.



Figure 44. Weather and road condition application




Figure 45. Weather interaction path

7.2.4.6 Features

Additional features, sub-applications, which could not be reached by the side bar, which the system itself ruled over. The features are divided into notifications and warnings. Warnings consist of vehicle malfunction alert, pedestrian alert, speed camera alert, traffic light alert, speeding alert and low on fuel alert, see figure 46 and 47. The alerts are displayed in the top of the HUD to best notify the driver and consist of an icon and a text description.



Figure 46. Fuel and traffic light alert



Figure 47. Speeding and traffic camera alert

Critical alerts are displayed in full screen, as the pedestrian alert that is displayed in the content area, these alerts temporarily hides the current application in the content area and disables the controls to take the full attention of the driver, see figure 48. The alert is visualized by a flashing icon that switches color between orange and red in a pulsing repetitive manner.



Figure 48. Pedestrian alert

7.3 HUD Enhancement Concept

From creating the prototype and evaluating the prototype, the following concept guidelines can be concluded. As described in 7.1 Qt Hud Prototype there are three major modes that can easily be implemented; the dynamic mode, the automatic mode and the luxury mode. The three modes have shared components but are visualized in different ways depending on driving situation. Automatic mode is the default mode and is divided into five different zones of information visualization; static driving information, main content, sidebar, top notifications and bottom notifications, see figure 50. Dynamic mode consists of three zones of information visualization; static driving information, main content and notifications, and side bar, see figure 51. Luxury mode consists of three zones of information visualization; static driving information, main content and sidebar, see figure 50.




Figure 50. Concept of Earth mode [Automatic mode]




Figure 51. Concept of Fire mode [Dynamic mode]

7.3.1 Recommendations for designing a HUD

Here is a short list of design recommendation discovered throughout the project.

Colors

The colors in a HUD need to be chosen carefully. They do not follow the same color standards commonly used when designing interfaces, due to moving background and that black and dark color are not visible. The following recommendation can be used for colors in a HUD (Of course depending on the actual HUD setup).

- Use well saturated colors
- White is a good primary color
- White also works well for highlights
- White borders make objects more visible
- Dark colors are not very visible e.g. purple, dark blue etc.
- Similar colors look the same i.e. don't use red and orange together.

General Design

Due to the nature of the HUD it is very different to design for than other screens. Moving background, different lighting, colors and use while driving causes many new parameters to take into consideration.

- Adjust font size accordingly to placement and amount of text
- Background color for better contrast/easier to read
- Use a lot of visual feedback for interaction with HUD
- Sound improves interaction a lot, especially for dynamic information
- HUD not visible in all lighting conditions
- Brightness adjustment for lighting conditions
- Top and bottom of HUD may not be visible in all viewing angles, avoid critical information in these areas.

8. Discussion

The discussion chapter is divided into 9.1 Method Discussion, 9.2 Result Discussion and 9.3 Future Work.

8.1 Method Discussion

The methods used in this project have been very helpful during the progress of the project. We tried to follow an iterative project process. This meant that we were open to changes throughout the entire project and change when we notice something is not working. The overall working method that was used, Scrum, has been utilized to maintain a steady pace of working while keeping up with the time plan. This resulted in being able to follow the time plan very well for the project, with some minor changes to the time schedule and few delays in the end. Due to team size has the Sprint Review meeting not been used to the extent initially planned. On the other hand have the Daily Scrum meetings have been performed throughout the entire project and have been a big stumbling block that enabled the team to exchange ideas and to discuss problems continually.

The Product Backlog has been sporadically updated because the team size together with the number of stakeholders has not been a great number. Another factor is because the team members have been working closely together having the same work schedule and work place. This has allowed us to keep each other up to date on what we were working with and the progress of each task. For several tasks, especially the development of the prototype, pair programming and similar work methods were used. This was usually performed by both working simultaneously on the same task on one computer, e.g. one writing the code and one reviewing the code in the same time. While of course causing us to only be able to work on one task at the same time but it ensured a faster development of the prototype due to better code and a better working prototype in the very end.

The number of methods in relation to both team size and the timetable was ambitious. Great focus had to be put on research and ideation phases relative to the concept, design, prototyping and testing phases. This was an extra reminder in the final stages of the project, when the team's ambitious requirements would be implemented; this resulted in the prioritization of scaling down the number of features and functions. In hindsight it would probably been better with a more focused approach, scaling down on the number of methods used as well as planning and preparing it more.

The literature review resulted in a good starting point for developing car HMI and together with the competitive analysis, we could get an comprehensive overview of how the market for HUD stands today and what is expected to be launched in the future by competitors. The literature on the subject of user experience in combination with HUD was not as explored as we had hoped. We weren't able to find many articles exploring similar projects. This made it time consuming to find relevant articles on the topic since it was hard to find articles regarding UX in HUD. This is not to say that the area was completely unexplored. For example the article "*The Effects of a Simulated Head-Up Display Speedometer on Perceptual Task Performance*" suggests that a lot of people would be interested in owning a car with a HUD. The competitive analysis on the other hand was done very easily and greatly helped the effort to get an understanding of the area. It provided several examples of other good as well as bad solutions regarding HUD, DIM and CSD. This provided a very good foundation to start with and also made it easier finding relevant articles. On closer reflection, it might have been better to perform the competitor analysis before or at the same time as the literature review, where the analysis provided a good foundation in the subject.

The requirements from the interview and the focus group proved to be the most useful in the making of the prototype. According to David L. Morgan (1997), the preferred amount of focus groups regarding the same subject should be three. Unfortunately though we were only able to host two focus groups, it would have been ideal to have a third one but due to a lack of participants who were able to participate simultaneously it was cancelled. In the two focus groups we already had a good mixture of participants in relation to gender, age and experience of HUD. The planned third group would have consisted of elderly participants with limited general technical knowledge which would have complemented the existing selection.

Before any working prototype was developed, wireframes and mock-ups were used to visualize the concept. The first generation of wireframes and mock-ups were used for both the interviews and focus groups. The mock-ups were particularly useful but the wireframes were hard to apply to the project, since many though they were hard to relate to and were difficult to put into context. Most interview subjects and participants of the focus groups were not able to relate or imagine how the concepts showed on the wireframe would actually work in a real environment.

While wireframes are usually good for deciding layouts and placement, when applying it on a HUD for a car, it did not give any real useful feedback. The mock-ups on the other hand allowed the users relate to how it could be used when driving and therefore was considered as better feedback.

At first there were plans to host both workshops and focus groups. Although due to lack of time and since the focus groups provided useful feedback and requirement for the project, it was decided to cancel the workshops; the workshops became superfluous and redundant. However since we also had performed interviews it was decided that we had enough user feedback at this stage and started to put all the energy on creating a prototype that could be used for testing.

To create the working prototype we used the framework called Qt Quick. None of us had any experience with it but once we had learnt the Qt Meta Language (QML) it was very easy to start developing the Qt prototype by using the mock-ups as inspiration and guidance. Before Qt was elected as the framework, several alternatives were considered, such as Adobe Flash and Microsoft PowerPoint. We had worked with Adobe Flash before but since Volvo already worked with Qt in similar projects and after a closer investigation it seemed more suitable to choose Qt despite the team had no prior experience in the application framework. It was also tried and discussed at first to build our own project from the ground to handle everything from button presses to CAN signals but we quickly realized it would take more time than it was worth and Volvo were able to lend a shell from one of their projects, HMI 2.0, that we could add our project to. This made the integration with the test vehicle much easier and saved a lot of time. However, there were some technical limitations because of this that made it so we could not figure out how to stream video on the HUD and thus were unable to have it in our prototype. While developing the prototype we also discovered a larger problem. The size ratio of the HUD we worked against was not the same as the actual HUD in the test vehicle. This lead made it so we had to redesign some features of the HUD. However we did discover this early in the development phase and it did not however cause any big issues with the development. During the development of the working prototype was also one of the most crucial times for evolving the concept. A lot of different visibility and interaction problems were discovered. Especially since we were finally able to interact with the prototype in the test vehicle and see how the graphics were displayed in the HUD. This lead to several changes to the visual feedback and interaction. Overall the progress with the prototype worked very well but we should probably have started with the integration with the test vehicle earlier since that lead to a lot of changes and improvements.

On the road user evaluation with external testers worked well to get feedback on the prototype, deficiencies and errors were detected which pushed the development forward. The execution of the testing could have been more structured, and it was not easy to ask questions to a concentrated driver, who tried both to concentrate on the driving of a new car equipped with

HUD. When the driver was performing a task we focused more on observations of how efficient the driver managed to solve the various tasks, and stopped asking questions. In the end we managed to find a balance between asking questions and observing the driver. The test vehicle that we had access to was an automatic XC90, a relative large vehicle. This led to those drivers often struggled with adapting to the vehicle as well as people used to manual gear changing had problem in the beginning. This gave the drivers extra stress which of course had impact on the result. Another problem that was realized is that most people have actually never driven a car with a HUD or even seen one before. This meant that they had little to compare their experience with and most thought it quite was different from anything they were used to which might have impacted their feedback, making them more positive. To improve these user tests several different approaches could have been used. Drivers who had previous experience with HUDs could have been the participants. This would probably have made the initial adjustment easier as well as giving the drivers something to compare their experience with. A wider selection of vehicles could have allowed the drivers to experience the HUD in an environment they were comfortable with. Perhaps though, the most effective approach would be to have test participants use the test vehicle for a longer period of time and in private, to be able to evaluate how they used the HUD and how well it worked when they had time to learn.

8.2 Result Discussion

The answer to the research question “*How to increase user experience for HUDs in cars with existing technology?*” was tested with the working prototype that explored the possibilities to increase the overall user experience in HUD. In our prototype we have done this by introducing functionality traditionally found in different mediums in vehicles such as the DIM, CSD and smartphone while also keeping features often found in competitors HUDs. As seen in the competitor analysis, see appendix A, there are a few features that were almost always available in HUDs regardless of brand. These features included speed and navigation. Feedback given from the interviews and focus groups also promoted these features. The input given from our user research was also the main reason for adding features from the other available screens in the vehicle. To make this work we also figured that the driver had to be able to interact with the HUD. This made also made it more unique compared to the other brands since they most often displayed information or had very limited interaction. The main input though from focus groups and interviews was modes and being able to choose what information to be displayed, although under not completely. People wanted modes for about anything. We came up with the solution to have applications in the HUD instead. Since a lot of the modes that were requested were very similar, a different mode for each situation did not work well in practice. Instead the applications could let the user access different features and it also made it more similar to how smartphones work.

Before the testing phase was initialized, it was decided not to perform any tests with the simulator, mainly because of the lack of HUD in the current simulator setup. The simulator could

had offered feedback regarding different levels of distraction within the HUD and given feedback of the users' eye movement with help of eye tracking technology. Although as specified in the report, we limited ourselves from doing any clinical distraction tests.

The results from the user testing indicates good user satisfaction, but with more participants one can verify that the results are correct and that all usability problems are found and thereby enhanced the overall user experience. The limitations in the availability of the test vehicle were one of the reasons for only testing the prototype with 15 drivers. Faulkner (2003) states that a user test should at least be performed with 20 testers to be able to find a minimum of 95 % of all usability problems and with 15 test participants, one will only find a minimum of 90 % of all usability problems. Thereby was the result in the end not affected by the limited number of participants. On the other hand should an international company with presence on the global market perform the tests with different nationalities and with people from different segments and experiences to truly find all problems.

The ratings from the user testing shows that the satisfaction level for all features in the Qt HUD prototype, except the notifications, exceeds the overall rating of the HUD, see Diagram 1. The reason for this could be argued but it is believed that the test drivers rate every individual feature higher due to their novice experience of HUD in vehicles and that they in the end did not rate a finished product but instead a working prototype. Although the feedback gathered from the user testing had great impact on the end result, many features were removed such as the pin function for navigation that was designed for engineers by engineers. This shows that one must be able to design for all and not a specific group with specific experience and expertise. On the other hand were the test participants more positive regarding how effective, see Diagram 2, they interacted with the HUD in comparison with the effectiveness, see Diagram 3, that was observed by the test leaders. Also this could be explained by the fact that the most test participants were not familiar with a HUD and that they thereby overrated their performance. The test participants also expressed an increased user experience due to the perceived increase in situational awareness as well as less driver inattention and distraction by moving the functionality to the HUD where the primary focus point is for the driver as the HUD reduces the driver distraction compared with HDD, this is also seen in other studies comparing HUD and HDD (Nowakowski, Friedman & Green, 2002). This is also supported by reducing the secondary tasks the driver need to do outside the car interface and by introducing new ways of active safety to the focus point.

Then of course there is the discussion of what information is ethical to put in a HUD. With the current HUD technology it offers the driver exclusiveness to the information ie. it is only the driver and in some cases can the passenger behind the driver that can see the HUD but it is not in a natural position for the passenger. This could cause mistrust for the vehicle occupants since all except one, the driver, cannot get the potential crucial information that the HUD offers. The passengers thereby do not know if the driver has received any important driving information

since information is exclusively displayed in the HUD. Another implication of this is that the passenger could become unsure if the driver is actually focused on driving. Adding more features could also mean more distraction and if this is displayed in the HUD, the driver could appear focused on driving when actually performing other tasks. The ethics of where to display information is something that probably has to be taken into consideration when developing a HUD with enhanced user experience.

8.3 Future Work

There is a need of performing eye-tracking distraction test when only using the HUD prototype on public roads, these tests should be performed on both experienced and inexperienced HUD users for a longer period of time to find out the long term effects of placing more information in the HUD. Further, future development of modes and applications generated from the ideation, concept generation and design phase could explore the new ways of displaying information in the HUD. Also development for embedding instant customization of the modes into the HUD prototype could be interesting in order to offer a total experience within the car's interface. The next step would be to move all the functionality in the DIM and CSD to the HUD and only mirror the HUD content to the other displays. Further research can also be to find out how a HUD for the future could look like, with no limitations on hardware (screen size and resolution) to find the perfect user experience for HUD.

9. Conclusion

The thesis delivers a working HUD prototype in Qt that was installed in a Volvo XC90. The prototype is fully connected to the steering wheel and allows the driver to interact with the HUD and take advantage of functionality as phone, SMS, music, navigation, weather, notifications and warnings. The project confirms the aim of the study, that one can increase the user experience for HUD by allowing the user to have his or her eyes on the road all the time by offering all the essential functionality directly in the HUD so the driver can focus on the primary task of driving the car. This is done by transferring information from the DIM, CSD and the driver's mobile phone to the HUD, and thereby allowing the HUD to be the only area for information. Allowing the driver to personalize (applications) and customize (modes) the HUD allows one to increase the user experience for different situations while taking into account the size, shape and color of objects and the overall information load. Enhancing the user experience in HUD is a step in the right direction in a global world where the lines between vehicle and technology is decreasing.

References

- Airbus (2007) Airbus A318 approved for Head Up Display. *Airbus*.
<http://www.airbus.com/presscentre/pressreleases/press-release-detail/detail/airbus-a318-approved-for-head-up-display> [2014-01-08].
- Arnowitz, J., Arent M. & Berger N. (2007) *Effective Prototyping for Software Makers*. Amsterdam: Elsevier Inc.
- Boehm-Davis A D., Green, P A., Hideki, H., Marcus, A. & Wheatley, D. (2003) The Next Revolution: Vehicle User-Interfaces and the Global Rider/Driver Experience. In *CHI '03 Extended Abstracts on Human Factors in Computing Systems*; April 05 - 10, 2003, Ft. Lauderdale, FL, USA, p. 708– 709.
- Buxton, B. (2007) *Sketching User Experiences: getting the design right and the right design*. Burlington: Morgan Kaufmann Publishers
- Car Head-Up Display (1969) *Optics Technology*, vol. 1, p. 109
- Charissis, V. & Papanastasiou, S. (2010) Human-machine collaboration through vehicle head up display interface. *Cognition, Technology & Work*, 12, p. 41-50.
- Chis, A. (2010) GM's Full Windshield HUD Technology Explained. *autoevolution*.
<http://www.autoevolution.com/news/gms-full-windshield-hud-technology-explained-18454.html> [2013-09-25].
- Celestine, C. (2009) 25 Useful Brainstorming Techniques. *Personal Excellence*.
<http://personalexcellence.co/blog/25-brainstorming-techniques> [2013-09-25].
- Cockburn, A. (2001) *Agile Software Development*. Indianapolis: Addison-Wesley Professional
- Cockburn, A. & Williams, L. (2000) The Costs and Benefits of Pair Programming. In *eXtreme Programming and Flexible Processes in Software Engineering XP2000*; June 21-23, 2000, Cagliari, Italy, p 223-247.
- Cohn, M. (2004) *User stories applied: for agile software development*. Boston: Addison-Wesley
- Coman, A. & Ronen, B. (2009) Focused SWOT: diagnosing critical strengths and weaknesses. *International Journal of Production Research*, vol. 47: No. 20, p. 5677-5689.

Craft, R H. & Preslopsky, B. (2009) Driver Distraction and Inattention in the USA Large Truck and National Motor Vehicle Crash Causation Studies. In *First International Conference on Driver Distraction and Inattention*; Sept 28–29, 2009, Gothenburg, Sweden.

Egger, F N. (2000) Lo-Fi vs. Hi-Fi Prototyping: how real does the real thing have to be? "Teaching HCI" workshop, *OZCHI2000*; December 14-19, 2000, Sydney, Australia.

Endsley, M R. (1995) Towards a theory of situation awareness in dynamic systems. *Hum Factors*, 37, p. 32–64

Faulkner, L. (2003) Beyond the five-user assumption: Benefits of increased sample sizes in usability testing. *Behavior Research Methods, Instruments and Computers*, vol 35, nr 3, p. 379-383.

Howard, B. (2012) Digital dashboard: Why your car's next instrument panel will be one big LCD. *ExtremeTech*. <http://www.extremetech.com/extreme/131485-digital-dashboard-why-your-cars-next-instrument-panel-will-be-one-big-lcd> [2013-09-25].

Huemer, A K. & Vollrath, M. (2011) Driver secondary tasks in Germany: Using interviews to estimate prevalence. *Accident Analysis and Prevention*, vol 43, pp. 1703-1712 [2014-01-30].

IHS iSuppli (2013) Automotive Head-Up Display Market Goes into High Gear. *iSuppli*. <https://www.isuppli.com/Automotive-Infotainment-and-Telematics/News/Pages/Automotive-Head-Up-Display-Market-Goes-into-High-Gear.aspx> [2013-12-24].

Interaction Design Foundation (2004) Mock-ups. *Interaction Design Foundation*. <http://www.interaction-design.org/encyclopedia/mock-ups.html> [2013-09-26].

International Organization for Standardization (ISO) (2010) ISO 9241-210 *Ergonomics of human system interaction: Human-centered design for interactive systems*. Geneva: ISO

Klee, M. (2000) Five Paper Prototyping Tips. *User Interface Engineering* http://www.uie.com/articles/prototyping_tips [2013-09-25].

Knopf, J W. (2006) Doing a Literature Review. *Political Science and Politics*. Vol. 39, No. 1, p. 127 - 132.

Knowles, M. (2002) How to Write a Competitive Analysis. *Michael Knowles Consulting*. http://www.mwknowles.com/free_articles/companalysis/companalysis.html [2013-09-25].

- Konigi (2013) Wireframes. *Konigi*. <http://konigi.com/wiki/wireframes> [2013-09-26].
- Morgan, L D. (1997) *Focus Group Guidebook*. London: SAGE Publications.
- Morville, P. (2004) User Experience Design. *Semantic Studios*.
<http://semanticstudios.com/publications/semantics/000029.php> [2014-01-31].
- Nielsen, J. & Norman, D. (2013) The Definition of User Experience. *Nielsen Norman Group*.
<http://www.nngroup.com/articles/definition-user-experience> [2013-12-12].
- Nowakowski, C., Friedman, D. & Green, P. (2002) An Experimental Evaluation of Using Automotive HUDs to Reduce Driver Distraction While Answering Cell Phone. *Proceedings of the Human Factors and Ergonomics Society Annual Meeting*. Vol. 46, No 22, p. 1819.
- Olaverri-Monreal, C., Lehsing, C., Trübswetter, N., Schepp, C A. & Bengler, K. (2013) In-Vehicle Displays: Driving Information Prioritization and Visualization. In *2013 IEEE Intelligent Vehicles Symposium (IV)*; June 23-26, 2013, Gold Coast, Australia. p. 660-665.
- Preece, J., Rogers, Y., & Sharp, H. (2002) *Interaction design: beyond human-computer interaction*. New York: Wiley
- Popular Mechanics (1955) Windshield TV Screen To Aid Blind Flying. *Popular Mechanics*. March 1955, p. 101.
- Private Fleet (2013) What is a Centre Console?. *Private Fleet*.
<http://www.privatefleet.com.au/glossary/a-centre-console> [2013-09-25].
- Qt Digia (2013) About us. *Qt Digia*. <http://qt.digia.com/About-us> [2013-09-25].
- Qt Project (2013) Getting Started Programming with Qt Quick. *Qt Project*. <http://qt-project.org/doc/qt-5.1/qt5doc/gettingstartedqml.html> [2013-11-19].
- Rabinowitz, P. (2013) Conducting a Workshop. *Community Tool Box*.
http://ctb.ku.edu/en/tablecontents/sub_section_main_1113.aspx [2013-09-25].
- Reed, L E. (1998) Performing a Literature Review. In *Frontiers in Education Conference*; Nov 4-7, 1998, Tempe, AZ, USA, vol. 2, p. 380 - 383 vol. 1.
- Regan, M A., Lee, J D. & Young K L. (2008) *Driver Distraction: Theory, Effects, and Mitigation*. Boca Raton: CRC Press

Schwaber, K. & Sutherland, J. (2013) *The Scrum Guide - The Definitive Guide to Scrum: The Rules of the Game*. <http://scrum.org/Portals/0/Documents/Scrum%20Guides/2013/Scrum-Guide.pdf> [2013-09-25].

Scoltock, J. (2011) *Automotive Engineer*. Vol. 36 Issue 6, p. 38-38.

Sojourner, R.J. & Antin, J.F. (1990). The effects of a simulated head-up display speedometer on perceptual task performance. *Human Factors*, 32(3), 329-339

Stanton, A P. (2014) Heads-up displays. *Access Science*.
<http://www.accessscience.com.proxy.lib.chalmers.se/content/heads-up-displays/YB140373>
[2014-01-29]

Treat, J R. (1980) A study of precrash factors involved in traffic accidents. *The HSRI Review*, 10 May-Aug 1980.

Visocky O'Grady, V. & Visocky O'Grady K. (2006) *A Designer's Research Manual: Succeed in Design by Knowing Your Clients and What They Really Need (Design Field Guide)*. Minneapolis: Rockport Publishers.

Volvo Cars (2013) *The Safety Technology Within Our New Volvo Models*. [YouTube].
<http://www.youtube.com/watch?v=sy-sADBfb8E> [2014-02-21].

Volvo Car Corporation (2013a) *Technical Description of HMI 2.0* [unpublished internal document].

Volvo Car Corporation (2013b) Volvo Sensus Connected Touch. *Volvo Cars*.
<http://www.volvocars.com/se/sales-services/sales/sensus-connected-touch/pages/default.aspx>
[2014-02-20].

Wilson, C. (2013) *Brainstorming and beyond: a user-centered design method*. Burlington: Morgan Kaufmann Publishers.

Weinberg, G., Harsham, B. & Medenica, Z. (2011) Evaluating the usability of a head-up display for selection from choice lists in cars. In *AutomotiveUI '11 Proceedings of the 3rd International Conference on Automotive User Interfaces and Interactive Vehicular Applications*; 30 Nov - 2 Dec, 2011, Salzburg. pp. 39-46.

U.S. Dept. of Health and Human Services (2006) *The Research-Based Web Design & Usability Guidelines, Enlarged/Expanded edition*. Washington: U.S. Government Printing Office.

Appendix A

Competitive Analysis of HUDs on market

1. Introduction

Comprehensive overview of features per model:

Model	Road Speed	Navigation	Infotainment	Warning messages	Cruise Control or ACC	Speed Limit Display	Lane departure assistance	RPM	Gear	Compass heading	Temperature	Collision warning	Incoming call	Lights + Blinkers	G-force
Audi A6/A7															
BMW (3/5/6-series)															
BMW M6															
Buick Lacrosse															
Cadillac ATS Premium															
Chevrolet Camaro ZL1															
Citroen DS5															
Corvette C7															
GMC Acadia Denali															
Hyundai Equus															
KIA K9															
Lexus RX															
Mazda 3															
Mercedes-Benz C-Class															
Mini Cooper															
Peugeot															
Rolls Royce															
Toyota Prius															

Figure 1. Summary of functionality in HUD for different brands in production

1.1 Limitations

Only published concepts and models and models with HUDs released on the market (until 2013-11-15) from car manufacturers have been taken into consideration. Aftermarket solutions have not been considered during the analysis.

2. Analysis

Audi A6 / A7

Functions

- Road speed (digital)
- Navigation information
- Infotainment lists
- Warning messages (including from the Night vision assistant)
- Status, proximity and speed set for adaptive cruise control
- Speed limit display
- Audi active lane assist

Video

- <http://www.youtube.com/watch?v=Nz52Rl3KJp0>

Images

- http://www.audi.se/etc/medialib/ngw/product/a7/a7_sportback/my_2011.Par.0165.Image.jpg/704x396_innenraum-hud.jpg
- <http://www.audi.co.uk/new-cars/a7/rs7-sportback/audio-and-communication/head-up-display.html>

Strengths

- Simple design
- Pedestrian warning
- Navigation in the HUD and DIM is synchronized (design/information [small arrow in HUD, same + more information in the DIM])

Weaknesses

- Blue navigation arrows (could be hard to use during daytime?)
- Night Vision could be a distraction in the DIM?

Opportunities

- Working product that can be improved
- High spec cars with a lot of functions that can (in the future) be displayed in the HUD
- Buyers whom is willing to pay more for an vehicle (premium car)
- Part of Volkswagen Group (resources, engineers)

Threats

- BMW is the No 1 threat
- Competitors are stealing their ideas

Audi 2012 CES HUD Concept

Functions

- Images are projected between 35 and 100 feet in front of the car.
 - Navigation information such as direction arrows are overlaid directly onto the street

Video

- http://www.youtube.com/watch?v=PoBs_bZWyg0

Image

- <http://blog.caranddriver.com/2012-ces-audi's-super-head-up-display/>

Strengths

- Multi-HUD-screens (driver, both, passenger)
- Gesture control of HUDs
- Passenger: can do everything on his/her HUD; YouTube, Facebook, Twitter etc.

Weaknesses

- Unsolved issues regarding how to input text (e.g. for navigation)
- Bad contrast?
- Distractions with many HUDs? (Passenger doing gestures and can the driver sneak peak on the passenger HUD?)

Opportunities

- No limitations since it is a concept
- Autonomous cars → then this concept can be implemented

Threat

- Mercedes-Benz got the same concept but cooler

Audi Aida 2.0 Concept

Functions

- Projects map on dashboard
- Route guidance
- Destination information
- Infotainment options
- Hand gestures

Video

- <http://www.youtube.com/watch?v=zKLAeq1m2TY>

Image

- <http://senseable.mit.edu/aida2/>

Strengths

- Using unused space on the hood / dashboard
- Connecting the different screens in the car
- Connecting the Internet with the car (social media, appointments etc)

Weaknesses

- The concept is limited by the physical design of the car (the interface is a layer on top of the current car)
- Too much details
- Including old technology with the HUD (like the center stack display and DIM)

Opportunities

- Thinking outside the box

Threats

- Other brands got similar concepts

BMW X3/6 (and 5/6-series)

Functions

- Speed
- Direction
- Alerts

Videos

- <http://www.youtube.com/watch?v=b4jpuoGP2C8>
- <http://www.youtube.com/watch?v=k1ZFPoldXy0>

Images

- http://www.bmw.com/com/en/insights/technology/technology_guide/articles/head_up_display.html
- <http://www.extremetech.com/extreme/124847-bmws-full-color-hud-distraction-minimizer-of-distractions-or-costly-tech-gadget>
- http://en.wikipedia.org/wiki/Head-up_display

Strengths

- Market leader
- Functional
- Well tested
- Great navigation (showing street names in HUD)

Weaknesses

- Boring with few colors
- Looks like a digital clock

Opportunities

- Good potential to improve since they are market leader
- Many of their customers are into speed and sport cars → the HUD is best suited for high speeds and many of their customer would appreciate a more integrated HUD

Threats

- Other brands borrowing and improving their solutions and concept

BMW M6 (M-mode)

Functions

- RPM
- Gear
- Speed

Video

- <http://www.youtube.com/watch?v=b6Le8sjLOys>

Images

- <http://www.thetruthaboutcars.com/wp-content/uploads/2012/08/2012-BMW-M6-Convertible-029.jpg>
- <http://i1.ytimg.com/vi/b6Le8sjLOys/maxresdefault.jpg>

Strengths

- If one is racing, all the essential information is displayed in the HUD
- No need to ever look down in the DIM

Weaknesses

- The bar that indicated the gear switch could be distracting?
- Gear indication is the biggest object on the HUD, why?

Opportunities

- No 1 today in racing HUDs (and racing has always been a big player in the progress and evolution of the technology in cars)

Threats

- Corvette got a similar solution/design
- Other brands got more information in their HUD

Buick LaCrosse

Functions

- Speed
- Compass heading
- Displays songs
- Outside temperature

Video

- <http://www.youtube.com/watch?v=I9SENXqkem8>

Images

- http://image.motortrend.com/f/features/consumer/1201_motor_trends_feature_frenzy_competition_round_1/35198618/Buick-Lacrosse-instrument-gauges.jpg

Strengths

- Consistent design
- Settings
- Colors worked

Weaknesses

- Calculator feel
- Cluttered
- Nothing out of the ordinary
- Can adjust so it is not visible

Opportunities

- They got experience with the technology
- In the luxury segment

Threats

- Other American brands have similar/same HUD

Cadillac ATS Premium

Functions

- Current speed
- Cruise control speed
- Current music
- Speed limit
- Navigation directions
- ACC radar lock on the car in front
- Collision warning
- 4 Modes
- Lane Departure warning
- Incoming call
- RPM

Video

- <http://www.youtube.com/watch?v=tpXYwoZ6zWw>

Images

- http://www.gm.ca/images/vehicles/2013/cadillac/ats/cadi_ats_int_ph_big_08.jpg

Strengths

- Stylistically pure
- 4 Modes
- Lots of interesting and relevant functionality
- Customizable

Weaknesses

- Inconsistent colors with other parts of the instrument panel
- Digital clock look

Opportunities

- One of the best feature collection on the market

Threats

- Hard to reinvent oneself. Other brands may use the same features in a better way.

Chevrolet Camaro ZL1

Functions

- Speed
- RPM
- Lights
- Blinker
- Gear
 - Gear changing indication
- G-force
- Outdoor temperature

Video

- <http://www.youtube.com/watch?v=JeTKuozLaLM>

Images

- <http://www.chevrolet.com/2013-camaro-zl1-convertible.html>

Strengths

- 4 modes
- G-force
- Consistency with other panels

Weaknesses

- Old digital clock
- Same look as LaCrosse
- Shift changing takes too much focus from driving
- Disappears if adjusted wrongly
- One color

Opportunities

- Lots of areas to improve

Threats

- Same/similar HUD as many american brands

Corvette C7

Functions

- Speed
- Gear
- G-force
- RPM
- Blinkers
- HUD modes views: Track, Sport, Tour, Eco, Weather

Video

- <http://www.youtube.com/watch?v=c8yWSEfI3So> (C7)

Images

- <http://www.chevrolet.com/corvette-stingray.html>

Strengths

- One of the best looking HUDs on the market
- Different pre-defined HUD-modes
 - level of objects / information load
- Great size of the HUD
- Clean design with different colors
- Sporty feel

Weaknesses

- Use a lot of white coloring

Opportunities

- Good competitor to the german brands
- Got a solid focus on different modes
- Unique design
- Had HUD for a long time (1998)

Threats

- Some modes may be overdeveloped with too many details compared to competitors

Citröen DS5

Functions

- Font color white → blue, when the car is powered with the electric motor
- Speed
- Cruise Control speed
- Directions

Video

- <http://www.youtube.com/watch?v=vXQZN8gtAQg>

Images

- <http://img.auto.cz/blog/blogs.dir/154/files/2012/04/HUD.jpg>

Strengths

- More than 1 color
- Ordinary mode and eco mode

Weaknesses

- Budget screen
- Bad use of space
- why so big screen
- Wrong distance focus
- feels old, not up to date

Opportunities

- Have a hud, before others
- More space to use
- Budget

Threats

- Budget
- Not luxury

GMC 2014 Acadia Denali

Functions

- Speed
- RPM
- Gear
- Warnings
- Blinkers
- Radio

Video

- <http://www.youtube.com/watch?v=93ooQbHgT50>

Images

- <http://www.gmc.com/acadia-denali-crossover-vehicle.html>
- http://media.gm.com/media/us/en/gm/news.detail.html/content/Pages/news/us/en/2012/Mar/0328_gmc_acadia.html

Strengths

- Settings
- Colors working

Weaknesses

- Calculator feeling
- Cluttered
- Nothing out of the ordinary
- Can adjust so it is not visible

Opportunities

- Got a working HUD on the market

Threats

- Other American brands have similar/same HUD

Hyundai Equus

Functions

- Speed
- Navigation
- Collision detection
- ACC
- Warning messages

Video

- http://reviews.cnet.com/sedan/2014-hyundai-equus/4505-10865_7-35826972.html

Images

- http://asset0.cbsistatic.com/cnwk.1d/i/tim2/2013/08/29/35826972_SS12_610x457.jpg
- <http://www.caranddriver.com/photos-13q1/509215/2014-hyundai-equus-heads-up-display-photo-509221>

Strengths

- Several colors
- Clean
- Good functions

Weaknesses

- Not that sharp
- Small
- A lot of features displayed in the same time

Opportunities

- Good position on market

Threats

- Other brands are doing similar stuff but with more modern design

KIA K9 2013

Functions

- Full color HUD
- Current speed
- Navigation
- Danger signals
- Rear & side obstacles
- ACC

Video

- <http://www.youtube.com/watch?v=t1DWxsAhHIE>

Images

- <http://media.caranddriver.com/images/12q3/465307/2012-kia-k9-head-up-display-hud-and-instrument-cluster-photo-465453-s-986x603.jpg>

Strengths

- Unique look (colors etc)
- Nav shows more than just an arrow
- Traffic signs
- Good lookin rear collision warning

Weaknesses

- Uncertain about visibility

Opportunities

- Different from others

Threats

- The design is inside the box Nothing extraordinary, keepin' it safe.

Lexus RX Hybrid

Functions

- Direction/Nav help
- Speed
- Audio Information

Video

- <http://www.youtube.com/watch?v=fPwn8BvCIRM>

Images

- http://www.lexus.com/models/RXh/features/interior/headsup_display.html

Strengths

- Stylish pure
- Clean
- Simple

Weaknesses

- Too simple
- White on white color

Opportunities

- Lots of functionality to add
- Have hud on market
- Experience

Threats

- There are better HUDs on the market

Mazda 3 2014

Functions

- Speed
- RPM
- Navigation help

Video

- <http://www.youtube.com/watch?v=qR3b6ng94Ts>

Images

- <http://www.forbes.com/pictures/egdh45liil/a-new-take-on-the-head-up-display/>

Strengths

- Distance focus
- Cool feature to have a HUD scope on the dashboard

Weaknesses

- Budget/Plastic
- Very small projection
- Colors inconsistent
- Too large screen compared to what is displayed in the HUD

Opportunities

- No one in budget HUD market

Threats

- Similar as Citroen/Peugeot
- All other brands without plastic screen

Mercedes-Benz C-Class

Functions

- Turn by turn nav
- Road info
- Speed
- Lane keeping

Images

- <http://www.carsguide.com.au/news-and-reviews/car-news/mercedes-c-class-to-add-heads-up-display-option>
- <http://mercedesbenzcolumbus.com/mercedes-benz-add-hud-system-new-models/>

Strengths

- Two color navigation
- Looks like a BMW (market leader)
- Good functions
- Elegant

Weaknesses

- Only a copy of other car brands
- Boring colors

Opportunities

- Better looking than the competition

Threats

- Late on market

Mercedes-Benz Concept

Functions

- Speed

Video

- <http://www.youtube.com/watch?v=-BfWS83vPks>

Strengths

- Cool features & integration with the surroundings

Weaknesses

- Too far into the future/Unrealistic without autonomous

Opportunities

- Realise it!
- If implemented will be coolest

Threats

- As a concept it is too far-fetched to be realized in the near future
- Audi got a similar concept

Mini Cooper

Functions

- Speed
- Navigation
- Optical signals
- Traffic signs
- Entertainment

Video

- <http://www.youtube.com/watch?v=-BfWS83vPks>

Images

- <http://www.automotorsport.se/artiklar/nyheter/20130805/mini-cooper-narmar-sig-kommer-i-host>

Strengths

- Looks big (a lot of information displayed in the same time)

Weaknesses

- HUD on a plastic board could feel not in line with the sporty feeling of Mini
- Not the most modern look of the HUD

Opportunities

- Could be one of the best in the budget HUD segment (the only one with 4-color)

Threats

- A lot of similar HUDs are already on the market

Peugeot

Functions

- Speed
- Cruise control
- Speed limiter
- Distance alert information
- Can be adjusted for driver height and light conditions

Video

- <http://www.youtube.com/watch?v=Nnw1JR-8QcU>

Images

- <http://cdn.caradvice.com.au/wp-content/uploads/2010/10/Peugeot-3008-16.jpg>

Strengths

- Strong luminosity
- Budget alternative

Weaknesses

- Budget screen
- Bad use of space
- Why so big screen
- Wrong distance focus
- Feels old, not up to date

Opportunities

- Have a hud, before others
- More space to use
- Budget

Threats

- Budget

Toyota Prius

Functions

- Speed
- Eco
- Nav

Video

- <http://www.youtube.com/watch?v=FzEuHNGGAPo>

Images

- <http://www.cuk.ch/articles/4288>

Strengths

- Lots of modes (4) and choices
- Pure eco mode

Weaknesses

- Color (one color)
- Only displays one function at a time
- Bad reflection

Opportunities

- Early on the market
- Own their market group
- Emphasizes on eco in the HUD

Threats

- Simple compared to others

Appendix B

User Interview to find enhancements for HUD

Introduction

A total of 8 interviews were performed during September 2013 to investigate what users thought about the information displayed and placement/scale/design of information in HUD.

Method

The interviewee was first introduced to the scope of the interview and was thereafter presented with high-end mock-ups with different styles and features. The interviewer explained the different features for each mock-up and asked what the interviewee thought about the mock-up. It was performed as an open interview with no script nor predefined questions.

Results

The result can be divided into 2 different standard answers regarding the layout of the components in the HUD. The interviewees can be divided into 2 different groups, the ones that want the content (e.g. SMS) to the left and the car information (e.g. speed) to the right (see Fig. 1), and the ones that want the opposite; content to the right and car information to the left (see Fig. 2).




Fig 1. Content: SMS, fb, notifications etc. Car info: Speed, speed limit etc.




Fig 2. Content: SMS, fb, notifications etc. Car info: Speed, speed limit etc.

One can conclude that many interviewees felt that displaying too much information in the same time could cause information overflow and could be disturbing while driving.

Mirroring Android (smartphone interface)

- Could be annoying or disturbing
- Too small to be displayed in the HUD
- Cool
- Would not use that, better to mirror functions instead of phone

Date / time

- Great idea, like a screensaver
- Good
- Should be seamless and not take too much space or attention

Navigation

- Less is more, but not just an arrow, one should also recognize the surroundings
- Plain map view
- Hybrid view
- Arrow is good enough

Eco information

- Not that important
- Eco profile could be great in city center
- Could be added but should be almost transparent if not applicable/relevant

Instagram

- Too much information, bad idea
- Interesting

- Thumbnails
- Should be the only content displayed if displayed at all
- Would not use that, takes too much space

Notifications

- Very good, small relevant reminders would be great
- Great with SMS notification with sender and first 2-4 words, then possible to open up the complete message
- Good, keep it short
- Bigger/more notifications could be displayed when driving on highway, smaller/less when driving in city traffic

Speed camera warning

- Good idea
- Should be displayed as a soft-warning
- Excellent idea (combined with sound warning)

YouTube

- Too much information, blocking the screen
- Cool but feels dangerous
- Would not use that, takes too much space

SMS / Chat

- Great reading SMS in the HUD
- All in on one line better than many lines
- Only short messages
- Good, should be possible to reply too

Appendix C
Brainstorming sessions 1-3

Brainstorming results

“cool features”, “imagerative problems” and “input to user stories”

Session 1 - HUD in yr 2017

- Navigation
 - Video games map
 - Arrows
 - Speed camera warning
 - Intuitiva Waypoints
- General Information
 - New
 - Weather
 - Weather Forecast
 - Information from weather sensor
 - Weather Graphics
 - Stock prices
 - News site
 - Klick!
 - Notifications
 - Todays agenda
 - Google Keep
 - Food
 - Online pizza
 - Weight scale
 - Show weight
- Car Information
 - Own car
 - Different Modes
 - Work
 - Work calls
 - Todays meetings/tasks
 - Home
 - Mer info about family/home related stuff, kids on daycare etc
 - etc

- Driver feedback
 - Gear changing optimizing
 - Comments on how you drive
 - Road Conditions
 - Backwards camera in HUD
 - For example when changing lanes
 - Blinker
 - Different take on speed indicator
 - Different graphics with alarm on/off
 - Identification of passengers
- Other cars
 - Speed of car behind and in front
 - Distance to cars behind and in front
 - Who is driving
 - inspected
 - insured
 - etc
- Safety
 - Dead angle warning
 - Tells if child is still in the car
- Social
 - Twitter
 - Facebook
 - Instagram
 - Friends who are driving
 - Mirror smartphone in HUD
 - Photography
 - Driver in several angles
 - Picture driving of drivers and passengers
- Entertainment
 - Browser
 - Google search
 - Movies
 - Sound
 - dB meter
 - Sound Equalizer
 - Singstar/Kareoke/Rockband

- Cool clip/intro when starting car
- Rude voice in car
- Achievements
- Random ideas
 - Popup ads
 - Progress bars
 - Colorfull graphs
 - Room 2.0
 - Show exercises when driving
 - Animate parkingticket

Session 2 - DIM in yr 2017

- Navigation
 - Map of route history
- General Information
 - Own themes
 - Neon lights
 - Disco mode
 - Weather effects (visualized)
 - snow = icicle
 - summer = grass
 - autumn = leaf
 - spring = flowers
 - Pop-up information (You got 50% off at the McD)
 - DIM 100% customizable
- Car Information
 - G-force when turning
 - Raw car data
 - Traction information
 - Rather than 10 liters fuel left, it says information like you can travel to work and home 5 times more
 - Achievements
 - Show negative speed when backing
- Safety
- Social
 - Full integration with Android/iOS
- Nöje
 - RSS-feed
 - Battle map
 - Maffia game(turf-war)
- Random ideas
 - Stroboscope
 - Slide start of vehicle?
 - Steering Wheel 2.0 (round screen in wheel instead of DIM)
 - Apps
 - Face recognition to start car
 - Unlock car with PIN

Session 3 - DIM+HUD or CSD+HUD integration in yr 2017

- Navigation
- General Information
 - Empty HUD. Show only critical warning messages
 - CSD = phone/tab mirroring
 - HUD notifications from CSD
 - Spotify inHUD
 - Google Maps / Street view in HUD
 - Camera view in HUD (Front camera in HUD, take pictures, album in CSD)
 - who you can share with on social media
 - camera that shows the inside of car
 - Luggage camera in HUD
 - Clock HUD
 - Color choice
- Car Information
 - Sensor information
 - Max performance in HUD
 - Drive information in HUD
- Safety
 - Color warning on the cars in traffic, color dependant on status
- Social
 - Compliments in HUD
 - Dating help in HUD
 -
- Entertainment
- Random ideas
 - HappyHUD
 - Health information in HUD (heartbeat, sleepiness etc)
 - 50% of HUD = social media information
 - HUD tells when attractive people passes
 - and saves it for later to ensure you don't need to be distracted
 - Soft HUD with only gradients for information
 - Ads HUD
 - Restaurant menu in HUD
 - Internet of Things
 - Instant coffee

Appendix D

Interview with PhD student Ingrid Persson

1. Interview: User Experience in Vehicles

The information below is from the interview with Ingrid Pettersson, who has made a major study (based on interviews with drivers) to find out what drivers expect from their future cars.

1.1 General things the user wants

- The cell phone is important for the user, they want full integration between the phone and the car's interface
- Emphasise the social (fb, instagram, twitter, etc.)
- They want to have fun in the car (eg karaoke)
- They want apps that personify them in the car.
- The user would like more information about everything (even unnecessary things like soft warnings)
- The car should give good feedback

1.2 What to think about when designing the user experience

- Embodiment (technology becomes part of the user) is important you take it for granted and do not think about them. Transparent technology - seamless
- Aesthetics. Minimalism. Clean design (The Volvo Way).
- Unique solutions are appreciated by the user (the user wants to be unique)
- One expects much technical solutions / features (cool stuff) from Premium Cars (expensive cars, such as Volvo)
- Embody AI (security etc)
- People appreciate new simpler solutions (they're lazy)
- Find balance between distraction and attention
- Meet ordinary life & car life

- People want to do things in the car
- People like to be social in the car (eg drive children to school, parents to the airport)
- Personalization will be linked to the vehicle (eg eco, sport ist for any color) - Think of the core values
- The user does not learn anything. Needs govern what you learn. Get rid of the technology threshold.
- Everything should be possible in a Volvo, unfortunately, one should focus on simple solutions.

1.3 Hands on features requested by the users

- Skype Meetings in the car.
- V40 - customizable, e.g. change the speedometer
- Setting reflects who you are (eco or sport mode)
- The dealer must introduce technology
- Interaction close up (around the dial)
- During the car ride one goes from home mode to work mode (takes lote bizz call, etc.)
- People want updates to the software so that they have the latest and coolest
- Old ⇒ new car (the car is so modern, so that she knows that the car almost can change the color [when she changes between the different driving modes [which changes the GUI of the DIM])
- Combine driving modes (sports, eco, comfort) how the car behaves together with the graphics in the car

Appendix E

Focus Group: Next generation HUD

1. Focus Group Session #1

Participants: 7

Male/female: 5/2

Average age: 25

Date: 19/11/2013

Time: 01h:40m

Thoughts and opinions

- No prior experience from using HUDs
- Car info is most important
- Media player
- Phone calls
- Limited mode for distracting situations is very important
- Different opinions on right/left oriented information
- Don't want and should not read while driving, but some do it anyway
- Traffic information, accidents and road construction
- Branded functions (e.g. Spotify should have the Spotify look, do not try to generalize functionalities)
- One participant told us about a friend who watched morning tv in his cell phone while driving
- One participant told us how he used his phone a lot in the car
 - Mainly SMS and for phone calls
 - Not for social media
- Never hide the HUD if it replaces the functionality of the DIM

Car info

- Fuel level
- Eco
- Back camera when reversing with exact distance to other objects
- Clock
- Speed limit is important
- Gear recommendation (if not automatic)
- Handbrake

Nav

- Arrow that adjusts depending on distance to next event/turn
- Map feels clear and gives good overview
- Lanes are important to see, especially when there are many departing lanes from road
- Where on the map on the car
- The nav should be aware of other things (such as phone calls) and alert the driver to stick to the route
- Scaled down arrows

Customize - Modes

- Limited Mode (danger mode) with just the essential information - most important features (scaled down)
- Choose what to see
- Modes - don't want to choose everything
- Change info by myself

- Always see speed
- Police warner
- Swipe/voice to change mode
- Change color scheme by myself
- Change mode on the fly
- Standard HUD mode = race/sport mode
- Eco mode = tree/plant growing
- Out of the box (standard modes predefined)
- Snow mode (winter mode)
- Modes should be effected by the luminosity (dawn/day/night/noon) and weather (sunny, raining etc)

Static variables

- Speed (1)
- Speed limit (2)

- Traffic info
- Placement dependant on mode (dynamic?)
- Familiarity is important

Driving help

- Parking help
- Distance to other cars
- Help with bad sight (fog/rain and so on)

Social

- Read sms or just hint about it
 - Notification → Preview version → Option to open it → Full screen display
- Many people probably read and sms already when driving
- Social media is an interesting feature, but could be unnecessary and overkill

Entertainment

- Video - big NONO
 - Should be at least 1080p in the HUD
 - Better than watching it on the phone
- Music player - spotify and so on
 - Experience new music (personal radio)
 - Predefined playlists
- Radio

Interaction

- Change modes with arrow keys
- Left-right-up-down modes and so on
- Not too many ways to interact
- Natural interaction, don't want to test their way to the right place

Selling point

- The participants would buy the Volvo
 - If the price was right (the HUD should be included free of charge)
 - If the HUD was more personalized towards the driver (the HUD should not be too expensive)
 - The HUD alone does not motivate the grr gr CR gr gbuy
 - If one is deciding between 2 similar cars one would select the Volvo
 - If the Volvo had the personalized HUD
 - The other car had the standard HUD

Layout suggestions

pics

2. Focus Group Session #2

Participants: **7**


Male/female: **0/7**

Average age: **30**

Date: **19/11/2013**

Time: **02h:00m**


Layout suggestions



HUD design

Calibrate your eye


Support
Adjustment



HUD design

Watsup!


by




HUD design SIMULATOR by Klocha




HUD design ENTRANCE by PREDICTION



HUD design Shopaholic by M shoelover




HUD design Eyeboard by




HUD design

by



HUD design

by



2013-12-16

CAR FANATIC


FULL FOCUS PÅ KØENING
Focus Group Preparation 2 - Google Drive

- Blinkers
- Road speed
- RPM

- G-force
- Traction status
- Gear

- hastighet
- speed bar
- Dead angle
- Gear


Power level
RPM



HUD design _____ by _____




3D info HUD design **SELFIE** ALLT UTM KÖENING Jg info



HUD design _____ by _____

Full handwriting or message
PRIVACY



The Everyday Driver

Infotainment
triggas över TSI

HUD design

by



HUD design

by

Friends Driving
 Kul om man kan följa sina
 vänner tex i kartan. Vart de är,
 gör, mår... etc


performance
skala
tarku mas
antra gilar

EXPLAIN
Da-da
kor ellet!
kor an
kor / kor
kor

spel
vs
Varning

+

HUD design Car game by Malin




HUD design social game by Malin

Bit spel

car 1
11
car 2
20
car 3
21

Artist & Titel?

HUD design Half n' half by _____



10/1/01

Don't mess
up Jag or
store!
Jag

Appendix F
Wireframes




Figure 1. Start menu and elegance mode





Figure 2. Office mode







Figure 3. Eco mode

Office mode
Eco+ mode
▶ **Race+ mode** ◀
Sport mode
Elegance mode






Figure 4. Race mode







Figure 5. Sport mode







Figure 6. Spotify mode




Figure 7. Speed design #1




Figure 8. Speed design #2




Figure 9. Speed design #3






Figure 10. Speed design #4





Figure 11. Speed design #5

Appendix G

Graphical Mock-ups

1. First iteration of graphical mock-ups

The first version of the graphical mock-ups are seen in Figure 1-31.




Figure 1. Mock-up: Navigation and SMS



Figure 2. Mock-up: Navigation and SMS



Figure 3. Mock-up: Navigation and SMS notification



Figure 4. Mock-up: Navigation




Figure 5. Mock-up: SMS notification and Navigation



Figure 6. Mock-up: SMS and Navigation



Figure 7. Mock-up: SMS and Navigation with centered speed



Figure 8. Mock-up: SMS notification and navigation with centered speed



Figure 9. Mock-up: SMS and Navigation




Figure 10. Mock-up: SMS notification and Navigation



Figure 11. Mock-up: Smartphone mirroring



Figure 12. Mock-up: Candy Crush Saga (mobile game)



Figure 13. Mock-up: Navigation and clock/date



Figure 14. Mock-up: Navigation and clock/date with centered speed




Figure 15. Mock-up: Eco mode



Figure 16. Mock-up: Eco mode



Figure 17. Mock-up: Eco mode



Figure 18. Mock-up: Facebook notification and Navigation



Figure 19. Mock-up: Facebook notification and Navigation



Figure 20. Mock-up: Instagram notification



Figure 21. Mock-up: Navigation and Instagram notification



Figure 22. Mock-up: Navigation and multiple Instagram notifications



Figure 23. Mock-up: Navigation and multiple Instagram, SMS, Twitter and Fb notifications



Figure 24. Mock-up: Navigation and Facebook, SMS and Twitter notifications



Figure 25. Mock-up: Navigation and multiple Instagram notifications without text



Figure 26. Mock-up: Navigation and SMS



Figure 27. Mock-up: Navigation and SMS full screen length



Figure 28. Mock-up: Navigation and warped SMS



Figure 29. Mock-up: Navigation and SMS on top




Figure 30. Mock-up: Navigation and distraction (speed camera warning)



Figure 31. Mock-up: embedded YouTube movie

2. Second iteration of graphical mock-ups

The second version of the graphical mock-ups are seen in Figure 32-36.




Figure 32. Mock-up: Eco mode and navigation



Figure 33. Mock-up: Notifications and Navigation



Figure 34. Mock-up: Notifications and Navigation




Figure 35. Mock-up: Sport mode and Navigation




Figure 36. Mock-up: Sport mode and Navigation (dark background)

Appendix H

Use Cases & User Stories

1. Use cases

The use cases are presented below.

Priority	Story	Task
1	Car info	Driving modes (select mode + modes)
1	Car info	Road Speed
1	Car info	Navigation
1	Car info	Infotainment
1	Car info	Warning messages
1	Car info	Speed Limit Display
2	General	Personal theme
2	General	Music/Spotify
2	General	Clock
2	General	Customization of HUD (color/layout/size of objects)
2	Car info	Blinkers
2	Car info	Cruise Control or ACC
2	Car info	Lane departure assistance
2	Car info	Gear
2	Car info	Collision warning
2	Car info	Incoming call
2	Safety	Dead angel (angle) warning
3	General	Notifications
3	General	Google Maps
3	General	Welcome msg to driver
3	Car info	Additional information about other cars (speed, distance, insured)
3	Car info	Negative speed when driving in reverse

3	Car info	RPM
3	Car info	Temperature (outside)
3	Car info	Lights + Blinkers
4	Weather	Weather forecast
4	Weather	Weather from car sensors
4	General	News msgs
4	General	Stock market information
4	General	News papers
4	Car info	Identifies the driver/passengers
4	Car info	Smart information ("You can drive to work 5 more times before you need to refill me")
4	Car info	Compass heading
4	Safety	Warning: Remaining passengers still in the car
4	Social	Twitter
4	Social	Facebook
4	Social	Instagram
4	Social	Friends driving
4	Other	Mirroring steering wheel
5	Navigation	Arrows
5	Weather	Visualization of weather (grass, leaves, flowers, ice tap)
5	General	Phone mirroring onto HUD
5	Car info	Driving feedback (gear recommendations, comments, driving conditions)
5	Car info	G-force
5	Car info	Hidden technical information
5	Car info	Detailed traction status
5	Safety	Warning: Color warning of dangerous cars
5	Social	Photo-sharing from camera in car

5	Entertainment	Browser
5	Entertainment	RSS
6	Navigation	Video-game map
6	Navigation	Speed Camera in map
6	General	Cam view from front/rear/baggage camera
6	Car info	Achievements (compliments)
6	Entertainment	Games (e.g. Mafiawars, PacMan, Farmville)
6	Other	Training hints
7	Navigation	Innutive waypoints (restaurants etc)
7	Navigation	Locations history (track record)
7	Car info	Sensor information (everything displayed in the scale 1 to 10)
7	Entertainment	Sound (Singstar, kareoke)
7	Other	Progress bar
7	Other	Graphs
7	Other	Parking ticket
7	Other	Apps
7	Other	Display cam view of passengers
7	Other	Outside camera (record the trip)
8	General	Weight of driver & passengers
8	General	Offerings (Groupon)
8	Entertainment	Movies
8	Other	Slide start of vehicle
8	Other	Health information (e.g. hartbeat)
8	Other	Gradient display of all information
9	General	Order food
9	Other	Advertisement (e.g. pop-up)

10	Social	Dating app
10	Other	Stroboscope
10	Other	Face recognition = ignition of car
10	Other	Lock pattern = ignition of car

2. User Stories

The user stories are presented below.

	User Stories (HUD)	
As a/an	I want to...	so that (I)... (optional)
Driver	be more relaxed when driving for a longer period of time	won't fall asleep and can focus on more fun stuff
Driver	have access to my social networks when driving	can take part of the information and share new content while driving
Driver	have access to my e-mail while driving	can work while driving
Driver	be able to communicate with other drivers around me	driving alone feels more sociable
Driver	have navigation	so I don't have to look away to know where I am going
Driver	get a warning message regarding speed camera	won't get a speeding ticket
Driver	see the speed	can see how fast I'm going without taking my eyes of the road
Driver	get calendar updates and reminders	don't miss any important meetings
Driver	play simple games	maximize the time spent in the car and get a fun experience while driving
Driver	waypoints/ driving checklists	don't forget things I have to do
Driver	get extensive car information (weight of car, condition of car)	will feel safer and more involved in the driving
Driver	information about speed and distance related to other cars	can improve my driving on heavily trafficked roads
Driver	have negative speed when reversing	keep a good reversing speed
Driver	see the reverse camera	can maintain a good driving position
Driver	see the exact distance for the car ahead of me in the same lane (incl speed)	can feel safer
Driver	have collision warning	can be reminded if I didn't pay attention

		enough
Driver	have pre-collision warning	don't get scared once the collision warning appears
Driver	driving modes	feel special while driving
Driver	feel special	feel appreciated as a customer
Driver	get a reminder if I have still a child in the backseat	don't forget my child in the car
Driver	access my phone interface while driving	don't need use my phone while driving
Driver	access the Internet	perform google searches etc
Driver	have a bicycle warning	won't hit any bicyclist
Driver	get achievements for driving	can feel more special while driving and keeping me focused on the driving
Driver	get relevant weather information (e.g. It will rain within 20 mins)	I can plan my driving in time
Driver	have dead-angle warning	can change lane or make turns easier
Driver	see my current gear	won't have to look away from the road
Driver	see when I have to change gear	can improve my driving
Driver	see what media is playing	can change it while driving without having to look away
Driver	have access to news	have something interesting to see while driving
Driver	be able to receive texts and phone calls (includes skype)	I don't need to use my phone while driving
Driver	have different modes, showing different information depending on where I am going	can be more effective in my daily life
Driver	get traffic updates	so that I can adjust my driving appropriately to the traffic
Driver	see the date and clock	I don't need to look down in the DIM to see the information
Driver	watch YouTube when driving	I can take part of the social media while driving

Driver	have shazam(or similar services)	know which song is playing on the radio
--------	----------------------------------	---

Appendix I
User Testing

1. Introduction

The user test is performed to evaluate the working prototype in the test vehicle. 12 participants has been invited to test the prototype.

2. Instructions

The input signals are explained in Figure 1. Route is illustrated in Figure 2. Evaluation scale is seen in Figure 3.




Figure 1. Mapping of key with functions




Figure 2. Test trip, A → B → A (mixture of 30, 50 and 70 km/h roads). Trip time 2x16 min.




Figure 3. Evaluation scale (5-1, five is 100% and one is 0%)

2. User Testing Script

Top to down testing script.

- Invite the user to take a seat in the driver seat and to adjust the chair, steering wheel and rearview mirror
- Explain the goal of the user test; evaluation of HUD enhancements (also inform the test person to shout out once a new event is triggered (e.g. incoming phone call))
- Tell the user to try out the HUD and change the layout himself/herself [**TO BE BOUND**] and invert the controls [**TO BE BOUND**] and the basics of the controls (up, down, left, right, menu, ok)
- Ask the user to drive towards Hjuvik by activating the navigation [user activates the nav]
- Trigger incoming call [8]. The user either accept the call or declines the call.
- Trigger incoming SMS [7]
- Trigger vehicle malfunction (warning triangle) [1]
- Trigger pedestrian warning [9]
- Trigger ice cream truck warning [0]

3. User Testing Questions

The following questions will be asked after each task has been completed by the test person. The evaluation scale, see in Figure 3, will be used by the test person to answer the questions, also additional information from the test person will be taken into considerations/noted.

- How easy was it to complete the task?
- How easy was it to find the function?
- How pleasant was it to use the HUD?

4. Evaluation Scale

Used by the test participants, see Fig 4.




Figure 4. Evaluation scale

Appendix J
Prototype

The prototype code in Qt can be requested by Volvo Car Corporation or Chalmers University of Technology.