Abstract Submitted for the MAR14 Meeting of The American Physical Society

Hierarchical, Self-Similar Structure in Native Squid Pen<sup>1</sup> FEI-CHI YANG, ROBERT PETERS, HANNAH DIES, McMaster University, Hamilton, ON, Canada, MAIKEL RHEINSTADTER, McMaster University, Hamilton, ON, Canada and Canadian Neutron Beam Centre, Chalk River, ON, Canada — Proteins, chitin and keratin form the elementary building blocks of many biomaterials. How these molecules assemble into larger, macroscopic structures with very different properties is the fundamental question we are trying to answer [1]. Squid pen is a transparent backbone inside the squid, which supports the mantle of the squid. The pens show a hierarchical, self-similar structure under the microscope and the AFM with fibers from  $500\mu m$  to  $0.2\mu m$  in diameter. The chitin molecules form nano-crystallites of monoclinic lattice symmetry surrounded by a protein layer, resulting in  $\beta$ -chitin nano-fibrils. Signals corresponding to the  $\alpha$ -coil protein phase and  $\beta$ -chitin were observed in X-ray experiments *in-situ*. The molecular structure is highly anisotropic with 90% of the  $\alpha$ -coils and  $\beta$ -chitin crystallites oriented along the fiber-axis indicating a strong correlation between the structures on millimeters down to the molecular scale [2].

 "Self-assembly enhances the strength of fibres made from vimentin intermediate filament proteins", N. Pinto, FC. Yang, et al., submitted to Biomacromolecules.
"Hierarchical, Self-Similar Structure in Native Squid Pen", FC. Yang, et al., submitted to Royal Society Interface.

<sup>1</sup>This research was funded by NSERC, NRC, CFI, and the Ontario Ministry of Economic Development and Innovation.

Fei-Chi Yang McMaster University, Hamilton, ON, Canada

Date submitted: 14 Nov 2013

Electronic form version 1.4