High-Power Converters and AC Drives Bin Wu



Contents

| Part One Introduction | 1 |
|--|---------------|
| 1. Introduction | 3 |
| 1.1 Introduction 3 | |
| 1.2 Technical Requirements and Challenge | es 5 |
| 1.2.1 Line-Side Requirements 5 | |
| 1.2.2 Motor-Side Challenges 6 | |
| 1.2.3 Switching Device Constraints | 7 |
| 1.2.4 Drive System Requirements | 8 |
| 1.3 Converter Configurations 8 | |
| 1.4 MV Industrial Drives 10 | |
| 1.5 Summary 13 | |
| References 13 | |
| Appendix 14 | |
| 2. High-Power Semiconductor Devices | 17 |
| 2.1 Introduction 17 | |
| 2.2 High-Power Switching Devices 18 | 3 |
| 2.2.1 Diodes 18 | |
| 2.2.2 Silicon-Controlled Rectifier (Se | CR) 18 |
| 2.2.3 Gate Turn-Off (GTO) Thyristo | r 21 |
| 2.2.4 Gate-Commutated Thyristor (C | GCT) 23 |
| 2.2.5 Insulated Gate Bipolar Transist | tor (IGBT) 26 |
| | 28 |
| 2.3 Operation of Series-Connected Device | |
| 2.3.1 Main Causes of Voltage Unbal | |
| 2.3.2 Voltage Equalization for GCTs | |
| 2.3.3 Voltage Equalization for IGBT | s 31 |
| 2.4 Summary 32 | |
| References 33 | |
| | v |

| Part Tv | wo Multipulse Diode and SCR Rectifiers | 35 |
|---------|--|----|
| 3. Mul | Itipulse Diode Rectifiers | 37 |
| 3.1 | Introduction 37 | |
| 3.2 | Six-Pulse Diode Rectifier 38 | |
| | 3.2.1 Introduction 38 | |
| | 3.2.2 Capacitive Load 40 | |
| | 3.2.3 Definition of THD and PF 43 | |
| | 3.2.4 Per-Unit System 45 | |
| | 3.2.5 THD and PF of Six-Pulse Diode Rectifier 45 | |
| 3.3 | Series-Type Multipulse Diode Rectifiers 47 | |
| | 3.3.1 12-Pulse Series-Type Diode Rectifier 47 | |
| | 3.3.2 18-Pulse Series-Type Diode Rectifier 51 | |
| | 3.3.3 24-Pulse Series-Type Diode Rectifier 54 | |
| 3.4 | Separate-Type Multipulse Diode Rectifiers 57 | |
| | 3.4.1 12-Pulse Separate-Type Diode Rectifier 57 | |
| 2.5 | 3.4.2 18- and 24-Pulse Separate-Type Diode Rectifiers 61 | |
| 3.5 | Summary 61 | |
| | References 61 | |
| 4. Mu | ltipulse SCR Rectifiers | 65 |
| 4.1 | Introduction 65 | |
| 4.2 | Six-Pulse SCR Rectifier 65 | |
| | 4.2.1 Idealized Six-Pulse Rectifier 66 | |
| | 4.2.2 Effect of Line Inductance 70 | |
| | 4.2.3 Power Factor and THD 72 | |
| 4.3 | 12-Pulse SCR Rectifier 74 | |
| | 4.3.1 Idealized 12-Pulse Rectifier 75 | |
| | 4.3.2 Effect of Line and Leakage Inductances 78 | |
| | 4.3.3 THD and PF 79 | |
| 4.4 | 18- and 24-Pulse SCR Rectifiers 79 | |
| 4.5 | Summary 81 | |
| | References 81 | |
| 5. Pha | se-Shifting Transformers | 83 |
| 5.1 | Introduction 83 | |
| 5.2 | Y/Z Phase-Shifting Transformers 83 | |
| | 5.2.1 Y/Z-1 Transformers 83 | |
| | 5.2.2 Y/Z-2 Transformers 85 | |
| 5.3 | Δ /Z Transformers 87 | |
| 5.4 | Harmonic Current Cancellation 88 | |
| | 5.4.1 Phase Displacement of Harmonic Currents 88 | |
| | 5.4.2 Harmonic Cancellation 90 | |
| 5.5 | Summary 92 | |

| | | Contents | Vi |
|---|---|----------|-----|
| Part Th | nree Multilevel Voltage Source Converters | | 93 |
| 6. Two | o-Level Voltage Source Inverter | | 95 |
| 6.1 | Introduction 95 | | |
| 6.2 | Sinusoidal PWM 95 | | |
| | 6.2.1 Modulation Scheme 95 | | |
| | 6.2.2 Harmonic Content 96 | | |
| | 6.2.3 Overmodulation 99 | | |
| 6.3 | 6.2.4 Third Harmonic Injection PWM 99 Space Vector Modulation 101 | | |
| 0.5 | 6.3.1 Switching States 101 | | |
| | 6.3.2 Space Vectors 101 | | |
| | 6.3.3 Dwell Time Calculation 104 | | |
| | 6.3.4 Modulation Index 106 | | |
| | 6.3.5 Switching Sequence 107 | | |
| | 6.3.6 Spectrum Analysis 108 | | |
| | 6.3.7 Even-Order Harmonic Elimination 111 | | |
| | 6.3.8 Discontinuous Space Vector Modulation 115 | | |
| 6.4 | Summary 116 | | |
| | References 117 | | |
| 7 Cas | cadad H-Bridga Multilaval Invartors | | 110 |
| 7. Cas 7.1 7.2 | Caded H-Bridge Multilevel Inverters Introduction 119 H-Bridge Inverter 119 7.2.1 Bipolar Pulse-Width Modulation 120 | | 119 |
| 7.1 | Introduction 119 H-Bridge Inverter 119 7.2.1 Bipolar Pulse-Width Modulation 120 | | 119 |
| 7.1 | Introduction 119 H-Bridge Inverter 119 7.2.1 Bipolar Pulse-Width Modulation 120 | | 119 |
| 7.1 7.2 | Introduction 119 H-Bridge Inverter 119 7.2.1 Bipolar Pulse-Width Modulation 120 7.2.2 Unipolar Pulse-Width Modulation 121 | | 119 |
| 7.1 7.2 | Introduction 119 H-Bridge Inverter 119 7.2.1 Bipolar Pulse-Width Modulation 120 7.2.2 Unipolar Pulse-Width Modulation 121 Multilevel Inverter Topologies 123 | | 119 |
| 7.1 7.2 | Introduction 119 H-Bridge Inverter 119 7.2.1 Bipolar Pulse-Width Modulation 120 7.2.2 Unipolar Pulse-Width Modulation 121 Multilevel Inverter Topologies 123 7.3.1 CHB Inverter with Equal dc Voltage 123 7.3.2 H-Bridges with Unequal dc Voltages 126 Carrier Based PWM Schemes 127 | | 119 |
| 7.1 7.2 7.3 | Introduction 119 H-Bridge Inverter 119 7.2.1 Bipolar Pulse-Width Modulation 120 7.2.2 Unipolar Pulse-Width Modulation 121 Multilevel Inverter Topologies 123 7.3.1 CHB Inverter with Equal dc Voltage 123 7.3.2 H-Bridges with Unequal dc Voltages 126 Carrier Based PWM Schemes 127 7.4.1 Phase-Shifted Multicarrier Modulation 127 | | 119 |
| 7.1 7.2 7.3 | Introduction 119 H-Bridge Inverter 119 7.2.1 Bipolar Pulse-Width Modulation 120 7.2.2 Unipolar Pulse-Width Modulation 121 Multilevel Inverter Topologies 123 7.3.1 CHB Inverter with Equal dc Voltage 123 7.3.2 H-Bridges with Unequal dc Voltages 126 Carrier Based PWM Schemes 127 7.4.1 Phase-Shifted Multicarrier Modulation 127 7.4.2 Level-Shifted Multicarrier Modulation 131 | | 119 |
| 7.1 7.2 7.3 | Introduction 119 H-Bridge Inverter 119 7.2.1 Bipolar Pulse-Width Modulation 120 7.2.2 Unipolar Pulse-Width Modulation 121 Multilevel Inverter Topologies 123 7.3.1 CHB Inverter with Equal dc Voltage 123 7.3.2 H-Bridges with Unequal dc Voltages 126 Carrier Based PWM Schemes 127 7.4.1 Phase-Shifted Multicarrier Modulation 127 7.4.2 Level-Shifted Multicarrier Modulation 131 7.4.3 Comparison Between Phase- and Level-Shifted | | 119 |
| 7.1 7.2 7.3 | Introduction 119 H-Bridge Inverter 119 7.2.1 Bipolar Pulse-Width Modulation 120 7.2.2 Unipolar Pulse-Width Modulation 121 Multilevel Inverter Topologies 123 7.3.1 CHB Inverter with Equal dc Voltage 123 7.3.2 H-Bridges with Unequal dc Voltages 126 Carrier Based PWM Schemes 127 7.4.1 Phase-Shifted Multicarrier Modulation 127 7.4.2 Level-Shifted Multicarrier Modulation 131 7.4.3 Comparison Between Phase- and Level-Shifted PWM Schemes 136 | | 119 |
| 7.1 7.2 7.3 7.4 | Introduction 119 H-Bridge Inverter 119 7.2.1 Bipolar Pulse-Width Modulation 120 7.2.2 Unipolar Pulse-Width Modulation 121 Multilevel Inverter Topologies 123 7.3.1 CHB Inverter with Equal dc Voltage 123 7.3.2 H-Bridges with Unequal dc Voltages 126 Carrier Based PWM Schemes 127 7.4.1 Phase-Shifted Multicarrier Modulation 127 7.4.2 Level-Shifted Multicarrier Modulation 131 7.4.3 Comparison Between Phase- and Level-Shifted PWM Schemes 136 Staircase Modulation 139 | | 119 |
| 7.1 7.2 7.3 | Introduction 119 H-Bridge Inverter 119 7.2.1 Bipolar Pulse-Width Modulation 120 7.2.2 Unipolar Pulse-Width Modulation 121 Multilevel Inverter Topologies 123 7.3.1 CHB Inverter with Equal dc Voltage 123 7.3.2 H-Bridges with Unequal dc Voltages 126 Carrier Based PWM Schemes 127 7.4.1 Phase-Shifted Multicarrier Modulation 127 7.4.2 Level-Shifted Multicarrier Modulation 131 7.4.3 Comparison Between Phase- and Level-Shifted PWM Schemes 136 Staircase Modulation 139 Summary 141 | | 119 |
| 7.1 7.2 7.3 7.4 | Introduction 119 H-Bridge Inverter 119 7.2.1 Bipolar Pulse-Width Modulation 120 7.2.2 Unipolar Pulse-Width Modulation 121 Multilevel Inverter Topologies 123 7.3.1 CHB Inverter with Equal dc Voltage 123 7.3.2 H-Bridges with Unequal dc Voltages 126 Carrier Based PWM Schemes 127 7.4.1 Phase-Shifted Multicarrier Modulation 127 7.4.2 Level-Shifted Multicarrier Modulation 131 7.4.3 Comparison Between Phase- and Level-Shifted PWM Schemes 136 Staircase Modulation 139 | | 119 |
| 7.1 7.2 7.3 7.4 7.5 7.6 | Introduction 119 H-Bridge Inverter 119 7.2.1 Bipolar Pulse-Width Modulation 120 7.2.2 Unipolar Pulse-Width Modulation 121 Multilevel Inverter Topologies 123 7.3.1 CHB Inverter with Equal dc Voltage 123 7.3.2 H-Bridges with Unequal dc Voltages 126 Carrier Based PWM Schemes 127 7.4.1 Phase-Shifted Multicarrier Modulation 127 7.4.2 Level-Shifted Multicarrier Modulation 131 7.4.3 Comparison Between Phase- and Level-Shifted PWM Schemes 136 Staircase Modulation 139 Summary 141 | | |
| 7.1 7.2 7.3 7.4 7.5 7.6 | Introduction 119 H-Bridge Inverter 119 7.2.1 Bipolar Pulse-Width Modulation 120 7.2.2 Unipolar Pulse-Width Modulation 121 Multilevel Inverter Topologies 123 7.3.1 CHB Inverter with Equal dc Voltage 123 7.3.2 H-Bridges with Unequal dc Voltages 126 Carrier Based PWM Schemes 127 7.4.1 Phase-Shifted Multicarrier Modulation 127 7.4.2 Level-Shifted Multicarrier Modulation 131 7.4.3 Comparison Between Phase- and Level-Shifted PWM Schemes 136 Staircase Modulation 139 Summary 141 References 142 de-Clamped Multilevel Inverters | | |
| 7.1 7.2 7.3 7.4 7.5 7.6 8. Dioc 8.1 | Introduction 119 H-Bridge Inverter 119 7.2.1 Bipolar Pulse-Width Modulation 120 7.2.2 Unipolar Pulse-Width Modulation 121 Multilevel Inverter Topologies 123 7.3.1 CHB Inverter with Equal dc Voltage 123 7.3.2 H-Bridges with Unequal dc Voltages 126 Carrier Based PWM Schemes 127 7.4.1 Phase-Shifted Multicarrier Modulation 127 7.4.2 Level-Shifted Multicarrier Modulation 131 7.4.3 Comparison Between Phase- and Level-Shifted PWM Schemes 136 Staircase Modulation 139 Summary 141 References 142 de-Clamped Multilevel Inverters Introduction 143 | | 119 |
| 7.1 7.2 7.3 7.4 7.5 7.6 | Introduction 119 H-Bridge Inverter 119 7.2.1 Bipolar Pulse-Width Modulation 120 7.2.2 Unipolar Pulse-Width Modulation 121 Multilevel Inverter Topologies 123 7.3.1 CHB Inverter with Equal dc Voltage 123 7.3.2 H-Bridges with Unequal dc Voltages 126 Carrier Based PWM Schemes 127 7.4.1 Phase-Shifted Multicarrier Modulation 127 7.4.2 Level-Shifted Multicarrier Modulation 131 7.4.3 Comparison Between Phase- and Level-Shifted PWM Schemes 136 Staircase Modulation 139 Summary 141 References 142 de-Clamped Multilevel Inverters | | |

| 10. | 10.1 | M Current Source Inverters Introduction 189 PWM Current Source Inverter 190 10.2.1 Trapezoidal Modulation 191 | 189 |
|-----|------------|---|-----|
| | rt Fo | | 187 |
| | | References 186 | |
| | 9.4 | 9.3.1 Inverter Configuration 183 9.3.2 Modulation Schemes 184 Summary 186 | |
| | 9.3 | 9.2.2 Modulation Scheme 180 9.2.3 Waveforms and Harmonic Content 181 Multilevel Flying-Capacitor Inverters 183 | |
| | 9.1 9.2 | Introduction 179 NPC/H-Bridge Inverter 179 9.2.1 Inverter Topology 179 | |
| 9. | Othe | er Multilevel Voltage Source Inverters | 179 |
| | | References 175 Appendix 176 | |
| | 8.7 | 8.6.1 Four- and Five-Level Diode-Clamped Inverters 8.6.2 Carrier-Based PWM 170 Summary 173 | |
| | 8.6 | 8.5.1 Discontinuous Space Vector Modulation 167 8.5.2 SVM Based on Two-Level Algorithm 168 High-Level Diode-Clamped Inverters 168 | |
| | 8.5 | 8.4.1 Causes of Neutral-Point Voltage Deviation 165 8.4.2 Effect of Motoring and Regenerative Operation 165 8.4.3 Feedback Control of Neutral-Point Voltage 166 Other Space Vector Modulation Algorithms 167 | |
| | 8.4 | 8.3.4 Switching Sequence Design 154 8.3.5 Inverter Output Waveforms and Harmonic Content 160 8.3.6 Even-Order Harmonic Elimination 160 Neutral-Point Voltage Control 164 | 34 |
| | 8.3 | Space Vector Modulation 148 8.3.1 Stationary Space Vectors 149 8.3.2 Dwell Time Calculation 149 8.3.3 Relationship Between \overrightarrow{V}_{ref} Location and Dwell Times 1 | 54 |

| | 10.3 | Space Vector Modulation 200 10.3.1 Switching States 200 10.3.2 Space Vectors 201 | |
|-----|------|--|-----|
| | | 10.3.3 Dwell Time Calculation 203 | |
| | | 10.3.4 Switching Sequence 205 | |
| | | 10.3.5 Harmonic Content 208 10.3.6 SVM Versus TPWM and SHE 209 | |
| | 10.4 | 10.3.6 SVM Versus TPWM and SHE 209 Parallel Current Source Inverters 209 | |
| | 10.4 | 10.4.1 Inverter Topology 209 | |
| | | 10.4.2 Space Vector Modulation for Parallel Inverters 210 | |
| | | 10.4.3 Effect of Medium Vectors on dc Currents 212 | |
| | | 10.4.4 dc Current Balance Control 213 | |
| | | 10.4.5 Experimental Verification 214 | |
| | 10.5 | Load-Commutated Inverter (LCI) 215 | |
| | 10.6 | Summary 216 | |
| | | References 217 | |
| | | Appendix 218 | |
| | | | |
| 11. | PWN | M Current Source Rectifiers | 219 |
| | 11.1 | Introduction 219 | |
| | 11.2 | Single-Bridge Current Source Rectifier 219 | |
| | | 11.2.1 Introduction 219 | |
| | | 11.2.2 Selective Harmonic Elimination 220 | |
| | | 11.2.3 Rectifier dc Output Voltage 225 11.2.4 Space Vector Modulation 227 | |
| | 11 3 | Dual-Bridge Current Source Rectifier 227 | |
| | 11.5 | 11.3.1 Introduction 227 | |
| | | 11.3.2 PWM Schemes 228 | |
| | | 11.3.3 Harmonic Contents 229 | |
| | 11.4 | Power Factor Control 231 | |
| | | 11.4.1 Introduction 231 | |
| | | 11.4.2 Simultaneous α and m_a Control 232 | |
| | | 11.4.3 Power Factor Profile 235 | |
| | 11.5 | Active Damping Control 236 | |
| | | 11.5.1 Introduction 236 | |
| | | 11.5.2 Series and Parallel Resonant Modes 237 | |
| | | 11.5.3 Principle of Active Damping 238 | |
| | | 11.5.4 LC Resonance Suppression 240 | |
| | | 11.5.5 Harmonic Reduction 242 11.5.6 Selection of Active Damping Resistance 245 | |
| | 11.6 | Summary 246 | |
| | 11.0 | References 247 | |
| | | Appendix 248 | |
| | | • • | |

| Pa | rt Fiv | re High-Power AC Drives | 251 |
|-----|---|---|-----|
| 12. | Volta | age Source Inverter-Fed Drives | 253 |
| | | Introduction 253 Two-Level VBSI-Based MV Drives 253 12.2.1 Power Converter Building Block 253 12.2.2 Two-Level VSI with Passive Front End 254 | |
| | 12.3 | Neutral-Point Clamped (NPC) Inverter-Fed Drives 257 12.3.1 GCT-Based NPC Inverter Drives 257 12.3.2 IGBT-Based NPC Inverter Drives 260 | |
| | 12.4 | Multilevel Cascaded H-Bridge (CHB) Inverter-Fed Drives 261 12.4.1 CHB Inverter-Fed Drives for 2300-V/4160-V Motors 261 12.4.2 CHB Inverter Drives for 6.6-kV/11.8-kV Motors 264 | |
| | | NPC/H-Bridge Inverter-Fed Drives 264 Summary 265 References 265 | |
| 13. | Curr | rent Source Inverter-Fed Drives | 269 |
| | 13.213.313.413.5 | Introduction 269 CSI Drives with PWM Rectifiers 269 13.2.1 CSI Drives with Single-bridge PWM Rectifier 269 13.2.2 CSI Drives for Custom Motors 273 13.2.3 CSI Drives with Dual-Bridge PWM Rectifier 275 Transformerless CSI Drive for Standard AC Motors 276 13.3.1 CSI Drive Configuration 276 13.3.2 Integrated dc Choke for Common-Mode Voltage Suppression 277 CSI Drive with Multipulse SCR Rectifier 279 13.4.1 CSI Drive with 18-Pulse SCR Rectifier 279 13.4.2 Low-Cost CSI Drive with 6-Pulse SCR Rectifier 280 LCI Drives for Synchronous Motors 281 13.5.1 LCI Drives with 12-Pulse Input and 6-Pulse Output 281 13.5.2 LCI Drives with 12-Pulse Input and 12-Pulse Output 282 Summary 282 | |
| 14. | Adva | References 283 anced Drive Control Schemes | 285 |
| 17. | | Introduction 285 | |
| | | Reference Frame Transformation 285 14.2.1 <i>abc/dq</i> Frame Transformation 286 14.2.2 3/2 Stationary Transformation 288 | |
| | 14.3 | Induction Motor Dynamic Models 288 14.3.1 Space Vector Motor Model 288 | |

| 14.3.2 dq-Axis Motor Model 290 |
|--|
| 14.3.3 Induction Motor Transient Characteristics 291 |
| 14.4 Principle of Field-Oriented Control (FOC) 296 |
| 14.4.1 Field Orientation 296 |
| 14.4.2 General Block Diagram of FOC 297 |
| 14.5 Direct Field-Oriented Control 298 |
| 14.5.1 System Block Diagram 298 |
| 14.5.2 Rotor Flux Calculator 299 |
| 14.5.3 Direct FOC with Current-Controlled VSI 301 |
| 14.6 Indirect Field-Oriented Control 305 |
| 14.7 FOC for CSI-Fed Drives 307 |
| 14.8 Direct Torque Control 309 |
| 14.8.1 Principle of Direct Torque Control 310 |
| 14.8.2 Switching Logic 311 |
| 14.8.3 Stator Flux and Torque Calculation 313 |
| 14.8.4 DTC Drive Simulation 314 |
| 14.8.5 Comparison Between DTC and FOC Schemes 316 |
| 14.9 Summary 316 |
| References 317 |

Abbreviations

Appendix Projects for Graduate-Level Courses

- P. 1 Introduction
- P. 2 Sample Project
- P. 3 Answers to Sample Project

Index