

Contents

| | | |
|----------|---|-----|
| 1 | Introductory Remarks and Overview | 1 |
| 2 | The Laser Plasma: Basic Phenomena and Laws | 5 |
| 2.1 | Laser–Particle Interaction and Plasma Formation | 6 |
| 2.1.1 | High-Power Laser Fields | 6 |
| 2.1.2 | Single Free Electron in the Laser Field (Nonrelativistic) | 9 |
| 2.1.3 | Collisional Ionization, Plasma Heating, and Quasineutrality | 13 |
| 2.2 | Fluid Description of a Plasma | 24 |
| 2.2.1 | Two-Fluid and One-Fluid Models | 24 |
| 2.2.2 | Linearized Motions | 37 |
| 2.2.3 | Similarity Solutions | 44 |
| 2.3 | Laser Plasma Dynamics | 58 |
| 2.3.1 | Plasma Production with Intense Short Pulses | 60 |
| 2.3.2 | Heating with Long Pulses of Constant Intensity | 63 |
| 2.3.3 | Similarity Considerations | 69 |
| 2.4 | Steady State Ablation | 74 |
| 2.4.1 | The Critical Mach Number in a Stationary Planar Flow | 75 |
| 2.4.2 | Ablative Laser Intensity | 78 |
| 2.4.3 | Ablation Pressure in the Absence of Profile Steepening | 82 |
| | References | 85 |
| 3 | Laser Light Propagation and Collisional Absorption | 91 |
| 3.1 | The Optical Approximation | 92 |
| 3.1.1 | Ray Equations | 93 |
| 3.1.2 | WKB Approximation | 98 |
| 3.1.3 | Energy Fluxes | 101 |
| 3.2 | Stokes Equation and its Applications | 107 |
| 3.2.1 | Homogeneous Stokes Equation | 107 |
| 3.2.2 | Reflection-Free Density Profiles | 112 |
| 3.2.3 | Collisional Absorption in Special Density Profiles | 113 |
| 3.2.4 | Inhomogeneous Stokes Equation | 115 |
| 3.3 | Collisional Absorption | 118 |

| | | |
|----------|--|------------|
| 3.3.1 | Collision Frequency of Electrons Drifting at Constant Speed (Oscillator Model) | 120 |
| 3.3.2 | Thermal Electrons in a Strong Laser Field | 129 |
| 3.3.3 | The Ballistic Model | 134 |
| 3.3.4 | Equivalence of Models | 142 |
| 3.3.5 | Complementary Remarks | 143 |
| 3.4 | Inverse Bremsstrahlung Absorption | 146 |
| 3.5 | Ion Beam Stopping | 149 |
| | References | 150 |
| 4 | Resonance Absorption | 153 |
| 4.1 | Linear Resonance Absorption | 154 |
| 4.1.1 | The Capacitor Model | 159 |
| 4.1.2 | Steep Density Gradients and Fresnel Formula | 160 |
| 4.1.3 | Comparison with Experiments | 163 |
| 4.2 | Nonlinear Resonance Absorption | 164 |
| 4.2.1 | High Amplitude Electron Plasma Waves at Moderate Density Gradients | 165 |
| 4.2.2 | Resonance Absorption by Nonlinear Electron Plasma Waves | 168 |
| 4.3 | Hot Electron Generation | 172 |
| 4.3.1 | Acceleration of Electrons by an Intense Smooth Langmuir Wave | 173 |
| 4.3.2 | Particle Acceleration by a Discontinuous Langmuir Wave | 178 |
| 4.3.3 | Vlasov Simulations and Experiments | 179 |
| 4.4 | Wavebreaking | 182 |
| 4.4.1 | Hydrodynamic Wavebreaking | 184 |
| 4.4.2 | Kinetic Theory of Wavebreaking | 186 |
| | References | 191 |
| 5 | The Ponderomotive Force and Nonresonant Effects | 193 |
| 5.1 | Ponderomotive Force on a Single Particle | 194 |
| 5.1.1 | Conservation of the Cycle-Averaged Energy | 195 |
| 5.1.2 | The Standard Perturbative Derivation of the Force | 199 |
| 5.1.3 | Rigorous Relativistic Treatment | 201 |
| 5.2 | Collective Ponderomotive Force Density | 206 |
| 5.2.1 | Bulk Force | 206 |
| 5.2.2 | The Force Originating from Induced Fluctuations | 206 |
| 5.2.3 | Global Momentum Conservation | 209 |
| 5.3 | Nonresonant Ponderomotive Effects | 210 |
| 5.3.1 | Ablation Pressure | 211 |
| 5.3.2 | Filamentation and Self-Focusing | 219 |
| 5.3.3 | Modulational Instability | 222 |
| | References | 225 |

- 6 Resonant Ponderomotive Effects** 229
 - 6.1 Tools 229
 - 6.1.1 Waves, Energy Densities and Wave Pressure 230
 - 6.1.2 Doppler Shifts 232
 - 6.2 Instabilities Driven by Wave Pressure 238
 - 6.2.1 Resonant Ponderomotive Coupling 238
 - 6.2.2 Unstable Configurations 242
 - 6.2.3 Growth Rates 245
 - 6.3 Parametric Amplification of Pulses 256
 - 6.3.1 Slowly Varying Amplitudes 257
 - 6.3.2 Quasi-Particle Conservation and Manley–Rowe Relations 258
 - 6.3.3 Light Scattering at Relativistic Intensities 259
 - References 265

- 7 Intense Laser–Atom Interaction** 267
 - 7.1 Atomic Units 267
 - 7.2 Atoms in Strong Static Electric Fields 270
 - 7.2.1 Separation of the Schrödinger Equation 272
 - 7.2.2 Tunneling Ionization 277
 - 7.3 Atoms in Strong Laser Fields 281
 - 7.3.1 Floquet Theory and Dressed States 283
 - 7.3.2 Non-Hermitian Floquet Theory 287
 - 7.3.3 Stabilization 288
 - 7.3.4 Strong Field Approximation 292
 - 7.3.5 Few-Cycle Above-Threshold Ionization 301
 - 7.3.6 Simple Man’s Theory 304
 - 7.3.7 Interference Effects 306
 - 7.3.8 High-Order Harmonic Generation 308
 - 7.3.9 Strong Field Approximation for High-Order Harmonic
Generation: the Lewenstein Model 313
 - 7.3.10 Harmonic Generation Selection Rules 315
 - 7.4 Strong Laser–Atom Interaction Beyond the Single Active Electron .. 319
 - 7.4.1 Nonsequential Ionization 320
 - References 326

- 8 Relativistic Laser–Plasma Interaction** 331
 - 8.1 Essential Relativity 331
 - 8.1.1 Four Vectors 331
 - 8.1.2 Momentum and Kinetic Energy 336
 - 8.1.3 Scalars, Contravariant and Covariant Quantities 337
 - 8.1.4 Ideal Fluid Dynamics 340
 - 8.1.5 Kinetic Theory 341
 - 8.1.6 Center of Momentum and Mass Frame of Noninteracting
Particles 343

- 8.1.7 Moment Equations 344
- 8.1.8 Covariant Electrodynamics 348
- 8.2 Particle Acceleration in an Intense Laser Field 351
 - 8.2.1 Particle Acceleration in Vacuum 353
 - 8.2.2 Wakefield and Bubble Acceleration 359
- 8.3 Collisionless Absorption in Overdense Matter and Clusters 363
 - 8.3.1 Computer Simulations of Collisionless Laser–Target Interaction 364
 - 8.3.2 Search for Collisionless Absorption 371
 - 8.3.3 Collisionless Absorption by Anharmonic Resonance 378
- 8.4 Some Relativity of Relevance in Practice 392
 - 8.4.1 Overview 392
 - 8.4.2 Critical Density Increase for Fast Ignition 393
 - 8.4.3 Relativistic Self-Focusing 400
- References 401
- Index 405**