NAVAL POSTGRADUATE SCHOOL Monterey, California



DIC FILE COPY



THESIS

DTIC SELECT & AUG 1 5 1988 D. 27.

HUMAN FACTORS ASPECTS OF THE TRAFFIC ALERT AND COLLISION AVOIDANCE SYSTEM (TCAS II)

Ъy

Robert Joseph Tuttell

March 1988

Thesis Advisor: LCDR Chester A. Heard, USN

Approved for public release; distribution is unlimited.

ð

٩,

2

AD-A196

REPORT DOCU	MENTATION PAGE	
1a REPORT SECURITY CLASSIFICATION	16 RESTRICTIVE MARKINGS	
2a. SECURITY CLASSIFICATION AUTHORITY	3 DISTRIBUTION AVAILABILITY OF	REPORT
26 DECLASSIFICATION DOWNGRADING SCHEDULE	distribution is unl	release; imited.
A REPEORMING ORGANIZATION REPORT NUMBER(S)	5 MONITORING ORGANIZATION RE	
4 PERFORMING ORGANIZATION REPORT NOIMBER(3)		
68 NAME OF PERFORMING ORGANIZATION 66 OFFICE SYMBOL	7a NAME OF MONITORING ORGAN	NZATION
Vaval Postgraduate School 67	Naval Postgraduate	School
6c. ADDRESS (City, State, and ZIP Code)	7b ADDRESS (City, State, and ZIP C	ode)
1onterey, California 93943-5000	Monterey, Californi	a 93943-5000
8a: NAME OF FUNDING SPONSORING ORGANIZATION (If applicable)	9 PROCUREMENT INSTRUMENT IDE	NT F/CAT:ON NUMBER
8c. ADDRESS (City, State, and ZIP Code)	10 SOURCE OF FUNDING NUMBERS	5
	PROGRAM PROJECT ELEMENT NO NO	TASK WORK UNIT NO ACCESSION N
13a. TYPE OF REPORT 13b. TIME COVERED 1aster's Thesis FROMTO	14 DATE OF REPORT (Year, Month, L 1988 March in this thesis are t	hose of the autho
16 SUPPLEMENTARY NOTATION The views expressed and do not reflect the official policy	in this thesis are t or position of the D	hose of the autho epartment of
Defense or the U.S. Government.	Continue on reverse if accessor and	identify by black symbol
FIELD GROUP SUB-GROUP TCAS, Traff	c Alert and Colision	Avoidance System
]		
19 ABSTRACT (Continue on reverse if necessary and identify by block	number)	reas of intoracti
between pilots and the TCAS II Collisi	on Avoidance System	in order to exami
(TA) information? (2) Did the pilots	use of the system i	n traffic advisor ncrease the miss
distance between conflicting aircraft?	(3) Would an alter	nate design for t
The first two questions were answered	with data obtained f	rom a NASA-Ames
simulation using airline crews and a E of these data reveal 14 incidents when	oeing 727 flight sim	ulator. Evaluati v maneuvered thei
aircraft using TA information. Forty	scenarios where the	TCAS II system
alrected evasive maneuvers were examin recommended avoidance maneuvers increa	ed. These results s sed aircraft miss di	how that the stance in 37 case
Alternate designs for the resolution a	dvisory display were	evaluated using
20 DISTRIBUTION / AVAILABILITY OF ABSTRACT	21 ABSTRACT SECURITY CLASSIFICA	ATION
223 NAME OF RESPONSIBLE INDIVIDUAL	22b TELEPHONE (Include Area Code	22C OFFICE SYMBOL
LCDR Chester A. Heard	(408) 646-2716	67Ha
DD FORM 1473, 84 MAR 83 APR EULIGIC may be used u	biolete SECURITY	CLASSIFICATION OF THIS PAGE
Ail other editions are i		U.S. Government Printing Office 1986-6
All other editions are i 1	Q.	U.S. Government Printing Office 1986—6

CALVA UNCLASSIFIED SECURITY CLASSIFICATION OF THIS PAGE Block 19 (continued) military and civilian pilots reacting to a computer display simulation. These results demonstrate that a "red and green" RA display is more effective than the current "red only" RA display. Karnard i Gat 'said t Control sustains, Theres. They of THE REAL PROPERTY AND ADDRESS OF : - 1 3 <u> 166552 - 202020 - 202020 - 202030</u> Ý. **22225**1 22233 UNCLASSIFIED ii SECURITY CLASSIFICATION OF THIS PAGE

Approved for public release; distribution is unlimited.

ECOPERCIE

10202000

19355555

Human Factors Aspects of the Traffic Alert and Collision Avoidance System (TCAS II)

by

Robert Joseph Tuttell Lieutenant Commander, United States Navy B.S., Jacksonville University, 1976

Submitted in partial fulfillment of the requirements for the degree of

MASTER OF SCIENCE IN AERONAUTICAL ENGINEERING

from the

NAVAL POSTGRADUATE SCHOOL March 1988

Author:	Robert J. Juttell
	Robert 9. Tuttell

Approved by: <u>Chesle, Q. Heard</u> LCDR Chester A. Heard, USN, Thesis Advisor

Mus F Plata

M.F. Platzer, Chairman Department of Aeronautics and Astronautics

L'és chache

Gordon E. Schacher, Dean of Science and Engineering

 Accesion For

 NTIS CRA&I

 DTIC TAB

 Unannounced

 Justification

 By

 Dict ibrition/

 Accesion For

 NTIS CRA&I

 Distification

 By

 Dict ibrition/

 Accesion for

 Dict ibrition/

 Accesion for

 Dict ibrition/

A-1

ABSTRACT

The objective of this study was to investigate three areas of interaction between pilots and the TCAS II Collision Avoidance System in order to examine the following areas of concern: (1) Did pilots maneuver on traffic advisory (TA) information? (2) Did the pilots' use of the system increase the miss distance between conflicting aircraft? (3) Would an alternate design for the resolution advisory (RA) display be more effective than the current display? The first two questions were answered with data obtained from a NASA-Ames simulation using airline crews and a Boeing 727 flight Evaluation of these data reveal 14 incidents simulator. where pilots successfully maneuvered their aircraft using TA information. Forty scenarios where the TCAS II system directed evasive maneuvers were examined. These results show that the recommended avoidance maneuvers increased aircraft miss distance in 37 cases. Alternate designs for the resolution advisory display were evaluated using military and civilian pilots reacting to a computer display simulation. These results demonstrate that a "red and green" RA display is more effective than the current "red only" RA display.

iv

TABLE OF CONTENTS

1

I.	INTRODUCTION 1
II.	TCAS II SYSTEM DESCRIPTION 3
III.	MANEUVERS BASED ON THE TRAFFIC ADVISORY DISPLAY 6
	A. INTRODUCTION
	B. PROCEDURES 6
	C. RESULTS
	D. CONCLUSIONS
IV.	MANEUVERS BASED ON RESOLUTION ALERTS14
	A. INTRODUCTION
	B. PROCEDURES
	C. RESULTS
	D. CONCLUSIONS
ν.	RESOLUTION ADVISORY DISPLAY EXPERIMENT
	A. INTRODUCTION
	B. PROCEDURES
	C. RESULTS
	D. CONCLUSIONS
VI.	SUMMARY OF CONCLUSIONS
APPEND	DIX A: "LLTCAS" COMPUTER PROGRAM63
APPENI	DIX B: "LLTCAS" RESULTS64
APPEND	DIX C: SUMMARY OF RA MANEUVER DATA
APPEN	DIX D: ALTERNATE RA DISPLAY SCENARIOS
LIST (DF REFERENCES
INITI	AL DISTRIBUTION LIST

]

፝ኇዀዄቝዀኇዀዀዀዀዀዀዀዀዀዀዀ ፞

LIST OF FIGURES

KKKKKE NAMANY RAAAMA BAKKAM

22222222

TERECO SUSSAN MARKED

e.

¢

A 14. 4 . 7. 4

.

1.	TCAS Components 4
2.	TA to CPA Time Interval (Scenarios 1-20)20
3.	TA to CPA Time Interval (Scenarios 21-40)21
4.	RA to CPA Time Interval (Scenarios 1-20)23
5.	RA to CPA Time Interval (Scenarios 21-40)24
6.	TA to RA Time Interval (Scenarios 1-20)
7.	TA to RA Time Interval (Scenarios 21-40)
8.	Altitude Separation at CPA (Scenarios 1-20)27
9.	Altitude Separation at CPA (Scenarios 21-40)28
10.	Altitude Separation Change (Scenarios 1-20)29
11.	Altitude Separation Change (Scenarios 21-40)
12.	Slant Range Change (Scenarios 1-20)
13.	Slant Range Change (Scenarios 21-40)
14.	Three Versions of the RA Display
15.	Reaction Time Learning Effects
16.	Scenario Reaction Times
17.	Climb/Descent Errors
18.	Scenario Errors

vi

 $\lambda \sim \lambda \sim \lambda$

TABLE OF ABBREVIATIONS

2322335

ADI: Altitude Direction Indicator

#??~#`\$_`\$_\$`\$_\$`\$\\$`\$`\$`\$`\$`\$`\$`\$

ALT: Altitude

ATC: Air Traffic Control

CPA: Closest Point of Approach

DF: Degress of Freedom

F: Variance ratio

FPM: Feet per Minute

FPS: Feet per Second

FT: Feet

IMC: Instrument Meteorological Conditions

IVSI: Instantaneous Vertical Speed Indicator

NM: Nautical Miles

p: Probability due to Chance

RA: Resolution Advisory

SECS: Seconds

SEP: Separation

SD: Sample Standard Deviation

TA: Traffic Advisory

TCAS: Traffic Alert and Collision Avoidance System

VMC: Visual Meteorological Conditions

vii

ACKNOWLEDGMENT

My sincerest thanks to my wife Geri and our children Christopher and Jennifer whose ever-present support helped me keep everything in perspective during the thesis process. Special thanks to Sherry Chappell and Chet Heard who gave me the freedom to pursue my areas of interest and gave me valuable guidance each step along the way. Thanks to Professor Satyanarayana Bodapati who introduced me to the opportunities available at the NASA-Ames Research Center. I also appreciate the expert computer assistance I received from Lyman Taylor and Tom Kozon, and the support of all the NASA-Ames personnel I worked with. Finally, I would like to thank LT John Blaha and the 36 pilots from both Patrol Squadron Thirty-One (VP-31) and NASA-Ames for volunteering their valuable time to participate in my TCAS human factors experiment.

viii

I. INTRODUCTION

The overburdened United States air traffic control system has failed to prevent a significant number of near mid-air collisions during the last few years. The increase in air traffic due to airline deregulation has saturated the current air traffic control system and has spurred the development of practical airborne collision avoidance systems. Reference 1 contains a description of the TCAS I, TCAS II, and TCAS III systems. "TCAS" is an abbreviation for "Traffic Alert and Collision Avoidance System" (Table of Abbreviations). The major difference between the three systems, other than cost, is the amount and type of collision avoidance maneuver information that is provided to the pilot. The TCAS I system provides no avoidance maneuver commands, while the TCAS II system directs evasive maneuvers in the vertical plane only (climbs and descents). The TCAS III system provides turns in addition to climbs and descents. The major disadvantage of all three systems is that the intruder aircraft must be transponder equipped in order to be tracked by the TCAS system. Additionally, for a TCAS II or TCAS III equipped aircraft to receive collision avoidance commands, the intruder aircraft must have a mode-C (altitude reporting) transponder.

This report will deal with the TCAS II system and some of the human factors aspects of its operation. Three questions dealing with the use of the system by pilots will be examined.

ጟዹ፞ቔጟቒኯቒጟዸኯቜጟዄኯቜጟቒኯቘ፟፟፟ቒኯቔጟቒኯቔጟቒኯቜጟቒኯቜጟቒኯቔጟቒኯቔጟቒኯቜጟቒኯ

- (1) Did pilots maneuver on traffic advisory (TA) information?
- (2) Did the use of the system increase the miss distance between conflicting aircraft?
- (3) Would an alternate design for the resolution advisory (RA) display be more effective than the current display?

To answer the first two questions, information obtained from a NASA-Ames simulation using airline flight crews and a Boeing 727 flight simulator was examined and analyzed. A detailed description of this simulation is contained in Reference 2. (Note: The author of this report is a coauthor of Reference 2.) The creation of an additional computer simulation at the NASA-Ames Research Center was necessary to examine alternate designs for the RA display. Results from this study are described in Chapter 5 of this report.

The research in this paper was conducted under the Navy-NASA Joint Institute of Aeronautics Program. Analysis of the data was completed using the facilities of the NASA-Ames Research Center and the Naval Postgraduate School.

II. TCAS II SYSTEM DESCRIPTION

TCAS II is a self-contained system designed to preserve ATC vertical separation by tracking aircraft, evaluating collision potential, and displaying advisories and warnings. [Ref. 3] The warnings include recommended evasive maneuvers in the vertical plane. The system computes the range, relative altitude, and bearing of nearby aircraft by interrogating their transponders and evaluating the replies. The traffic's relative altitude and position information is displayed by color coded symbols on a traffic advisory, (TA) display (Figure 1). Display characteristics differ among the airlines. The traffic advisory display covers an area at least six NM ahead of the aircraft to three NM behind the Intruder aircraft are colored amber unless they aircraft. pose a collision threat within 20 to 30 seconds. If the intruder aircraft is determined to be a threat, the TCAS computer changes the color of the symbol to red, and activates warning tones, a warning voice, and red lights on the glareshield. These warnings direct the pilot's attention to the resolution advisory (RA) display which displays recommended evasive action (Figure 1). The RA display is an IVSI (Instantaneous Vertical Speed Indicator) which has been modified with red "eyebrow" lights around the circumference to indicate whether a climb or descent is required to

Figure 1. TCAS Components

ESERAN KKS

1. 88. LE

KANNA KAANA



increase separation distance. The warning lights will extinguish, and a voice will state "clear of conflict" when the collision threat no longer exists. Installation of the system requires the addition of an antenna on top of the fuselage, a computer unit (black box) and a mode-S transponder (Ref. 3). If two conflicting aircraft are equipped with the TCAS II system, collision avoidance maneuvers will be coordinated automatically by their respective TCAS computer units through the mode-S transponder data link.

III. MANEUVERS BASED ON THE TRAFFIC ADVISORY DISPLAY

A. INTRODUCTION

The TCAS II traffic advisory (TA) display is designed to aid pilots in establishing visual contact with conflicting traffic. It may also be used to observe the flight paths of nearby traffic and monitor the relative altitude differences between the TCAS aircraft and other aircraft in the vicinity. This information allows the pilots to see dangerous situations developing and prepare for possible evasive maneuvers. Eight airline flight crews participated in the NASA-Ames study of TCAS II systems using this display as well as the resolution advisory (RA) display. [Ref. 2] They were thoroughly briefed that the traffic advisory display provided traffic information only and should not be used for evasive maneuvering. Additionally, the RA display was to be used only for evasive maneuvers in the vertical plane following a resolution advisory. In general, the pilots adhered to these There were 14 incidents where the pilots used quidelines. their own experience and judgment to maneuver the aircraft based on the traffic advisory information. Each of these incidents is examined in this report.

B. PROCEDURES

The use of the information obtained from the traffic advisory display for maneuvering was investigated using

information from three different sources.

ኯኇኯቔቔዾቔጞፚቔዀቔቔፚቔቔፚቔ፝ፚቔጜጚቔጜጞቔዄጞቔዄጞቔዄጞቘጞቔጞኇዄጞቔጜ፟፟፟፟ቔዄጞቔጞጚዄጞኯዄጞቔዄኇቔጜዀጞጜቔጞቔጞዀዄቔጞቚጜቔጜቔዄቔጞቘቔጜቔጜቔጞቚቔጞጜቔጞጜቔጞ

- (1) Computer printouts of the TCAS equipped aircraft's data for all occurrences of a turn or bank angle greater than ten degrees were examined for the time period from two minutes before a traffic alert through the end of the alert. Similar printouts for the resolution alerts were investigated using the same parameters. All incidents of altitude deviations of 100 feet or greater, or vertical velocity changes of greater than 500 feet per minute, were also examined for the TCAS aircraft before and during the traffic alert time periods.
- (2) Two observers monitored the flight crew's actions during the simulator testing. Both individuals completed forms which contained the conditions for each alert as well as comments on their personal observations. The corrective RA analysis forms completed by the researchers during post-flight data reduction provided additional information.
- (3) Cockpit video tapes were used to observe the flight crew's responses to the traffic advisory information and to confirm the incidents of maneuvering based entirely upon this information.

All maneuvers which were based on visual sightings were not considered a misuse of the system, unless the pilots made evasive maneuvers using traffic advisory information after visual contact was subsequently lost. Maneuvers based on ATC clearances or navigation maneuvers also were not considered.

C. RESULTS

The 14 incidents of maneuvering based on information obtained from the traffic advisory display are described below for all eight airline flight crews. Each crew's incidents will be grouped together to show trends.

CREW #3111: No incidents

7

(1) CONDITIONS: time = 07:51:00; visual contact initially gained then lost during maneuvering; twilight; visual meteorological conditions; descending.

NARRATIVE: The crew adjusted their descent rate during the approach in response to a traffic advisory showing traffic beneath them. After clearing the traffic, they continued their approach.

(2) CONDITIONS: time = 09:06:49; no visual contact; twilight; visual meteorological conditions; climbing.

NARRATIVE: The crew turned to avoid a mode A aircraft during the initial climb after takeoff. Aircraft that are mode A transponder equipped do not have altitude reporting capability, and thus appear on the traffic advisory display without relative altitude information. Additionally, no resolution alerts or recommended evasive maneuvers can be issued for these types of aircraft. The crew discussed the incident and decided that the turn was necessary to ensure separation since the altitude of the other aircraft was unknown.

(3) CONDITIONS: time = 09:53:48; no visual contact; twilight; visual meteorological conditions; descending.

NARRATIVE: The crew was descending to an assigned altitude of 5000 feet. After evaluating the information on the traffic advisory display, they leveled off slightly above their assigned altitude and began a slow climb. A resolution advisory calling for a climb was issued a few seconds after the climb was initiated by the flight crew. After clearing the traffic, the crew descended to their assigned altitude.

(4) CONDITIONS: time = 09:58:35; no visual contact; twilight; visual meteorological conditions; descending.

NARRATIVE: The crew turned to clear mode A traffic on a localizer approach using information obtained from the traffic advisory display. After clearing the traffic, they completed the approach.

CREW #3312: 1 altitude adjustment.

(1) CONDITIONS: time = 07:47:33; no visual contact; night; visual meteorological conditions; descending.

NARRATIVE: During a descent, the crew responded to the information on the traffic advisory display which showed an aircraft 1000 feet below them. The crew decided to level the aircraft above their assigned altitude. This resulted in the crew having to notify ATC that they would not be able to meet a crossing altitude clearance. After clearing the traffic, they continued their descent.

CREW #3422: 1 turn and 1 altitude adjustment.

(1) CONDITIONS: time = 03:53:52; visual contact initially
gained then lost; night; visual meteorological conditions;
level flight.

NARRATIVE: The crew gained visual contact on a conflicting aircraft, but subsequently lost sight of the traffic. The traffic advisory display showed the traffic slightly to the right of the nose of their aircraft and climbing below them. A resolution alert advised the crew to "descend to cross" in order to pass under the conflicting aircraft. The pilot in command decided to descend as instructed and turn left slightly to increase the separation distance. Visual contact was regained after the evasive maneuver.

(2) CONDITIONS: time = 09:17:15; no visual contact; night; visual meteorological conditions; descending.

NARRATIVE: The crew was descending for an approach with multiple aircraft in the area when they received a traffic advisory on an aircraft climbing below their aircraft. The pilot in command anticipated the possibility of a collision and advanced the power on the engines to level off. When the pilot maneuvered, the TCAS system issued a resolution alert and gave the crew a "climb" command. The pilot followed the instructions, remained clear of the other aircraft, and finally resumed his approach.

CREW #4111: 1 altitude adjustment.

(1) CONDITIONS: time = 02:27:24; visual contact after the maneuver; twilight; visual meteorological conditions; descending.

NARRATIVE: The crew was descending for an approach when they received a traffic advisory indicating that they were descending toward another aircraft at a lower altitude. Using this information, they arrested their descent rate and attempted to notify ATC of the situation. Visual contact was finally established with the conflicting aircraft, and the crew maintained their altitude until the other aircraft passed beneath them. CREW #4221: 3 altitude adjustments.

(1) CONDITIONS: time = 04:35:50; no visual contact; twilight; visual meteorological conditions; descending.

NARRATIVE: The crew was descending for an approach when the traffic advisory display indicated a conflicting aircraft directly ahead. The crew evaluated the range and altitude several times before deciding to level off while the aircraft was still four miles away. They continued to examine the traffic advisory information and decided that the conflicting aircraft was flying in the same direction. A decision was then made to "sneak under" the other aircraft. They continued their descent behind the conflicting traffic and completed the approach. It should be noted that this crew never received a resolution alert due to their maneuvering on the traffic advisory display information.

(2) CONDITIONS: time - 06:30:00; no visual contact; twilight; visual meteorological conditions; level flight.

NARRATIVE: ATC cleared the crew to descend. The crew hesitated due to traffic on the traffic advisory display and asked ATC for clearance to remain level. ATC reiterated that cleared to descend. The crew complied by they were "descending quickly" to stay clear of traffic. During the descent, a resolution alert calling for a descent was received by the crew. This crew monitored the traffic advisory display during maneuvering and wanted to continue the descent after the resolution alert in order to increase the altitude separation between the two aircraft. They decided against this alternative after a short discussion of their ATC clearance and terrain clearance considerations. The crew maintained their assigned level off altitude until clear of the traffic.

(3) CONDITIONS: time = 06:33:40; visual contact then lost visual contact; twilight; visual meteorological conditions; descending.

NARRATIVE: On a localizer approach, the crew initially established visual contact on the conflicting traffic. After subsequently losing sight of the traffic, the crew became concerned with the other aircraft's position and used the traffic advisory display information to stay "a little higher" than the other aircraft until they were clear. They adjusted their descent rate to maintain vertical separation. One pilot from this crew stated "We are really trusting an instrument alot".

CREW #4312: 1 turn.

(1) CONDITIONS: time = 01:25:24; no visual contact; night; visual meteorological conditions; climbing.

NARRATIVE: The crew was climbing after takeoff. They responded to a traffic advisory on the display by delaying a required turn until clear of the traffic. The pilot did not begin the turn until the other pilot informed him that the traffic on the display was no longer a threat.

CREW #4422: 1 turn and 1 altitude adjustment.

(1) CONDITIONS: time = 03:20:05; no visual contact; night; instrument meteorological conditions; descending.

NARRATIVE: While descending in IMC conditions, the crew responded to a traffic advisory by turning "hard left" to avoid a mode A aircraft. The pilot in command justified the turn by concluding that since TCAS resolution alerts and evasive maneuvers are not available for mode A traffic, he had to maneuver to ensure safe separation. The other pilot responded that the aircraft was probably in VMC conditions below the clouds. After clearing the traffic, the crew returned to course.

(2) CONDITIONS: time = 10:26:30; visual contact after the maneuver; night; visual meteorological conditions; descending.

PLC COLLE

CCCCC-7-7-7-7

BEFERRER PRODUCT

TANK S

NARRATIVE: The crew was cleared to descend by ATC. Approaching the assigned altitude, the crew received a traffic alert showing an aircraft 200 feet below them. Thev decided to level off and advanced power on the engines. During the level off maneuver, a resolution alert occurred calling for a descent. The crew complied with the command and descended. During the descent, they obtained visual contact while passing under the other aircraft.

D. CONCLUSIONS

Several patterns emerged from an analysis of these 14 incidents. Altitude adjustments accounted for 64% of the maneuvers (9 out of 14). The majority of the maneuvers occurred during descents (10 out of 14). Three of the turns involved maneuvers to avoid a mode A transponder equipped

aircraft. The most common scenario involved the TCAS aircraft descending toward another aircraft at a lower altitude. In each situation, the TCAS system provided the pilots ample warning for the crew to observe the dangerous situation developing on the traffic advisory display and take corrective action. The response maneuver usually resulted in a decrease in the rate of descent or a level off above the assigned altitude for a short period of time. All 14 of the maneuvers based on TA information caused small deviations from ATC clearances for short time periods. Each crew attempted to notify ATC of the deviations that were required as soon as workload permitted.

Ę

Pilot training programs will need to be implemented to standardize the use of the TCAS II system. The responsibility for safety of flight rests with the pilot in command. Aircrew training must emphasize this responsibility and allow the pilot to use all the information available to maintain a safe distance from other aircraft. However, abrupt turns away from mode A transponder equipped aircraft should be discouraged. The inaccuracy of the bearing and altitude information provided by the current traffic advisory display must be emphasized. The possibility of degrading the performance of the TCAS computer's evasive maneuver commands by maneuvering on the traffic display should also be discussed. The first altitude adjustment by Crew 4221 demonstrates how unauthorized maneuvers can degrade TCAS

KAYA KAN

KARCONA.

system performance. Although pilots should be trained to use the system the way the designers intended, they also must remember to exercise their training, judgment, and experience to evaluate situations and take appropriate action to ensure safety of flight.

2003

 $\infty \lambda ... \gamma$

IV. MANEUVERS BASED ON RESOLUTION ALERTS

A. INTRODUCTION

The TCAS II resolution advisory (RA) display is a modified instantaneous vertical speed indicator (IVSI). The display consists of a pointer showing the aircraft's vertical speed and an arc of red "eyebrow" lights around the scale. This display is the primary instrument used in performing TCAS collision avoidance maneuvers. The pilot is warned of a potential mid-air collision 20 to 30 seconds prior to the closest point of approach (CPA) of a conflicting aircraft. [**Ref**. 3] The warning consists of an aural tone and a red warning light on the glareshield. These warnings direct the pilot's attention to the resolution advisory display (modified IVSI). The red "eyebrow" lights on the instrument will illuminate directing the pilot to modify the aircraft's vertical speed to "keep the IVSI needle out of the red". Simultaneously, a computer generated voice will suggest a course of action to the flight crew. The voice commands currently available are: "climb"; "climb to cross"; "adjust vertical speed"; "descend"; "descend to cross"; "clear of conflict"; and "unable to command". These commands are given assuming the pilot does not have visual contact with the conflicting aircraft. If visual contact with the other aircraft is gained, the crew may elect to maneuver using

their own judgment to avoid the conflicting traffic. Flight crew response depends on the prior training they have There are two types of resolution advisories received. A preventive resolution advisory requires no issued. immediate action but warns the crew not to climb, descend, or adjust vertical speed due to nearby traffic. A corrective resolution advisory directs the pilot to alter the vertical speed of the aircraft to ensure safe separation from nearby traffic in the vertical plane. The goal of the TCAS II system is to produce a safe vertical separation between aircraft by signaling for a smooth, controlled adjustment of the TCAS aircraft's vertical speed until clear of the conflicting traffic.

ጚዄጚቔዀዄኯጚዸ፝ዀዄጜጜዄኯዸዾኯዸ፟፟፟፟፟ኯ

This report examines the effectiveness of the TCAS II resolution advisory display for 40 scenarios. The scenarios consist of crews using various versions of the TCAS II system while flying a Boeing 727 simulator in a simulated air traffic environment at the NASA-Ames Research Center. Only corrective resolution advisories are examined in this report.

B. PROCEDURES

An airborne collision avoidance system is only effective if the flight crews using the system are adequately trained to use the system to increase the vertical separation between aircraft. An increase in vertical separation also results in an increase in slant range (i.e. miss distance) at the

- 2222-224 - 2222555

closest point of approach (CPA) between the TCAS equipped aircraft and the conflicting traffic. In order to determine the effectiveness of pilot responses to resolution alerts, 12 airline crews flew short routes in a simulated air traffic environment with numerous traffic conflicts. Forty scenarios were examined where the crews were required to perform evasive maneuvers based on TCAS warnings on the resolution advisory display. For each scenario, the following parameters were computed and examined:

كتنتنا لأناف

222222

~~~~~

- The amount of time between the traffic advisory (TA) and the closest point of approach (CPA) between the TCAS equipped aircraft and the conflicting aircraft.
- (2) The amount of time between the resolution alert (RA) and the CPA for the two aircraft.
- (3) The amount of time between the TA and RA. This is the amount of time the crew had to examine the potential conflict and prepare for the evasive maneuver.
- (4) The vertical separation between the two aircraft at CPA after performing the collision avoidance maneuver.
- (5) The slant range (miss distance) between the two aircraft at CPA after performing the recommended evasive maneuver.

These results were obtained using computer records which contained raw data on the following parameters: RA and TA on and off times; latitude and longitude readouts for both the TCAS aircraft and the conflicting aircraft; and altitude readouts for both aircraft. A computer program named "LLTCAS" was written to evaluate these raw data and is listed in Appendix A. Additional records detailing the scenarios included observer records and resolution advisory analysis

forms. Video tapes of the flight station of the Boeing 727 simulator were viewed to determine Air Traffic Control (ATC) clearance requirements, required level off altitudes, and flight crew responses.

<sup>;</sup> <u>·</u> ·<sup>;</sup> · ·

In addition to the five results listed above, additional computations were made to determine the flight path the aircraft would have flown if it were not TCAS equipped. This flight path was based on the assumption that the crew did not obtain a visual sighting of the conflicting aircraft and subsequently maneuver to avoid it. Additional assumptions included the following: the crew would fly the same track over the ground; the crew would comply with all required ATC turns and navigation turns; and the crew would comply with off restrictions required by ATC. all level These assumptions are considered reasonable since the TCAS II system directs evasive maneuvers in the vertical plane only, and the altitude of the TCAS aircraft during each scenario is of primary concern. For each scenario, the altitude of the TCAS aircraft was modified in the LLTCAS program to account for the descent or climb rate in progress before the evasive maneuver occurred. The TCAS aircraft's vertical rate was calculated beginning five seconds prior to the resolution alert. The program accounted for level off clearances and maneuvers that occurred on the traffic advisory display information. The TCAS aircraft altitudes were incrementally calculated, beginning one second after the RA occurred,

until CPA or a level off altitude was reached. The same five results that were listed previously for the TCAS maneuver were then determined for the case where no TCAS maneuver was performed. The differences between the vertical separation and slant range at CPA were compared for the TCAS maneuver case and the no maneuver case.

Several corrective resolution alerts in the NASA-Ames study could not be examined due to a problem with the data files containing the conflicting aircraft's position and altitude information. The system could only record data on two aircraft at one time.

#### C. RESULTS

Ř

202020555

The computer output from the LLTCAS program is contained in Appendix B. It shows the results of 40 scenarios where evasive maneuvers were performed by flight crews in response to TCAS corrective resolution alerts. For each scenario, two lists of CPA times, ranges, slant ranges, and altitude TCAS equipped aircraft and separations between the conflicting aircraft are presented. The first section of data for each scenario shows the results that would have occurred if the TCAS system had not warned the pilot to maneuver, and the crew had continued to comply with their ATC The second section of data for each scenario clearance. presents the actual results obtained by performing the collision avoidance maneuvers in the vertical plane.

A summary of the data for the 40 scenarios is contained in Appendix C. It lists the following information for each scenario: the time interval between the traffic alert (TA) and CPA; the time interval between the resolution alert (RA) and CPA; the time interval between the TA and RA; the altitude difference between the TCAS aircraft and the conflicting aircraft at CPA; the altitude difference at CPA between the two aircraft that would have occurred assuming the TCAS collision avoidance maneuver had not been performed (no TCAS maneuver case); the altitude separation difference between the TCAS maneuver and no TCAS maneuver scenarios; and the slant range difference between the TCAS maneuver and no TCAS maneuver scenarios. The data from the summary are plotted in Figures 2 through 13.

であるのである

Figures 2 and 3 show the time interval between the issuance of a traffic advisory (TA) to the crew and time of CPA of the two aircraft. This interval represents the amount of time available for the crew to evaluate the situation and react appropriately if a RA display had not been installed. Several crews in the study were able to predict the occurrence of some of the resolution alerts by observing potential collision situations developing on the traffic advisory display. The average time interval between the TA and CPA was 39.25 seconds with a sample standard deviation of 12.03.



\*\*\*\*\*\*\*\*\*\*\*\*

**Priodocra** 

Sec.33



2.2.2.S.C

NA COCOLOGI

TOTAL POPOSA

REARIE WEEKS REARING

20

. New 2019 Construction Co



N 1 A 1

1100 GY.

> TA to CPA Time Interval (Scenarios 21-40) Figure 3.

> > <u>се</u>, ÷., A.

Ý

Π.

21

Figures 4 and 5 show the time interval between the issuance of a resolution alert (RA) to the crew and the time of CPA of the two aircraft. This interval represents the amount of time available for the crew to interpret the information on the RA display and react by maneuvering the aircraft prior to CPA. The average time interval was 23.03 seconds with a sample standard deviation of 10.96.

Figures 6 and 7 depict the time interval between the issuance of the TA and the RA. This is the amount of time the crew had to evaluate the situation developing on the traffic advisory display (if installed) and prepare to execute the evasive maneuver. The average time interval was 16.23 seconds with a sample standard deviation of 6.24.

Figures 8 and 9 show the altitude separation between the two aircraft at CPA for the cases where a TCAS maneuver was performed and for the cases where it was assumed that no TCAS maneuver was performed. Of the 40 scenarios examined, 37 showed an increase in altitude separation at CPA as a result of the TCAS maneuver. The three scenarios that showed less altitude separation due to the TCAS maneuvers are scenarios 3, 11 and 23. All three of these cases are similar and will be analyzed thoroughly in the "CONCLUSIONS" section of this chapter. Figures 10 and 11 show the altitude separation change resulting from the TCAS maneuver. The differences were computed by subtracting the no TCAS maneuver altitude Figures 8 and 9 show the altitude separation between the



R

Figure 4. RA to CPA Time Interval (Scenarios 1-20)

LANDER DOCTOR

10000000000

and a second

PSCEEDER Procession

RECORDER PRESSES

KERSSING PROPERTY

Living SERVER



C,

G,

X









BANK AN



4"8"8"9.8"#\_6"4.6"#

Figure 7. TA to RA Time Interval (Scenarios 21-40)

**331 - 1333 / 13** 

REA REACH REPERT

23 222222



Figure 8. Altitude Separation at CPA (Scenarios 1-20)

1999

- KERKER BEEKE

NASAT BURNEL BURNEL BURNEL BURNEL BURNEL BURNEL BURNEL

27

1.1

۰,


Figure 9. Altitude Separation at CPA (Scenarios 21-40)

TELEVICE DECEMBER DEFERRED DEFERRED DEVENDED DEFER

2.5.1" SURVEY DUCCED TRAUSH NOVEM







ዀቔኯዀዸቔዿቔዿቔዿዄቔዿዄዸቒፙቔፘቒዾቔፘቒዾቘጟቒዾቘጟቘጟቚጞቒፙቔ፟ዄዀ፝ዀዄቔቔኯጚቘዀ፟፟፟፟፟ቘቔኯጚቔዀጚፙቔዾጚቔፙጜኯቜቚጚፙዀ

29



Catha Gallant

Figure 11. Altitude Separation Change (Scenarios 21-40)

Sector Reserve

30

. . .

separation at CPA from the results obtained by performing the evasive maneuver. Of the 40 scenarios examined, 37 showed a positive change in the altitude separation at CPA as a result of the TCAS maneuver. The three scenarios that showed negative values due to the TCAS maneuvers are the same three scenarios mentioned above. The TCAS maneuver resulted in an average increase in altitude separation of 577.9 feet.

Figures 12 and 13 show the slant range change caused by performing the TCAS maneuver. The differences were computed by subtracting the value of the no TCAS maneuver slant range at CPA from the value obtained for the evasive maneuver. As in the other figures, 37 scenarios demonstrated a positive change in the slant range at CPA as a result of the TCAS maneuver. The same three scenarios (3, 11, 23) showed negative values. The average increase in the slant range resulting from a TCAS maneuver was 187.50 feet.

The 40 scenarios used in this study will be described briefly below. The 12 airline crews who participated in the study flew similar routes and encountered similar air traffic conditions. Eight of the 12 crews flew with fully operational TCAS II systems which had both a traffic advisory display and a resolution advisory display. The other four crews (2111, 2221, 2312, and 2412) used a degraded system without a traffic advisory display.



Figure 12. Slant Range Change (Scenarios 1-20)

N N . Y





1.1.7. 1.7. N.

000000000000000000



Sama salara sanan sanan kaana baalah kaalah kaalah kaalah kaalah kaalah kaalah baalah baalah baalah

## SCENARIO #1 - CREW #2111:

ͺͺϒϼϒͺϛϒϼϒͺϼϒϼϒʹϼϒϼϒͺϼ<mark>ϼϒͺϼϸϒʹϼϷϼϒʹϧϒϼϒʹϛϒϼʹʹϼϨ</mark>ϫϒϲϒϼϒʹϼϤϼͳϼϤϼϒʹϙϒϼϒϧϔϷϒʹϼϨͷϒϻϒϫϒϫϒϫϒϫϒϫϒϫϒϫϒϫϒϫϒϫϒϫ

CONDITIONS: time = 00:40:12; altitude = 1996 feet (FT); descending; descent rate = -4.33 feet per second (FPS) or -259 feet per minute (FPM).

NARRATIVE: The crew received a "descend" command requiring an increase in descent rate. The maneuver resulted in an increase in altitude separation and slant range (389 FT, 327 FT) at CPA compared to continuing the descent at -259 FPM.

### SCENARIO #2 - CREW #2111:

CONDITIONS: time = 10:20:43; altitude = 10145 FT; level flight.

NARRATIVE: The crew received a "descend" command. The maneuver resulted in an increase in altitude separation and slant range (883 FT, 648 FT) at CPA compared to maintaining level flight at the assigned altitude.

### SCENARIO #3 - CREW #2221:

CONDITIONS: time = 03:52:13; altitude = 33075 FT; level flight.

NARRATIVE: The crew received a "descend to cross" command to avoid an intruder aircraft (call sign "FOG 26") which was climbing underneath the TCAS aircraft. The CPA occurred five seconds after the command was given. The maneuver resulted in a decrease in altitude separation and slant range (-24.5 FT, -2.2 FT) at CPA compared to continuing level at the assigned altitude. This is the first of three similar incidents involving FOG 26 that is being studied to determine the cause of these undesirable results. The slant range at CPA in this case was 11458 FT (1.9 NM).

SCENARIO #4 - CREW #2221:

CONDITIONS: time = 04:14;12; altitude = 12093 FT; descending; descent rate = -32.53 FPS or -1951.8 FPM.

NARRATIVE: The crew received an "adjust vertical speed" command which required a level off. The maneuver resulted in an increase in altitude separation and slant range (1009 FT, 118 FT) at CPA compared to continuing the descent at -1951 FPM.

## SCENARIO #5 - CREW #2221:

CONDITIONS: time = 07:19:46; altitude = 11070 FT; leveling at 11000 FT.

NARRATIVE: The crew received a "descend" command. The maneuver resulted in an increase in altitude separation and slant range (344 FT, 89 FT) at CPA compared to maintaining level flight at the assigned altitude.

### SCENARIO #6 - CREW #2221:

CONDITIONS: time = 09:51:35; altitude = 5228 FT; descending; descent rate = -10.15 FPS or -609 FPM; clearance = "descend and maintain 5000 FT".

NARRATIVE: The crew received a "climb" command. The maneuver resulted in an increase in altitude separation and slant range (550 FT, 31 FT) at CPA compared to continuing the descent at -609 FPM to a level off altitude of 5000 FT.

### SCENARIO #7 - CREW #2312:

CONDITIONS: time = 08:02:14; altitude = 32990 FT; level flight.

NARRATIVE: The crew received a "climb" command to avoid a conflicting aircraft (FOG 26) which was climbing underneath the TCAS aircraft. Unlike scenario 3, the climb maneuver resulted in an increase in altitude separation and slant range (824 FT, 176 FT) at CPA compared to continuing level flight at the assigned altitude. This scenario is similar to scenario 3 but had a 14 second time interval between RA and CPA and a slant range of 5309 FT (.87 NM) at CPA. In this case, the TCAS maneuver improved the separation between the TCAS aircraft and FOG 26.

### SCENARIO #8 - CREW #2312:

CONDITIONS: time = 08:22:27; altitude = 12058 FT; descending; descent rate = -48.86 FPS or -2931 FPM.

NARRATIVE: The crew received an "adjust vertical speed" command followed by a "climb" command. The maneuver resulted in an increase in altitude separation and slant range (832 FT, 104 FT) at CPA compared to continuing to descend at -2931 FPM.

# SCENARIO #9 - CREW #2312:

CONDITIONS: time = 10:02:09; altitude = 10095 FT; level flight.

NARRATIVE: The crew received a "climb to cross" command followed by a "climb" command. The maneuver resulted in an increase in altitude separation and slant range (683 FT, 432 FT) at CPA compared to maintaining level flight at the assigned altitude.

SCENARIO #10 - CREW #2312:

CONDITIONS: time = 10:06:52; altitude = 7639 FT; descending; descent rate = -28.8 FPS or -1728 FPM.

NARRATIVE: The crew received an "adjust vertical speed" command calling for no descent greater than 500 FPM. The maneuver resulted in an increase in altitude separation and slant range (683 FT, 188 FT) at CPA compared to continuing the descent at -1728 FPM.

SCENARIO #11 - CREW #2422:

CONDITIONS: time = 04:28:33; altitude = 33004 FT; level flight.

NARRATIVE: The crew received a "descend to cross" command to avoid an intruder aircraft (FOG 26) which was climbing below the TCAS aircraft. CPA occurred 17 seconds after the command was given. The maneuver resulted in a decrease in altitude separation and slant range (-505 FT, -22 FT) at CPA compared to continuing level at the assigned altitude. This is the second of three similar incidents involving FOG 26 that is under investigation. The slant range at CPA in this case was 9009 FT (1.5 NM).

SCENARIO #12 - CREW #2422:

CONDITIONS: time = 07:28:20; altitude = 2260 FT; descending; descent rate = ~19.53 FPS or ~1171 FPM.

NARRATIVE: The crew received an "adjust vertical speed" command calling for no descent greater than 500 FPM. The maneuver resulted in an increase in altitude separation and slant range (229 FT, 51 FT) at CPA compared to continuing the descent at -1171 FPM.

CONDITIONS: time = 10:28:03; altitude = 5059 FT; descending; descent rate = -3.02 FPS or -990 FPM; clearance = "descend and maintain 5000 FT".

NARRATIVE: The crew received a "climb" command. The maneuver resulted in an increase in altitude separation and slant range (855 FT, 435 FT) at CPA compared to continuing the descent to 5000 FT.

SCENARIO #14 - CREW #3111:

CONDITIONS: time = 03:36:15; altitude = 3760 FT; descending; descent rate = -32.62 FPS or -1957 FPM.

NARRATIVE: The crew received a "climb" command. The maneuver resulted in an increase in altitude separation and slant range (692 FT, 210 FT) at CPA compared to continuing the descent at -1957 FPM.

SCENARIO #15 - CREW #3111:

CONDITIONS: time = 07:14:48; altitude = 32991 FT; level flight.

NARRATIVE: The crew received a "descend to cross" command to avoid an intruder aircraft (FOG 26) which was climbing underneath the TCAS aircraft. CPA occurred 26 seconds after the command was given. Unlike scenarios 3 and 11, this maneuver resulted in an increase in altitude separation and slant range (1608 FT, 316 FT) at CPA compared to maintaining level flight at the assigned altitude. The slant range at CPA in this case was 5559 FT (0.9 NM) which is much smaller than the slant ranges in the two scenarios mentioned above. In this case, a "descend to cross" command improved the situation. SCENARIO #16 - CREW #3111:

CONDITIONS: time = 07:37:15; altitude = 11647 FT; descending; descent rate = -26.54 FPS or -1592 FPM.

NARRATIVE: The crew received a "climb" command. The maneuver resulted in an increase in altitude separation and slant range (1323 FT, 185 FT) at CPA compared to continuing the descent at -1592 FPM.

CONDITIONS: time = 09:28:25; altitude = 10016 FT; level flight.

NARRATIVE: The crew received a "climb to cross" command. The maneuver resulted in an increase in altitude separation and slant range (1451 FT, 1536 FT) at CPA compared to maintaining level flight at the assigned altitude.

SCENARIO #18 - CREW #3221:

CONDITIONS: time = 06:53:04; altitude = 3937 FT; descending; descent rate = -28.49 FPS or -1709 FPM.

NARRATIVE: The crew received an "adjust vertical speed" command followed by a "climb" command. The maneuver resulted in an increase in altitude separation and slant range (1048 FT, 197 FT) at CPA compared to continuing the descent at -1709 FPM.

SCENARIO #19 - CREW #3221:

CONDITIONS: time = 09:54:04; altitude = 5175 FT; climbing; climb rate = +4.15 FPS or +249 FPM; clearance = "descend and maintain 5000 FT".

NARRATIVE: The crew used the information from the traffic advisory display to anticipate the collision situation developing and started to climb shortly before they received a "climb" command from the resolution advisory display. The maneuver resulted in an increase in altitude separation and slant range (725 FT, 172 FT) at CPA compared to continuing the descent to their assigned level off altitude of 5000 FT.

### SCENARIO #20 - CREW #3312:

CONDITIONS: time = 01:21:09; altitude = 1903 FT; descending; descent rate = -13.82 FPS or -829 FPM.

NARRATIVE: The crew received a "descend" command. The maneuver resulted in an increase in altitude separation and slant range (254 FT, 224 FT) at CPA compared to continuing the descent at -829 FPM.

### SCENARIO #21 - CREW #3312:

CONDITIONS: time = 02:33:07; altitude = 5189 FT; descending; descent rate = -19.59 FPS or -1175 FPM.

NARRATIVE: The crew received a "climb" command. The maneuver resulted in an increase in altitude separation and slant range (372 FT, 130 FT) at CPA compared to continuing the descent at -1175 FPM.

### SCENARIO #22 - CREW #3312:

ſŸŢġĬġţġŶġŢġŢġŢġŢġŢġŢġŢġŢġŶġŶġŶġŶġŶġĨġŢġŶġĬġŢġŶġŢġŎŊŶĬġŊŶĬġŊŶĬġŊĊĬĿŎŢŊĊġĊĸŶġĬĸŎġŶĸŎġŶĸŎġŶĸŎġŶĸŎġŶĸŎġŶĸŎġŶĸŎġŶĸŎġŶ

CONDITIONS: time = 07:43:86; altitude = 12156 FT; descending; descent rate = -26.06 FPS or -1563 FPM.

NARRATIVE: This is another case where the crew used the information from the traffic advisory display to anticipate the collision situation developing and started to level off before an "adjust vertical speed" command was received from the resolution advisory display. The maneuver resulted in an increase in altitude separation and slant range (184 FT, 61 FT) at CPA compared to continuing to descend at their original descent rate, which was greater than 2000 FPM prior to the crew-initiated level off.

### SCENARIO #23 - CREW #3422:

CONDITIONS: time - 03:54:10; altitude = 32982 FT; level flight.

NARRATIVE: The crew received a "descend to cross" command to avoid an intruder aircraft (FOG 26) which was climbing underneath the TCAS aircraft. CPA occurred 15 seconds after the command was given. The maneuver resulted in a decrease in altitude separation and slant range (-389 FT, -19 FT) at CPA compared to continuing level at the assigned altitude. This is the third of three similar incidents involving FOG 26 that is being studied. The slant range at CPA in this case was 9075 FT (1.5 NM).

### SCENARIO #24 - CREW #3422:

CONDITIONS: time = 04:20:34; altitude = 6983 FT; level flight.

a seese soont reveal rough

NARRATIVE: The crew was leveling at 7000 FT when they received a "descend" command to avoid conflicting traffic at 7500 FT. CPA occurred four seconds after the resolution alert was issued. The maneuver resulted in a small increase in altitude separation and slant range (37 FT, 13 FT) at CPA compared to remaining level. It appears that the system did not consider the conflicting aircraft a threat until the TCAS crew arrested their descent and leveled off. The actual altitude separation between aircraft at CPA was 560 FT with a slant range of 1496 FT.

# SCENARIO #25 - CREW #3422:

CONDITIONS: time = 09:17:36; altitude = 5370 FT; climbing; climb rate = +12.78 FPS or +766 FPM; clearance = "descend and maintain 5000 FT".

LOCCOL STA

Reserved in

" PRESENT DURING BURRESS SUCCESSION

NARRATIVE: This case is similar to scenario 19. The crew used the information from the traffic advisory display to anticipate the collision situation developing and started to climb shortly before a "climb" command from the resolution advisory display was received. The maneuver resulted in an increase in altitude separation and slant range (784 FT, 184 FT) at CPA compared to continuing the descent to their assigned level off altitude of 5000 FT.

### SCENARIO #26 - CREW #4111:

CONDITIONS: time = 07:13:19; altitude = 32994 FT; level flight.

NARRATIVE: This case is similar to scenario 15. The crew received a "descend to cross" command to avoid an intruder aircraft (FOG 26) which was climbing below the TCAS aircraft. CPA occurred 24 seconds after the command was given. Unlike scenarios 3, 11, and 23, the maneuver resulted in a small increase in altitude separation and slant range (47 FT, 2.8 FT) at CPA compared to maintaining level flight at the assigned altitude. The slant range at CPA in this case was 6629 FT (1.1 NM) which is smaller than the slant ranges in the three scenarios mentioned above.

### SCENARIO #27 - CREW #4111:

CONDITIONS: time = 07:34:16; altitude = 12324 FT; descending; descent rate = -55.72 FPS or -3343 FPM.

NARRATIVE: The crew received an "adjust vertical speed" command which required no descent greater than 1000 FPM. The maneuver resulted in an increase in altitude separation and slant range (1463 FT, 158 FT) at CPA compared to continuing the descent at -3343 FPM.

### SCENARIO #28 - CREW #4221:

CONDITIONS: time = 04:10:59; altitude = 32995 FT; level flight.

NARRATIVE: This case is similar to scenarios 15 and 26. The crew received a "descend to cross" command to avoid an intruder aircraft (FOG 26) which was climbing underneath the TCAS aircraft. CPA occurred 41 seco was given. The maneuver resulted in an separation and slant range (1221 FT, 18 to maintaining level flight at the ass slant range at CPA in this case was 5998 SCEMARIO #29 - CREW #4221: CONDITIONS: time - 06:31:28; altitude = descent rate = -13.89 FPS or -833 FPM. NARRATIVE: The crew received a "des maneuver resulted in an increase in al slant range (21 FT, 13 FT) at CPA compar descent at -833 FPM. SCEMARIO #30 - CREW #4221: CONDITIONS: time = 01:35:13; altitude = 2000 FT. NARRATIVE: The crew received a "des maneuver resulted in an increase in al slant range (348 FT, 68 FT) at CPA co level flight at the assigned altitude of SCEMARIO #31 - CREW #4221: CONDITIONS: time = 02:46:49; altitude = descent rate = -12.88 FPS or -772 FPM; and maintain 5000 FT. NARRATIVE: The crew received a "desce the maneuver resulted in an increase in al slant range (514 FT, 38 FT) at CPA co level flight at the assigned altitude of SCEMARIO #31 - CREW #4221 CONDITIONS: time = 02:46:49; altitude = descent rate = -12.88 FPS or -772 FPM; and maintain 5000 FT. NARRATIVE: The crew received a "desce the descent at -772 FPM until level at 5 SCEMARIO #32 - CREW #4312 CONDITIONS: time = 02:12:24; altitude flight. NARRATIVE: The crew received a "de slant range (464 FT, 159 FT) at CPA co level flight at the assigned altitude = descent rate = -21.25 FPS or -1275 FPM. CPA occurred 41 seconds after the command The maneuver resulted in an increase in altitude slant range (1221 FT, 188 FT) at CPA compared to maintaining level flight at the assigned altitude. The slant range at CPA in this case was 5998 FT (.99 NM).

2022 22.0

LUCCUCC

CONDITIONS: time - 06:31:28; altitude = 3018 FT; descending;

"descend" command. The maneuver resulted in an increase in altitude separation and slant range (21 FT, 13 FT) at CPA compared to continuing the

CONDITIONS: time = 01:35:13; altitude = 2064 FT; leveling at

"descend" command. The maneuver resulted in an increase in altitude separation and slant range (348 FT, 68 FT) at CPA compared to maintaining level flight at the assigned altitude of 2000 FT.

CONDITIONS: time = 02:46:49; altitude = 5127 FT; descending; descent rate = -12.88 FPS or -772 FPM; clearance = "descend

The crew received a "descend to cross" command, the maneuver resulted in an increase in altitude separation and slant range (501 FT, 38 FT) at CPA compared to continuing the descent at -772 FPM until level at 5000 FT.

CONDITIONS: time = 02:12:24; altitude = 5080 FT; level

"climb" command. The altitude separation and slant range (464 FT, 159 FT) at CPA compared to maintaining

CONDITIONS: time = 03:47:28; altitude = 3954 FT; descending;

NARRATIVE: The crew received an "adjust vertical speed" command followed by a "climb" command. The maneuver resulted in an increase in altitude separation and slant range (1555 FT, 143 FT) at CPA compared to continuing the descent at -1245 FPM.

### SCENARIO #34 - CREW #4312:

CONDITIONS: time = 03:49:39; altitude = 2163 FT; descending; descent rate = -12.67 FPS or -760 FPM; clearance = "descend and maintain 2000 FT".

NARRATIVE: The crew received an "adjust vertical speed" requiring no descent greater than 0 FPM. The maneuver resulted in an increase in altitude separation and slant range (158 FT, 51 FT) at CPA compared to continuing the descent at -760 FPM until level at 2000 FT.

### SCENARIO #35 - CREW #4312:

CONDITIONS: time = 07:07:53; altitude = 33008 FT; level flight.

NARRATIVE: The crew received a "climb" command to avoid an intruder aircraft (FOG 26) which was climbing below the TCAS aircraft. CPA occurred nine seconds after the command was given. The maneuver resulted in an increase in altitude separation and slant range (267 FT, 73 FT) at CPA compared to maintaining level flight at the assigned altitude. The slant range at CPA in this case was 3858 FT (.60 NM).

### SCENARIO #36 - CREW #4422:

CONDITIONS: time = 04:23:00; altitude = 33086 FT; level flight.

NARRATIVE: This scenario is similar to scenario 35. The crew received a "climb" command to avoid an intruder aircraft (FOG 26) which was climbing below the TCAS aircraft. CPA occurred 15 seconds after the command was given. The maneuver resulted in an increase in altitude separation and slant range (495 FT, 88 FT) at CPA compared to maintaining level flight at the assigned altitude. The slant range at CPA was 5266 FT (.86 NM).

### SCENARIO #37 - CREW #4422:

CONDITIONS: time = 04:43:56; altitude = 12035 FT; descending; descent rate = -37.95 FPS or -2277 FPM.

### SCENARIO #38 - CREW #4422:

CONDITIONS: time = 04:49:10; altitude = 6998 FT; level flight.

NARRATIVE: The crew received a "descend" command. The maneuver resulted in an increase in altitude separation and slant range (311 FT, 284 FT) at CPA compared to maintaining level flight at the assigned altitude.

### SCENARIO #39 - CREW #4422:

CONDITIONS: time = 07:10:44; altitude = 3905 FT; descending; descent rate = -18.21 FPS or -1092 FPM.

NARRATIVE: The crew received an "adjust vertical speed" command which required no descent greater than 500 FPM. The crew significantly reduced their descent rate and even climbed slightly. The manauver resulted in an increase in altitude separation and slant range (536 FT, 55 FT) at CPA compared to continuing the descent at -1092 FPM.

# SCENARIO #40 - CREW #4422:

CONDITIONS: time = 10:26:45; altitude = 4947 FT; level flight.

ALTER NUMBER SUCCESS

NARRATIVE: The crew received a "descend" command. The maneuver resulted in an increase in altitude separation and slant range (471 FT, 129 FT) at CPA compared to maintaining level flight at the assigned altitude.

D. CONCLUSIONS

The TCAS II system maneuver commands resulted in increased vertical separations and slant range distances between TCAS equipped aircraft and conflicting aircraft for 37 of the 40 scenarios studied. The three scenarios (3, 11, 23) which showed a decrease in vertical separation and

slant range (miss distance) at the closest point of approach (CPA) are unexpected results and will be examined in depth. All three had the following common characteristics: the conflicting aircraft's call sign was "FOG 26"; the conflicting aircraft was climbing rapidly underneath the TCAS aircraft when the resolution alert (RA) was issued; the TCAS aircraft was straight and level at approximately 33000 feet; and the resolution alert called for a "descend to cross" The time interval between the RA and CPA on all maneuver. three scenarios (5 secs, 17 secs, 15 secs) was shorter than the average time for the 40 cases (23 secs). The slant ranges at CPA for these three cases were in excess of 9000 feet or 1.48 nautical miles (11458 FT, 9009 FT, 9075 FT). There were six other FOG 26 scenarios in this study (7, 15, 35, 36) which all showed increases in vertical 26. 28. separation and slant range at CPA as a result of performing the recommended evasive maneuver. Three of these six scenarios (7, 35, 36) received "climb" commands from the The other three scenarios (15, 26. TCAS system. 28) received "descend to cross" commands (similar to scenarios 3, 11, and 23); but, in these cases, the times from RA to CPA (26 secs, 24 secs, 41 secs) were longer than the average. Also, these three scenarios (15, 26, 28) showed much shorter slant ranges at CPA (5559 FT, 6629 FT, 5998 FT) than the three scenarios with decreased separation (3, 11. 23). After comparing the results of all the FOG 26 scenarios, it

appears that there may be a problem with the collision avoidance logic when the TCAS aircraft is at a high altitude and must maneuver to avoid a rapidly climbing aircraft with a slant range that is over 9000 feet. The TCAS logic may be predicting a time for CPA that is longer than the time which actually occurred for these incidents. The short times between RA and CPA may also be responsible for the incorrect responses by the TCAS system. In the three cases where the separation between aircraft decreased, it appears that a "climb" command (or no command at all) would have been better than a "descend to cross" command. Fortunately, the situations where the TCAS logic provided erroneous commands occur at long ranges and do not appear to pose a potential collision threat. An investigation of these three incidents is currently underway.

22.22

25.5.5.5.5.5.

ELECTRON CONTROL

250.00

The results (Appendix B) of this study also demonstrate that three scenarios (1, 2, 9) would have resulted in dangerous situations if the recommended TCAS maneuver had not been performed. Without a TCAS maneuver, these three scenarios would have resulted in slant ranges (miss distances) of less than 500 feet with altitude separations between the two aircraft of less than 300 feet. It should be noted that no dangerous situations developed when the crews used the TCAS system.

An analysis of the flight station video recordings indicates that the "adjust vertical speed" voice command was

45

confusing for some of the pilots. The terminology of this command is ambiguous in that it does not specify an increase or a decrease in climb or descent rate. Several of the Captains told the pilot at the controls to "level off" when the resolution advisory display required only a decrease in descent rate. An improvement in the wording of this command or a better presentation on the RA display may help to reduce the confusion that was noted in this study.

Overall, the TCAS II system should result in a significant enhancement to the "see and avoid" procedures in the cockpit and dramatically improve the safety of airline travel.

- 5255550 - 154545222

# V. RESOLUTION ADVISORY DISPLAY EXPERIMENT

# A. INTRODUCTION

An experiment was conducted in the laboratories of the Aeronautical Human Factors Branch of NASA-Ames to evaluate pilot responses to collision avoidance maneuver commands using computer simulations of three versions of the TCAS II resolution advisory (RA) display (Figure 14). The type of RA display currently in use consists of a modified instantaneous vertical speed indicator (IVSI) which has an arc of red "eyebrow" lights to notify pilots of impending danger. The lights illuminate when the TCAS II system detects a potential collision threat and signals the pilots to evaluate their vertical velocity to increase the safety margin between the TCAS aircraft and a conflicting aircraft. Pilots are trained to respond to a resolution alert by "keeping the IVSI needle out of the red lights" by climbing, descending, or by avoiding a climb or descent rate that would put the aircraft Two modifications to the current system were in danger. designed to test the hypothesis that a different lighting pattern might be more effective than the "red only" version. In order to provide the pilots a target to aim for, instead of an area to avoid, "red and green" and "green only" lighting arrangements were developed for the IVSI. For both of the new arrangements, the green lights only illuminated



NOTE: Warning arc is red from

-6000 FPM to +1500 FPM.



NOTE: Warning arc is red from -6000 FPM to +1500 FPM and green from +1500 FPM to +2500 FPM.

Contraction of the second

NOTE: Warning arc is green from +1500 FPM to +2500 FPM.

Figure 14. Three Versions of the RA Display

48

when evasive maneuvers were required (corrective RA) and not when an RA was issued to warn against an unsafe vertical speed requiring no pilot action (preventative RA). Pilots were trained to use the two alternate versions of the RA displays by applying the following rules: (1) "Get the needle out of the red and into the green" for the "red and green" version; (2) "Get the needle into the green" for the "green only" version. This report describes the experiment and the findings.

# **B. PROCEDURES**

A graphics program was developed to present six groups of 14 RA displays to 36 volunteer pilots. The subjects had both military (75%) and civilian (25%) backgrounds, and various levels of flight experience ranging from 150 to 11000 hours of flight time (mean = 1913 hours, median = 650 hours).

For this experiment, each pilot received individual training which included a detailed briefing on each of the three versions of the RA display ("red only", "red and green", "green only") and a practice session using a demonstration program consisting of six example presentations (two of each type). The procedure used by each subject was as follows:

(1) Press two buttons on a computer mouse to allow the the computer terminal to exhibit the RA display. The IVSI depicting the current vertical speed appeared one second before the warning arc of colored lights illuminated. (Figure 14)

(2) Evaluate the position of the needle on the IVSI to determine if the aircraft is climbing or descending.

\$`\$\\$`\$\\$`\$\B`\$\\$`\$\\$`\$\\$\\$<u>\$\$</u>

- (3) Interpret the warning lights to determine whether a climb, descent or no action is required by using the general rules explained above.
- (4) Respond to the warning by moving the mouse aft to climb, or forward to descend. The mouse was used to simulate a control stick (or yoke) in an aircraft and the IVSI needle was assumed to respond to a climb or descent in the normal manner.
- (5) A dialog box appeared below the RA display after each response notifying the pilot that the direction of motion and reaction time had been measured.

The training emphasized that accuracy of the response direction (climb or descent) was much more important than short reaction times, since an incorrect climb or descent could significantly degrade the aircraft's safety margin.

After completion of the training session, each participant responded to 42 RA displays grouped into three sets of 14 of the same color pattern (red, red and green, green). The pilots knew in advance which version of the display would be presented because an example RA display was the first display in each set of 14. Each set also contained one preventative RA display which required no movement of the mouse (control stick). A second run of 42 displays was presented after the first run was completed. The order of presentation for the three versions of the RA display (red, red and green, green) was counterbalanced across subjects. The 14 display presentations were sequenced in one of nine random orders.

Recorded data included the direction of the response and the time period between the illumination of the colored warning arc and the movement of the mouse (reaction time). All subjects completed a subjective questionnaire at the completion of the experiment and rated the effectiveness of the three versions of the display. A statistical analysis was performed using the acquired data.

## C. RESULTS

To compare the effectiveness of the three versions of the RA display, an analysis of pilot performance was conducted with reaction time and response accuracy (number of errors) as the dependent variables.

From an evaluation of the reaction time data, the following results were obtained:

- (1) A significant difference in reaction time due to display color was found (F = 19.21, degrees of freedom (df) = 2,34, p<.001). A post-hoc paired comparison showed a significant difference between the "red only" and "green only" displays (F = 32.46, df = 1,35, p<.001), and also between the "red only" and "red and green" displays (F = 26.07, df = 1,35 p<.001). The "red only" showed longer reaction times (mean = 1.1856 seconds (sec), standard deviation (sd) = .5857) than the "red and green" (mean = .9998 sec, sd = .5909) and the "green only" (mean = .9524 sec, sd = .4453).
- (2) Learning effects were noted in pilot reaction times for the first set of 42 displays (run1) and the second set (run2) (F = 45.31, df = 1,35, p<.001). Run2 times (mean = .9347 sec, sd = .5029) were shorter than run1 times (mean = 1.1571, sd = .5693).

(3) Figure 15 shows a significant interaction that was observed when evaluating the effects of run number and display color on reaction time (F = 5.55, df = 1,35, p<.05). Learning effects are more pronounced for the "red only" version of the display.

- (4) Figure 16 shows the significant interaction that occurred when a comparison of the display colors and the scenario numbers (listed in Appendix D) was evaluated with respect to reaction time (F = 5.24, df = 11,21, p(.001). "Red only" reaction times were longer than the "green only" times for every scenario and were also longer than the "red and green" times with one exception (scenario 11). Scenario 7 produced the longest reaction times for all three display colors.
- (5) No significant differences in reaction time were noted among the three versions of the display for the different commands (climbs or descents).

Evaluating the accuracy of the pilot's responses by tabulating the number of incorrect climbs and descents (errors) produced the following results:

- (1) The overall error rate for the experiment was 2% with no significant learning effects noted between run1 and run2, although fewer errors occurred on the second run.
- (2) A post-hoc paired comparison of the number of errors using the "red only" and "red and green" displays showed a significant difference (F = 8.03, df = 1,35, p(.01). The "red only" display produced the most errors (27) while the least occurred using the "red and green" display (10). The use of the "green only" display resulted in 18 errors.
- (3) Figure 17 shows a significant interaction between the command called for by the display and the color of the display with respect to the frequency of errors. The "red and green" display appears to be the most effective for descent scenarios.

52



20.0



Ň

22222227 D22222222 [V222222] [V222222] [V222222]

PZLAX (A)





\$\`\$\$\$.\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$

Scenario Reaction Times ;



PRIMAR MARKEN

STANK NUTLY

N. 222221 States

55

and the second state of th

ኇኇጜኯዸኯፘኯዸኯፚኯፚኯፚኯዀዀዀ፟ዀዀ፟፟፟፟፟፟ዄዀ፟፟፟፟፟ዄ

(4) Significant effects on the number of errors were also noted for each of the display colors as a result of the scenario number. Figure 18 shows the total number of errors for each scenario. The greatest number of errors (7) occurred using the scenario 13 "red only" display. Scenario 13 was a preventative RA presentation which required no climb or descent from the pilot.

Pilot experience levels produced no significant effects on reaction time or response accuracy. Pilot preferences also showed no apparent effects on the results.

An analysis of the pilot questionnaires showed that 92% (33 out of 36) of the pilots rated the "red and green" (19) or the "green only" RA display (14) as the most effective for signaling an evasive maneuver. The current RA display in the TCAS II system ("red only") was rated the least effective of the three versions by 24 pilots (67%). Several pilots commented that they preferred the "red and green" lighting configuration because it gave them both an area to avoid and Three of the more experienced pilots an area to aim for. stated that they would prefer to receive collision avoidance commands from an altitude direction indicator (ADI) rather than an instantaneous vertical speed indicator (IVSI). They stated that maneuvers are routinely performed using the ADI vice the IVSI.

Possible sources of error in the results may have been induced by individual pilots having difficulty adjusting to the partial system simulation. Some subjects had problems using the computer mouse as a control stick and responding as they would in an aircraft. Performing this experiment in a

12:22:22:22:2

<u>[[]]]</u>

56



Figure 18. Scenario Errors

122224

AND EXERCISE MEMORY SUCCESSION REPORT SUCCESSION

57

flight simulator with a complete TCAS II system would have enhanced the simulation. Upgrades to this experiment could include animation of the IVSI needle and the use of a "joystick" to replace the computer mouse. Animation of the IVSI needle would have allowed the measurement of the amount of overshoot of the recommended vertical speeds and a measure of the time required for each subject to reach the commanded vertical speed.

## D. CONCLUSIONS

The results of this experiment demonstrate that the two alternate designs of the TCAS II resolution advisory display ("red and green", "green only") are more effective than the current display ("red only"). The alternate designs produced faster reaction times, fewer errors, and were judged to be more effective by 92% of the pilots who participated in this study. The "red and green" version of the display was more effective at preventing errors and was chosen as most effective by 53% of the pilots. The "green only" lighting pattern produced the shortest reaction times and was rated as most effective by 39% of the pilots.

Both alternate versions of the display ("red and green", "green only") were effective at eliminating unnecessary responses to preventative warnings, while the current TCAS II RA display version ("red only") produced seven errors of this type.

The information generated by this experiment may be useful for future versions of collision avoidance displays. In order to determine whether it would be feasible to change the current display, a cost-benefit analysis would have to be conducted.

### VI. <u>SUMMARY OF CONCLUSIONS</u>

As a result of the three studies completed in this report, answers are now available for the three questions posed at the beginning of this paper.

The first study examined aircraft maneuvers based solely on traffic advisory information. There were 14 cases during the NASA-Ames simulation where the pilots successfully maneuvered the aircraft to avoid a potential collision by utilizing TA information. These maneuvers were conducted despite training which emphasized that maneuvers should be performed only on the basis of warnings disp'ayed on the resolution advisory (RA) display. Pilot training procedures should be developed to optimize the use of the TCAS II traffic advisory display, while allowing pilots to use their experience and judgment to ensure aircraft safety of flight. The pilots appeared to gain confidence in the system as the simulation progressed and were eager to use all the available Standardized TCAS information. procedures should be developed and adopted. Additionally, frequent practice in flight simulators should provide valuable reinforcement to this training. As the pilots become more familiar with the TCAS II system and gain confidence in the collision avoidance maneuvers presented on the RA display, this tendency to maneuver on the TA information should be reduced.

The second study was concerned with the results of the TCAS-directed collision avoidance maneuvers. Computer-aided analysis of data determined that, in 37 of 40 scenarios investigated, the avoidance maneuvers directed by the TCAS II system increased altitude separations and miss distances at CPA. Three similar cases where the miss distances decreased were examined and appear not to be a threat to safety of flight. These three maneuvers were long range encounters at high altitudes and appear to result from the system logic calculating an erroneous time to CPA in excess of that general, the pilots responded actually observed. In accurately to the commands from the system and successfully avoided many potential mid-air collisions. From an examination of flight station video tapes, the presentation on the RA display occasionally caused minor confusion for the pilots. These observations resulted in the motivation to proceed with a study of alternate lighting configurations for the RA display.

The final phase of this study considered alternate designs for the RA display in an effort to determine the most effective means to direct collision avoidance maneuvers. Volunteer pilots reacted to collision avoidance maneuver commands from three different versions of the RA display ("red only", "red and green", and "green only"). The "red and green" version of the display proved to be more effective than the current "red only" version by producing

significantly faster reaction times, fewer errors, and a much higher effectiveness rating from the pilots. In general, the participants stated that they preferred an area to aim for (green warning arc) and an area to avoid (red warning arc). The "red and green" display gave both cues. This information may be useful in future upgrades of the current system or in the design of collision avoidance systems of the future.

1.5.5.5.5.5.5.1

M.K.LOCON

Processory

JULI TRAVIL

20101001

للمكركز والمعالي

The information contained in this report is based on simulations rather than operational testing of the system in actual aircraft. However, the results of this study should provide information useful in the development of pilot training procedures and system upgrades to maximize the operational effectiveness of the TCAS II system. With proper use, this system has the potential to dramatically enhance flight safety on the conjested airways and in the busy terminal areas of the United States.

# APPENDIX A

# "LLTCAS" COMPUTER PROGRAM

FILE: LETCAS FORTRAN AL

|                 | PROGRAM LLTCAS                                                                                         |
|-----------------|--------------------------------------------------------------------------------------------------------|
| \$              | THIS PROGRAM COMPUTES THE WISS DISTANCE (SLANT RANGE) BETWEEN                                          |
| *               | TWO AIRCRAFT ON A NEAR COLLISION COURSE ASSUMING NEITHER AIRCRAFT                                      |
| *               | TAKES EVASIVE ACTION. THE ICAS ITRAFFIC ALERT AND COLLISION                                            |
| 2               | AVOIDANCE JYSTEM) AIRCRAFT'S LATITUDE, LONGITUDE AND ALTITUDE                                          |
| \$              | ARE READ IN FROM RECORDS OF THE NASA-AMES 727 SIMULATOH STUDY OF                                       |
|                 | PILOTS USING THE TCAS SYSTEM. THIS DATA IS COMPARED TO THE                                             |
| -               | LATINGE, LUNGINGE AND ALTINGE DATA FROM THE CONFLICTING                                                |
| *               | AIRCRAFT'S RECURDS. RANGE, SLAN RANGE, AND ALTITUDE SEPERATION                                         |
| ž               | THE ARCES ARE CLAPPIED. THE PROBARY IS THEN RUDIFIED TO PREDICT                                        |
| *               | HAR DEGENDINES - THAT BUCK DAME BY EVALUATING THE VIDEN TAREOVER                                       |
| ÷.              | THE ENCOUNTES. THE STANDARD DATA, AND THE ELIGHT CLEADARCES                                            |
| *               | ISSUED TO THE AIRCRAFT. THE TCAS ALLITUDE IS THEN MODIFIED TO                                          |
| \$              | EVALUATE THE MISS DISTANCES WITHOUT THE MANEUVER.                                                      |
| ******          |                                                                                                        |
| *               | VARIABLES USED ARE:                                                                                    |
| \$              | FSRNG: ARBITRARY LARGE RANGE VALUE                                                                     |
| \$              | PALT CALT: ALTITUDES OF TCAS AND CONFLICTING AIRCRAFT                                                  |
| \$              | DX: DISTANCE BETWEEN AIRCRAFT IN LONGITUDE (IN FEET)                                                   |
| \$              | DY: DISTANCE BETHERN AIRCRAFT IN LATITUDE (IN FEET)                                                    |
| \$              | PLT,PLG: TCAS AIRCRAFT LATITUDE AND LONGITUDE                                                          |
| \$              | CLT:CLG: CUNFLICTING AIPCRAFT LATITUDE AND LONGITUDE                                                   |
| *               | PDZ: TCAS AIRCRAFT VERTICAL VELOCITY FOR NO MANEUVER CASE                                              |
| \$              | LALT: REQUIRED LEVEL OFF ALTITUDE FOR TOAS CLIMB/DESCENT                                               |
| *               | RNG: RANGE IN THE X,Y PLANE                                                                            |
| *               | SENG: RANGE IN THE XIY Z PLANE (MISS DISTANCE)                                                         |
| ¢               | DZ: ALTITUDE DIFFERENCE BETWEEN AIRCRAFT                                                               |
| ******          | 1222220227425404                                                                                       |
|                 | DEFINE VANIABLES                                                                                       |
|                 |                                                                                                        |
| •               | INTELER TIME<br>Dougle decision lifed to thenease the accuracy of the calculation                      |
| *               | DOUBLE PRECISION USED TO INCREASE THE ACCOUNT OF THE CALCULATION                                       |
|                 | DEAL DAGE SONG ESONG DI JELIJEUJEREIJEEJEREIJEEJEREIJEREIJEREIJEREI                                    |
| *****           | REAL HARDEN HARDEN AND THE ALTITUDE IF REQUIRED (LALT)                                                 |
| ******          | DATA TINE ALT.PI. FSRNG/1.10000.0.3.14159.99000.0/                                                     |
| ******          | THE NEXT LINE IS USED TO ENTER THE TCAS AIRCRAFT'S INITIAL                                             |
| ******          | ALTITUDE AND CLINB/DESCENT RATE IF EVALUATING NO MANEUVER CASE                                         |
|                 | DATA PALT .PDZ/5000.00000.000.00/                                                                      |
| 10              | FORMI= (10X, F9.5, 1X, F10.5)                                                                          |
|                 | READ (20, FNT=FORMI, END=20)PLT, PLG                                                                   |
|                 | FORM [= 4 (30X + F11 + 4) *                                                                            |
| \$              | THE FOLLOWING 3 READ STATEMENTS READ IN DATA FROM REMOTE FILES                                         |
| \$              | CONTAINING SIMULATOR DATA                                                                              |
| ******          | ATHE NEXT LINE IS DELETED OHEN EVALUATING THE NO MANEUVER CASE                                         |
| \$ <b>\$</b> \$ | READ (21, FMT=FORML, END=20) PALT                                                                      |
|                 | FURM1='(20X;F8.5;2X;F(0.5;1X;F11.4)'                                                                   |
| •               | REAU 122;FHIFFUHH1;ENDF20;CL;EUG;ALI<br>The left 3 (Ince Convert The LATALANC DIEFEDENCES TO DISTANCES |
| ž               | THE REAT 3 LINES CONTENT THE LATICUNG DIFFERENCES TO DISTANCES                                         |
| •               | IN FEEL DELWEEN THE ING ALLOCATE IN THE X AND I FEARET                                                 |
|                 | DY=1016-1161460-016076-103346051101AT#PT1/180-01                                                       |
|                 |                                                                                                        |
|                 | THE NEXT LINE COMPUTES THE ALTITUDE DIFFERENCE BETWEEN AIRCRAFT                                        |
| -               | DZ=PALT-CALT                                                                                           |
| *               | COMPUTE RANGE IN X,Y PLANE                                                                             |
|                 | RNG= SQRT(DX**2+DY**2)                                                                                 |
| *               | COMPUTE SLANT RANGE (MISS DISTANCE)                                                                    |
|                 | SRNG=S4RT (RNG##2+DZ##2)                                                                               |
| •               | PRINT THE RESULTS                                                                                      |
|                 | PRINT#1 TIME=1, TIME1 RNG=1, RNG, SRNG=1, SRNG, ALTD=1, DZ                                             |
| *               | CHECK TO SEE IF RANGE IS DECREASING (IF IT IS NOT END PROGRAM)                                         |
|                 | IF (SRNG.GT.FSRNG)GD TO 20                                                                             |
| #               | IF HANGE IS DECREASING LOOP TO OBTAIN MORE DATA                                                        |
| •               | PORNUES KNU                                                                                            |
| 1               | THIS IF STATEMENT ALLUSS THE USER TO LINIT THE NUMBER OF DATA                                          |
| •               | PUINTS USED UK TIME PERICU EXAMINED                                                                    |
|                 | 17 11 THE OF                                                       |
| ******          | THE TERMETERS IS USED FOR THE NO MANETURD CASE                                                         |
|                 | THE REAT CIRE IS USED FOR THE RU PROPERTER CASE                                                        |
|                 |                                                                                                        |
| ******          | FTHE NEXT 3 LINES ARE USED IF A LEVEL OFF RESTRICTION IS REQUIRED                                      |
| ***             | IF(PALT.LE.LALT) THEN                                                                                  |
| ***             | PALT=LALT                                                                                              |
| ***             | ENO IF                                                                                                 |
|                 | GO TO 10                                                                                               |
| 15              | CONTINUE                                                                                               |
|                 |                                                                                                        |

Second Second
| 33           |
|--------------|
|              |
| ŝ            |
| <u>2</u>     |
|              |
|              |
| 2222<br>2222 |
|              |
|              |
|              |
|              |
|              |
|              |
|              |
| 100          |
|              |
|              |
|              |
|              |
|              |
|              |
|              |
| N.           |
|              |
| R            |

MENTEN EN ME

w v

| 6 | 4 |
|---|---|
|---|---|

| *** SCENARIO   | 4 \$  | <b>\$</b> \$ |              |             |                                         |          |             |
|----------------|-------|--------------|--------------|-------------|-----------------------------------------|----------|-------------|
| FT2221 SCENAL  | 10    | 2 WITH       | HOUT MANEUVE | ER (CONTI   | NUED DECENT)                            |          |             |
| TIME=          | 17    | RNG=         | 9742.52344   | SR NG=      | 9767.73437                              | ALTD=    | 701.328369  |
| TIME: AAAA     | 18    | RNGS         | 9743-69531   | SRNG=       | 9765.49219                              | ALTD=    | 652.132568  |
| TIMES          | iğ    | PNG=         | 9765 95703   | SRNGE       | 9784.55078                              | AL TO=   | 602.939453  |
| FT2221 SCENAS  | iń    | 2 4111       | COLLISION    | AVOIDANCE   | MANEUVER                                |          |             |
| TINE=          | 17    | ANG =        | G742.52344   | SUNGE       | 9888.92578                              | AL TO #  | 1695.32785  |
| TING- ++++     | 14    | DNG=         | 0743.69531   | SENGE       | 9884.12031                              | AL TO =  | 1661-40039  |
| TINE-          | 10    | DNG          | 0765.05701   | SENGE       | 9899.80078                              | AL TO=   | 1622.34550  |
| 11-2-          | 17    | NNU-         | 9103493103   | 36149-      | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, |          |             |
|                |       |              |              |             |                                         |          |             |
| *** SCENARIO   | 5 🔹   | **           |              |             |                                         |          |             |
| FT2221 SCENAR  | 10    | J WITH       | HOUT MANEUVE | ER (CONTINU | JED LEVEL )                             |          |             |
| TIMES          | 17    | RNGE         | 1834-38843   | SR NG=      | 1836.96973                              | AL TD =  | -97.3554993 |
| TIMES ARAS     | 1 Å   | RNGE         | 922-626953   | SRNG=       | 926 - 148925                            | AL TD=   | -80-6923981 |
| TIMES          | iă    | PNGE         | 1214.71764   | SANGE       | 1216-53809                              | ALTOS    | -66.2470856 |
| ET2221 SCENAS  | iń    | 3            | COLLISION    | AVOIDANCE   | MANEUVER                                |          |             |
| TIME -         | 17    | PMG          | 1814.19841   | SPNGE       | 1881.94629                              | AL TO B  | -429.272461 |
|                | 10    | DNG          | 022.626061   | SONGE       | 1016-03711                              | ALTOS    | -425-547852 |
| TIME           | 10    | DNG          | 1214.73364   | SENCE       | 1285.82690                              | AL TOE   | -421-632568 |
| ITHE-          | 1.7   |              | 15146, 3304  | 3440-       | 1205102070                              |          | 4210002000  |
|                |       |              |              |             |                                         |          |             |
| *** SCENARIO   | 6 #   | **           |              |             |                                         |          |             |
| FT2221 SCENA   | 10    | 4 WITH       | HOUT MANEUVE | ER (CONTINI | JED DESCENT UNT                         | IL LEVEL | OFF)        |
| TIMES          | 25    | RNG=         | 5458.90625   | SR NG=      | 5458.99219                              | AL TD=   | 30.5819855  |
| TIME= ++++     | 26    | RNG=         | 5423.91016   | SR NG #     | 5423.99609                              | ALTD=    | 30.5819855  |
| TIMES          | 27    | RNG=         | 5443.53516   | SRNG≠       | 5443.62109                              | AL TO =  | 30.5819855  |
| NOTE: REQUIRED | ວີ່ເປ | EVEL OF      | FF AT 5000 P | FEET.       |                                         |          |             |
| FT2221 SCENA   | 10    | A WITH       | H COLLISION  | AVOIDANCE   | MANEUVER                                |          |             |
| TIMES          | 25    | RNGS         | 5458.90625   | SRNGF       | 5495.92187                              | AL TD=   | 636.788818  |
| TIMEs sass     | 26    | RNGE         | 5423-91014   | SENG        | 5454-94828                              | AL TD=   | 581.476318  |
| TIMET          | 37    | ANG.         | 5443-53516   | SUNGS       | 5469-09375                              | AL TO B  | 528.148193  |

| ENARI  | 03                                                          | **                                                                                          | \$                                                                                                                  |                                                                                                                                                                                  |                                                                                                                                                                                                        |                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|--------|-------------------------------------------------------------|---------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SCE    | NARI                                                        | 0                                                                                           | 1 WI                                                                                                                | THOU                                                                                                                                                                             | ŤΜ.                                                                                                                                                                                                    | ANELVI                                                                                                                                                                                                                            | ER ICONTIN                                                                                                                                                                                                                                                                                                | UED LEVEL                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|        |                                                             | 4                                                                                           | RNG=                                                                                                                | 11                                                                                                                                                                               | 449                                                                                                                                                                                                    | .8395                                                                                                                                                                                                                             | SHNG=                                                                                                                                                                                                                                                                                                     | 11501.96                                                                                                                                                                                                                                                                                                                                                                           | 509 ALTO                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | = 1093.74023                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| ****   |                                                             | s                                                                                           | RNG=                                                                                                                | ii                                                                                                                                                                               | 411                                                                                                                                                                                                    | .9375                                                                                                                                                                                                                             | SRNG=                                                                                                                                                                                                                                                                                                     | 11460.20                                                                                                                                                                                                                                                                                                                                                                           | 556 ALTD                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | = 1051.37966                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|        |                                                             | 6                                                                                           | RNG=                                                                                                                | 11                                                                                                                                                                               | 419                                                                                                                                                                                                    | . 7227                                                                                                                                                                                                                            | SENG=                                                                                                                                                                                                                                                                                                     | 11464.21                                                                                                                                                                                                                                                                                                                                                                           | ALTD                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | = 1009.01147                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| SCE    | NAH I                                                       | ō                                                                                           | 1 11                                                                                                                | тн с                                                                                                                                                                             | GLL                                                                                                                                                                                                    | ISICN                                                                                                                                                                                                                             | AVOIDANCE                                                                                                                                                                                                                                                                                                 | NANEUVER                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|        |                                                             | 4                                                                                           | RNG=                                                                                                                | 11                                                                                                                                                                               | 449                                                                                                                                                                                                    | .8358                                                                                                                                                                                                                             | SRNG=                                                                                                                                                                                                                                                                                                     | 11500.40                                                                                                                                                                                                                                                                                                                                                                           | 509 ALTO                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | = 1077.96523                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| ****   |                                                             | 5                                                                                           | RNG=                                                                                                                | 11                                                                                                                                                                               | 41 İ                                                                                                                                                                                                   | .9375                                                                                                                                                                                                                             | SRNG=                                                                                                                                                                                                                                                                                                     | 11458+04                                                                                                                                                                                                                                                                                                                                                                           | 69 ALTO                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | = 1026.89038                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|        |                                                             | 6                                                                                           | HNG₽                                                                                                                | 11                                                                                                                                                                               | 419                                                                                                                                                                                                    | 7227                                                                                                                                                                                                                              | SRNG=                                                                                                                                                                                                                                                                                                     | 11460.80                                                                                                                                                                                                                                                                                                                                                                           | DOB ALTD                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | = 969.480225                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| THIS   | IS A                                                        | Čс                                                                                          | ASE                                                                                                                 | #HER                                                                                                                                                                             | E T                                                                                                                                                                                                    | HE CO.                                                                                                                                                                                                                            | LISION AV                                                                                                                                                                                                                                                                                                 | CIDANCE MA                                                                                                                                                                                                                                                                                                                                                                         | NEUVER DECH                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | EASED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| THE SI |                                                             | Ē                                                                                           | ANGE                                                                                                                | AND                                                                                                                                                                              | AL                                                                                                                                                                                                     | TITLO                                                                                                                                                                                                                             | ESEPARATI                                                                                                                                                                                                                                                                                                 | ON AT CPA                                                                                                                                                                                                                                                                                                                                                                          | THE TCAS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | COMMAND                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| WAS "  | DESC                                                        | EN                                                                                          | D TO                                                                                                                | CRC                                                                                                                                                                              | 557                                                                                                                                                                                                    | •                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|        | ENARI<br>SCE<br>****<br>SCE<br>****<br>THIS<br>THE S<br>WAS | ENARIO 3<br>SCE NAR 1<br>****<br>SCE NAH 1<br>****<br>THIS IS A<br>THE SLAN 1<br>WAS "DE SC | ENARIO 3 **<br>SCENARIO<br>**** 5<br>SCENAHIO<br>**** 5<br>THIS IS A C<br>THIS IS A C<br>THE SLANT R<br>WAS "DESCEN | ENARIO 3 ***<br>SCENARIO 1 WI<br>**** S RNG=<br>6 RNG=<br>SCENAHIO 1 WI<br>* RNG=<br>SCENAHIO 1 WI<br>* RNG=<br>6 KNG=<br>THIS IS A CASE<br>THE SLANT RANGE<br>WAS "DE 3 CEND TO | ENARIO 3 ***<br>SCENARIO 1 WITHOU<br>4 RNG= 11<br>**** 5 RNG= 11<br>SCENAHIO 1 WITH C<br>4 RNG= 11<br>**** 5 RNG= 11<br>6 HNG= 11<br>THIS IS A CASE #FER<br>THE SLANT RANGE AND<br>WAS #DESCEND TO CRC | ENARIO 3 ***<br>SCENARIO 1 WITHOUT M.<br>4 RNG= 11445<br>5 RNG= 11411<br>6 RNG= 11419<br>SCENARIO 1 WITH CGLL<br>4 RNG= 11449<br>**** 5 RNG= 11419<br>THIS IS A CASE dHERE TI<br>THE SLANT RANGE AND AL<br>WAS "DESCEND TO CRCSS" | ENARIO 3 ***<br>SCENARIO 1 WITHOUT MANELVI<br>4 RNG= 11445.8399<br>*** 5 RNG= 11411.9375<br>6 RNG= 11419.7227<br>SCENAHIO 1 WITH CGLLISICN<br>4 RNG= 11419.8398<br>**** 5 RNG= 11411.9375<br>6 RNG= 11411.9375<br>7 HIS IS A CASE WHERE THE CO<br>THE SLANT RANGE AND ALTITLOU<br>WAS "DESCEND TO CRCSS". | ENARIO 3 ***<br>SCENARIO 1 WITHOUT MANELVER (CONTIN<br>4 RNG= 11445.8399 SHNG=<br>*** 5 RNG= 11411.9375 SRNG=<br>6 RNG= 11419.7227 SRNG=<br>SCENAHIO 1 WITH COLLISION AVOIDANCE<br>4 RNG= 11449.8398 SRNG=<br>**** 5 RNG= 11411.9375 SRNG=<br>6 RNG= 11419.7227 SRNG=<br>THIS IS A CASE #FERE THE COLLISION AV<br>THE SLANT RANGE AND ALTITLOE SEPARATI<br>WAS "DESCEND TO CRCSS". | ENARIO 3 ***<br>SCENARIO 1 WITHOUT MANELVER (CONTINUED LEVEL)<br>4 RNG= 11446.8399 SHNG= 11501.90<br>**** 5 RNG= 11411.9375 SRNG= 11460.20<br>6 RNG= 11419.7227 SKNG= 11460.21<br>SCENAHIO 1 WITH CGLLISICN AVOIDANCE MANEUVER<br>4 RNG= 11449.8398 SRNG= 11450.04<br>**** 5 RNG= 11410.9375 SRNG= 11450.04<br>6 RNG= 11410.9375 SRNG= 11450.04<br>6 RNG= 11410.7227 SRNG= 11450.04<br>6 RNG= 11410.7227 SRNG= 11450.04<br>7 HIS IS A CASE #FERE THE COLLISION AVCIDANCE MA<br>WAS "DESCEND TO CRCSS". | ENARIO 3 ***<br>SCENARIO 1 WITHOUT MANELVER (CONTINUED LEVEL)<br>4 RNG= 11445.8393 SHNG= 11501.9609 ALTD<br>**** 5 RNG= 11411.9375 SRNG= 11460.2656 ALTD<br>6 RNG= 11419.7227 SRNG= 11464.2109 ALTD<br>SCENAHIO 1 WITH COLLISICN AVOIDANCE MANEUVER<br>4 RNG= 11449.8398 SRNG= 1150U.4609 ALTD<br>**** 5 RNG= 11411.9375 SRNG= 11450.0469 ALTD<br>6 RNG= 11419.7227 SRNG= 11450.008 ALTD<br>THIS IS A CASE #FERE THE COLLISION AVGIDANCE MANEUVER DECH<br>THE SLANT RANGE AND ALTITUDE SEPARATION AT CPA. THE TCAS<br>WAS #DESCEND TO CRCSS#. |

| *** SCENAR | 101 *       | **     |             |            |              |         |             |
|------------|-------------|--------|-------------|------------|--------------|---------|-------------|
| FT2111 SC  | ENARIO      | L WITH | OUT MANELVE | R (CONTINU | UED DESCENT) |         |             |
| TIME=      | 17          | RNG=   | 733.958740  | SRNG=      | 789.980328   | AL TC = | -292.203857 |
| TIME= 898  | # 18        | RNG=   | 297.052979  | SRNG=      | 418.879150   | ALTD=   | -295.329102 |
| TINES      | 19          | RNG=   | 374.661865  | SRNG=      | 479.005615   | ALTO=   | -298.454346 |
| FT2III SC  | ENARIO      | L WITH | COLLISION   | AVGIDANCE  | PANEUVER     |         |             |
| TIME=      | 17          | RNG=   | 733.958740  | SRNG=      | 988.836670   | ALTD=   | -662.648193 |
| TIME= ***  | <b>a</b> 18 | RNG=   | 297.052979  | SRNG=      | 746.444500   | ALTD=   | -634.791260 |
| TIME=      | 19          | RNG=   | 374.061865  | SR NG =    | 793.720215   | ALTD=   | -699.728760 |
|            |             | ••     |             |            |              |         |             |
| TTT SLENAK | 162 #       | **     |             | -          |              |         |             |
| FIZILL SC  | ENARIU      | 2      | UUI MANELVE | A LCONTINU | JED LEVELI   |         |             |
| TIME=      | 19          | RNG=   | 484.288330  | SRNG≠      | 514.309570   | AL TD = | -173.145493 |
| TIME= ###  | <b>#</b> 20 | RNG=   | 426.200439  | SRNG=      | 443.175293   | ALTD=   | -121.480499 |
| TIME=      | 21          | RNG=   | 721.542236  | SRNG#      | 724.911621   | ALTD=   | -69.8104858 |
| FT2111 SC  | ENARIO      | 2 WITH | COLLISION   | AVDIDANCE  | PANEUVER     |         |             |
| TIME=      | 19          | RNG=   | 484.288330  | SRNG=      | 1166.69531   | ALTD=   | -1061.43457 |
| TIME= ###  | <b>#</b> 20 | RNG=   | 426.200439  | SRNG≭      | 1091.97485   | ALTD=   | -1005-36719 |
| TIME:      | 21          | RNG=   | 771-542236  | SR NG #    | 1184.10522   | AL TO=  | -938-872803 |

FILE: RESULTS RESULTS AL

"LLTCAS" RESULTS

APPENDIX B

X PARTA

| ⇒⇔⇒ SCENARIO 7 ⇒⇔⇒                                                          |         |                  |
|-----------------------------------------------------------------------------|---------|------------------|
| FT2312 SCENARIG 1 WITHOUT MANELVER (CONTINUED LEVEL)                        |         |                  |
| TIME= 13 RNG= 5121.67187 SRNG= 5175.57812                                   | ALTO=   | 745.062256       |
| TIME= ++++ 14 RNG= 5084.64453 SRNG= 5133.06641                              | AL TO = | 703.394287       |
| TIME 15 RNG= 5130.39844 SRNG= 5172.89453                                    | ALTD=   | 661.718750       |
| FT2312 SCENARIO 1 WITH COLLISION AVOIDANCE MANEUVER                         |         |                  |
| TINE= 13 ANG= 5121-67187 SRNG= 5343-83984                                   |         | 1524.83569       |
| TIME $\Rightarrow \pm \pm \pm$ 14 2NG = 5044.64453 SPNG= 5309.26562         | AL TO = | 1527 . 98413     |
| TING- 15 20G- 5130-30844 SONG- 5361 30844                                   | AL TO = | 1522.00781       |
| 11.65 10 KUG- 2120.93844 2KUG- 2221.33844                                   | AC10-   | 1922100101       |
|                                                                             |         |                  |
| ANA SCENADIO R ANA                                                          |         |                  |
| TTA SCENARIO S TATA WITHOUT MALEINED (CONTINUED DECENT)                     |         |                  |
| TIZSTZ SCENARIG Z HITPUT PAREVER (CUNITIVED DESCENT)                        | AL TO - | - 313 - 379 076  |
| 11 = 33 RNG = 0339.27(24) 3 RNG = 0347.21094                                |         | -317-270070      |
| $1 \text{ IME} = 4 \times 4 \times 30$ RNG= 0313.02091 SRNG+ 0323.22200     | ALIU    | - 382 . 802 97 9 |
| TIME= 37 ANG= 0394.01562 SANG= 0409.71094                                   | ALIDE   | -448.3201/2      |
| FT2312 SCENARIO 2 WITH COLLISION AVUIDANCE MAREUVER                         |         |                  |
| TIME= 35 RNG= 6339.27734 SANG= 6467.53906                                   | ALTD=   | 1291.66089       |
| TIME= 4444 J6 RNG= 6313.62891 SRNG= 6429.51562                              | ALTO=   | 1215.22266       |
| TIME= 37 RNG= 6394.01562 SRNG= 6495.19922                                   | ALTD=   | 1142.00952       |
|                                                                             |         |                  |
|                                                                             |         |                  |
| ≠≠≠ SCENARIO 9 ≠≠≠                                                          |         |                  |
| FT2312 SCENARIO 3 WITHOUT MANELVER (CONTINUED LEVEL)                        |         |                  |
| TIME= 17 RNG= 452.436523 SRNG= 457.608643                                   | ALTD=   | -68.6063995      |
| TIME= #### 18 RNG= 402.323730 SRNG= 402.753906                              | ALTD=   | -19.6094055      |
| TIME= 19 RNG= 651.105957 SRNG= 651.362061                                   | ALTD=   | 31.3886871       |
| FT2312 SCENARIO 3 WITH CULLISIGN AVOIDANCE MANEUVER                         |         |                  |
| T(ME= 16 RNG= 702-217773 SRNG= A91-712402                                   | AL TO = | 549.582764       |
| TIME= ++++ 17 RNG= 452-436523 SRNG= 834-801025                              | AL TO # | 701-565430       |
| TIME = 14 RNG= 402.323730 SRNG= 929.584717                                  | AL TO = | A 18.011475      |
|                                                                             |         | 0,00011005       |
|                                                                             |         |                  |
| 444 SCENADIO 10 444                                                         |         |                  |
| TTALL SCENARIO AU TTALLA MARCINED (CONTINUED DESCENT)                       |         |                  |
| TIZSIZ SCENARIU 4 FITHUUT MANCUVER (CUNTINUED DESCENT)                      | AL 70-  | 100 164670       |
| TIME- 27 RNG- 1313+2377 SRNG- 1310+0744                                     |         |                  |
| 11ME= #### 30 KNG= 1479.34277 SKNG= 1482.20310                              |         | 93.3535014       |
| 11ME= 31 RNG= 1500+91895 SRNG= 1503+29834                                   | ALIU=   | 84+2251048       |
| FT2312 SCENARIO 4 WITH COLLISION AVUIDANCE MANEUVER                         |         |                  |
| TIME= 29 RNG= 1515+23999 SKNG= 1704+83105                                   | ALTD=   | 781.343506       |
| TIME= #### 30 RNG= 1479.34277 SRNG= 1670.79638                              | ALTO=   | 776.577393       |
| TIME= 31 RNG= 1500.91895 SRNG= 1687.18457                                   | ALTD=   | 770.606934       |
|                                                                             |         |                  |
|                                                                             |         |                  |
|                                                                             |         |                  |
|                                                                             |         |                  |
| ¢¢≑ SCENARIO 11 ¢¢≑                                                         |         |                  |
| FT2422 SCENARIO 1 WITHOUT MANEUVER (CONTINUED LEVEL)                        |         |                  |
| TIME= 16 RNG= 9026.06641 SRNG= 9052.21875                                   | AL TD = | 687.607178       |
| TINE= #### 17 RNG= 9008.75391 SRNG= 9031.87109                              | ALTD=   | 645.810547       |
| TIVE = 18 RNG= 9020.71875 SKNG= 9040.92578                                  | ALTO=   | 604.150146       |
| FT2422 SCENARIO 1 WITH COLLISION AVOIDANCE MANEUVER                         |         |                  |
| TINE 16 PNG= 9026-06641 SPNG= 9029-12891                                    | AL TO = | 235.150299       |
| TIME= 4444 17 RNG= 9008.75391 SRNG= 9009.84766                              | ALTD=   | 140.359390       |
| TIME= 18 RNG= 9020-71875 SPNG= 9020-83203                                   | AL TD=  | 44.9022980       |
|                                                                             |         |                  |
|                                                                             |         |                  |
| *** \$C\$\$\AD\$0 17 ###                                                    |         |                  |
| TTT JELNARIU IE TTT<br>Etaal eeenadiu i mitmant Manelved (continued decenti |         |                  |
| FILEZ SCENARIO Z WIINGUT MARCUYER ICUNIINUED DESCENI                        | AL TO-  | 447 454200       |
| 11WE= 14 KNG= 2449+32020 SKNG= 2496+7/344                                   | ALIOT   | -03+450299       |
| 11MC= #### 10 KNG= 2900+/91/0 SKNG= 2494+20562                              |         | 4034920270       |
| TIME= 10 RNG= 2030.18701 SHNG= 2574.82666                                   | ALIOE   | 444.340240       |
| FIZ422 SCENARIO 2 WITH COLLISION AVOIDANCE MANEUVER                         | ••• ••- |                  |
| TIME= 13 RNG= 2469.16602 SRNG= 2560.50244                                   | ALTD=   | 677.785889       |
| TIME= #### 14 RNG= 2449.52026 \$RNG= 2545.76465                             | AL TO = | 693.375000       |
| TIME= 15 RNG= 2450.74170 SRNG= 2550.07986                                   | ALTD =  | 704.817971       |
|                                                                             |         |                  |
|                                                                             |         |                  |

FILE: RESULTS RESULTS AL

\*\*\* SCENARIO 13 \*\*\* FT2422 SCENARIO 3 WITHOUT MANEUVER (CONTINUED DESCENT UNTIL LEVEL OFF)

65

100 BB

ዾኇፚኇፚፙፚፙፚፙፚዀፚዀፚዄፚዀፚዀዀዀዀዀዀዀዀዀ

A. A. A.

X.

and the second state of th

5.0

| TIMES             | ***                 | 20<br>27  | RNG=            | 107           | 3.11         | 841         |       | SH           | NG =<br>NC = | 10        | 77         | .72          | 632        |       |      | τυ=          | 99       | • 5      | 546          | 975        |
|-------------------|---------------------|-----------|-----------------|---------------|--------------|-------------|-------|--------------|--------------|-----------|------------|--------------|------------|-------|------|--------------|----------|----------|--------------|------------|
| TIME=             | ****                | 2ีย์      | ANG=            | 1014          | - 82<br>- 82 | 642         | eee t | SR           | NG=          | 10        | 19         | . 69         | 800        |       | ÂĽ   | TD=          | 99       | 5        | 546          | 875        |
| FT2422            | SCENA               | i lo      | 3 #11           | ုင္ရွိ၊       |              | ICN         | AVO   |              |              | MAN       | ξU         | ER           | 2 1 0      |       |      | <b>t</b> o=  | 9.7      | 7.       | . 70         | 697        |
| TIME              | ****                | 27        | RNG=            | 812           | 431          | 641         |       | 52           | NG=          | 12        | 53         | 85           | 110        |       | ÂL   | TD =         | 95       | 5.       | 077          | 981        |
| 11.46-            |                     | 20        | ANG-            | 1010          | ••••         | 042         |       | 34           | 10-          | 13        | 74         | • CO         | 150        |       | ~C   | 10-          | 72       | · • .    | 304          | 007        |
|                   |                     |           |                 |               |              |             |       |              |              |           |            |              |            |       |      |              |          |          |              |            |
| \$\$\$ SC         |                     | 4         | ***<br>1 with(  | ur s          |              | UNF         | ы I   | CON          | TIN          | UED       | DES        | i CE         | NTI        |       |      |              |          |          |              |            |
| TIME=<br>TIME=    | ****                | 27        | RNG=<br>HNG=    | 1676          | 5.39         | 965         |       | SR           | NG≡<br>NG=   | 16        | 86.        | 20           | 435        |       | AL   | TC =<br>TD = | -18      | 1.9      | 576<br>376   | 889<br>385 |
| TIME=<br>FT3111   | SCENAR              | 29        | RNG=<br>1 WITH  | 1740<br>COLL  | )•63         | 281<br>CN   | ADVO  | SR<br>I DA   | NG≠<br>NCE   | 17<br>MAN | 47.<br>EU1 | 66<br>/ER    | 040        |       | AĽ   | TO =         | -15      | 6.9      | 575          | 699        |
| TIME=             | ****                | 27<br>28  | RNG=<br>RNG=    | 1676          | 5.39         | 965         |       | SR           | NG=<br>NG=   | 18        | 78.        | 76           | 562<br>899 |       | AL   | TD =<br>TD = | 84<br>86 | 8.1      | 201<br>385   | 172<br>986 |
| TIME =            |                     | 29        | RNG =           | 1740          | 63 • (       | 281         |       | SR           | NG =         | 19        | 44.        | 79           | 761        |       | AL.  | TD=          | 86       | 7.4      | \$ 30        | 908        |
| *** SC            | ENARIO I            | 5         | ***             |               |              |             |       |              |              |           |            |              |            |       |      |              |          |          |              |            |
| FT3111<br>TIME=   | SCENAR              | 25        | 2 WITHO<br>RNG= | 3UT N<br>5309 | ANE          | UVE         | R (   | CON          | TIN<br>NG=   | UED<br>53 | LE\<br>16. | /EL<br>122   | )<br>266   |       | AL   | TD=          | 27       | 4.8      | 855          | 469        |
| TIME=<br>TIME=    | ** **               | 26<br>27  | RNG=<br>RNG=    | 5230          | 5.97<br>5.07 | 656<br>812  |       | SR<br>SR     | NG=<br>NG=   | 52<br>52  | 43.<br>79. | , 30<br>14   | 859<br>453 |       | AL   | 10=<br>10=   | 25<br>25 | 7.0      | 513<br>364   | 281<br>468 |
| FT3111<br>TIME=   | SCENARI             | 0 :<br>25 | 2 WITH<br>RNG=  | S307          | .151<br>)•11 | 0N -<br>329 | AVOI  | D AN<br>SR   | CE<br>NG=    | MANE      | 14.        | ER<br>01     | 172        |       | AL   | TC=          | -18      | 24       | .95          | 288        |
| TIME=<br>TIME=    | ****                | 26<br>27  | RNG=<br>RNG=    | 5236<br>5273  | 5.97<br>5.07 | 656<br>812  |       | SR           | NG=<br>NG=   | 55<br>55  | 59.<br>92. | , 34<br>, 95 | 765<br>703 | 1     | AL.  | TD =<br>TD = | -18      | 65<br>64 | • 59<br>• 35 | 351<br>718 |
|                   |                     |           |                 |               |              |             |       |              |              |           |            |              |            |       |      |              |          |          |              |            |
| *** SC<br>FT3111  | ENARIO 1<br>SCENARI | <b>6</b>  | ФФФ<br>3 ₩[тн(  | UTN           | ANE          | UVE         | R (   | CCN          | TIN          | UED       | DES        | 6CE          | NT)        |       |      |              |          |          |              |            |
| TIME=             | ****                | 33<br>34  | RNG=            | 5387          | •03          | 516<br>641  |       | SR           | NG=<br>NG=   | 58        | 87.        | 27           | 344        |       | AL   | TD = TD =    | -13      | 0.       | 238          | 819        |
| TIME=<br>FT3111   | SCENARI             | 35        | RNG=<br>3 WITH  | 5967<br>COLL  | 151          | 047<br>0N   | AVUI  | DAN          | NG=<br>CE    | MANE      | 70.<br>UVE | 155<br>18    | 859        |       | AL   | 10=<br>70-   | -17      | 3.°      | 451          | 935        |
| TIME=<br>TIME=    | ****                | 34        | RNG=<br>RNG=    | 5967          | - 78<br>- 78 | 041         |       | SR           | NG =         | 60        | 590<br>450 | 43           | 125        | 1     | AL   | TU =         | 14       | 90<br>54 | 20           | 285        |
| TIME=             |                     | 36        | RNG=            | 5915          | • • • •      | . 000       |       | SK           | NG =         | 60        | 05.        | .91          | 403        |       | AL.  | 10=          | 13       | 44       | .03          | 034        |
| ¢¢¢ \$C           | ENARIO 1            | 7         | ***             |               |              |             |       | c            |              |           |            |              |            |       |      |              |          |          |              |            |
| TIME=             | SCENARI             | 20        | RNG=            | 293           | 120          | 117         | ~ ``  | SH           | NG=          | 46        |            | 108          | ,<br>984   |       | AL   | TD=          | 35       | 6.       | 729          | 492        |
| TIME=             | ****                | 22        |                 | 349           | 162          | 842         |       | SR           | NG=          | 57        | 6.4        | 96           | 338        |       | ۸Ľ   | TD=          | 45       | 8.       | 7 30         | 225        |
| TIME=             | SUENAR I            | 18        | RNG=            | 939           | 338          | 623         |       | SR           | NG=          | 19        | 82         | 65           | 405        |       | AL   | TD =         | 17       | 46.      | 01           | 270        |
| TIME=             | ****                | 20        | RNG=            | 293           | 120          | 117         |       | SR           | NG=          | 19        | 87.        | 56           | 006        |       | ÂĽ   | TD =         | 19       | 65       | 82           | 715        |
|                   |                     |           |                 |               |              |             |       |              |              |           |            |              |            |       |      |              |          |          |              |            |
| 122 SC            | ENARTO I            | A .       | <b>1 4 4</b>    |               |              |             |       |              |              |           |            |              |            |       |      |              |          |          |              |            |
| FT3221            | SCENAR              | 10        | 1 WITH          | 10UT          | NA N         | EUV0        | E R   | ( CD)<br>SRI | NTI<br>NG≖   | NUED      | 06<br>66   | SC           | ENT        | •     | AL   | TD=          | -+1      | •6(      | 446          | 533        |
| TIME =            | ****                | 26        | RNG=            | 2991          | .59          | 351         |       | SR           | NG =         | 29        | 92         | 14           | 844        |       | AL   | TD=<br>TD=   | -57      | •6.      | 353<br>258   | 607<br>698 |
| FT3221            | SCENAR              | 10        | 1 WITH          | CCL<br>3165   | LIS          | I ON        | AVO   | IDA          | NCE<br>NG=   | NAN<br>33 | ÊŨ\<br>36- | ER           | 521        |       | AL   | TD=          | 10       | 51       | . 69         | 507        |
| TIME=<br>TIME=    | ****                | 26        | RNG=<br>RNG=    | 2991          | .59          | 351         |       | SR           | NĞ=<br>NG=   | 31        | 89<br>25   | 37           | 939        |       | AL   | ΤŪ=<br>Τυ=   | 11       | 05       | . 67<br>. 26 | 139<br>416 |
|                   |                     |           |                 |               |              |             |       |              | -            |           |            |              |            |       |      | _            |          |          |              |            |
| *** SC1<br>FT3221 | ENARIO I<br>Scenar  | 9 1<br>10 | ***<br>2 wITH   | out           | MAN          | ELVI        | ER (  | CCN          | TIN          | UED       | 0ES        | SCE          | NT         | UNTIL | . LI | EVE          | L CF     | F)       |              |            |
| TIME=             |                     | 28        | RNG=            | 1702          |              | 985         |       | SR           | NG =         | 17        | 03.        | 42           | 1 39       |       | AL.  | TD =         | 44       | .9;      | 257          | 965        |

CIPOR

2

REFERENCE

. 222223

555522

2012/2012 \_ PRAZAZAT \_ KOZOSOS \_ KOZ

FILE: RESULTS RESULTS AL

1.1.1.1.1.1.1.1.1.1.1

100

66

| TIME: ****<br>TIME:<br>NOTE: CLEARANG<br>FT3221 SCENAR<br>TIME:<br>TIME:<br>TIME:                                                            | 29 RNG=<br>30 RNG=<br>25 9E3UIRE<br>(10 2 WITH<br>28 RNG=<br>30 RNG=                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 1626.97384<br>1730.42383<br>50 LEVEL CFF<br>COLLISION<br>1702.32886<br>1626.97388<br>1730.42383                                              | SANG=<br>SKNG=<br>AT 5000 F<br>AVDIDANCE<br>SRNG=<br>SRNG=<br>SRNG=                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 1627.59375<br>1731.00659<br>EET.<br>MANEUVER<br>1870.43311<br>1800.20142<br>1894.23340                                                        | ALTD=<br>ALTD=<br>ALTD=<br>ALTD=                                     | 44.9257965<br>44.9257965<br>773.082569<br>770.508057<br>770.554687                       |
|----------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------|------------------------------------------------------------------------------------------|
|                                                                                                                                              | 20 ***<br>20 RNG=<br>21 RNG=<br>21 RNG=<br>21 RNG=<br>20 RNG=<br>21 RNG=<br>21 RNG=                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 001 MANEUVE<br>631-507812<br>365-420654<br>473-935791<br>621-151CN<br>631-507812<br>365-420654<br>473-935791                                 | CR (CONTINU<br>SRNG=<br>SRNG=<br>SRNG=<br>AVDIDAVCE<br>SRNG=<br>SRNG=<br>SKNG=                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ED JESCENT)<br>836.599853<br>746.197266<br>Maneuver<br>1016.96655<br>894.823730<br>957.734863                                                 | ALTD=<br>ALTD=<br>ALTD=<br>ALTD=<br>ALTD=                            | -540.723389<br>-562.543945<br>-576.363770<br>-797.131936<br>-816.809032<br>-d32.250488   |
| *** SCENARIG 2<br>FT3312 SCENAR<br>TIME=<br>TIME=<br>TIME=<br>FT3312 SCENAR<br>TIME=<br>TIME=<br>TIME=<br>TIME=                              | 21 +++<br>25 RNG=<br>25 RNG=<br>27 RNG=<br>27 RNG=<br>20 RNG=<br>25 RNG=<br>26 RNG=<br>27 RNG=                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 0UT MANEUVE<br>1350.83179<br>1126.9365<br>1364.48242<br>Collisicy<br>1350.33179<br>1126.99363<br>1364.48242                                  | R (CONTIN<br>SRNG=<br>SRNG=<br>SRNG=<br>A VOIDANGE<br>SRNG=<br>SRNG=<br>SRNG=                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | UED DESCENT)<br>1368.52734<br>1152.04785<br>1388.76123<br>MANEUVER<br>1492.54395<br>1262.30311<br>1469.71704                                  | ALTD=<br>ALTD=<br>ALTD=<br>ALTD=<br>ALTD=<br>ALTD=                   | -219.366943<br>-238.956940<br>-258.546975<br>634.777100<br>611.718994<br>597.867187      |
| *** SCENAHIO 2<br>FT3312 SCENAH<br>TIME=<br>TIME=<br>****<br>TIME=<br>FT3312 SCENAH<br>TIME=<br>****<br>TIME=<br>NOTE: PILUTS D<br>INFURMA I | 22 ***<br>10 3 #ITH<br>16 RNG=<br>17 RNG=<br>10 2 WITH<br>16 RNG=<br>17 RNG=<br>18 RNG=<br>18 RNG=<br>18 RNG=<br>10 RNG=<br>10 RNG=<br>10 RNG=<br>10 RNG+<br>10 RNG+ | OUT MANELVE<br>3618-11963<br>3603-09220<br>3706-17114<br>CCLLISICN<br>3618-11963<br>36C3-09229<br>3706-17114<br>THEIR RATE<br>DED BY THE     | R (CONTIN<br>SRNG=<br>Skng=<br>Skng=<br>Avdidance<br>Skng=<br>Srng=<br>Of descent<br>traffic Ad                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | UED DESCENT)<br>3817.74561<br>3789.77905<br>3875.68629<br>MANEUVER<br>3877.70483<br>3850.90161<br>3936.22705<br>PRIOR TO THE<br>VISORY DISPLA | ALTD=<br>ALTD=<br>ALTD=<br>ALTD=<br>ALTD=<br>RA USINC                | 1218.35669<br>1174.79858<br>1133.68506<br>1394.92163<br>1359.10620<br>1325.96387         |
| *** SCENAHIO 2<br>FT3422 SCENAH<br>TIME= ***<br>TIME= ***<br>TIME= ***<br>TIME= ****<br>TIME= ****<br>TIME= THIS IS<br>THE VERT<br>TCAS COM  | 23 ***<br>210 1 WITH<br>14 FING=<br>15 RNG=<br>16 RNG= | QUT MANELV2<br>9094.44922<br>9071.60937<br>9075.67579<br>0094.44922<br>9071.60937<br>9075.67578<br>ERE THE COL<br>RATION BETW<br>"DESCEND TO | R (CONTINU<br>SRNG=<br>Skng=<br>Skng=<br>Skng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>Srng=<br>S | ED LEVEL)<br>9121.75000<br>9095.84375<br>9096.95703<br>VANEUVER<br>9101.55859<br>9075.45312<br>9077.23437<br>ICANCE MANEUV<br>0 AIRCRAFT A1   | ALTD=<br>ALTD=<br>ALTD=<br>ALTD=<br>ALTD=<br>VER DECREA<br>C CPA. TH | 705.198975<br>663.525146<br>621.861328<br>359.648193<br>264.173584<br>168.158188<br>NSED |
| ### SCENARIO 2<br>FT3422 SCENARI<br>TIME=<br>TIME=<br>FT3422 SCENAH<br>TIME=<br>FT3422 SCENAH<br>TIME=<br>TIME=<br>TIME=<br>NOTE: PILOT DE   | 24 \$\$<br>0 2 WITHO<br>3 RNG=<br>4 RNG=<br>5 RNG=<br>10 2 WITH<br>3 RNG=<br>4 RNG=<br>5 RNG=<br>5 SCENDED A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | UT MANEUVER<br>1404.76587<br>1387.08325<br>1389.24854<br>COLLISIGN<br>1404.76587<br>1387.08325<br>1389.24854<br>NO LEVELED                   | CONTINUE<br>SRNG=<br>SRNG=<br>SRNG=<br>AVOIDANCE<br>SRNG=<br>SRNG=<br>SRNG=<br>OFF AT 700                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | D LEVEL)<br>1496.46289<br>1482.11768<br>1486.40771<br>VANEUVER<br>1503.35937<br>1495.76074<br>1510.01587<br>0 FEET JUST F                     | ALTD=<br>ALTD=<br>ALTD=<br>ALTD=<br>ALTD=<br>ALTD=<br>Prior to f     | -515.785156<br>-522.182373<br>-528.580566<br>-535.464844<br>-559.733398<br>-591.724305   |

FILE: RESULTS RESULTS

AL

-24445555

22235545 222523

AND A LOUDE TANK A LOUDE TANK TANK TANK TANK

A THE AT A DATA THE

FILE: PESULTS RESULTS AL

4.6. 1.8. 4.4. \*. 4. \*. 5. \*. 9. 4. 4. 1. \*. 1. \*. 1. \*. \*. \*. \*. \*. \*.

CONFLICTING AIRCRAFT WAS AT 7500 FEET AND WAS NOT A THREAT UNTIL THE TCAS AIRCRAFT LEVELED DEF. 

 \*\*\*
 SCENARID 25 \*\*\*

 FT3422
 SCENARID 3 WITHOUT MANELVER (CONTINUED DESCENT UNTIL LEVEL OFF)

 TIME=
 21 RNG= 229H.30395
 SkNG= 2301.83911
 ALTD= 127.523392

 TIME=
 21 RNG= 2112.44629
 SRNG= 2116.29175
 ALTD= 127.523392

 TIME=
 23 RNG= 2112.44629
 SRNG= 2116.29175
 ALTD= 127.523392

 NOTE:
 CLEARANCE REQUIRED LEVEL CFF AT 5000 FEET
 FT3422
 SCENARID 3 WITH COLLISICN AVOIDANCE MANEUVER

 TIME=
 21 RNG= 2298.30366
 SRNG= 2476.17041
 ALTD= 921.531006

 TIME=
 21 RNG= 22112.44627
 SRNG= 2300.98584
 ALTD= 912.199463

 TIME=
 23 RNG= 2187.60522
 SRNG= 2365.66724
 ALTD= 900.425537

 \*\*\* SCENARIO 26 \*\*\* FT4111 SCENARIO 1 WITHOUT MANEUVER (CONTINUED LEVEL) TIME= 23 RNG= 6659.12107 SRNG= 6672.10156 ALTD= 416.031250

A\*a. \*\*a. \*\*a. \*\*a. \*

T.

<u> 1872 - 1865 - 1865 - 1865 - 1865 - 1865 - 1865 - 1865 - 1865 - 1865 - 1865 - 1865 - 1865 - 1865 - 1865 - 1865</u>

NUMBER REALESS REALESS

2.455.23

NAME OF T

122222222

المنتخذ

| TIME=   | ***        | 24         | RNG             | =          | 661        | 6.         | 39           | 062   |           |     | SRI   | NG=          | : .  | 662        | 6.         | 97  | 28  | 56         |       | AL           | .Τί        | )=         | 3     | 74         | •     | 364   | 49         | 90         |
|---------|------------|------------|-----------------|------------|------------|------------|--------------|-------|-----------|-----|-------|--------------|------|------------|------------|-----|-----|------------|-------|--------------|------------|------------|-------|------------|-------|-------|------------|------------|
| TIME=   |            | 25         | RNG             | =          | 662        | :3.        | 61           | 328   |           |     | SRI   | NG=          | : (  | 663        | 11.        | 96  | 09  | 24         |       | AL           | . 10       | ) =        | 3     | 32         | • 6   | 58    | 94         | 53         |
| FT4111  | SCENARI    | 0          | 1 W1            | TH         | COL        | LI.        | S I (        | DN .  | AVC       | 010 | AN    | CE -         | MAI  | NEU        | IVE        | R   |     |            |       |              |            |            |       |            |       |       |            |            |
| TIMET   |            | 23         | RNG             | =          | 665        | 9.         | 12           | ī 09  |           |     | SH    | NG =         |      | 666        | 7.         | 66  | 40  | ) 6        |       | AL           |            | ) = (      | -3    | 37         |       | 13    | 92         | 09         |
| TIME =  | ****       | 24         | RNG             | #          | 661        | 6.         | 39           | 062   |           |     | SR    | NĞ=          | : (  | 662        | 9.         | 79  | 29  | 7          |       | AL           | τı         | ) = C      | -4    | 21         | • 2   | 36    | 52         | 34         |
| TIMES   | ****       | 25         | DNG             | =          | 662        | 3.         | ĂÎ.          | 129   |           |     | SRI   | vG =         |      | 664        | 2.         | 64  | 4   | 5 3        |       |              | Ť          | 5=         | - 5   | ñ2         |       | . 9   | 60         | 94         |
|         |            | 23         |                 | -          | 002        |            | •••          |       |           |     |       |              |      |            |            |     |     |            |       |              |            | -          |       |            |       |       |            |            |
|         | ENARTO 2   | 7          | ***             |            |            |            |              |       |           |     |       |              |      |            |            |     |     |            |       |              |            |            |       |            |       |       |            |            |
| ETAILI  | SCENAD     | n -        | 2 41            | THO        | U.T        |            | NE           | IVE   | 9         | 10  | ON'   | TIN          | UE   | ъы         | E S        | CE  | NI  | r )        |       |              |            |            |       |            |       |       |            |            |
| TIME    | JCC. NAN I | 3.6        | ONG             | -          | 3.4.4      | 1          |              | 710   | ••        |     | 501   | vic =        |      | 8 A A      | 2.         | 37  | 10  | 'nà        |       | <b>A</b> 1   | τr         | ב ר        | ì     | 12         | - 1   | ۵A    | 30         | 79         |
| TIME    | ****       | 72         | 200             | -          | 0 7 0      | ÷.         | 22.          | 7 4 1 |           |     | COV   | - au         |      | 0 10       | ā          | 06  |     | ίá         |       |              | ÷ż         | ξΞ.        | _ î : | àÈ         |       | 17    | 84         | żá         |
| 1100    | ****       | 33         |                 | -          | 220        | · · ·      | 20           | ,     |           |     | col   |              |      |            |            | 6.6 | 32  |            |       | - 25         |            | ΚΞ.        |       | د د<br>م ک | • 7   |       | 22         |            |
| FIME =  |            | 30         | RNG             | ÷          | 943        | 11         | <u> </u>     | 344   | • • • • • |     |       | - 01         |      |            |            | 04  |     | • ••       |       | ~            |            |            | - 2   | 10         |       |       | μu         | 21         |
| P14111  | SCENARI    | <b>.</b> . | 2 #1            | 14         | CUL        | .L. I.     | 21           |       | AVL       | 110 | ANG   | - 20         | MAI  |            |            | . н |     | ~ •        |       |              | -          | • •        |       |            |       | •     | ••         | * *        |
| TIME =  |            | 34         | RNG             | =          | 944        | 1.         | 91           | 119   |           |     | SKI   | NG =         |      | 300        | • בי       | 90  | 44  | 39         |       | AL           |            | 2=         |       | <u> </u>   | 3.    | • 2   | 34         | 12         |
| T[4E=   | ****       | 35         | RNG             | =          | 838        | 17.        | 00           | 781   |           |     | SRI   | NG =         |      | 554        | · 7 •      | 53  | 5   | 10         |       | AL.          | . 10       | 2=         | 1     | 99         | 2.    | • _   | 13         | 19         |
| TIME=   |            | 36         | RNG             | =          | 843        | 17+        | 70.          | 312   |           |     | SR    | ۹G=          |      | 859        | 1.         | 90  | 64  | 25         |       | AL           | , τι       | )=         | 1     | 52         | .0    | •2    | 12         | 70         |
|         |            |            |                 |            |            |            |              |       |           |     |       |              |      |            |            |     |     |            |       |              |            |            |       |            |       |       |            |            |
| *** SCI | ENARIO 2   | 18         | ** <del>*</del> |            |            |            |              |       |           |     |       |              |      | <b>.</b> . |            |     |     |            |       |              |            |            |       |            |       |       |            |            |
| FT4221  | SCENAR     | 110        | - 1 W           | <b>LTH</b> | OUT        | M          | AN           | ELV   | ER        | (C  | CN    | LTP          | UE   |            | .Εv        | EL. | 1   | _          |       |              | _          | _          | -     | <b>.</b> . |       |       |            |            |
| TIME=   |            | 40         | RNG             | =          | 581        | 5.         | 05           | 859   |           |     | SRI   | NG =         |      | 592        | 2.         | 60  | 154 | • 7        |       | AL.          | . та       | )=         | 2     | 96         | • -   | 36.   | 30         | 37         |
| TIME=   | * * * *    | 41         | RNG             | =          | 580        | 13.        | 01           | 562   |           |     | SRI   | NG=          |      | 581        | 0.         | 64  | 4 : | 53         |       | AL           | .τι        | ) =        | 2     | 27         | • 7   | 7 L I | 09         | 37         |
| TIME=   |            | 42         | RNG             | =          | 584        | ۱.         | 97           | 655   |           |     | SRI   | ٩G=          | : '  | 584        | 9.         | 62  | :50 | 20         |       | AL           | . T (      | )=         | 2     | 99         | • • • | 341   | 88         | 28         |
| FT4221  | SCENAH     | 10         | 1 🖬             | TTH        | co         | LL         | 15           | ION   | - A\      | /01 | DAI   | NCE          | E M. | ANE        | Uν         | 'EA |     |            |       |              |            |            |       |            |       |       |            |            |
| TIME =  |            | 40         | RNG             | =          | 581        | 5.         | 0 ŚI         | 859   |           |     | SRI   | NG=          | : .  | 601        | 3.         | 22  | 26  | 55         |       | AL           | . т (      | D≃         | -1:   | 53         | 1 .   | . 01  | υO         | 00         |
| TIMES   | ****       | 41         | RNG             | =          | 580        | 3.         | 01           | 562   |           |     | SRI   | NG=          | : !  | 599        | 8.         | 60  | 54  | \$ 7       |       | AL           |            | )=         | -11   | 51         | 9.    | . 3/  | 04         | 69         |
| TIME=   |            | 42         | RNG             | =          | 534        | 1.         | 370          | 556   |           |     | SRI   | NG =         | : (  | 603        | 1.         | 99  | 60  | )?         |       | AL           | . TC       | )=         | -1    | 50         | 2.    | . 01  | 95         | 46         |
|         |            |            |                 |            |            |            |              |       |           |     |       |              |      |            |            |     |     |            |       |              |            |            |       |            |       |       |            |            |
| ¢¢¢ SC8 | ENARIO 2   | 9          | \$\$ <b>\$</b>  |            |            |            |              |       |           |     |       |              |      |            |            |     |     |            |       |              |            |            |       |            |       |       |            |            |
| FT4221  | SCENAH     | i i o      | 2 🗑             | ITH        | αυτ        | M          | AN           | ELV   | ER        | 10  | ON1   | TIN          | IUE  | DO         | ES         | CE  | NI  | r -        | UNTIL | . ε          | .Ε١        | V EL       | .)    |            |       |       |            |            |
| TIMES   |            | 69         | - ÂNG           | =          | 125        | 4          | 30           | 127   |           | • - | SR    | ٩Ġ =         |      | 159        | 3.         | 25  | 53  | 37         |       | AL           | TC.        | )=         | 9:    | 82         |       | 4     | 18         | 95         |
| TIVES   | ****       | žó         | PNG             | =          | 124        | 5.         | 7 9          | 5 72  |           |     | SRI   | NG =         |      | 1 54       | 6.         | 57  | 08  | 30         |       | AL           | TI         | ) ≠        | ġ     | 82         | . 4   | 4     | 18         | 95         |
| TIME    | ++++       | 71         | DNG             | -          | 116        | ĭ.         | 0.2          | 2 45  |           |     | \$21  | NG =         |      | 167        | a.         | 29  | 29  | 37         |       |              | τr         | 5 =        | . á   | ã 2        |       | 4     | ĩĒ         | <u>95</u>  |
| NOTE    | SOUTHER    | . °.*.     |                 | OF         | E 30       | ÷.         | 261          | 505   |           |     | 3     |              |      |            |            |     |     |            |       |              |            |            |       |            |       | • •   | •••        |            |
| STANDI  | REGULAEU   |            |                 | TTL        | ົດຄື       |            | 23           |       |           |     | ~ ~ * |              | : M. |            | 114        | co  |     |            |       |              |            |            |       |            |       |       |            |            |
| F19221  | SCENAR     |            | 2 1             | 116        |            |            | 13           |       |           | 101 | CON   |              |      |            |            | 0.0 |     |            |       |              | <b>T</b> ( | <b>`</b> - | • •   | <u>.</u>   | ~     | 0     |            | ~ ~        |
| TIME =  |            | 54         | RNG             | =          | 150        |            | 20           | 141   |           |     | 281   | NG =         |      | 101        | ¥•         |     |     | :4         |       |              |            | 1          |       | 21         |       |       |            | 77         |
| TIME=   | ****       | 70         | HNG             | I          | 124        | <b>.</b> . | 799          |       |           |     | SKI   | NG =         |      | 100        | <u>.</u> . | 11  | 10  |            |       | - 21         |            |            |       | 20         | **    |       | 30         | 17         |
| TIME=   |            | 71         | RNG             | 2          | 136        | 1.         | 923          | 285   |           |     | SRI   | NG =         |      | 108        | <b>'</b> • | 73  | 30  | <b>P</b> 4 |       | ~L           |            | )=         | 9     | 40         | • 6   | 30    | 12         | 10         |
|         | ENADIO 3   |            | ***             |            |            |            |              |       |           |     |       |              |      |            |            |     |     |            |       |              |            |            |       |            |       |       |            |            |
|         | ENARLU J   | 10.1       | ***             |            | ~ <b>T</b> |            |              |       | - 0       |     | -     |              |      | <u> </u>   | EC         |     |     |            |       |              | c١         |            | 1     |            |       |       |            |            |
| F14221  | SCENAH     | τų.        | 3 #             | TEH        | uù l       | . M        |              | - 44  | C H       | ιc  | UN C  |              | UCI  |            | 23         | CE. |     |            |       |              | \          |            | · /   | • •        |       |       | <u>.</u>   | <b>م</b> ، |
| I [ME=  |            | 17         | RNG             | =          | 152        | 2.         | 294          | • 09  |           |     | SH    | ч <b>6</b> = |      | 1 22       | 2.         | 46  | 74  | 0          |       | - <u>A</u> L |            | 2          | -!    | 00         | •     | 101   | 20         | 2/         |
| TIME=   | ****       | 18         | RNG             | 2          | 138        | 3.         | 01.          | 367   |           |     | SRI   | NC =         |      | 138        | 7.         | 02  |     | 20         |       | AL           | . 10       | 2 2        | -1    | 05         | • 4   | • D i | <u>د م</u> | 85         |
| TIME=   |            | 19         | RNG             | =          | 143        | 4.         | 5 <b>6</b> 9 | 31.3  |           |     | SKI   | NG =         |      | 143        | 8.         | 49  | 26  | 59         |       | AL           | . T (      | )=         | -1    | 04         | • 6   | 31    | 01         | A3         |
| NOTE: J | REQUIRED   | ) LI       | EVEL            | OF         | F A        | T          | 20(          | 00    | FEa       | ΕT  |       |              |      |            |            |     |     |            |       |              |            |            |       |            |       |       |            |            |
| FT4221  | SCENAR     | 10         | 3 w             | <b>LTH</b> | CO         | LL         | IS           | t an  | A         | 101 | DAM   | NCE          | - M, | ANE        | Uν         | ER  | !   |            |       |              |            |            |       |            |       |       |            |            |
| TIME =  |            | 17         | RNG             | -          | 152        | 2.         | 294          | 68    |           |     | SRI   | NG =         | :    | 1 58       | 9.         | 63  | 62  | 23         |       | AL,          | .Τ         | )=         | -4    | 57         | • 7   | 191   | 02         | 73         |
| TIME=   | ****       | 18         | RNG             | =          | 138        | 3.         | 01           | 367   |           |     | SR    | ۹G =         |      | 1 45       | 5.         | 57  | 12  | 29         |       | AL           | . 10       | )=         | -4    | 5 J        | • 8   | 33    | 08         | 11         |

FILE: RESULTS RESULTS AL

and a stand of

| TIME=                                                                                                                                    | 19 RNG=                                                                                                        | 1434.66919                                                                                                                                     | SRNG= 1500.73755                                                                                                                                                   | ALTU= -440.384766                                                                                                                        |
|------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| *** SCENARIO .<br>FT4221 SCENAR<br>TIME=<br>TIME=<br>****<br>TIME=<br>NOTE: REQUIAED<br>FT4221 SCENAR<br>TIME=<br>TIME=<br>****<br>TIME= | 31 ***<br>(U 4 WIT<br>23 RNG=<br>24 RNG=<br>25 RNG=<br>0 LEVEL J<br>(IO 4 WIT<br>23 RNG=<br>24 RNG=<br>25 RNG= | THOUT MANELVER (C<br>4028.14673<br>3970.27441<br>3375.35352<br>DFF AT 5000 FEET<br>TH COLLISICN AVOI<br>4028.14673<br>3870.27441<br>3875.35352 | CONTINUED DESCENT UNTIL<br>SRNG= 4029.39282<br>SRNG= 3870.53052<br>SRNG= 3875.60913<br>CDANCE MANEUVER<br>SRNG= 4063.96680<br>SRNG= 3909.56860<br>SRNG= 3913.73926 | LEVEL OFF)<br>ALTD= 44.5233917<br>ALTD= 44.5233917<br>ALTD= 44.5233917<br>ALTD= -536.386719<br>ALTD= -545.799062<br>ALTD= -546.800791    |
| ### SCENARIO J<br>FT4312 SCENAR<br>TIME=<br>TIME=<br>####<br>FT4312 SCENAR<br>TIME=<br>TIME=<br>TIME=<br>TIME=                           | 32 \$\$\$<br>10 1 w[T<br>25 RNG=<br>26 RNG=<br>27 RNG=<br>10 1 wIT<br>25 RNG=<br>26 RNG=<br>27 RNG=            | THOUT MANELVER (C<br>1231.13062<br>1131.76953<br>1457.75862<br>H COLLISICN AVOI<br>1231.13062<br>1131.76953<br>1457.73862                      | CONTINUED LEVEL)<br>SRNG= 1245.5J757<br>SRNG= 1147.39233<br>SRNG= 1469.95069<br>DANCE MANELYER<br>SKNG= 1399.55103<br>SKNG= 1306.66870<br>SRNG= 1594.83350         | ALTO= 198.699188<br>ALTO= 188.699188<br>ALTO= 198.699188<br>ALTO= 198.699189<br>ALTD= 663.523193<br>ALTO= 663.055176<br>ALTO= 646.796875 |
| *** SCENARIO 3<br>FT4312 SCENAH<br>TIME= ****<br>TIME= ****<br>TIME=<br>FT4312 SCENAR<br>TIME=<br>TIME= ****<br>TIME=                    | 13 ***<br>10 2 wIT<br>23 RNG=<br>24 RNG=<br>25 RNG=<br>210 2 wIT<br>23 RNG=<br>24 RNG=<br>25 RNG=              | HDUT MANELVER (C<br>8385.48437<br>8378.41797<br>8982.05469<br>H COLLISIGN AVCI<br>885.44437<br>8878.41797<br>8962.05469                        | CNTINUED DESCENT!<br>SRNG= 8885.66016<br>SRNG= 8879.54297<br>SRNG= 3962.13672<br>DANCE MANEUVER<br>SKNG= 9026.69141<br>SRNG= 9021.94922<br>SKNG= 9125.16015        | ALTD= 55.9360657<br>ALTD= 47.1d50586<br>ALTD= 39.4355621<br>ALTD= 1590.39526<br>ALTD= 1602.39429<br>ALTD= 1615.39478                     |
| *** SCENARIO 3<br>FT4312 SCENAR<br>TIME= ****<br>TIME= ****<br>NOTE: REQUIRED<br>FT4J12 SCENAR<br>TIME=<br>TIME= ****<br>TIME=           | $\begin{array}{cccccccccccccccccccccccccccccccccccc$                                                           | HOUT MANELVER (C<br>2138.14185<br>2012.51123<br>2028.63110<br>FF AT 2000 FEET.<br>H COLLISICN AV01<br>2138.14183<br>2012.51123<br>2023.63110   | ONTINUED DESCENT UNTIL<br>SRNG= 2224.70539<br>SRNG= 2104.31274<br>SRNG= 2119.73462<br>DANCE MANEUVER<br>SRNG= 2276.445d0<br>SRNG= 2155.73413<br>SKNG= 2163.49217   | LEVEL)<br>ALTO= 614.761475<br>ALTO= 614.761475<br>ALTO= 614.761475<br>ALTO= 791.320959<br>ALTO= 772.050279<br>ALTO= 766.168457           |
| *** SCENARIJ 3<br>FT4312 SCENAR<br>TIME=<br>TIME=<br>FT4312 SCENAR<br>FT4312 SCENAR<br>TIME=<br>TIME=<br>TIME=<br>TIME=                  | 5 ★≠≠<br>10 4 w[T<br>8 RNG=<br>9 RNG=<br>10 RNG=<br>10 RNG=<br>9 RNG=<br>10 RNG=                               | HOUT MANELVER (C<br>3754.19922<br>3672.79761<br>3692.49487<br>H COLLISICN AVOI<br>3754.19922<br>3672.79761<br>3692.49487                       | ONTINUED LEVEL)<br>SRNG= 3874.01636<br>SRNG= 3784.90576<br>SRNG= 3794.22266<br>DANCE MANEUVER<br>SKNG= 3932.41797<br>SRNG= 3854.14648<br>SKNG= 3880.61230          | ALTD= 956.029053<br>ALTD= 914.368996<br>ALTD= 872.701172<br>ALTD= 1170.42749<br>ALTD= 1131.46265<br>ALTD= 1193.58008                     |
| *** SCENARIO 3<br>FT4422 SCENAR<br>TIME=<br>TIME=<br>FT4422 SCENAR<br>FT4422 SCENAR<br>TIME=<br>****                                     | 66 \$\$<br>10 1 #IT<br>15 RNG=<br>16 RNG=<br>17 RNG=<br>10 1 #IT<br>14 RNG=<br>15 RNG=                         | HOUT MANEUVER (<br>5123.67187<br>5130.41406<br>5152.21094<br>H COLLISIGN AVOI<br>5167.03516<br>5128.67187                                      | CONTINUED LEVEL)<br>SRNG= 5182.07422<br>SRNG= 5177.90625<br>SRNG= 5193.97266<br>DANCE MANEUVER<br>SRNG= 5299.38281<br>SRNG= 5266.12500                             | ALTD= 742.058350<br>ALTD= 699.695068<br>ALTO= 657.339844<br>ALTD= 1176.95679<br>ALTD= 1195.32788                                         |

OX.

MARY 84 CONTRACT CONTRACTOR STATES

69

FILE: RESULTS RESULTS AL

| TIME=          | 16    | RNG=           | 5130.  | 41406   | SR NG =   | 5271.40875     | ALTD=   | 1211.31250  |
|----------------|-------|----------------|--------|---------|-----------|----------------|---------|-------------|
|                |       |                |        |         |           |                |         |             |
|                |       |                |        |         |           |                |         |             |
| ¢¢¢ SCENARIO : | 37    | \$\$ <b>\$</b> |        |         |           |                |         |             |
| ET4422 SCENAL  | 210   | 2 WIT          | HOUT M | ANELVE  | R (CONTI  | NUED DESCENT)  |         |             |
| TIME:          | 15    | RNG=           | 1032.  | 44253   | SRNG=     | 1251.84130     | AL TD = | 707.351318  |
| TIME = ASSA    | 16    | RNG =          | 1031.  | 47510   | SKNG=     | 1220.65894     | ALTO =  | 652.739258  |
| TIMES          | 17    | HNG =          | 1358.  | 36133   | SRNG=     | 1484.67212     | AL TO = | 598.120361  |
| ETA422 SCENA-  |       | 2 911          | HCOLL  | ISION   | AVITOANCE | MANELIVED      |         |             |
| TIMES          | 15    | ANG =          | 10 32  | 84253   | SANGE     | 1485-07031     |         | 1067-04569  |
| TIME: AAAA     | 16    | PNG =          | 1031.  | 47510   | SRNG=     | 1474 . 10 30 3 | ALTON   | 1053.11011  |
| TIMES          | 17    | PNG =          | 1368.  | 86133   | SENGE     | 1710-65308     | ALTES   | 1039.14917  |
| 1140           | ••    | KING-          | 1000   | 00133   | 311110-   |                |         |             |
|                |       |                |        |         |           |                |         |             |
| ¢¢¢ SCENARIO 3 | 38 :  | \$\$\$         |        |         |           |                |         |             |
| FT4422 SCENAR  | 10    | 3 WITI         | HOUT M | ANELVE  | R (CONTIN | UED LEVEL)     |         |             |
| TIME=          | 23    | RNG=           | 518.8  | 91113   | SRNG=     | 729.418701     | ALTD=   | -512.643799 |
| TIME= ++++     | 24    | RNG=           | 293.1  | 48925   | SRNG=     | 588.921631     | ALTD=   | -510.776367 |
| TIME =         | 25    | RNG=           | 328.1  | 09375   | SRNG=     | 605.511230     | AL TD=  | -508.908691 |
| FT4422 SCENA   | a To  | 3              | - COLL | ISICN   | AVDIDANCE | MANEUVER       |         |             |
| TINES          | 23    | RNG=           | 510.0  | 91113   | SRNG=     | 930.103271     | ALTD=   | -771.909424 |
| TIME= ++++     | 24    | RNG=           | 293.1  | 4 89 26 | SRNG=     | 873.071777     | ALTD=   | -822.385742 |
| TIMES          | 25    | KNG=           | 324.1  | 04375   | SRNG=     | 936.962402     | ALTD=   | -877.634766 |
|                |       |                |        |         |           |                |         |             |
|                |       |                |        |         |           |                |         |             |
| *** SCENARIO 3 | 39 :  | * * *          |        |         |           |                |         |             |
| FT4422 SCENAR  | 10    | 4 wITH         | HOUT M | ANELVE  | R (CONTIN | UED DESCENT)   |         |             |
| TIME=          | 25    | RNG=           | 4956.  | 83594   | SRNG=     | 4862.81250     | ALTD=   | 241.048752  |
| TIME = ++++    | 26    | 2NG=           | 4923.  | 99609   | SRNG=     | 4829.73047     | ALTO=   | 235.338440  |
| TIME=          | 27    | RNG=           | 4977.  | 47656   | SRNG=     | 4882.87891     | ALTO=   | 229 628937  |
| ET4422 SCENAH  | TO    | 4 WITH         | - COLL | ISICN   | AVOIDANCE | MANEUVER       |         |             |
| TIMES          | 25    | HNG=           | 4856 . | 3.15 94 | SRNG=     | 4918.21094     | ALTD=   | 774.585449  |
| TIME = ++++    | 26    | RNG=           | 4823.  | 99609   | SRNG=     | 4885.31641     | ALTD=   | 771.020465  |
| TIME=          | 27    | RNG=           | 4877.  | 47656   | SRNG=     | 4937.84375     | ALTD=   | 769.768066  |
|                |       |                |        |         |           |                |         |             |
|                |       |                |        |         |           |                |         |             |
| ### SCENARIO 4 | 0 4   | \$¢ \$         |        |         |           |                |         |             |
| FT4422 SCENAR  | 10    | 5 WITH         | HOUT M | ANEUVé  | R (CONTIN | LED LEVEL}     |         |             |
| TIME=          | 25    | RNG=           | 1400 . | 62231   | SRNG=     | 1401.94507     | ALTD=   | 60.8944855  |
| TIME= ****     | 26    | RNG=           | 1017.  | 39844   | SRNG=     | 1019.71825     | ALTO=   | 00.8944855  |
| T14E=          | 27    | RNG=           | 1084.  | 52563   | SRNG=     | 1036.23340     | ALTD=   | 60.8944855  |
| NOTE: CREA WAS | 5 L.E | EVELING        | AT 5   | 000 FE  | ET AT RA  | TIME.          |         |             |
| FT4422 SCENAR  | 10    | SWLT           | I COLL | ISICN   | AVOIDANCE | MANEUVER       |         |             |
| TIME =         | 24    | RNG=           | 1400.  | 62231   | SRNG=     | 1495.21434     | AL TO = | -523.378662 |
| TIME= ++++     | 25    | RNG=           | 1017-  | 89844   | SRNG=     | 1148.79029     | ALTD=   | -532.542969 |
| TTHE           | 26    | PAG =          | 1044   | 52561   | SENGE     | 1211.75586     | AL TO = | -540-515625 |

10,500.5

# SUMMARY OF RA MANEUVER DATA

| A B C O E F G H<br>1 29 18 11 684.8 295.3 389.5 327.6<br>2 34 20 14 1005.4 121.5 883.9 646.4<br>3 25 5 20 1026.9 1051.4 -724.5 -72.2<br>4 32 18 14 1661.4 652.1 1009.3 118.8<br>6 42 26 16 581.5 30.6 550.9 31.0<br>7 27 14 13 1528.2 386.8 884.6 176.2<br>8 51 36 15 701.6 103.4 883.6 176.2<br>8 51 36 15 701.6 103.4 883.6 176.2<br>10 62 10 16 701.6 103.4 883.6 176.2<br>11 60 30 17 13 140.4 645.8 -615.4 -722.0<br>12 35 14 21 693.4 463.9 220.5 51.5<br>13 42 27 15 955.1 99.6 855.5 435.4<br>14 6 28 18 661.4 169.1 692.3 210.9<br>15 39 26 13 1865.6 257.6 1600.7 1323.5 185.2<br>17 34 19 15 1860.2 408.4 1451.9 1536.9<br>18 42 29 16 770.5 44.9 725.6 177.6<br>19 45 29 16 770.5 44.9 725.6 177.6<br>20 36 21 15 611.7 239.0 372.7 130.3<br>21 41 26 15 611.7 239.0 372.7 130.3<br>22 41 26 16 61.4 168.1 197.2<br>23 33 15 18 264.2 653.7 -389.5 -19.7<br>24 41 26 15 611.7 239.0 372.7 130.3<br>25 43 22 21 912.2 127.5 746.7 104.7<br>25 43 22 21 16 912.2 127.5 746.7 104.7<br>25 43 22 21 19 912.2 127.5 746.7 104.7<br>26 40 24 16 421.4 374.4 451.9 155.9<br>27 41 35 6 1048.3 94.2 1451.4 158.5<br>28 57 41 16 159.3 297.7 1221.6 184.3 61.1<br>23 33 15 18 264.2 653.7 -389.5 -19.7<br>24 41 26 15 611.7 239.0 372.7 130.3<br>25 43 22 21 912.2 127.5 746.7 104.7<br>26 40 24 16 421.4 374.4 457.9 13.6 155.7 13.6<br>27 41 35 6 1048.3 185.2 149.7 1221.6 184.3 61.1<br>23 33 15 18 264.2 653.7 -389.5 -19.7<br>24 30 4 35 556.7 522.2 37.5 13.6<br>25 43 22 21 912.2 127.5 746.7 134.7<br>14 4.5 5.5 14.7 144.3 56.5 346.3 65.5<br>31 40 24 16 421.4 374.4 457.9 01.3 38.0<br>27 41 35 6 1048.3 185.4 1463.4 158.5<br>31 40 24 16 453.8 105.5 346.3 66.5<br>31 40 24 16 453.8 105.5 346.3 66.5<br>31 40 24 16 453.8 105.5 346.3 65.5<br>31 40 24 16 453.8 105.7 400.4 203.4 158.5<br>31 40 24 16 453.8 105.7 400.4 203.4 158.5<br>31 40 24 16 453.8 105.2 346.3 65.5<br>31 40 24 16 453.8 105.7 4     | FILE:    | PLOT      | DATA   | ۸     | Al            |             |             |              |      |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|--------|-------|---------------|-------------|-------------|--------------|------|
| A B C D E F G H H<br>1 29 18 11 684.8 295.3 389.5 327.6<br>2 34 20 14 1005.4 121.5 883.9 640.d<br>3 25 5 20 1026.9 1051.4 -72.5 -72.2<br>4 32 14 14 1601.4 652.1 1009.3 118.8<br>5 19 18 1 425.5 80.7 344.8 69.9<br>6 42 26 16 581.5 30.6 550.9 31.0<br>7 27 14 13 1528.0 703.4 824.6 176.2<br>8 51 36 15 1215.2 382.8 832.4 104.3<br>9 32 17 15 701.6 18.6 683.0 432.1<br>10 66 30 36 776.6 93.4 083.2 186.5<br>11 30 17 13 140.4 643.8 083.2 186.5<br>13 42 27 18 955.4 99.6 855.5 435.4<br>14 40 28 18 661.4 164.2 226.5 515.5<br>15 39 26 13 1865.6 257.6 1355.6 9<br>15 39 26 13 1865.6 257.6 1355.6 197.6<br>16 52 35 17 1456.2 109.6 855.5 185.9<br>17 34 19 15 1866.2 409.4 1431.5 185.9<br>18 39 26 13 1865.6 257.6 193.5 185.9<br>18 49 26 18 166.7 199.6 855.5 185.9<br>19 45 29 16 770.5 49.6 855.5 196.9<br>10 45 29 16 770.5 49.6 185.5 185.9<br>10 45 29 16 770.5 49.6 185.5 185.9<br>10 45 29 16 770.5 40.9 725.1 197.2<br>10 45 29 16 770.5 40.9 735.5 155.9<br>21 45 20 16 105.7 522.2 37.5 13.6<br>22 33 15 18 186.2 409.4 140.1 197.2<br>10 45 22 19 12.2 127.5 764.7 140.7<br>24 39 4 35 555.7 522.2 37.5 13.6<br>25 43 22 21 912.2 127.5 764.7 140.7<br>26 40 24 16 421.4 374.4 47.0 2.8<br>27 41 35 6 164.8 105.5 340.3 38.0<br>33 45 16 16 1519.3 297.7 1221.6 180.4<br>34 31 6 27 772.7 614.7 150.4 158.5<br>26 40 24 16 402.9 47.2 1555.7 143.4<br>34 43 16 27 772.7 614.7 150.4 158.5<br>34 43 16 27 772.7 614.7 150.4 158.5<br>34 43 16 27 772.7 614.7 150.7 142.4<br>34 43 16 27 772.7 614.7 150.7 142.4<br>34 43 16 27 772.7 614.7 150.0 31.8 0.0<br>33 40 24 16 1602.9 47.2 1555.7 142.4<br>34 43 16 27 772.7 614.7 150.7 142.4<br>34 44 24 20 822.4 106.4 21.5<br>40 25 15 771.4 235.3 590.7 41.4 16 162.4 159.5<br>34 43 16 27 772.7 614.7 150.7 142.4<br>34 44 24 20 822.4 510.9 311.6 284.2<br>35 40 40 25 15 771.6 235.7 50.3 55.6<br>40 40 25 15 771.6 235.7 50.4 511.4 6284.2<br>34 44 24 20 822.4 510.9 311.6 284.2<br>35 |          |           |        |       |               |             |             |              |      |
| A B C U C C C C C C C C C C C C C C C C C                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |          | _         | -      | ~     | _             | -           | ~           | L.           |      |
| $ \begin{bmatrix} 1 & 29 & 18 & 11 & 0084.6 & 293.2 & 393.3 & 324.0 \\ 2 & 34 & 20 & 14 & 1005.4 & 121.5 & 883.4 & 648.4 \\ 3 & 25 & 5 & 20 & 1026.9 & 1051.4 & -248.5 & -2.2 \\ 4 & 32 & 18 & 14 & 1661.4 & 652.1 & 1009.3 & 118.8 \\ 5 & 19 & 18 & 1 & 425.5 & 80.7 & 344.8 & 89.9 \\ 6 & 47 & 26 & 16 & 581.5 & 703.4 & 823.6 & 176.2 \\ 7 & 27 & 14 & 13 & 1523.0 & 703.4 & 823.6 & 176.2 \\ 9 & 32 & 17 & 15 & 1215.2 & 312.8 & 863.4 & 102.1 \\ 10 & 30 & 36 & 701.6 & 180.9 & 803.2 & 122.1 \\ 11 & 30 & 17 & 13 & 149.4 & 645.4 & -505.4 & -22.0 \\ 11 & 30 & 17 & 13 & 149.4 & 645.4 & -505.4 & -22.0 \\ 11 & 30 & 17 & 13 & 1465.5 & 127.6 & 160.2 & 316.9 \\ 14 & 42 & 27 & 15 & 866.4 & 109.1 & 692.3 & 210.9 \\ 15 & 39 & 26 & 13 & 1865.5 & 132.5 & 185.2 \\ 14 & 42 & 27 & 15 & 1860.2 & 130.7 & 1323.5 & 185.2 \\ 17 & 44 & 19 & 15 & 1860.2 & 130.7 & 1323.5 & 185.9 \\ 17 & 34 & 19 & 15 & 1860.2 & 40.9 & 1451.8 & 1536.9 \\ 18 & 44 & 26 & 18 & 1105.7 & 57.6 & 1048.1 & 197.2 \\ 19 & 45 & 29 & 16 & 710.5 & 44.9 & 725.6 & 172.6 \\ 20 & 36 & 21 & 15 & 616.4 & 562.5 & 254.3 & 224.0 \\ 21 & 41 & 26 & 15 & 616.4 & 562.5 & 254.3 & 224.0 \\ 21 & 41 & 26 & 15 & 616.4 & 562.5 & 254.3 & 224.0 \\ 22 & 31 & 17 & 14 & 1359.1 & 1174.8 & 164.3 & 61.1 \\ 23 & 33 & 15 & 16 & 264.2 & 653.7 & -389.5 & -19.7 \\ 24 & 39 & 4 & 35 & 555.7 & 522.2 & 37.5 & 13.6 \\ 26 & 57 & 41 & 16 & 1519.3 & 297.7 & 1221.6 & 168.0 \\ 30 & 34 & 10 & 16 & 453.8 & 105.5 & 348.3 & 68.5 \\ 31 & 40 & 24 & 16 & 453.8 & 105.5 & 546.3 & 501.3 & 38.0 \\ 32 & 42 & 26 & 16 & 653.1 & 168.7 & 461.4 & 158.5 \\ 26 & 57 & 41 & 16 & 1519.3 & 297.7 & 1221.6 & 168.0 \\ 30 & 34 & 10 & 16 & 453.8 & 105.5 & 501.3 & 38.0 \\ 32 & 42 & 26 & 16 & 653.1 & 168.7 & 464.2 & 159.5 \\ 31 & 43 & 16 & 27 & 772.7 & 614.7 & 158.0 & 51.4 \\ 34 & 43 & 16 & 27 & 772.7 & 614.7 & 158.0 & 51.4 \\ 34 & 43 & 16 & 27 & 772.7 & 614.7 & 158.0 & 51.4 \\ 34 & 43 & 16 & 27 & 772.7 & 614.7 & 158.0 & 51.4 \\ 34 & 42 & 20 & 0822.4 & 510.8 & 311.6 & 284.2 \\ 37 & 20 & 16 & 41053.1 & 165.5 & 366.3 & 55.6 \\ 40 & 0 & 25 & 15 & 532.5 & 60.9 & 74.2 & 1555.7 & 143.4 \\ 34 & 42 & 20 & 082$                                                           | <b>?</b> | 8         | C      |       | E .           | 205 3       | 190 6       | 707 6        |      |
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 1        | 29        | 18     |       | 004.0         | 293+3       | 309.3       | 527+0        |      |
| 3 23 3 2 20 1020, 1020, 1031, 1031, 124, 1000, 118, 18, 18, 18, 18, 18, 18, 18, 18, 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | ź        | 34        | 20     | 20    | 1005.4        |             | - 34 5      |              |      |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 3        | 25        | 2      | 20    | 1020.9        | 452 1       | 1000 3      | -202         |      |
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 2        | 32        | 10     |       | 1001.4        |             | 744 9       | 40 0         |      |
| 6       42       20       10       351.2       300.4       324.6       176.2         8       51       36       15       1215.2       342.8       322.4       104.3         9       32       17       15       701.6       18.6       683.0       432.1         10       66       30       36       776.6       93.4       68.7       -22.0         12       35       14       21       673.4       463.9       229.5       51.5         13       42.27       15       955.1       99.6       855.5       435.4         14       46       28       18       861.4       169.1       692.3       210.9         15       39       26       13       185.2       105.7       160.0       13.185.2         16       52       35       17       1454.2       130.7       1323.5       185.2         17       34       19       15       1860.2       408.4       1451.8       1536.9         18       46       26       18       1105.7       57.6       160.1       177.2         20       36       21       15       611.7       239.0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 3        | 19        | 10     | 14    | 42343         | 70 6        | 550 0       | 31 0         |      |
| 1       27       14       13       1325.0       703.0       32.0       100.0         9       32       17       15       701.6       18.0       683.0       432.1         10       66       30       36       76.6       93.4       683.2       186.5         11       30       17       13       140.4       645.8       -505.4       -22.0         12       35       14       21       673.4       463.9       229.5       51.5         13       42       27       15       955.1       99.6       855.5       435.4         14       46       28       18       160.1       1692.3       210.9       156.2         15       39       26       13       1865.5       257.6       1602.7       316.0         16       52       35.7       186.2       100.7       1323.5       185.2       172.6         16       44       26       18       1105.7       57.6       1040.1       197.2         19       45       29       16       770.5       44.9       725.6       172.6         20       36       21       15       816.8                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 5        |           | 20     | 10    | 301.03        | 707 4       | 330.9       | 176 2        |      |
| 9 32 17 15 701.6 18.0 081.0 0.2.0 19.0<br>10 66 30 36 776.6 93.4 083.2 188.5<br>11 30 17 13 140.4 645.8 $-505.4$ $-22.0$<br>12 35 14 21 672.4 463.9 229.5 51.5<br>13 42 27 15 955.1 99.6 855.5 435.4<br>14 46 28 18 861.4 169.1 692.3 210.9<br>15 39 26 13 1865.6 257.6 1602.0 316.0<br>16 52 35 17 1454.2 130.7 1323.5 185.2<br>17 34 19 15 1860.2 408.4 1451.9 1536.9<br>18 44 26 18 1105.7 57.6 1040.1 197.2<br>19 45 29 16 770.5 44.9 725.6 172.6<br>20 36 21 15 816.8 562.5 254.3 224.0<br>21 41 20 15 611.7 239.0 372.7 130.3<br>22 31 17 14 1359.1 1174.8 184.3 61.1<br>23 33 15 18 264.2 653.7 $-389.5 -19.7$<br>24 41 26 15 611.7 57.6 1040.1 197.2<br>25 43 22 21 912.2 127.5 784.7 104.7<br>26 40 24 16 421.4 374.4 47.0 2.8<br>27 41 35 6 104.8 185.4 1463.4 158.5<br>28 57 41 16 1519.3 297.7 1221.6 184.0<br>30 34 18 10 453.8 185.4 1463.4 158.5<br>31 40 24 16 453.8 185.4 1463.4 158.5<br>33 40 24 16 453.8 185.4 1463.4 158.5<br>34 43 16 27 772.7 614.7 132.4 174.3 184.0<br>30 34 18 10 453.8 185.4 1463.4 158.5<br>31 40 24 16 453.8 185.4 1463.4 158.5<br>31 40 24 16 453.8 185.4 1463.4 158.5<br>31 40 24 16 453.8 185.5 346.3 68.5<br>31 40 24 16 453.8 195.5 346.3 68.5<br>31 40 24 16 1519.3 297.7 1221.6 184.0<br>32 42 26 16 653.1 168.7 464.4 158.5<br>33 40 24 16 1519.3 297.7 1221.6 184.0<br>34 43 16 27 772.7 614.7 158.0 51.3 38.0<br>32 42 26 16 653.1 168.7 464.4 158.5<br>34 43 16 27 772.7 614.7 158.0 51.3<br>34 43 16 27 772.7 614.7 158.0 51.4<br>34 43 26 15 771.6 235.3 536.3 55.6<br>40 40 25 15 532.5 60.9 471.6 129.1<br>34 43 26 15 771.6 235.3 536.3 55.6<br>40 40 25 15 532.5 60.9 471.6 129.1<br>35 25 9 16 1161.55 418.0 74 400.4 253.4<br>34 44 26 18 105.4 140.4 180.7 400.4 253.4<br>34 44 26 18 105.4 140.4 180.7 400.4 253.4<br>35 41.7 1000 15 15 116.55 418.0 74.7 400.4 253.4<br>34 44 42 42 00 92.4 510.7 417.0 6129.1<br>54 215 532.5 60.9 471.6 129.1<br>55     | 4        | 21        | 17     | 15    | 1315.3        | 1H2-8       | 832.4       | 104.3        |      |
| 103210101010.010.010.010.010.010.011301713140.4645.9 $-505.4$ $-22.0$ 12351421673.4463.9229.551.513422715955.199.6855.5435.414462818861.4169.1692.3210.9153926131865.6257.61602.7316.0165235171454.2130.71323.5185.2173419151860.2408.41451.81536.9184426161105.757.61048.1197.219452916770.544.9725.6172.620362115616.8562.5254.3224.021412615611.7239.0372.7130.3223117141359.1174.8184.7154.72439435555.7522.237.513.62543221912.2127.5784.7184.72439435555.7522.237.513.62543221912.4154.4158.526402416421.4374.447.02.827413561648.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | ő        | 12        | 17     | 15    | 701 4         | 18.0        | 683 0       | A 72 - 1     |      |
| 11 30 17 13 140.4 645.8 -505.4 -22.0<br>12 35 14 21 643.4 463.9 229.5 51.5<br>13 42 27 15 95.1 99.6 855.5 435.4<br>14 46 28 18 861.4 169.1 692.3 210.9<br>15 39 26 13 1865.6 257.6 1600.0 316.0<br>16 52 35 17 1454.2 130.7 1323.5 185.2<br>17 34 19 15 1860.2 408.4 1451.8 1536.9<br>18 44 26 18 1105.7 57.6 1048.1 197.2<br>19 45 29 16 770.5 44.9 725.6 172.6<br>20 36 21 15 816.8 562.5 254.3 224.0<br>21 41 26 15 611.7 239.0 372.7 130.3<br>22 31 17 14 1359.1 1174.8 184.3 61.1<br>23 33 15 18 264.2 653.7 -389.5 -19.7<br>24 39 4 35 555.7 522.2 37.5 13.6<br>25 43 22 21 912.2 127.5 784.7 184.7<br>26 40 24 16 421.4 374.4 47.0 2.8<br>27 41 35 6 1648.8 185.4 1463.4 158.5<br>28 57 41 16 1519.3 297.7 1221.6 184.0<br>30 34 18 16 453.8 105.5 348.3 68.5<br>31 40 24 16 553.1 168.7 501.3 380.0<br>32 42 26 16 653.1 168.7 501.3 380.0<br>33 43 16 17 772.7 614.7 155.7 143.6<br>34 43 16 27 772.7 614.7 155.7 143.4<br>34 43 16 27 772.7 614.7 155.7 143.4<br>35 55.7 152.2 37.5 13.6<br>32 42 26 16 653.1 168.7 501.3 380.0<br>33 40 18 16 1602.9 47.2 1555.7 143.4<br>34 43 16 27 772.7 614.7 155.7 143.4<br>35 43 16 27 772.7 614.7 155.7 143.4<br>34 43 16 27 772.7 614.7 155.7 143.4<br>35 43 16 27 772.7 614.7 155.7 143.4<br>36 30 15 15 15 125.3 699.7 495.6 88.2<br>37 20 16 4 1053.1 552.7 400.4 253.4<br>39 41 26 15 771.6 235.3 536.3 55.6<br>40 40 25 15 532.5 60.9 471.6 129.1<br>34 43 16 27 772.7 614.7 255.7 143.4<br>35 44 20 822.4 510.8 311.6 284.2<br>39 41 26 15 771.6 235.3 536.3 55.6<br>40 40 25 15 532.5 60.9 471.6 129.1<br>4 2 50.4 1053.1 552.7 400.4 253.4<br>39 41 26 15 771.6 235.3 536.3 55.6<br>40 40 25 15 532.5 60.9 471.6 129.1<br>4 5 SCENARIO NUMBER<br>8 = TIME FROM TA TIC CPA FOR TCAS ALRCRAFT<br>C = TIME FROM TA TIC CPA FOR TCAS ALRCRAFT<br>C = TIME FROM TA TIC CPA FOR TCAS ALRCRAFT<br>C = TIME FROM TA TIC CPA FOR TCAS ALRCRAFT<br>C = TIME FROM TA TIC CPA FOR TCAS ALRCRAFT<br>C = TIME FROM TA TIC CPA FOR TCAS ALRCRAFT<br>C = TIME FROM TA TIC CPA FOR TCAS ALRCRAFT<br>C = TIME FROM TA TIC CPA FOR TCAS ALRCRAFT<br>C = TIME FROM TA TIC CPA FOR TCAS ALRCRAFT<br>C = TIME FROM TA TIC CPA FOR TCAS ALRCRAFT<br>C = TIME FROM TA TIC CPA FOR TCAS ALRCRAFT AT C       | 10       | 56        | 30     | 16    | 776.6         | 93.4        | 683.2       | 188.5        |      |
| 12 35 14 21 693.4 463.9 229.5 51.5<br>13 42 27 15 955.1 99.6 855.5 435.4<br>14 46 28 18 861.4 169.1 692.3 210.9<br>15 39 26 13 1865.5 257.6 160C.0 316.0<br>16 52 35 17 1454.2 130.7 1323.5 185.2<br>17 34 19 15 1860.2 408.4 1451.8 1536.9<br>18 44 26 18 1105.7 57.6 1048.1 197.2<br>19 45 29 16 770.5 44.9 725.6 172.6<br>20 36 21 15 816.8 562.5 254.3 224.0<br>21 41 20 15 611.7 239.0 372.7 130.3<br>22 31 17 14 1359.1 1174.8 184.3 61.1<br>23 33 15 18 264.2 653.7 -389.5 -19.7<br>24 39 4 35 555.7 522.2 37.5 13.6<br>25 43 22 21 912.2 127.5 784.7 184.7<br>26 40 24 16 421.4 374.4 47.0 2.8<br>27 41 35 6 1648.8 185.4 1463.4 158.5<br>28 57 41 16 1519.3 297.7 1221.6 188.0<br>29 86 70 16 1004.3 962.4 21.9 13.6<br>30 34 18 16 453.8 185.5 348.3 68.5<br>31 40 24 16 55.5 348.3 68.5<br>31 40 24 16 55.5 348.4 21.9 13.6<br>33 40 24 16 55.7 464.7 155.7 143.4<br>34 43 16 27 772.7 614.7 155.7 143.4<br>34 43 16 27 772.7 50.9 471.2<br>35 25 9 16 1141.5 914.4 267.1 73.2<br>36 30 15 15 1195.3 699.7 495.6 80.2<br>37 20 16 4 1053.1 652.7 400.4 253.4<br>39 41 26 15 771.6 235.3 536.3 55.6<br>40 40 25 15 532.5 60.9 471.6 129.1<br>4 2 SCENARIO NUMBER<br>8 2 1140 FROM 7A TC CPA FOR TCAS AIRCRAFT<br>C = TIME FROM 7A TC CPA FOR TCAS AIRCRAFT<br>C = TIME FROM 7A TC CPA FOR TCAS AIRCRAFT<br>C = TIME FROM 7A TC CPA FOR TCAS AIRCRAFT<br>C = TIME FROM 7A TC CPA FOR TCAS AIRCRAFT<br>C = TIME FROM 7A TC CPA FOR TCAS AIRCRAFT<br>C = TIME FROM 7A TC CPA FOR TCAS AIRCRAFT AT CPA WITH TCAS MANEUVER<br>F = ALTITUDE DIFFERENCE BETWEEN THE 2 AIRCRAFT AT CPA WITH NCAS MANEUVER<br>F = ALTITUDE DIFFERENCE BETWEEN THE 2 AIRCRAFT AT CPA WITH NCAS MANEUVER<br>F = ALTITUDE DI         |          | 10        | 17     | 11    |               | 645-A       | -505.4      | ~ 27.0       |      |
| 13 42 27 15 955.1 99.6 855.5 435.4<br>14 46 28 18 861.4 169.1 692.3 210.9<br>15 39 26 13 1865.6 257.6 160C.C 316.0<br>16 52 35 17 1454.2 130.7 1323.5 185.2<br>17 34 19 15 1860.2 408.4 1451.8 1536.9<br>18 44 26 18 1105.7 57.6 1048.1 197.2<br>19 45 29 16 770.5 44.9 725.6 172.6<br>20 36 21 15 616.8 562.5 254.3 224.0<br>21 41 26 15 611.7 239.0 372.7 130.3<br>22 31 17 14 1359.1 1174.8 184.3 61.1<br>23 33 15 18 264.2 653.7 -389.5 -19.7<br>24 39 4 35 556.7 522.2 37.5 13.6<br>25 43 22 21 912.2 127.5 784.7 194.7<br>26 40 24 16 421.4 374.4 47.0 2.8<br>27 41 35 6 1648.8 165.4 1463.4 158.5<br>28 57 41 16 1519.3 297.7 1221.6 188.0<br>29 86 70 16 1004.3 982.4 21.9 13.6<br>31 40 24 16 55.8 44.5 501.3 38.0<br>32 42 26 16 653.1 168.7 464.4 159.3<br>33 40 24 16 545.8 44.5 501.3 38.0<br>34 18 16 16 453.4 105.5 348.3 68.5<br>31 40 24 16 545.8 44.5 501.3 38.0<br>32 42 26 16 6653.1 168.7 464.4 159.3<br>33 40 24 16 545.8 44.5 501.3 38.0<br>34 18 16 27 772.7 614.7 155.7 143.4<br>34 43 16 27 772.7 614.7 155.7 143.4<br>34 43 16 27 772.7 614.7 155.7 143.4<br>34 43 16 27 772.7 614.7 155.0 88.2<br>37 20 16 4 1053.1 662.7 400.4 253.4<br>38 44 26 15 15 15 126.2 7 400.4 253.4<br>39 40 25 15 532.6 614.7 150.0 51.4<br>30 30 15 15 15 1662.7 400.4 251.4<br>34 43 16 27 772.7 614.7 155.0 88.2<br>37 20 16 4 1053.1 652.7 400.4 253.4<br>38 44 26 15 771.6 235.3 536.3 55.6<br>40 40 25 15 532.5 60.9 471.0 129.1<br>37 20 16 4 1053.1 652.7 400.4 253.4<br>38 44 26 15 771.6 235.3 536.3 55.6<br>40 40 25 15 532.5 60.9 471.6 129.1<br>4 5 SCENARIO NUMBER<br>8 5 11ME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TO CPA FOR TCAS A       | 12       | 36        | 14     | 21    | 633.4         | 463.9       | 229.5       | 51.5         |      |
| 14462818861.4169.1692.3210.9153926131865.6257.61602.0316.0165235171454.2130.71323.5185.2173419151860.2408.41451.51536.9184426181105.757.61046.1197.219452916770.544.9725.6172.620362115816.8562.5254.3224.021412615611.7239.0372.7130.3223117141359.11174.8184.361.123331518264.2653.7-380.5-19.72439435559.7522.237.513.625402416421.4374.447.02.827413561648.8185.41463.4158.5285741161519.3297.71221.6184.0298670161004.3982.421.913.63140241655.5344.368.5314024161602.947.2155.7143.43340241652.7614.7158.051.4334024161602.947.2155.7 <td>13</td> <td>42</td> <td>27</td> <td>15</td> <td>955.1</td> <td>99.6</td> <td>855.5</td> <td>A 35 . A</td> <td></td>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 13       | 42        | 27     | 15    | 955.1         | 99.6        | 855.5       | A 35 . A     |      |
| 15       39       26       13       1855.6       257.6       1605.0       316.0         16       52       35       17       1454.2       130.7       1323.5       185.2         17       34       19       15       1860.2       408.4       1451.8       1536.9         18       44       26       18       1105.7       57.6       1040.1       197.2         19       45       29       16       770.5       44.9       725.6       172.6         20       36       21       15       816.8       562.5       254.3       224.0         21       41       26       15       611.7       239.0       372.7       130.3         223       31       15       18       264.2       653.7       -389.5       -19.7         23       33       15       18       264.2       653.7       -389.5       -19.7         24       21       912.2       127.5       784.7       184.7         25       43       22       21       912.2       137.5       134.7         26       40       24       16       164.8       185.4       1463.4       1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 14       | 46        | 28     | 1.5   | 861.4         | 169-1       | 692.3       | 210.9        |      |
| 1010101010101010101010101010101010101010101010101010101010101010101010101010101010101010101010101010101010101010101010101010101010101010101010101010101010101010101010101010101010101010101010101010101010101010101010101010101010101010101010101010101010101010101010101010101010101010101010101010101010101010101010101010101010101010101010101010101010101010101010101010101010 <td>14</td> <td>10</td> <td>26</td> <td>11</td> <td>1865.5</td> <td>257.6</td> <td>160.0-0</td> <td>316.0</td> <td></td>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 14       | 10        | 26     | 11    | 1865.5        | 257.6       | 160.0-0     | 316.0        |      |
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 16       | 52        | 15     | 17    | 1454-2        | 1 10 . 7    | 1323.5      | 185.2        |      |
| 18       44       26       18       11005.7       57.6       1048.1       197.2         19       45       29       16       770.5       44.9       725.6       172.6         20       36       21       15       611.7       239.0       372.7       130.3         22       31       17       14       1359.1       1174.8       184.3       61.1         23       33       15       16       2653.7       -389.5       -19.7         24       39       4       35       556.7       522.2       37.5       13.6         25       43       22       11       16       421.4       374.4       47.0       2.8         26       40       24       16       421.4       374.4       47.0       2.8         27       41       35       6       1648.8       185.4       1463.4       158.5         28       57       41       16       1519.3       297.7       1221.6       184.7         30       34       14       16       554.8       44.5       501.3       38.0         32       42       26       16       653.1       166.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 17       | 34        | 10     | 16    | 1860.2        | 408.4       | 1451-8      | 1536.9       |      |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 1.0      |           | 26     | 1.8   | 1105.7        | 57.6        | 1048-1      | 197.2        |      |
| 17131611013112131224120120021412615611.7239.0372.7130.3223117141359.11174.8104.361.123331510264.2653.7-389.5-19.72439435556.7522.237.513.625432221912.2127.5784.7104.726402416421.4374.447.02.827413561648.8185.41463.4158.5285741161519.3297.71221.6184.0298670161004.3962.421.913.6303416653.8105.5348.368.531402416545.844.5501.338.032422616652.1168.7464.4159.333402416162.947.21555.7143.434431627772.7614.7158.051.43525916118.534.4267.173.2363015151569.7402.688.237201641053.1652.7404.4253.438442420822.4510.8311.6284.2 </td <td>10</td> <td></td> <td>20</td> <td>16</td> <td>770.5</td> <td>44.9</td> <td>725.6</td> <td>172.6</td> <td></td>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 10       |           | 20     | 16    | 770.5         | 44.9        | 725.6       | 172.6        |      |
| 21 41 26 15 611.9 239.0 372.7 130.3<br>22 31 17 14 1359.1 1174.8 184.3 61.1<br>23 33 15 18 264.2 653.7 $-389.5 -19.7$<br>24 39 4 35 559.7 522.2 37.5 13.6<br>25 43 22 21 912.2 127.5 784.7 184.7<br>26 40 24 16 421.4 374.4 47.0 2.8<br>27 41 35 6 1648.8 185.4 1463.4 158.5<br>28 57 41 16 1519.3 297.7 1221.6 184.0<br>29 86 70 16 1004.3 982.4 21.9 13.6<br>30 34 18 16 453.8 105.5 348.3 68.5<br>31 40 24 16 545.8 44.5 501.3 38.0<br>32 42 26 16 653.1 168.7 464.4 159.3<br>33 40 24 16 1602.9 47.2 1555.7 143.4<br>34 43 16 27 772.7 614.7 158.0 51.4<br>35 25 9 16 1181.5 914.4 267.1 73.2<br>36 30 15 1185.3 699.7 400.4 253.4<br>34 43 16 27 772.7 614.7 158.0 51.4<br>35 25 9 16 1181.5 914.4 267.1 73.2<br>36 37 20 16 4 1053.1 699.7 405.6 89.2<br>37 20 16 4 1053.1 652.7 400.4 253.4<br>38 44 24 20 822.4 510.8 311.6 284.2<br>39 41 26 15 771.6 235.3 536.3 55.6<br>40 40 25 15 532.5 60.9 471.6 129.1<br>A : SCENARIO NUMBER<br>B = TIME FROM TA TG CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TG CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TG CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TG CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TG CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TG CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TG CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TG CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TG CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TG CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TG CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TG CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TG CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TG CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TG CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TG CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TG CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TG CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TG CPA FOR TCAS AIRCRAFT<br>C = OIFFERENCE BETWEEN THE 2 AIRCRAFT AT CPA WITH TCAS MANEUVER<br>F = ALTITUDE DIFFERENCE BETWEEN THE 2 AIRCRAFT AT CPA WITH TCAS MANEUVER<br>F = ALTITUDE DIFFERENCE BETWEEN THE 2 AIRCRAFT AT CPA WITH NO MANEUVER<br>F = ALTITUDE DIFFERENCE BETWEEN THE 2 AIRCRAFT AT CPA WITH NO MANEUVER                                                                                                        | 20       | 36        | 21     | 15    | 816.8         | 562.5       | 254.3       | 224-0        |      |
| 22       31       17       14       1359.1       1174.8       184.3       61.1         23       33       15       18       264.2       653.7       -389.5       -19.7         24       39       4       35       555.7       522.2       37.5       13.6         25       43       22       21       912.2       127.5       784.7       184.7         26       40       24       16       421.4       374.4       47.0       2.8         27       41       35       6       1640.8       185.4       1463.4       158.5         28       57       41       16       1519.3       297.7       1221.6       188.5         30       34       16       1004.3       982.4       21.9       13.6         31       40       24       16       53.8       105.5       348.3       68.5         31       40       24       16       162.9       47.2       155.7       143.4         34       43       16       27       772.7       614.7       158.0       51.4         35       25       9       16       1181.5       94.4       2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 21       | Ă.        | 26     | 15    | 611.7         | 239.0       | 372.7       | 130.3        |      |
| 23 33 15 10 264.2 253.7 -389.5 -19.7<br>24 39 4 35 555.7 522.2 37.5 13.6<br>25 43 22 21 912.2 127.5 784.7 184.7<br>26 40 24 16 421.4 374.4 47.0 2.8<br>27 41 35 6 1648.8 185.4 1463.4 158.5<br>28 57 41 16 1519.3 297.7 1221.6 188.0<br>29 86 70 16 1004.3 962.4 21.9 13.6<br>30 34 18 16 545.8 105.5 348.3 68.5<br>31 40 24 16 545.8 44.5 501.3 38.0<br>32 42 26 16 653.1 158.7 143.4<br>33 40 24 16 1612.9 47.2 1555.7 143.4<br>34 43 16 27 772.7 614.7 158.0 51.4<br>35 25 9 16 1181.5 914.4 267.1 73.2<br>36 30 15 15 15 165.3 699.7 403.6 88.2<br>37 20 16 4 1053.1 652.7 400.4 253.4<br>38 44 24 20 822.4 510.8 311.6 284.2<br>39 41 26 15 771.6 235.3 536.3 55.6<br>40 40 25 15 532.5 60.9 471.6 129.1<br>A $\pm$ SCENARIO NUMBER<br>B $\pm$ TIME FROM TA TG CPA FOR TCAS AIRCRAFT<br>C $\pm$ TIME FROM TA TG CPA FOR TCAS AIRCRAFT<br>C $\pm$ TIME FROM TA TG CPA FOR TCAS AIRCRAFT<br>C $\pm$ TIME FROM TA TG CPA FOR TCAS AIRCRAFT<br>C $\pm$ TIME FROM TA TG CPA FOR TCAS AIRCRAFT<br>C $\pm$ TIME FROM TA TG CPA FOR TCAS AIRCRAFT<br>C $\pm$ TIME FROM TA TG CPA FOR TCAS AIRCRAFT<br>C $\pm$ TIME FROM TA TG CPA FOR TCAS AIRCRAFT<br>C $\pm$ ALTITUDE DIFFERENCE BETWEEN THE 2 AIRCRAFT AT CPA WITH TCAS MANEUVER<br>F $\pm$ ALTITUDE DIFFERENCE BETWEEN THE 2 AIRCRAFT AT CPA WITH TCAS MANEUVER<br>F $\pm$ ALTITUDE DIFFERENCE BETWEEN THE 2 AIRCRAFT AT CPA WITH NO MANEUVER<br>F $\pm$ ALTITUDE DIFFERENCE BETWEEN THE 2 AIRCRAFT AT CPA WITH NO MANEUVER                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 22       | 31        | 17     | 14    | 1159.1        | 1174-8      | 184.3       | 61.1         |      |
| 24 39 4 35 55.7 522.2 37.5 13.6<br>25 43 22 21 912.2 127.5 784.7 184.7<br>26 40 24 16 421.4 374.4 47.0 2.8<br>27 41 35 6 1648.8 185.4 1463.4 158.5<br>28 57 41 16 1519.3 297.7 1221.6 188.0<br>29 86 70 16 1004.3 982.4 21.9 13.6<br>30 34 18 16 453.8 105.5 348.3 68.5<br>31 40 24 16 545.8 44.5 501.3 38.0<br>32 42 26 16 653.1 188.7 464.4 159.3<br>33 40 24 16 1602.9 47.2 1555.7 143.4<br>34 43 16 27 772.7 614.7 158.0 51.4<br>35 25 9 16 1181.5 914.4 267.1 73.2<br>36 30 15 15 1185.3 699.7 405.6 88.2<br>37 20 16 4 1053.1 652.7 400.4 253.4<br>38 44 24 20 822.4 510.8 311.6 284.2<br>39 41 26 15 771.6 235.3 536.3 55.6<br>40 40 25 15 532.5 60.9 471.6 129.1<br>4 5CENARIO NUMBER<br>8 = 71ME FROM 7A TG CPA FOR TCAS AIRCRAFT<br>C = TIME FROM 7A TG CPA FOR TCAS AIRCRAFT<br>C = TIME FROM 7A TG CPA FOR TCAS AIRCRAFT<br>C = TIME FROM 7A TG CPA FOR TCAS AIRCRAFT<br>C = TIME FROM 7A TG CPA FOR TCAS AIRCRAFT<br>C = TIME FROM 7A TG CPA FOR TCAS AIRCRAFT<br>C = TIME FROM 7A TG CPA FOR TCAS AIRCRAFT<br>C = TIME FROM 7A TG CPA FOR TCAS AIRCRAFT<br>C = TIME FROM 7A TG CPA FOR TCAS AIRCRAFT<br>C = TIME FROM 7A TG CPA FOR TCAS AIRCRAFT<br>C = TIME FROM 7A TG CPA FOR TCAS AIRCRAFT<br>C = TIME FROM 7A TG CPA FOR TCAS AIRCRAFT<br>C = OIFFERENCE BETWEEN THE 2 AIRCRAFT AT CPA WITH TCAS MANEUVER<br>F = ALTITUDE DIFFERENCE BETWEEN THE 2 AIRCRAFT AT CPA WITH TCAS MANEUVER<br>F = ALTITUDE DIFFERENCE BETWEEN THE 2 AIRCRAFT AT CPA WITH NG MANEUVER<br>F = ALTITUDE DIFFERENCE BETWEEN THE 2 AIRCRAFT AT CPA WITH TCAS MANEUVER<br>F = ALTITUDE DIFFERENCE BETWEEN THE 2 AIRCRAFT AT CPA WITH NG MANEUVER                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 23       | 33        | 15     | ia    | 264.2         | 653.7       | -389.5      | -19.7        |      |
| 25 43 22 21 912.2 127.5 784.7 194.7<br>26 40 24 16 421.4 374.4 47.0 2.8<br>27 41 35 6 1648.8 185.4 1463.4 158.5<br>28 57 41 16 1519.3 297.7 1221.6 188.0<br>29 86 70 16 1004.3 982.4 21.9 13.6<br>30 34 18 16 453.8 105.5 348.3 68.5<br>31 40 24 16 545.8 44.5 501.3 38.0<br>32 42 26 16 653.1 188.7 464.4 159.3<br>33 40 24 16 1602.9 47.2 155.7 143.4<br>34 43 16 27 772.7 614.7 158.0 51.4<br>35 25 9 16 1181.5 914.4 267.1 73.2<br>36 30 15 15 1195.3 699.7 495.0 88.2<br>37 20 16 4 1053.1 652.7 400.4 253.4<br>38 43 26 15 771.6 235.3 536.3 55.6<br>40 40 25 15 771.6 235.3 536.3 55.6<br>40 40 25 15 771.6 235.3 536.3 55.6<br>40 40 25 15 532.5 60.9 471.6 129.1<br>8 = 11ME FROM TA TG CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TG CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TG CPA FOR TCAS AIRCRAFT<br>C = ALTITUDE DIFFERENCE BETWEEN THE 2 AIRCRAFT AT CPA WITH TCAS MANEUVER<br>F = ALTITUDE DIFFERENCE BETWEEN THE 2 AIRCRAFT AT CPA WITH TCAS MANEUVER<br>F = ALTITUDE DIFFERENCE BETWEEN THE 2 AIRCRAFT AT CPA WITH NO MANEUVER<br>F = ALTITUDE DIFFERENCE BETWEEN THE 2 AIRCRAFT AT CPA WITH NO MANEUVER<br>F = ALTITUDE DIFFERENCE BETWEEN THE 2 AIRCRAFT AT CPA WITH NO MANEUVER<br>F = ALTITUDE DIFFERENCE BETWEEN THE 2 AIRCRAFT AT CPA WITH NO MANEUVER<br>F = ALTITUDE DIFFERENCE BETWEEN THE 2 AIRCRAFT AT CPA WITH NO MANEUVER<br>F = ALTITUDE DIFFERENCE BETWEEN THE 2 AIRCRAFT AT CPA WITH NO MANEUVER                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 24       | 10        |        | 35    | 555.7         | 522.2       | 37.5        | 13.6         |      |
| 26 $40$ $24$ $16$ $421.4$ $374.4$ $47.0$ $2.8$ $27$ $41$ $35$ $6$ $1648.8$ $185.4$ $1463.4$ $158.5$ $28$ $57$ $41$ $16$ $159.3$ $297.7$ $1221.6$ $186.0$ $29$ $86$ $70$ $16$ $1004.3$ $962.4$ $21.9$ $13.6$ $30$ $34$ $1d$ $16$ $453.8$ $105.5$ $348.3$ $68.5$ $31$ $40$ $24$ $16$ $545.8$ $44.5$ $501.3$ $38.0$ $32$ $42$ $26$ $16$ $653.1$ $160.7$ $464.4$ $159.3$ $33$ $40$ $24$ $16$ $162.9$ $47.2$ $1555.7$ $143.4$ $34$ $43$ $16$ $27$ $772.7$ $614.7$ $158.0$ $51.4$ $35$ $25$ $9$ $16$ $1181.5$ $914.4$ $267.1$ $73.2$ $36$ $30$ $15$ $15$ $1195.3$ $699.7$ $495.6$ $89.2$ $37$ $20$ $16$ $4$ $1053.1$ $652.7$ $400.4$ $253.4$ $38$ $44$ $24$ $20$ $822.4$ $510.8$ $311.6$ $284.2$ $39$ $41$ $26$ $15$ $771.6$ $235.3$ $536.3$ $55.6$ $40$ $40$ $25$ $15$ $532.5$ $60.9$ $471.6$ $129.1$ $A$ $5$ $5$ $15$ $532.5$ $60.9$ $471.6$ $129.1$ $A$ $5$ $5$ $15$ </td <td>25</td> <td>4.1</td> <td>22</td> <td>21</td> <td>912.2</td> <td>127.5</td> <td>784.7</td> <td>184.7</td> <td></td>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 25       | 4.1       | 22     | 21    | 912.2         | 127.5       | 784.7       | 184.7        |      |
| 27 41 35 6 1048.8 185.4 1463.4 158.5<br>28 57 41 16 1519.3 297.7 1221.6 188.0<br>29 86 70 16 1004.3 962.4 21.9 13.6<br>30 34 18 16 453.8 105.5 348.3 68.5<br>31 40 24 16 545.8 44.5 501.3 38.0<br>32 42 26 16 653.1 168.7 464.4 159.3<br>33 40 24 16 1602.9 47.2 1555.7 143.4<br>34 43 16 27 772.7 614.7 158.0 51.4<br>35 25 9 16 1181.5 914.4 267.1 73.2<br>36 30 15 15 1195.3 699.7 495.6 88.2<br>37 20 16 4 1053.1 652.7 400.4 253.4<br>38 44 24 20 822.4 510.8 311.6 284.2<br>39 41 26 15 771.6 235.3 536.3 536.5 6<br>40 40 25 15 532.5 60.9 471.6 129.1<br>A = SCENARIO NUMBER<br>B = TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TO CPA FOR TCAS AIRCRAFT AT CPA WITH TCAS MANEUVER<br>F # ALTITUDE DIFFERENCE BETWEEN THE 2 AIRCRAFT AT CPA WITH TCAS MANEUVER<br>F # ALTITUDE DIFFERENCE BETWEEN THE 2 AIRCRAFT AT CPA WITH TCAS MANEUVER                                                                                                               | 26       |           | 24     | 16    | 421.4         | 374.4       | 47.0        | 2.8          |      |
| 285741161519.3297.71221.6188.0298670161004.3982.421.913.630341816453.8105.5348.368.531402416545.844.5501.338.032422616652.1188.7464.4159.3334024161602.947.2155.7143.434431627772.7614.7158.051.435259161181.5914.4267.173.2363015151156.3699.7495.088.237201641053.1652.7400.4253.43844261571.6235.3536.355.640402515532.560.9471.6129.18551474.4267.173.629.19122515532.560.9471.6129.14261571.6235.3536.355.64040402515532.560.9471.6129.18571.46129.174.6129.114.414.6871.4677.677.677.677.677.6901571.6235.3536.355.640                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 27       | 41        | 35     | 6     | 1648-8        | 185.4       | 1463.4      | 158.5        |      |
| 29 86 70 16 1004.3 962.4 21.9 13.6<br>30 34 18 16 453.8 105.5 348.3 68.5<br>31 40 24 16 545.8 44.5 501.3 38.0<br>32 42 26 16 653.1 160.7 464.4 159.3<br>33 40 24 16 1602.9 47.2 1555.7 143.4<br>34 43 16 27 772.7 614.7 158.0 51.4<br>35 25 9 16 1181.5 914.4 267.1 73.2<br>36 30 15 15 1195.3 699.7 495.6 88.2<br>37 20 16 4 1053.1 652.7 400.4 253.4<br>38 44 24 20 822.4 510.8 311.6 284.2<br>39 41 26 15 771.6 235.3 536.3 55.6<br>40 40 25 15 532.5 60.9 471.6 129.1<br>A $\pm$ SCENARIO NUMBER<br>B $\pm$ TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C $\pm$ TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C $\pm$ TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C $\pm$ TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C $\pm$ TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C $\pm$ TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C $\pm$ TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C $\pm$ TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C $\pm$ TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C $\pm$ TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C $\pm$ TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C $\pm$ TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C $\pm$ TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C $\pm$ TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C $\pm$ TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C $\pm$ TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C $\pm$ TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C $\pm$ TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C $\pm$ OIFFERENCE BETWEEN THE 2 AIRCRAFT AT CPA WITH TCAS MANEUVER<br>F $\pm$ ALTITUDE DIFFERENCE BETWEEN THE 2 AIRCRAFT AT CPA WITH TCAS MANEUVER<br>F $\pm$ ALTITUDE DIFFERENCE BETWEEN THE 2 AIRCRAFT AT CPA WITH TCAS MANEUVER<br>F $\pm$ ALTITUDE DIFFERENCE BETWEEN THE 2 AIRCRAFT AT CPA WITH TCAS MANEUVER<br>F $\pm$ ALTITUDE DIFFERENCE BETWEEN THE 2 AIRCRAFT AT CPA WITH TCAS MANEUVER<br>F $\pm$ ALTITUDE DIFFERENCE BETWEEN THE 2 AIRCRAFT AT CPA WITH TCAS MANEUVER<br>F $\pm$ ALTITUDE DIFFERENCE BETWEEN THE 2 AIRCRAFT AT CPA WITH NO MANEUVER                                                                                                                                                                                                                                                   | 28       | 57        | 41     | 16    | 1519.3        | 297.7       | 1221.6      | 188.0        |      |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 20       | 86        | 70     | 16    | 1004.3        | 982.4       | 21.9        | 13.6         |      |
| 31 40 24 16 545.8 44.5 501.3 38.0<br>32 42 26 16 653.1 168.7 464.4 159.3<br>33 40 24 16 1602.9 47.2 1555.7 143.4<br>34 43 16 27 772.7 614.7 158.0 51.4<br>35 25 9 16 1181.5 914.4 267.1 73.2<br>36 30 15 15 155.7 400.4 263.4<br>37 20 16 4 1053.1 652.7 400.4 253.4<br>38 44 24 20 822.4 510.8 311.6 284.2<br>39 41 26 15 771.6 235.3 536.3 55.6<br>40 40 25 15 532.5 60.9 471.6 129.1<br>A = SCENARIO NUMBER<br>B = TIME FROM TA TG CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TG CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TG CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TG CPA FOR TCAS AIRCRAFT<br>C = ALFITUDE DIFFERENCE BETWEEN THE 2 AIRCRAFT AT CPA WITH TCAS MANEUVER<br>F = ALTITUDE DIFFERENCE BETWEEN THE 2 AIRCRAFT AT CPA WITH NG MANEUVER<br>F = ALTITUDE DIFFERENCE BETWEEN THE 2 AIRCRAFT AT CPA WITH NG MANEUVER<br>F = ALTITUDE DIFFERENCE BETWEEN THE 2 AIRCRAFT AT CPA WITH NG MANEUVER                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | ĩó       | 34        | 14     | 16    | 453.8         | 105.5       | 348.3       | 68.5         |      |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 31       | 40        | 24     | 16    | 545.8         | 44.5        | 501.3       | 38.0         |      |
| 33 40 24 16 1602.9 47.2 1555.7 143.4<br>34 43 16 27 772.7 614.7 158.0 51.4<br>35 25 9 16 1181.5 914.4 267.1 73.2<br>36 30 15 15 1195.3 699.7 495.6 88.2<br>37 20 16 4 1053.1 652.7 400.4 253.4<br>38 44 24 20 822.4 510.8 311.6 284.2<br>39 41 26 15 771.6 235.3 536.3 55.6<br>40 40 25 15 532.5 60.9 471.6 129.1<br>A = SCENARIO NUMBER<br>B = TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C = TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C = ALTITUDE DIFFERENCE BETWEEN THE 2 AIRCRAFT AT CPA WITH TCAS MANEUVER<br>F = ALTITUDE DIFFERENCE BETWEEN THE 2 AIRCRAFT AT CPA WITH NO MANEUVER<br>F = ALTITUDE DIFFERENCE BETWEEN THE 2 AIRCRAFT AT CPA WITH NO MANEUVER<br>G = CIFFERENCE BETWEEN THE 2 AIRCRAFT AT CPA WITH NO MANEUVER                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 32       | 42        | 26     | 16    | 652.1         | 158.7       | 464.4       | 159.3        |      |
| 34       43       16       27 $772.7$ $614.7$ $158.0$ $51.4$ 35       25       9       16 $1181.5$ $914.4$ $267.1$ $73.2$ 36       30       15       15 $1195.3$ $699.7$ $495.6$ $88.2$ 37       20       16       4 $1053.1$ $652.7$ $400.4$ $253.4$ 38       44       24       20 $822.4$ $510.8$ $311.6$ $284.2$ 39       41       26       15 $771.6$ $235.3$ $536.3$ $55.6$ 40       40       25       15 $532.5$ $60.9$ $471.6$ $129.1$ A       SCENARIO       NUMBER       B       TIME FROM TA TG CPA FOR TCAS AIRCRAFT $0.76.76.76.76.76.76.76.76.76.76.76.76.76.$                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 33       | 40        | 24     | 16    | 1602.9        | 47.2        | 1555.7      | 143.4        |      |
| 35       25       9       16       1181.5       914.4       267.1       73.2         36       30       15       15       1195.3       699.7       495.6       88.2         37       20       16       4       1053.1       652.7       400.4       253.4         38       44       24       20       822.4       510.8       311.6       284.2         39       41       26       15       771.6       235.3       536.3       55.6         40       40       25       15       532.5       60.9       471.6       129.1         A = SCENAR IO NUMBER       8       114.6       284.2       35.6       35.6       10.9       471.6       129.1         A = SCENAR IO NUMBER       15       532.5       60.9       471.6       129.1         A = SCENAR IO NUMBER       5       532.5       60.9       471.6       129.1         A = SCENAR IO NUMBER       5       532.5       60.9       471.6       129.1         B = TIME FROM RA TG CPA FOR TCAS AIRCRAFT       01.5       01.5       12.9       10.7         C = TIME FROM RA TG CPA FOR TCAS AIRCRAFT       01.5       01.5       10.7       10.7                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 34       | 43        | 16     | 27    | 772.7         | 614.7       | 158.0       | 51.4         |      |
| 36       30       15       1195.3 $699.7$ $495.6$ $88.2$ 37       20       16       4 $1053.1$ $552.7$ $400.4$ $253.4$ 38       44       20 $822.4$ $510.8$ $311.6$ $284.2$ 39       41       26       15 $771.6$ $235.3$ $536.3$ $55.6$ 40       40       25       15 $532.5$ $60.9$ $471.6$ $129.1$ A       SCENARIO       NUMBER       B       TIME FROM TA TG CPA FOR TCAS AIRCRAFT $0.9471.6$ $129.1$ B       TIME FROM TA TG CPA FOR TCAS AIRCRAFT $0.9576.6$ $0.9$ $471.6$ $129.1$ C       TIME FROM TA TG CPA FOR TCAS AIRCRAFT $0.9576.6$ $0.9471.6$ $129.1$ D $0.5756.6$ $0.9$ $471.6$ $129.1$ A $0.9576.6$ $0.9$ $471.6$ $129.1$ B       TIME FROM TA TG CPA FOR TCAS AIRCRAFT $0.9776.6$ $0.9776.6$ C       TIME FROM TA TG CPA FOR TCAS AIRCRAFT $0.9776.6$ $0.9776.6$ C       OIFFERENCE BETWEEN THE 2 AIRCRAFT A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 35       | 25        | ġ.     | ī ó   | 1181.5        | 914.4       | 267.1       | 73.2         |      |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 36       | 30        | 15     | 15    | 1195.3        | 699.7       | 495.0       | 88.2         |      |
| 38 44 24 20 822.4 510.8 311.6 284.2<br>39 41 26 15 771.6 235.3 536.3 55.6<br>40 40 25 15 532.5 60.9 471.6 129.1<br>A = SCENAR IO NUMBER<br>B = TIME FROM TA TO CPA FOR TCAS AIRCRAFT<br>C = TIME FROM RA TO CPA FOR TCAS AIRCRAFT<br>C = TIME FROM RA TO CPA FOR TCAS AIRCRAFT<br>D = DIFFERENCE IN TIME BETWEEN THE 2 AIRCRAFT AT CPA WITH TCAS MANEUVER<br>F = ALTITUDE DIFFERENCE BETWEEN THE 2 AIRCRAFT AT CPA WITH TCAS MANEUVER<br>F = ALTITUDE DIFFERENCE BETWEEN THE 2 AIRCRAFT AT CPA WITH NO MANEUVER<br>F = ALTITUDE DIFFERENCE BETWEEN THE 2 AIRCRAFT AT CPA WITH NO MANEUVER<br>G = CIFFERENCE BETWEEN TCAS AND NOT TCAS ALTITUDE SEPARATION AT CPA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 37       | 20        | 16     | 4     | 1053.1        | 652.7       | 400.4       | 253.4        |      |
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 38       | 44        | 24     | 20    | 822.4         | 510.8       | 311.6       | 284.2        |      |
| 40     40     25     15     532.5     60.9     471.6     129.1       A = SCENARION NUMBER     B = TIME FROM TA TO CPA FOR TCAS AIRCRAFT     5     5     5     5       C = TIME FROM TA TO CPA FOR TCAS AIRCRAFT     5     5     5     5     5       C = TIME FROM TA TO CPA FOR TCAS AIRCRAFT     5     5     5     5     5       C = TIME FROM TA TO CPA FOR TCAS AIRCRAFT     5     5     5     5     5       C = TIME FROM TA TO CPA FOR TCAS AIRCRAFT     6     5     5     5     5       C = OIFFERENCE IN TIME SETAREN TA AND RA     5     5     6     5     5     5       E = ALTITUDE DIFFERENCE BETWEEN THE 2 AIRCRAFT AT CPA WITH TCAS MANEUVER     6     5     5     6     5     7       F = ALTITUDE DIFFERENCE BETWEEN THE 2 AIRCRAFT AT CPA WITH NO MANEUVER     6     6     5     6     7     7     7     7       G = OIFFERENCE BETWEEN TAS AND NO-TCAS ALTITUDE SEPARATION AT CPA     7     7     7     7     7                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | PE       |           | 26     | 15    | 771.6         | 235.3       | 536.3       | 55.6         |      |
| A S SCENARIO NUMBER<br>B = TIWE FROM TA TO CPA FOR TCAS AIRCRAFT<br>C = TIWE FROM TA TO CPA FOR TCAS AIRCRAFT<br>O = DIFFERENCE IN TIME BETWEEN TA AND RA<br>E = ALTITUDE DIFFERENCE BETWEEN THE 2 AIRCRAFT AT CPA WITH TCAS MANEUVER<br>F = ALTITUDE DIFFERENCE BETWEEN THE 2 AIRCRAFT AT CPA WITH TCAS MANEUVER<br>F = ALTITUDE DIFFERENCE BETWEEN THE 2 AIRCRAFT AT CPA WITH NO MANEUVER<br>F = CIFFERENCE BETWEEN THE 2 AIRCRAFT AT CPA WITH NO MANEUVER<br>F = CIFFERENCE BETWEEN THE 2 AIRCRAFT AT CPA WITH NO MANEUVER<br>F = CIFFERENCE BETWEEN TCAS AND NO-TCAS ALTITUDE SEPARATION AT CPA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 40       | 40        | 25     | 15    | 532.5         | 60.9        | 471.6       | 129.1        |      |
| B = TIME FROM TA TO CPA FOR TCAS ALRCRAFT<br>C = TIME FROM RA TO CPA FOR TCAS ALRCRAFT<br>D = DIFFERENCE IN TIME JETHEEN TA AND RA<br>E = ALTITUDE DIFFERENCE BETWEEN THE 2 ALRCRAFT AT CPA WITH TCAS MANEUVER<br>F = ALTITUDE DIFFERENCE BETWEEN THE 2 ALRCRAFT AT CPA WITH NO MANEUVER<br>G = GIFFERENCE BETWEEN THE 2 ALRCRAFT AT CPA WITH NO MANEUVER<br>G = GIFFERENCE BETWEEN TCAS AND NOT TCAS ALTITUDE SEPARATION AT CPA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | A        | SCENAR 10 | NUMBE  | R     |               |             |             |              |      |
| C = TIME FROM RA TË ČPA FOR TČAS AIRCRAFT<br>D = Difference in time betgeen ta and ra<br>E = Altitude Difference between the 2 Aircraft at CPA with tcas maneuver<br>F = Altitude Difference between the 2 Aircraft at CPA with no maneuver<br>G = Cifference between tcas and no-tcas altitude separation at CPA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 8 = 1    | TINE FRO  | MTAT   | G CP  | A FOR TEAS AL | RCRAFT      |             |              |      |
| D = DIFFERENCE IN TIME BETWEEN TA AND RA<br>E = ALTITUDE DIFFERENCE BETWEEN THE 2 AIRCRAFT AT CPA WITH TCAS MANEUVER<br>F = ALTITUDE DIFFERENCE BETWEEN THE 2 AIRCRAFT AT CPA WITH NO MANEUVER<br>G = CIFFERENCE BETWEEN TCAS AND NOT TCAS ALTITUDE SEPARATION AT CPA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Č = 1    | TINE FRO  | MAAT   | C CP  | A FOR TCAS AT | RCRAFT      |             |              |      |
| E = ALTITUDE DIFFERÈNCE BETWEEN THE 2 AIRCRAFT AT CPA WITH TCAS MANEUVER<br>F = ALTITUDE DIFFERENCE BETWEEN THE 2 AIRCRAFT AT CPA WITH NO MANEUVER<br>G = OFFERENCE BETWEEN TCAS AND NO-TCAS ALTITUDE SEPARATION AT CPA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | o ≍ o    | DIFFEREN  | CE IN  | TIME  | BETWEEN TA A  | ND RA       |             |              |      |
| F # ALTITUDE DIFFERENCE BETWEEN THE 2 AIRCRAFT AT CPA WITH NO NANEUVER<br>G # CIFFERENCE BETWEEN TCAS AND NO-TCAS ALTITUDE SEPARATION AT CPA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Ē=       | ALTITUDE  | DIFFE  | RENC  | E BETWEEN THE | 2 A LRCRAFT | F AT CPA WE | TH TCAS MANE | UVER |
| G = CIFFERENCE BETWEEN TCAS AND NO-TCAS ALTITUDE SEPARATION AT CPA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | - F = /  | ALTITUOE  | DIFFE  | RENCE | E BETWEEN THE | 2 AIRCRAFT  | F AT CPA WE | TH NO MANEUV | ER   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | G = (    | DIFFEREN  | CE BET | VEEN  | TCAS AND NO-  | TCAS ALTITU | JDE SEPARAT | ION AT CPA   |      |

71

<u> 1888-1888</u> - 1888-1888 - 1888

#### APPENDIX D

#### EXPERIMENTAL RA DISPLAYS

- 0. IVSI VERTICAL SPEED: 0 FPM WARNING ARC: Red lights from -6000 FPM to +2000 FPM and/or green lights from +2000 FPM to +3000 FPM. REQUIRED RESPONSE: Climb NOTE: The first presentation in each set of 14 was this example display. The following 13 were presented in a random order.
- IVSI VERTICAL SPEED: 0 FPM WARNING ARC: Red lights from -6000 FPM to +2000 FPM and/or green lights from +2000 FPM to +3000 FPM.

REQUIRED RESPONSE: Climb

- 2. IVSI VERTICAL SPEED: 0 FPM WARNING ARC: Red lights from-6000 FPM to +1500 FPM and/or green lights from +1500 FPM to +2500 FPM. REQUIRED RESPONSE: Climb
- 3. IVSI VERTICAL SPEED: 0 FPM WARNING ARC: Red lights from -1500 FPM to +6000 FPM and/or green lights from -2500 FPM to -1500 FPM. REQUIRED RESPONSE: Descend
- 4. IVSI VERTICAL SPEED: 0 FPM WARNING ARC: Red lights from -2000 FPM to +6000 FPM and/or green lights from -3000 FPM to -2000 FPM. REQUIRED RESPONSE: Descend
- 5. IVSI VERTICAL SPEED: -1500 FPM WARNING ARC: Red lights from -6000 FPM to +1500 FPM and/or green lights from +1500 FPM to +2500 FPM. REQUIRED RESPONSE: Climb
- 6. IVSI VERTICAL SPEED: +1500 FPM WARNING ARC: Red lights from -1500 FPM to +6000 FPM and/or green lights from -2500 FPM to -1500 FPM. REQUIRED RESPONSE: Descend

والمستعد والمستعد والمستعد والمستعد والمستعد والمستعد والمستعد والمستعد والمستعد والمستعد والمستعد والمستعد وال

7. IVSI VERTICAL SPEED: -1500 fpm WARNING ARC: Red lights from -6000 FPM to -200 FPM and from +200 FPM to +6000 FPM and/or green lights from -200 FPM to +200 FPM. REQUIRED RESPONSE: Climb

E. Crerers

TTTTTTTTTT

1111111111

- 8. IVSI VERTICAL SPEED: +1500 fpm WARNING ARC: Red lights from -6000 FPM to -200 FPM and from +200 FPM to +6000 FPM and/or green lights from -200 FPM to +200 FPM. REQUIRED RESPONSE: Descend
- 9. IVSI VERTICAL SPEED: +1000 FPM WARNING ARC: Red lights from -6000 FPM to +2000 FPM and/or green lights from +2000 FPM to +3000 FPM. REQUIRED RESPONSE: Climb
- 10. IVSI VERTICAL SPEED: -1000 fpm WARNING ARC: Red lights from -2000 FPM to +6000 FPM and/or green lights from -3000 FPM to -2000 FPM. REQUIRED RESPONSE: Descend
- 11. IVSI VERTICAL SPEED: +2000 FPM WARNING ARC: Red lights from +1000 FPM to +6000 FPM and/or green lights from 0 FPM to +1000 FPM. REQUIRED RESPONSE: Descend
- 12. IVSI VERTICAL SPEED: -2000 FPM WARNING ARC: Red lights from -6000 FPM to -1000 FPM and/or green lights from -1000 FPM to 0 FPM. REQUIRED RESPONSE: Climb
- 13. THREE PREVENTATIVE RA DISPLAYS

- 13A. IVSI VERTICAL SPEED: +2000 FPM WARNING ARC: Red lights from -6000 FPM to 0 FPM. REQUIRED RESPONSE: No action required
- 13B. IVSI VERTICAL SPEED: -2000 FPM WARNING ARC: Red lights from 0 FPM to +6000 FPM. REQUIRED RESPONSE: No action required
- 13C. IVSI VERTICAL SPEED: 0 FPM WARNING ARC: Red lights from +200 FPM to +6000 FPM and from -200 FPM to -6000 FPM. REQUIRED RESPONSE: No action required

### LIST OF REFERENCES

222

- Office of the Federal Register, <u>Federal Register</u>, Vol. 52, No. 165, pp. 32268-32272, Government Printing Office, Washington, D.C., 26 August 1987.
- Chapell, S.L., Billings, C.E., Scott, B.C., Tuttell, R.J., and Others, <u>NASA/FAA Evaluation of Pilots' Use</u> of the Traffic-Alert and Collision Avoidance System (TCAS II), Draft for Comment, 14 December 1987.

F

 Sperry Dalmo Victor Inc., Advertisement C-61-7200-21-00, <u>TCAS II Traffic Alert and Collision Avoidance</u> <u>System</u>, pp. 1-5, Printed in U.S.A., May 1987.

## INITIAL DISTRIBUTION LIST

No. Copies 1. Deferse Technical Information Center 2 Camer Station Alexandria, Virginia 2304-6145 Library, Code 0142 2. 2 Naval Postgraduate School Monterey, California 93943-5002 3. Department Chairman, Code 67 1 Department of Aeronautics and Astronautics Naval Postgraduate School Monterey, California 93943-5000 4. Sheryl L. Chappell 4 NASA-Ames Research Center Man-Vehicle Systems Research 239-21 Moffett Field, California 94035 5. LCDR C. Heard, Code 67 3 Department of Aeronautics and Astronautics Naval Postgraduate School Monterey, California 93943-5000 6. LT J. Blaha, USN, Pilot Training Officer 2 Patrol Squadron Thirty-One (VP-31) Moffett Field, California 94035 7. LCDR Robert J. Tuttell, USN 3 Patrol Squadron Fifty-Six (VP-56) FPO Miami, Florida 34099-5924 8. Professor Donald M. Layton 1 44 Seca Place Salinas, California 93908 Professor Robert E. Ball, Code 67 9. 1 Department of Aeronautics and Astronautics Naval Postgraduate School Monterey, CA 93943-5000 10. Commander 2 Naval Air Systems Command Attn: CAPT H. Chalkley, USN, Code 93

122222 22111112 5.1 222 C.L.

75

Washington, D.C. 20361-5310