

Human–robot collaboration based on motion intention estimation

Article (Accepted Version)

Li, Yanan and Ge, Shuzhi Sam (2014) Human–robot collaboration based on motion intention estimation. IEEE/ASME Transactions on Mechatronics, 19 (3). pp. 1007-1014. ISSN 1083-4435

This version is available from Sussex Research Online: <http://sro.sussex.ac.uk/id/eprint/72107/>

This document is made available in accordance with publisher policies and may differ from the published version or from the version of record. If you wish to cite this item you are advised to consult the publisher's version. Please see the URL above for details on accessing the published version.

Copyright and reuse:

Sussex Research Online is a digital repository of the research output of the University.

Copyright and all moral rights to the version of the paper presented here belong to the individual author(s) and/or other copyright owners. To the extent reasonable and practicable, the material made available in SRO has been checked for eligibility before being made available.

Copies of full text items generally can be reproduced, displayed or performed and given to third parties in any format or medium for personal research or study, educational, or not-for-profit purposes without prior permission or charge, provided that the authors, title and full bibliographic details are credited, a hyperlink and/or URL is given for the original metadata page and the content is not changed in any way.

Human-Robot Collaboration Based on Motion Intention Estimation

Yanan Li and Shuzhi Sam Ge, *Fellow, IEEE*

Abstract—In this paper, adaptive impedance control is proposed for a robot collaborating with a human partner, in the presence of unknown motion intention of the human partner and unknown robot dynamics. Human motion intention is defined as the desired trajectory in the limb model of the human partner, which is extremely difficult to obtain considering the nonlinear and time-varying property of the limb model. Neural networks are employed to cope with this problem, based on which an online estimation method is developed. The estimated motion intention is integrated into the developed adaptive impedance control, which makes the robot follow a given target impedance model. Under the proposed method, the robot is able to actively collaborate with its human partner, which is verified through experiment studies.

Index Terms—Motion intention estimation, human-robot collaboration, neural networks.

I. INTRODUCTION

The society has already recognized the needs for human-robot collaboration to reduce human workload, costs and fatigue risk, and to increase the productivity and efficiency [1]. With the advancement of industrial production, most emerging manufacturing tasks that are either too complex to automate or too heavy to manipulate manually are impractical and even impossible to be solely taken by either fully automated robots or human beings, which earnestly requests robots to work alongside human beings collaboratively. The thrusts of human-robot collaboration rely on the observation that robots and human beings share the same workspace and have complementary advantages. The robots' strength lies in their superior efficiencies in carrying out regular tasks at high speed with guaranteed performance, while human beings with their cognitive skills excel in understanding the circumstances, reasoning, and problem solving.

In human-robot collaboration, one of the most critical problems is to make the robot understand the motion intention of its human partner so that the robot is able to "actively" collaborate with its human partner. In this regard, to make the robot track a prescribed trajectory is not applicable. Force control can be an option for interaction control, but it is limited by its

poor robustness [2]. Proposed in [3] and further developed in many other works [4], [5], [6], [7], [8], [9], impedance control is acknowledged to be a promising approach for interaction control. By employing impedance control, the robot is controlled to be compliant to the force exerted by the human partner. In this way, the robot passively follows the motion of its human partner, and human-robot collaboration becomes possible. Nevertheless, as the robot refines its motion according to the force exerted by the human partner, it will act as a load when the human partner intends to change the motion [10]. To solve this problem, the motion intention of the human partner is expected to be estimated and integrated into robot control.

As a matter of fact, understanding the motion intention of the other party is essential in human-human collaboration. Both collaboration parties usually keep communicating with each other through kinds of medias. In this paper, we consider that the force and position sensors are available and they represent the communication medias between a robot arm and a human limb. In the first part, we investigate the problem of how to estimate the motion intention of the human partner from available sensory information. There has been much effort made in this direction in the literature. In [11], the motion characteristics of the human limb is investigated, which is used to generate a point-to-point cooperative movement in [12]. In [13], under the assumption that the momentum is preserved during an interaction task, the motion intention of the human partner is represented by the change of the interaction force, which is estimated by the change of the control effort. In [14], the motion intention state is deemed as a stochastic process and it is estimated by employing the Hidden Markov Model (HMM). In this method, parameters of the human limb model are estimated online, and two intention states (active and passive) are defined to indicate that the human partner leads and follows, respectively. In [15], a crane robot is designed to aid the walking of the elderly and handicapped, and the user's intentional walking direction is estimated using the Kalman filter. However, human motion intention is typically a time-varying trajectory, which cannot be represented by only several states as in [14] or motion directions as in [15]. In this regard, we employ the human limb model as in [16], and define the desired trajectory in this model as the motion intention of the human partner. A related work can be found in [17], in which the desired trajectory in the human limb model is calculated with unknown parameters of the human limb as design parameters. Considering nonlinear and time-varying properties of the human limb model [18], [19], we estimate the desired trajectory in this model based on neural networks (NN), which are acknowledged to possess excellent universal

Manuscript received April 25, 2012; revised December 3, 2012 and March 11, 2013; accepted May 7, 2013.

Yanan Li is with the Social Robotics Laboratory, Interactive Digital Media Institute and the NUS Graduate School for Integrative Sciences and Engineering, National University of Singapore, Singapore 119613. liyanan84@nus.edu.sg

Shuzhi Sam Ge is with the Social Robotics Laboratory, Interactive Digital Media Institute and the Department of Electrical and Computer Engineering, National University of Singapore, Singapore 117576, and the Robotics Institute, and School of Computer Science and Engineering, University of Electronic Science and Technology of China, Chengdu 610054, China. samge@nus.edu.sg

approximation ability [20]. In the preliminary study [21], NN have been employed to develop an off-line estimation method. It has two obvious disadvantages: (i) the human partner may change his intention during the collaboration and then the training process has to be re-conducted; and (ii) the real human motion intention is needed in the training phase which is difficult to obtain in practice. Therefore, in this paper, an updating law is developed to online adjust the NN weights such that the estimation accuracy is guaranteed even when human motion intention changes. Besides, the real human motion intention is not required in the proposed method. Thereafter, the estimated motion intention is integrated into impedance control as the rest position of a given target impedance model. Adaptive control is designed to make the robot follow the target impedance model, subject to unknown robot dynamics. As a result, the robot “actively” moves towards its human partner’s intended position rather than “passively” comply to the interaction force, and the collaboration efficiency is increased. Based on the above discussion, we highlight the contributions of this paper as follows: the motion intention of the human partner is defined as the desired trajectory in the employed human limb model, which is estimated by developing a NN method; and the estimated motion intention is integrated into impedance control to make the robot “actively” follow its human partner.

The rest of the paper is organized as follows. In Section II, a specific human-robot collaboration system under study is described and the problem of unknown motion intention of the human partner is formulated. In Section III, the proposed motion intention estimation method is introduced in details. In Section IV, adaptive impedance control is developed and it is rigorously proven that the robot dynamics are governed by a given target impedance model. In Section V, an intensive experiment study is used to verify the effectiveness of the proposed method. Concluding remarks are given in Section VI.

II. PROBLEM FORMULATION

A. System Description

In this paper, we investigate a typical human-robot collaboration system, which includes a human limb and a robot arm with a configurable end-effector and a force sensing handle, as shown in Fig. 1. The robot arm provides n degrees-of-freedom (DOF) at the force sensing handle, which is mounted at the end-effector and measures the force exerted by the human partner to the robot arm. The end-effector is selected in order to flexibly pick and place objects with different sizes and shapes. According to the force exerted by the human partner and detected by the sensor mounted on the handle, the control system generates control input for each joint of the robot arm and drives the end-effector to the destination. In the whole system, human partner leads the task by simply applying forces to the handle, and the robot arm carries the object load. The critical problem to be discussed in this paper is how to estimate the motion intention of the human partner and make the robot achieve “active” following.

Assumption 1: The object is tightly grasped by the robot arm and there is no relative motion between the object and the

end-effector. Furthermore, the object is deemed as “a part” of the robot arm.




Fig. 1. System under study

Consider the robot kinematics given by

$$x(t) = \psi(q) \quad (1)$$

where $x(t) \in \mathbb{R}^n$ and $q \in \mathbb{R}^n$ are positions/orientations in the Cartesian space and coordinates in the joint space, respectively. Differentiating (1) with respect to time results in

$$\dot{x}(t) = J(q)\dot{q} \quad (2)$$

where $J(q) \in \mathbb{R}^{n \times n}$ is the Jacobian matrix. Further differentiating (2) with respect to time results in

$$\ddot{x}(t) = \dot{J}(q)\dot{q} + J(q)\ddot{q} \quad (3)$$

Assumption 2: The Jacobian matrix $J(q)$ is assumed to be known and nonsingular in a finite workspace.

The robot arm dynamics in the joint space are described as

$$M(q)\ddot{q} + C(q, \dot{q})\dot{q} + G(q) = \tau + J^T(q)f(t) \quad (4)$$

where $M(q) \in \mathbb{R}^{n \times n}$ is the symmetric bounded positive definite inertia matrix; $C(q, \dot{q}) \in \mathbb{R}^n$ denotes the Coriolis and Centrifugal force; $G(q) \in \mathbb{R}^n$ is the gravitational force; $\tau \in \mathbb{R}^n$ is the vector of control input; and $f(t) \in \mathbb{R}^n$ denotes the force exerted by the human limb, which is 0 when there is no contact between the robot arm and human limb.

Property 1: [22] There exist unknown finite scalars $\theta_j > 0, j = 1, \dots, 4$, such that for $\forall q, \dot{q} \in \mathbb{R}^n$, $\|M\| \leq \theta_1$, $\|C\| \leq \theta_2 + \theta_3\|\dot{q}\|$, and $\|G\| \leq \theta_4$.

Since the interaction is at the handle near the end-effector, we consider the robot dynamics in the Cartesian space by substituting the kinematic constraints (1)-(3) into the dynamic model (4), as follows

$$M_R(q)\ddot{x} + C_R(q, \dot{q})\dot{x} + G_R(q) = u + f(t) \quad (5)$$

where

$$\begin{aligned} M_R(q) &= J^{-T}(q)M(q)J^{-1}(q), \\ C_R(q, \dot{q}) &= J^{-T}(q)(C(q, \dot{q}) - M(q)J^{-1}(q)\dot{J}(q))J^{-1}(q), \\ G_R(q) &= J^{-T}(q)G(q), \quad u = J^{-T}(q)\tau \end{aligned} \quad (6)$$

Property 2: [23] Matrix $M_R(q)$ is symmetric and positive definite.

Property 3: [23] Matrix $2C_R(q, \dot{q}) - \dot{M}_R(q)$ is a skew-symmetric matrix if $C_R(q, \dot{q})$ is in the Christoffel form, i.e., $\xi^T(2C_R(q, \dot{q}) - \dot{M}_R(q))\xi = 0, \forall \xi \in \mathbb{R}^n$.

B. Problem Statement

In a predefined task, the desired trajectory of the robot arm is prescribed and available for the control design. In the human-robot collaboration task under study in this paper, the desired trajectory is determined by the human partner, which is unknown to the control design. In the literature, impedance control is employed such that the robot arm is controlled to be compliant to the force exerted by the human partner. Equivalently, the robot arm dynamics are governed by a target impedance model as below

$$M_d(\ddot{x} - \ddot{x}_d) + C_d(\dot{x} - \dot{x}_d) + G_d(x - x_d) = f \quad (7)$$

where x_d is the rest position, and M_d , C_d , and G_d are the desired inertia, damping, and stiffness matrices, respectively.

From the above impedance model, we find that the actual position of the robot arm x will be refined according to the interaction force f . Seen from the perspective of the human partner, he will feel like moving an object with inertial/mass M_d , damping C_d , and stiffness G_d from the rest position x_d to x . In this regard, if x_d is designed to be far away from x , the human partner need consume lots of energy to move the robot arm. Conversely, if the robot “knows” the motion intention of the human partner and changes x_d accordingly, the human partner will consume less energy to move the robot arm.

In many cases, x_d can be designed based on the designer’s prediction of the motion intention of the human partner. For example, in the application of human-robot handshaking, although it is impossible to exactly predict human’s actual movement, it is possible to design x_d based on the basic understanding of the handshaking motion of the human partner. Nevertheless, this empirical method is obviously lack of flexibility and cannot guarantee a good performance. Therefore, in the first part of this paper, we will propose a method to design x_d based on the estimation of the motion intention of the human partner. After that, we will develop an adaptive control to guarantee the robot dynamics (5) to be governed by the above impedance model (7), subject to unknown robot dynamics.

III. MOTION INTENTION ESTIMATION

A. Human Limb Model

This section is dedicated to define the motion intention of the human partner by employing a human limb model. A general model to describe the dynamics of a human limb is supposed to include its mass-damper-spring property, as in [16]

$$-M_H\ddot{x} - C_H\dot{x} + G_H(x_{Hd} - x) = f \quad (8)$$

where M_H , C_H , and G_H are the mass, damper, and spring matrices of the human limb, respectively and they are diagonal, and x_{Hd} is the trajectory planned in the human partner’s CNS which is referred as the motion intention of the human partner in this paper.

As discussed and verified in [16], the damper and spring components usually dominate human limb model. Thus, we have the following simplified model

$$-C_H\dot{x} + G_H(x_{Hd} - x) = f \quad (9)$$

Suppose that C_H and G_H are unknown functions of x and \dot{x} , i.e., $C_H(x, \dot{x})$ and $G_H(x)$, similarly as in the robot dynamics (4). Then, we may assume that the motion intention x_{Hd} can be estimated by the interaction force f , actual position x and velocity \dot{x} , i.e.,

$$x_{Hd} = F(f, \dot{x}, x) \quad (10)$$

where $F(\cdot)$ is an unknown function. Equivalently, we have the following assumption:

Assumption 3: In a typical collaborative task, the motion intention of the human partner (in each direction), i.e., x_{Hd} in (9), is determined by the interaction force f , actual position x and velocity \dot{x} at the interaction point (in the corresponding direction) of the human limb and robot arm.

Remark 1: The above assumption is the fundamental of the estimation method to be developed in this paper. Its validity will be verified by experiments at the end of this paper.

In (10), function $F(\cdot)$ is typically unknown and nonlinear considering the time-varying property and uncertainty of C_H and G_H . Indeed, human partner may change his limb impedance (C_H and G_H) during the collaboration. This makes the estimation of x_{Hd} based on (10) become difficult. In this regard, we employ machine learning to cope with this problem, which can discover intrinsic information, map unknown relationship and approximate functions. The basic idea is to approximate x_{Hd} in (10) by a linearly parameterized function of f, \dot{x} and x , and an adaptive method is developed to estimate the ideal weights of the parameterized function.

B. Neural Networks Based Motion Intention Estimation

As one of the popular machine learning methods, radial basis function neural networks (RBFNN) are employed in this paper. The structure of RBFNN is expressed as follows [23]

$$\begin{aligned} \varphi(W, r) &= W^T S(r), \quad W, S(r) \in R^p, \\ S(r) &= [s_1(r), s_2(r), \dots, s_p(r)]^T, \\ s_k(r) &= \exp\left[\frac{-(r - \mu_k)^T (r - \mu_k)}{\eta_k^2}\right], \\ k &= 1, 2, \dots, p \end{aligned} \quad (11)$$

where $\varphi(W, r)$ is a continuous function of r , $r \in \Omega_r \subset R^m$ is the input to RBFNN, p is the NN nodes number, $\mu_k = [\mu_{k,1}, \mu_{k,2}, \dots, \mu_{k,m}]^T$ is the center of the receptive field and η_k is the width of the Gaussian function, and W is an adjustable synaptic weight vector.

By employing RBFNN, the motion intention of the human partner and its estimation are respectively given by

$$\begin{aligned} x_{Hd,i} &= \hat{W}_i^T S_i(r_i) + \epsilon_i \\ \hat{x}_{Hd,i} &= \hat{W}_i^T S_i(r_i), \quad i = 1, 2, \dots, n \end{aligned} \quad (12)$$

where $(\cdot)_i$ is the i th component of (\cdot) , $r_i = [f_i^T, x_i^T, \dot{x}_i^T]^T$ is the input of RBFNN, ϵ_i is the estimation error, \hat{W}_i is the estimate of the ideal weight W_i , and S_i has the same meaning as that in (11). It is known that ϵ_i can be made arbitrarily small, if p is sufficiently large.

Remark 2: One underlying assumption of the above NN estimation is that $F(\cdot)$ in (10) is a continuous function. This

assumption is valid in most occasions, because in a typical human-robot collaboration scenario the human partner tends to change his limb impedance smoothly. In the case that $F(\cdot)$ is discontinuous, the estimation method proposed in this paper may be challenged and this problem needs to be further investigated in the future work.

As $S_i(r_i)$ is available by collecting data r_i , we employ the back propagation algorithm [24] to obtain \hat{W}_i in (12). According to the discussion in the Introduction and Section II, the control objective is to make the robot “actively” move towards its human partner’s intended position and thus the interaction force f_i as small as possible. Therefore, \hat{W}_i is adjusted online in the direction of the steepest descent with respect to the following cost function

$$E_i = \frac{1}{2} f_i^2 \quad (13)$$

Equivalently, we have

$$\begin{aligned} \dot{\hat{W}}_i(t) &= -\alpha'_i \frac{\partial E_i}{\partial \hat{W}_i} \\ &= -\alpha'_i \frac{\partial E_i}{\partial f_i} \frac{\partial f_i}{\partial x_{Hd,i}} \frac{\partial x_{Hd,i}}{\partial \hat{W}_i} \\ &= -\alpha'_i f_i \frac{\partial f_i}{\partial x_{Hd,i}} \frac{\partial x_{Hd,i}}{\partial \hat{W}_i} \end{aligned} \quad (14)$$

where α'_i is a positive scalar.

In the above equation, $\frac{\partial f_i}{\partial x_{Hd,i}}$ can be obtained according to (9) as follows

$$\frac{\partial f_i}{\partial x_{Hd,i}} = G_{H,i} \quad (15)$$

and $\frac{\partial x_{Hd,i}}{\partial \hat{W}_i}$ can be obtained according to (12) as follows

$$\frac{\partial x_{Hd,i}}{\partial \hat{W}_i} = S_i(r_i) \quad (16)$$

Substituting (15) and (16) into (14) leads to

$$\dot{\hat{W}}_i(t) = -\alpha_i f_i S_i(r_i) \quad (17)$$

where $\alpha_i = \alpha'_i G_{H,i}$. As $G_{H,i}$ is the parameter of human limb dynamics and unknown, it is absorbed by α_i .

Remark 3: Note that G_H may be time-varying but it can be still absorbed by α , which is set by the designer and does not necessarily have the real value of $\alpha' G_H$. The same approach has been used in [25].

Then, we obtain the updating law of \hat{W}_i as below

$$\hat{W}_i(t) = \hat{W}_i(0) - \alpha_i \int_0^t [f_i(\omega) S_i(r_i(\omega))] d\omega \quad (18)$$

With the above equation, we obtain the estimated motion intention $\hat{x}_{Hd,i}$ according to (12).

Remark 4: Note that \hat{W}_i can be obtained online as in (18). This is a favorable property in the sense that the human partner may change his motion intention at any time.

Remark 5: In the practical implementation, the adaptation of \hat{W}_i can be switched off to simplify the computation and improve the system robustness. The condition to switch the adaptation can be designed as: the adaptation is switched off if $f_i < \underline{f}_i$, where \underline{f}_i is a design parameter. This condition

indicates that the adaptation is switched off when x is close to x_{Hd} .

As the estimation error with NN is unavoidable and NN estimation usually falls into local minimum, \hat{x}_{Hd} cannot be exactly the same as x_{Hd} . Therefore, it is improper to use position control to make the actual position x track the estimated motion intention \hat{x}_{Hd} . Instead of that, \hat{x}_{Hd} can be used as the rest position in the target impedance model (7), such that the error between the actual position x and the estimated motion intention \hat{x}_{Hd} can be accommodated partly by impedance control. This will be discussed in the following section. Nevertheless, it is important to note that this is different from the pure impedance control with a fixed rest position, where the error between the actual position and the motion intention is much larger and thus the human partner consumes much more energy to move the robot arm.

IV. ADAPTIVE IMPEDANCE CONTROL

As \hat{x}_{Hd} is obtained in the above section, we let $x_d = \hat{x}_{Hd}$ and design adaptive impedance control to make the robot arm dynamics (5) track the given impedance model (7). The control diagram is shown in Fig. 2.




Fig. 2. Adaptive impedance control with estimated motion intention

Construct the error signal $w = M_d \ddot{e} + C_d \dot{e} + G_d e - f$ with $e = x - x_d$ as in [26], the control objective is to make $\lim_{t \rightarrow \infty} w(t) = 0$. In [27], an auxiliary variable z is defined for the analysis convenience, which is briefly introduced in the following.

First, we define an augmented impedance error

$$\bar{w} = K_f w = \ddot{e} + K_d \dot{e} + K_p e - K_f f \quad (19)$$

where $K_d = M_d^{-1} C_d$, $K_p = M_d^{-1} G_d$, and $K_f = M_d^{-1}$. Choose two positive definite matrices Λ and Γ such that

$$\Lambda + \Gamma = K_d, \quad \dot{\Lambda} + \Gamma \Lambda = K_p \quad (20)$$

and define

$$\dot{f}_l + \Gamma f_l = K_f f \quad (21)$$

Thus, we can rewrite (19) as

$$\bar{w} = \ddot{e} + (\Lambda + \Gamma) \dot{e} + (\dot{\Lambda} + \Gamma \Lambda) e - \dot{f}_l - \Gamma f_l \quad (22)$$

By defining

$$z = \dot{e} + \Lambda e - f_l \quad (23)$$

we obtain

$$\bar{w} = \dot{z} + \Gamma z \quad (24)$$

Suppose that $\lim_{t \rightarrow \infty} \dot{z}(t)$ exists, $\lim_{t \rightarrow \infty} z(t) = 0$ will lead to $\lim_{t \rightarrow \infty} \dot{z}(t) = 0$. Therefore, considering (24) and (19), we have $\lim_{t \rightarrow \infty} w(t) = 0$ if $\lim_{t \rightarrow \infty} z(t) = 0$. Based on this fact, the control objective finally becomes

$$\lim_{t \rightarrow \infty} z(t) = 0 \quad (25)$$

Define an augmented state variable

$$\dot{x}_r = \dot{x}_d - \Lambda e + f_l \quad (26)$$

(26) and (23) immediately result in

$$z = \dot{x} - \dot{x}_r \quad (27)$$

which will be used in the following control performance analysis.

We propose the adaptive impedance control as below

$$u = -Kz - \sum_{j=1}^4 \frac{\hat{\theta}_j \phi_j^2}{\phi_j \|z\| + \sigma_j} z - f \quad (28)$$

$$\dot{\hat{\theta}}_j = -a_j \hat{\theta}_j + \frac{b_j \phi_j^2 \|z\|^2}{\phi_j \|z\| + \sigma_j} \quad (29)$$

where $j = 1, \dots, 4$, $\hat{\theta}_j$ is the estimation of θ_j in Property 1, K is a positive definite matrix, $b_j > 0$, a_j and σ_j are time varying positive functions satisfying $\lim_{t \rightarrow \infty} a_j = 0$, $\int_0^t a_j(\omega) d\omega = c_j < \infty$, $\lim_{t \rightarrow \infty} \sigma_j = 0$ and $\int_0^t \sigma_j(\omega) d\omega = d_j < \infty$, and $\phi_1 = \|J^{-T}\| \|J^{-1}\| (\|\dot{x}_r\| + \|J^{-1}\| \|\dot{J}\| \|\dot{x}_r\|)$, $\phi_2 = \|J^{-T}\| \|J^{-1}\| \|\dot{x}_r\|$, $\phi_3 = \|J^{-T}\| \|J^{-1}\| \|\dot{q}\| \|\dot{x}_r\|$ and $\phi_4 = \|J^{-T}\|$.

Considering (23), we rewrite (5) as

$$M_R \dot{z} + C_R z = u + f - (M_R \ddot{x}_r + C_R \dot{x}_r + G_R) \quad (30)$$

Substituting the control input (28) into the above equation, we have

$$\begin{aligned} & M_R \dot{z} + C_R z \\ &= -Kz - \sum_{j=1}^4 \frac{\hat{\theta}_j \phi_j^2}{\phi_j \|z\| + \sigma_j} z - (M_R \ddot{x}_r + C_R \dot{x}_r + G_R) \end{aligned} \quad (31)$$

Theorem 1: Considering the robot dynamics described by (4), control (28) with the updating law (29) guarantees the following results:

- (i) the defined impedance error asymptotically converges to 0 as $t \rightarrow \infty$, i.e., $\lim_{t \rightarrow \infty} z(t) = 0$; and
- (ii) all the signals in the closed-loop are bounded.

Proof: Consider the following Lyapunov function candidate

$$V = \frac{1}{2} z^T M_R z + \sum_{j=1}^4 \frac{1}{2b_j} \tilde{\theta}_j^2 \quad (32)$$

where $\tilde{\theta}_j = \theta_j - \hat{\theta}_j$.

The derivative of V with respect to time is

$$\dot{V} = \frac{1}{2} z^T \dot{M}_R z + z^T M_R \dot{z} + \sum_{j=1}^4 \frac{1}{b_j} \tilde{\theta}_j \dot{\tilde{\theta}}_j \quad (33)$$

Considering Property 3, we have

$$\dot{V} = z^T C_R z + z^T M_R \dot{z} + \sum_{j=1}^4 \frac{1}{b_j} \tilde{\theta}_j \dot{\tilde{\theta}}_j \quad (34)$$

According to the dynamics (31), we obtain

$$\begin{aligned} \dot{V} &= z^T (-Kz - \sum_{j=1}^4 \frac{\hat{\theta}_j \phi_j^2}{\phi_j \|z\| + \sigma_j} z \\ &\quad - (M_R \ddot{x}_r + C_R \dot{x}_r + G_R)) + \sum_{j=1}^4 \frac{1}{b_j} \tilde{\theta}_j \dot{\tilde{\theta}}_j \end{aligned} \quad (35)$$

According to (29), we have

$$\dot{\tilde{\theta}}_j = -\dot{\hat{\theta}}_j = a_j \hat{\theta}_j - \frac{b_j \phi_j^2 \|z\|^2}{\phi_j \|z\| + \sigma_j} \quad (36)$$

Substituting the above equation to (35) leads to

$$\begin{aligned} \dot{V} &= z^T (-Kz - \sum_{j=1}^4 \frac{\theta_j \phi_j^2}{\phi_j \|z\| + \sigma_j} z \\ &\quad - (M_R \ddot{x}_r + C_R \dot{x}_r + G_R)) + \sum_{j=1}^4 \frac{a_j}{b_j} \tilde{\theta}_j \hat{\theta}_j \end{aligned} \quad (37)$$

Considering the definitions of ϕ_j , we have

$$\begin{aligned} & -z^T (M_R \ddot{x}_r + C_R \dot{x}_r + G_R) \\ &\leq \|z\| \|M_R \ddot{x}_r + C_R \dot{x}_r + G_R\| \\ &\leq \|z\| (\|M_R\| \|\ddot{x}_r\| + \|C_R\| \|\dot{x}_r\| + \|G_R\|) \\ &= \|z\| (\|J^{-T} M J^{-1}\| \|\ddot{x}_r\| \\ &\quad + \|J^{-T} (C - M J^{-1} \dot{J}) J^{-1}\| \|\dot{x}_r\| + \|J^{-T} G\|) \\ &\leq \|z\| \|J^{-T}\| (\|M\| \|J^{-1}\| \|\ddot{x}_r\| \\ &\quad + (\|C\| + \|M\| \|J^{-1}\| \|\dot{J}\|) \|J^{-1}\| \|\dot{x}_r\| + \|G\|) \\ &\leq \|z\| \|J^{-T}\| (\theta_1 \|J^{-1}\| \|\ddot{x}_r\| \\ &\quad + (\theta_2 + \theta_3 \|\dot{q}\|) + \theta_1 \|J^{-1}\| \|\dot{J}\| \|J^{-1}\| \|\dot{x}_r\| + \theta_4) \\ &= \|z\| \{ \theta_1 \|J^{-T}\| \|J^{-1}\| (\|\ddot{x}_r\| + \|J^{-1}\| \|\dot{J}\| \|\dot{x}_r\|) \\ &\quad + \theta_2 \|J^{-T}\| \|J^{-1}\| \|\dot{x}_r\| + \theta_3 \|J^{-T}\| \|J^{-1}\| \|\dot{q}\| \|\dot{x}_r\| \\ &\quad + \theta_4 \|J^{-T}\| \} \\ &= \|z\| \sum_{j=1}^4 \theta_j \phi_j \end{aligned} \quad (38)$$

Substituting the above inequality to (37), we obtain

$$\begin{aligned} \dot{V} &\leq -z^T K z + \sum_{j=1}^4 \sigma_j \theta_j + \sum_{j=1}^4 \frac{a_j}{b_j} \tilde{\theta}_j \hat{\theta}_j \\ &\leq -z^T K z + \sum_{j=1}^4 \sigma_j \theta_j + \frac{1}{4} \sum_{j=1}^4 \frac{a_j}{b_j} \theta_j^2 \\ &= -z^T K z + \delta \end{aligned} \quad (39)$$

where $\delta = \sum_{j=1}^4 \sigma_j \theta_j + \frac{1}{4} \sum_{j=1}^4 \frac{a_j}{b_j} \theta_j^2$, and the last inequality comes from

$$\tilde{\theta}_j \hat{\theta}_j = (\theta_j - \hat{\theta}_j) \hat{\theta}_j = \frac{1}{4} \theta_j^2 - (\frac{1}{2} \theta_j - \hat{\theta}_j)^2 \leq \frac{1}{4} \theta_j^2 \quad (40)$$

Because $\lim_{t \rightarrow \infty} a_j = 0$ and $\lim_{t \rightarrow \infty} \sigma_j = 0$, we have $\lim_{t \rightarrow \infty} \delta = 0$. It indicates that there exists t_1 such that when

$t > t_1$, $\delta \leq \varepsilon$, where ε is a small finite constant. Then we obtain $z \in L_\infty^n$. According to the definition of z in (23), $x \in L_\infty^n$, $\dot{x} \in L_\infty^n$, and thus $\dot{x}_r \in L_\infty^n$, $\dot{x}_r \in L_\infty^n$. Considering (31), we have $\dot{z} \in L_\infty^n$.

Integrating both sides of (39) leads to

$$V(t) - V(0) \leq - \int_0^t z^T(\omega)Kz(\omega)d\omega + \int_0^t \delta(\omega)d\omega \quad (41)$$

which leads to

$$\begin{aligned} \int_0^t z^T(\omega)Kz(\omega)d\omega &\leq V(0) - V(t) + \int_0^t \delta(\omega)d\omega \\ &\leq V(0) + \int_0^t \delta(\omega)d\omega \end{aligned} \quad (42)$$

because $V(t) \geq 0$.

According to the definition of δ , we have

$$\begin{aligned} \int_0^t \delta(\omega)d\omega &= \sum_{j=1}^4 \theta_j \int_0^t \sigma_j(\omega)d\omega + \frac{1}{4} \sum_{j=1}^4 \frac{\theta_j^2}{b_j} \int_0^t a_j(\omega)d\omega \\ &= \sum_{j=1}^4 \theta_j d_j + \frac{1}{4} \sum_{j=1}^4 \frac{\theta_j^2}{b_j} c_j \end{aligned} \quad (43)$$

The above equation indicates that $\int_0^t \delta(\omega)d\omega$ is bounded. According to (42), $\int_0^t z^T(\omega)Kz(\omega)d\omega$ is bounded because $V(0)$ is bounded, which results in $z \in L_2^n$. According to Barbalet's Lemma, $z \in L_2^n$ and $\dot{z} \in L_\infty^n$ lead to $z \rightarrow 0$ as $t \rightarrow \infty$, which completes the proof. ■

Remark 6: While the control input u is developed in the Cartesian space, we need transform it to the joint space for the control of each joint. In the non-redundancy case, the transformation is uniquely determined as $\tau = J^T u$, as discussed above and shown in Fig. 2. In the redundancy case, the transformation is not uniquely determined and there exists freedom to improve some measures of the system performance, such as singularity avoidance, obstacle avoidance, kinetic energy minimization and posture control. More details can be found in [28], [29].

V. EXPERIMENT

In this section, the proposed method is examined through experiments. The experiments are carried out on Nancy which is a humanoid introduced in [30] and shown in Fig. 3(a). In these experiments, the human partner holds a plate mounted on Nancy's left wrist, where there is an ATI mini-40 force/torque sensor, as shown in Fig. 3(b). Nancy's left wrist is moved by the human partner towards his intended position. The actual position and velocity of the left wrist is provided by Maxon's EPOS2 70/10 dual loop controller and the torque from the human partner is measured by the force/torque sensor. An industrial PC is used to process the collected data and implement the developed method. Because the human partner's motion intention cannot be measured in the experiment, we can only understand the experiment results in an indirect way. In particular, a small external torque indicates a small error between the actual trajectory and the motion intention. This has been discussed when developing the intention estimation method in Section III.




Fig. 3. Nancy and experiment scenario

Two cases of different motion intentions are considered. In the first case, the human partner aims to move the wrist to a fixed angle and thus the intended motion is a point-to-point movement. In the second case, the human partner aims to move the wrist forward and back between two target angles, and the intended motion is a time-varying trajectory. In both cases, impedance control with zero stiffness is implemented for the comparison purpose. Impedance parameters in (7) are $M_x = 0.01$, $C_x = 0.8$ and $G_x = 0$. The number of NN nodes is $p = 10$, and the other parameters of NN in (11) are $\mu_i = 0$ and $\eta_i = 1$ for $i = 1, 2, \dots, 10$. The adaptation ratio in (18) is $\alpha = 0.01$. Other values of the above parameters can be chosen to improve the control performance.

The results in the first case are shown in Figs. 4 and 5. In Fig. 4, the wrist angles with impedance control and the proposed method are shown. The ‘‘target angle’’ in the figure stands for the position that the human partner intends to move the robot arm to. It is found that the response with the proposed method is faster than that with impedance control, which indicates that the wrist with the proposed method follows human partner's motion intention more ‘‘actively’’. The NN estimation performance is also illustrated in Fig. 4 by showing the estimated motion intention. While Fig. 4 illustrates that the wrist with two methods is moved to roughly the same angle (the target angle), it is clearly found in Fig. 5 that much less torque is needed with the proposed method. When the target angle is reached, the torque from the human partner becomes zero with both impedance control and the proposed method. Based on these results, it can be concluded that much less effort is required from the human partner with the proposed method, although both impedance control and the proposed method can be employed for human-robot collaboration in the case of point-to-point movement.

Instead of point-to-point movement in the first case, a more common scenario in practice is to move the robot arm along a time-varying trajectory. In the second case, Nancy's wrist is firstly moved toward a prescribed target position, and back to the other target position. The results in this case are shown in Figs. 6 and 7. The ‘‘target angle 1’’ and ‘‘target angle 2’’ in Fig. 6 stand for the target positions in the forward motion and in the back motion, respectively. Similarly as in Fig. 4, a faster




Fig. 4. Joint angle, in the case of point-to-point movement




Fig. 6. Joint angle, in the case of time-varying trajectory




Fig. 5. External torque, in the case of point-to-point movement




Fig. 7. External torque, in the case of time-varying trajectory

response is achieved with the proposed method as shown in Fig. 6. In Fig. 7, it is found that an external torque of about 0.4Nm is needed to move Nancy's wrist so the robot is a load to the human partner, as discussed before. Two ways can be considered to achieve the better performance with impedance control. One is to choose smaller impedance parameters M_d and C_d , and make the robot arm "softer". Unfortunately, it has been proved that the desired inertia cannot be chosen to be arbitrarily small [7] and a large damping is required to stabilize the whole system in practical implementations [31]. The other one requires the human partner to stiffen his limb and make the limb impedance dominate the impedance of the coupled system, but more control effort from the human partner is the cost and it is not achievable when the robot arm has a large weight (and thus a large inertia). In this regard, to make the robot arm actively follow human partner's motion in the case of time-varying trajectory cannot be achieved by impedance control with a fixed rest position. Compared to impedance control, the proposed method requires a much smaller external torque, which is less than 0.1Nm as also shown in Fig. 7. The above results indicate that Nancy's wrist can be moved to the target positions with much less effort under the proposed method, even if the human partner changes his motion intention. They have also well justified the validity of Assumption 3, where it is assumed that the motion intention of the human partner can be estimated based on the interaction force, position and velocity, in such a specific collaborative task.

During the experiments, we note that the human partner may

change his motion intention according to robot trajectory. This is an interesting issue but is not considered in the proposed method. In this paper, we assume implicitly that the human motion intention is stationary with respect to the actual robot trajectory, i.e., the adaptation of the robot trajectory has no effect on the human motion intention. However, human motion is also an output of the neuromuscular control system, so the dynamic interaction with the robot could well result in concurrent adaptations in the human motion intention. This makes the problem more tricky and it will be further investigated in the future work. Besides, in the discussion throughout this paper, human partner and robot are considered to be two separated subsystems. Particularly, the motion intention of the human partner is estimated by considering the human limb dynamics, then the estimated motion intention is integrated to impedance control of the robot arm. The performance of the whole coupled collaboration system is yet to be rigorously analyzed, which will be also considered in the future work.

VI. CONCLUSION

In this work, human-robot collaboration has been investigated, in which the motion intention of the human partner has been observed by employing the human limb model and estimating the desired trajectory. A NN method has been proposed to cope with the problem of unknown human limb model. The estimated motion intention has been integrated into impedance control of the robot arm, such that it actively follows its human partner. Experiment results have been provided to verify the validity of the proposed method.

REFERENCES

- [1] K. Kong, J. Bae, and M. Tomizuka, "A compact rotary series elastic actuator for human assistive systems," *IEEE/ASME Transactions on Mechatronics*, vol. 17, no. 2, pp. 288–297, 2012.
- [2] W. S. Newman, "Stability and performance limits of interaction controllers," *ASME Journal of Dynamic Systems, Measurement, and Control*, vol. 114, pp. 563–570, 1992.
- [3] N. Hogan, "Impedance control: an approach to manipulation-Part I: Theory; Part II: Implementation; Part III: Applications," *Transaction ASME J. Dynamic Systems, Measurement and Control*, vol. 107, no. 1, pp. 1–24, 1985.
- [4] S. Jung and T. C. Hsia, "Robust neural force control scheme under uncertainties in robot dynamics and unknown environment," *IEEE Transactions on Industrial Electronics*, vol. 47, no. 2, pp. 403–412, 2000.
- [5] K. M. Lynch, C. Liu, A. Sorensen, S. Kim, M. Peshkin, J. E. Colgate, T. Tickle, D. Hannon, and K. Shiels, "Motion guides for assisted manipulation," *The International Journal of Robotics Research*, vol. 21, no. 1, pp. 27–43, January 2002.
- [6] E. Lee, J. Park, K. A. Loparo, C. B. Schrader, and P. H. Chang, "Bang-bang impact control using hybrid impedance/time-delay control," *IEEE/ASME Transactions on Mechatronics*, vol. 8, no. 2, pp. 272–277, 2003.
- [7] S. P. Buerger and N. Hogan, "Complementary stability and loop shaping for improved human-robot interaction," *IEEE Transactions on Robotics*, vol. 23, no. 2, pp. 232–244, 2007.
- [8] Y. Hirata, Z. Wang, K. Fukaya, and K. Kosuge, "Transporting an object by a passive mobile robot with servo brakes in cooperation with a human," *Advanced Robotics*, vol. 23, pp. 387–404, 2009.
- [9] R. V. Patel, H. A. Talebi, J. Jayender, and F. Shadpey, "A robust position and force control strategy for 7-DOF redundant manipulators," *IEEE/ASME Transactions on Mechatronics*, vol. 14, no. 5, pp. 575–589, 2009.
- [10] K. Iqbal and Y. F. Zheng, "Arm-manipulator coordination for load sharing using predictive control," *Proceedings of IEEE International Conference on Robotics and Automation*, pp. 2539–2544, 1999.
- [11] E. Burdet and T. E. Milner, "Quantization of human motions and learning of accurate movements," *Biological Cybernetics*, no. 78, pp. 307–318, 1998.
- [12] B. Corteville, E. Aertbelien, H. Bruyninckx, J. D. Schutter, and H. V. Brussel, "Human-inspired robot assistant for fast point-to-point movements," *IEEE International Conference on Robotics and Automation*, pp. 3639–3644, 2007.
- [13] M. S. Erden and T. Tomiyama, "Human-intent detection and physically interactive control of a robot without force sensors," *IEEE Transactions on Robotics*, vol. 26, no. 2, pp. 370–382, 2010.
- [14] Z. Wang, A. Peer, and M. Buss, "An HMM approach to realistic haptic human-robot interaction," *Proceedings of the Third Joint Eurohaptics Conference and Symposium on Haptic Interfaces for Virtual Environment and Teleoperator Systems*, pp. 374–379, 2009.
- [15] K. Wakita, J. Huang, P. Di, K. Sekiyama, and T. Fukuda, "Human-walking-intention-based motion control of an omnidirectional-type cane robot," *IEEE/ASME Transactions on Mechatronics*, vol. 18, no. 1, pp. 285–296, 2013.
- [16] M. Rahman, R. Ikeura, and K. Mizutani, "Investigation of the impedance characteristic of human arm for development of robots to cooperate with humans," *JSME International Journal Series C*, vol. 45, no. 2, pp. 510–518, 2002.
- [17] Y. Chua, K. P. Tee, and R. Yan, "Human-robot motion synchronization using reactive and predictive controllers," *Proceedings of the 2010 IEEE International Conference on Robotics and Biomimetics*, pp. 223–228, 2010.
- [18] T. Tsuji, P. G. Morasso, K. Goto, and K. Ito, "Human hand impedance characteristics during maintained posture," *Biological Cybernetics*, vol. 72, no. 6, pp. 475–485, 1995.
- [19] P. H. Chang, K. Park, S. H. Kang, H. I. Krebs, and N. Hogan, "Stochastic estimation of human arm impedance using robots with nonlinear frictions: An experimental validation," *IEEE/ASME Transactions on Mechatronics*, vol. 18, no. 2, pp. 775–786, 2013.
- [20] F. L. Lewis, S. Jagannathan, and A. Yesildirek, *Neural Network Control of Robot Manipulators and Nonlinear Systems*. London : Taylor & Francis, 1999.
- [21] S. S. Ge, Y. Li, and H. He, "Neural-network-based human intention estimation for physical human-robot interaction," in *Proceedings of the 8th International Conference on Ubiquitous Robots and Ambient Intelligence*, (Incheon, Korea), pp. 390–395, 2011.
- [22] Z. P. Wang, S. S. Ge, and T. H. Lee, "Robust motion/force control of uncertain holonomic/nonholonomic mechanical systems," *IEEE/ASME Transactions on Mechatronics*, vol. 9, no. 1, pp. 118–123, 2004.
- [23] S. S. Ge, T. H. Lee, and C. J. Harris, *Adaptive Neural Network Control of Robotic Manipulators*. London: World Scientific, 1998.
- [24] D. Gorinevsky, "On the persistency of excitation in radial basis function network identification of nonlinear systems," *IEEE Transactions on Neural Networks*, vol. 6, no. 5, pp. 1237–1244, 1995.
- [25] H. Seraji and R. Colbaugh, "Force tracking in impedance control," *The International Journal of Robotics Research*, vol. 16, no. 1, pp. 97–117, 1997.
- [26] D. Wang and C. C. Cheah, "An iterative learning-control scheme for impedance control of robotic manipulators," *The International Journal of Robotics Research*, vol. 17, no. 10, pp. 1091–1099, 1998.
- [27] Y. Li, S. S. Ge, and C. Yang, "Learning impedance control for physical robot-environment interaction," *International Journal of Control*, vol. 85, no. 2, pp. 182–193, 2012.
- [28] O. Khatib, "Inertial properties in robotic manipulation: an object-level framework," *The International Journal of Robotics Research*, vol. 13, no. 1, pp. 19–36, February 1995.
- [29] O. Khatib, J. Warren, V. D. Sapio, and L. Sentis, "Human-like motion from physiologically-based potential energies," *On Advances in Robot Kinematics*, pp. 149–163, 2004.
- [30] S. S. Ge, J. J. Cabibihan, Z. Zhang, C. M. Y. Li, H. He, M. R. Safizadeh, Y. B. Li, and J. Yang, "Design and development of nancy, a social robot," in *Proceedings of the 8th International Conference on Ubiquitous Robots and Ambient Intelligence*, (Incheon, Korea), pp. 568–573, 2011.
- [31] T. Tsumugiwa, R. Yokogawa, and K. Hara, "Variable impedance control with virtual stiffness for human-robot cooperative peg-in-hole task," *Proceedings of IEEE/RSJ International Conference on Intelligent Robots and Systems*, pp. 1075–1081, 2002.



Yanan Li received the B.E. degree in control science and engineering from Harbin Institute of Technology, Harbin, China, in 2006, and the M.E. degree in control and mechatronics engineering from Harbin Institute of Technology Shenzhen Graduate School, Shenzhen, China, in 2009. He is currently working toward a Ph.D degree in NUS Graduate School for Integrative Sciences and Engineering, National University of Singapore, Singapore. His current research interests include physical human-robot interaction and human-robot collaboration.



Shuzhi Sam Ge (S'90-M'92-SM'99-F'06) received the B.Sc. degree from Beijing University of Aeronautics and Astronautics (BUAA), Beijing, China, in 1986, and the Ph.D. degree from Imperial College of Science, Technology and Medicine, University of London, London, U.K., in 1993.

He is the Founding Director of the Robotics Institute, and the Institute of Intelligent Systems and Information Technology, University of Electronic Science and Technology of China, Chengdu, China. He is the Founding Director of the Social

Robotics Laboratory, Interactive Digital Media Institute, National University of Singapore. He is a Professor in the Department of Electrical and Computer Engineering, National University of Singapore, Singapore. His current research interests include social robotics, multimedia fusion, medical robots, and intelligent systems. He has authored or coauthored six books and more than 300 international journal and conference papers.

Prof. Ge is the Editor-in-Chief of the International Journal of Social Robotics. He has served/been serving as an Associate Editor for a number of flagship journals including IEEE Transactions on Automatic Control, IEEE Transactions on Control Systems Technology, IEEE Transactions on Neural Networks, and Automatica. He also serves as an Editor of the Taylor & Francis Automation and Control Engineering Series. He has been serving as Vice President of Technical Activities, 2009–2010, and Vice President for Membership Activities, 2011–2012, IEEE Control Systems Society.