

Humanistic and Economic Burden of Conversion Therapy Among LGBTQ Youths in the United States

Anna Forsythe, PharmD, MSc, MBA; Casey Pick, JD; Gabriel Tremblay, DBA, MSc; Shreena Malaviya, MHS; Amy Green, PhD; Karen Sandman, PhD

IMPORTANCE Sexual orientation and gender identity change efforts (SOGICE), also called *conversion therapy*, is a discredited practice attempting to convert lesbian, gay, bisexual, transgender, queer, or questioning (LGBTQ) individuals to be heterosexual and/or cisgender.

OBJECTIVES To identify and synthesize evidence on the humanistic and economic consequences of SOGICE among LGBTQ youths in the US.

DESIGN, SETTING, AND PARTICIPANTS This study, conducted from December 1, 2020, to February 15, 2021, included a systematic literature review and economic evaluation. The literature review analyzed published evidence on SOGICE among LGBTQ individuals of any age. The economic model evaluated the use of SOGICE vs no intervention, affirmative therapy vs no intervention, and affirmative therapy vs SOGICE to estimate the costs and adverse outcomes for each scenario and to assess the overall US economic burden of SOGICE. Published literature and public sources were used to estimate the number of LGBTQ youths exposed to SOGICE, the types of therapy received, and the associated adverse events (anxiety, severe psychological distress, depression, alcohol or substance abuse, suicide attempts, and fatalities).

EXPOSURES SOGICE (licensed or religion-based practitioners) or affirmative therapy (licensed practitioners).

MAIN OUTCOMES AND MEASURES Total incremental costs and quality-adjusted life-years (QALYs) vs no intervention and total economic burden of SOGICE.

RESULTS Among 28 published studies, which included 190 695 LGBTQ individuals, 12% (range, 7%-23%) of youths experienced SOGICE, initiated at a mean age of 25 years (range, 5-58 years), with a mean (SD) duration of 26 (29) months. At least 2 types of SOGICE were administered to 43% of recipients. Relative to LGBTQ individuals who did not undergo SOGICE, recipients experienced serious psychological distress (47% vs 34%), depression (65% vs 27%), substance abuse (67% vs 50%), and attempted suicide (58% vs 39%). In the economic analysis, over a lifetime horizon with a 3% annual discount rate, the base-case model estimated additional \$97 985 lifetime costs per individual, with SOGICE associated with 1.61 QALYs lost vs no intervention; affirmative therapy yielded cost savings of \$40 329 with 0.93 QALYs gained vs no intervention. With an estimated 508 892 youths at risk for SOGICE in 2021, the total annual cost of SOGICE is estimated at \$650.16 million (2021 US dollars), with associated harms totaling an economic burden of \$9.23 billion.

CONCLUSIONS AND RELEVANCE This economic evaluation study suggests that there is a high economic burden and high societal costs associated with SOGICE and identifies additional research questions regarding the roles of private and public funding in supporting this harmful practice.

JAMA Pediatr. 2022;176(5):493-501. doi:10.1001/jamapediatrics.2022.0042
Published online March 7, 2022.

← Editorial page 450

+ Supplemental content

Author Affiliations: Value and Access, Cytel Inc, Waltham, Massachusetts (Forsythe); The Trevor Project, West Hollywood, California (Pick, Green); Health Economics, Cytel Inc, Montreal, Quebec, Canada (Tremblay, Malaviya); Health Economics, Cytel Inc, Waltham, Massachusetts (Sandman).

Corresponding Author: Anna Forsythe, PharmD, MSc, MBA, Value and Access, Cytel Inc, 1050 Winter St, Ste 2700, Waltham, MA 02451 (anna.forsythe@pshta.com).

Sexual orientation and gender identity change efforts (SOGICE) (also called *conversion therapy*) are dangerous, discredited practices rooted in false beliefs that being lesbian, gay, bisexual, transgender, queer, or questioning (LGBTQ) is pathologic.¹ Based on evidence that SOGICE is ineffective and detrimental,² the American Academy of Pediatrics, the American Academy of Child and Adolescent Psychiatry, and other medical, mental health, and human rights organizations formally oppose it.³⁻¹⁰

Minority stress theory contends that disproportionate rates of health issues among LGBTQ individuals stem from chronic stress and mental health detriments caused by increased exposure to social bigotry and rejection.¹¹ SOGICE reinforces societal prejudices and stigmas through promoting sexual and gender identity rejection.¹¹ For already vulnerable youths, it may exacerbate distress or incite guilt, shame, and self-hatred and is associated with devastating mental and physical health consequences, including new or increased depression, anxiety, self-harm, suicidal ideation, nightmares, gastrointestinal distress, sexual dysfunction, relationship problems, and isolation.^{3,11,12}

As of August 2021, 25 states, the District of Columbia, and Puerto Rico have instituted bans on or executive orders protecting minors from SOGICE¹; unlicensed individuals such as religious practitioners are not regulated. Per a 2019 study, 698 000 LGBTQ adults in the US have undergone SOGICE; approximately half underwent it as minors.¹³ Many of these individuals require therapy and support to address the harms of SOGICE.

Limited research has synthesized the overall clinical, humanistic (ie, quality-of-life), and economic burden of SOGICE. To inform legal and health care policy makers, we conducted a systematic literature review (SLR) and economic evaluation to quantify the consequences of SOGICE, focusing on adolescents and young adults, who are especially vulnerable and common targets.¹³

Methods

This economic evaluation study, conducted from December 1, 2020, to February 15, 2021, included an SLR, which comprised LGBTQ individuals of any age. The SLR was conducted to compile a broad evidence base regarding SOGICE and its effects and to support the economic model, focusing on key research questions:

- How many individuals, particularly adolescents and young adults, in the US have undergone SOGICE?
- What are the types and duration of therapy?
- What are the humanistic and economic harms of SOGICE?
- What are the health care resources and costs associated with SOGICE?

Detailed methods are outlined in the eMethods, eTable 1, and eFigure 1 in the Supplement. This economic evaluation used data only from previously published literature; such data were deidentified, publicly available, and protected by prior consent. This study followed the Consolidated Health Economic Evaluation Reporting Standards (CHEERS) reporting

Key Points

Question What is the total economic cost of sexual orientation and gender identity change efforts (SOGICE), also called *conversion therapy*, including adverse consequences, among lesbian, gay, bisexual, transgender, queer, or questioning (LGBTQ) youths in the US?

Findings This systematic literature review and economic evaluation found that the total annual cost of SOGICE among 4 554 300 LGBTQ youths in the US is estimated at \$650.16 million, with associated harms, such as substance abuse and suicide attempts, totaling an estimated total economic burden of \$9.23 billion.

Meaning This study suggests that, in addition to being detrimental from a clinical and humanistic standpoint, SOGICE and their harmful effects among LGBTQ youths in the US are estimated to cost billions of dollars each year.

guideline, the Preferred Reporting Items for Systematic Reviews and Meta-analyses (PRISMA) reporting guideline, and the National Institute for Health and Care Excellence guideline.¹⁴⁻¹⁷

A decision-tree model was developed in Excel, version 2018 for Microsoft 365 (Microsoft Corp) to assess the costs and consequences of SOGICE vs no intervention, affirmative therapy vs no intervention, and affirmative therapy vs SOGICE, supplemented with an economic evaluation to assess the overall US economic burden of SOGICE. In this analysis, we defined *affirmative therapy* as psychotherapy validating the positive expression of sexual and gender identities and recognizing the association of macrolevel forces, such as heterosexism and homophobia, with well-being.¹⁸

The decision-tree structure accounted for various SOGICE modalities (psychotherapy and religion-based therapy), which incur different costs owing to factors such as type of practitioner and duration of therapy. The model evaluated the probability of therapy outcomes (adverse events) in the at-risk population, such as anxiety, severe psychological distress, depression, alcohol or substance abuse, suicide attempts, and fatal suicide attempts (Figure 1). For simplicity, the decision tree considered the costs and consequences of adverse events separately (ie, if an individual experienced anxiety and alcohol use disorder, then these were considered as discrete events and not as a combined adverse event).

The analysis was conducted from the US societal perspective; both direct costs (costs of treatment, health outcomes, and mortality) and indirect costs (ie, costs such as productivity loss that are not directly incurred by therapy and its outcomes) were analyzed. The base-case analysis considered a lifetime horizon, with costs and effectiveness discounted at 3% annually.

Assumptions

The model made several assumptions because of the limited availability of data. First, it assumed the same likelihood of adverse outcomes regardless of SOGICE method. It also assumed that individuals of all sexual orientations, gender identities, and ages experience the same likelihood of outcomes,




Table 1. Likelihood of Health Outcomes by Intervention

Health outcome	LGBTQ youths, %		
	No intervention	SOGICE	Affirmative therapy
Anxiety or severe psychological distress	34 ²⁴	47 ²⁴	20 ²⁵
Depression	27 ²⁶	65 ²⁶	14 ²⁵
Alcohol use disorder	42 ²⁶	41 ²⁶	30 ²⁵
Illicit drug use	50 ²⁶	67 ²⁶	26 ^{27,28}
Index suicidal attempt	22 ²⁶	63 ²⁶	3 ²⁹
Fatal suicide on index attempt	0.9 ²⁸⁻³⁰	2.5 ²⁸⁻³⁰	0.1 ²⁸⁻³⁰

Abbreviations: LGBTQ, lesbian, gay, bisexual, transgender, queer, or questioning; SOGICE, sexual orientation and gender identity change efforts.

costs, and quality-of-life utility values. The likelihood of outcomes for affirmative therapy was calculated using the relative risk reduction and relative risk estimates applied to the no-intervention likelihoods of each outcome. Furthermore, it was assumed that the suicidality score used in this estimation is indicative of the likelihood of a suicide attempt. The model also considered the costs associated with suicide attempts that require acute medical care. Equivalent costs were assumed for rehabilitation for alcohol use disorder and substance abuse. The model assumes that people receive 1 type of therapy, although, in principle, an individual could receive multiple therapy modalities. The assumed cost of psychotherapy (60-minute individual sessions with a licensed mental health professional; *Current Procedural Terminology* code 90837) was \$142. The model also assumed that individuals experience the health-state utility values and costs related to therapy and adverse events for up to 3 years. Last, given the dearth of LGBTQ-specific suicide mortality data, the likelihood of fatal suicide on index attempt was assumed to be equivalent across all interventions and no different than the likelihood observed in the general population.

Model Inputs

Model inputs were based on the most current and robust evidence sources identified in the SLR, to ensure that the inputs reflected the current experiences of LGBTQ adolescents and young adults in the US.

Population

The target population was LGBTQ adolescents and young adults aged 13 to 17 years in the states where SOGICE directed at minors is legal ($n = 1\,157\,000$),¹⁹ LGBTQ adolescents and young adults aged 13 to 17 years in states where SOGICE directed at minors is illegal but religious efforts are permitted ($n = 835\,000$),¹⁹ and LGBTQ adolescents and young adults aged 18 to 24 years nationally ($n = 3\,313\,800$).^{20,21} Approximately 10% of the target population is considered at risk for receiving SOGICE.²² For minors in states in which SOGICE is illegal, the at-risk population for SOGICE was assumed to be those who would undergo religious therapy. An estimated 43% of the target population aged 16 to 24 years is employed and will experience indirect costs from adverse events.²³

Type of Therapy

We analyzed the outcomes of 2 key methods: therapy provided by licensed health professionals (26%) and religion-

based SOGICE (74%).¹³ The base case considered these modalities to be mutually exclusive.

Adverse Outcomes

The probabilities of adverse events experienced by LGBTQ youths undergoing SOGICE as compared with no intervention and with affirmative therapy were estimated using data obtained from the SLR (Table 1).²⁴⁻³⁰ The relative effectiveness of affirmative therapy was indirectly calculated using estimates of relative risk reduction and relative risks (eTable 2 in the Supplement) for each adverse health outcome.

Utilities

Utility inputs for different health states in the model are summarized in eTable 3 in the Supplement. The SLR did not identify published evidence on quality of life or utility values in LGBTQ youths. Additional searches were conducted to obtain utility inputs associated with health outcomes, which were assumed to be the same regardless of the intervention.³¹⁻³³ The model assumed that the health-state utility values were experienced for 3 years and then returned to baseline. With the use of Centers for Disease Control and Prevention life tables, natural mortality was used to generate lifetime survival for all health states except fatal suicide or death.³⁴ Lifetime survival was used to estimate quality-adjusted life-years (QALYs) after 3 years over a lifetime using the baseline value of 0.865, which is lower than that of the general population, in accordance with the minority stress theory.

Costs

The model considered the costs associated with interventions and adverse events (eTable 4 in the Supplement).^{33,35-47} All costs were estimated for 3 years, after which the population was assumed to not experience further intervention or adverse events and hence incur no further costs. Inflation rates were calculated using the medical care index of the US Consumer Price Index.⁴⁸

The model considered the costs of 2 types of SOGICE (religion-based or licensed practitioners) and the costs of affirmative therapy (administered as psychotherapy and assumed to have the same costs as SOGICE administered by licensed practitioners). The cost per session and the duration of therapy varied by therapy type. The mean (SD) number of sessions was assumed to be 118 (135), with a mean (SD) duration of 26 (29) months.⁴⁹

The direct medical costs and the indirect costs (such as mortality and productivity loss) were obtained and estimated for each health outcome from public data sources and published literature; these costs were not specific to the LGBTQ population but were based on the general population (eTable 5 in the [Supplement](#)).³⁵

Model Outputs

Base-Case Analysis

Total costs were calculated separately for SOGICE, no therapy, and affirmative therapy as the sum of individual cost inputs. Quality-adjusted life-years lost were calculated as mean values per person over the modeled time horizon. The total economic burden of SOGICE in the US, based on 30 states where the practice is legal among minors (13-17 years of age) and states where SOGICE directed at minors is illegal but religious efforts are permitted, and nationwide for young adults (18-24 years of age), was estimated based on these quantitative analyses.

Scenario Analysis

The following scenarios were compared for overall association with the final results:

- Varied use of SOGICE by type of therapy was observed by Blois et al,¹¹ where SOGICE was provided by health care professionals (31%) and/or religious leaders (81%). Therapy with health care professionals was assumed to cost the same as psychotherapy.
- Indirect costs (productivity loss and mortality costs) were excluded owing to uncertainty associated with estimates.
- Utilities for adverse events were reweighted based on a baseline utility of 0.865 instead of 1.
- Lifetime likelihood of fatality due to suicide reattempt (2%) within 1 year of the episode period (3-year period during which individuals experience health-state utility and costs associated with therapy and adverse events in the model) was included.³⁰
- Fatal suicide attempts were excluded from the model.

Results

Systematic Literature Review

The SLR provided a broad view of the published evidence regarding SOGICE; selected recent and robust sources from the SLR were used as inputs in the economic model. The 28 publications^{11-13,22,24-27,49-72} identified comprised 190 695 LGBTQ individuals; among these publications, overall, 12% (range, 7%-23%) of youths experienced SOGICE, including individual or group psychotherapy (31%-100%), inpatient SOGICE (7%), and SOGICE administered by religious leaders (18%-81%). SOGICE was initiated at a mean age of 25 years (range, 5-58 years), with a mean (SD) of 118 (135) sessions per individual and a mean (SD) duration of treatment of 26 (29) months. The literature was not sufficient to determine the overall proportion of individuals starting SOGICE as minors vs adults. At least 2 types of SOGICE were administered to 43% of recipients, with 15% undergoing more than 3 modalities.

Relative to LGBTQ individuals who did not undergo SOGICE, those who did undergo SOGICE experienced severe consequences, including serious psychological distress (47% vs 34%), depression (65% vs 27%), problematic substance use (67% vs 50%), attempted suicide (58% vs 39%; odds ratio, 2.27 [95% CI, 1.60-3.24; $P < .001$]), and attempted suicide causing moderate or severe injury (67% higher odds; odds ratio, 1.67 [95% CI, 0.76-3.64]).

Economic Evaluation

Over a lifetime horizon, LGBTQ youths who received SOGICE were expected to incur a total discounted cost of \$206 159 vs \$108 174 for no therapy and \$67 844 for affirmative therapy per individual at risk (**Figure 2**). The direct medical discounted cost incurred for SOGICE was \$148 098 vs \$85 292 for no therapy and \$62 056 for affirmative therapy. The direct cost of affirmative therapy was higher (\$15 936) compared with SOGICE (\$14 619) because affirmative therapy was provided only by licensed medical professionals, whereas SOGICE was provided by licensed practitioners as well as unlicensed religion-based professionals. Although SOGICE administration costs were lower than for affirmative therapy, costs associated with adverse health outcomes were \$139 632 higher with SOGICE. The primary factors associated with the costs for SOGICE were outcomes including suicide attempts, fatal suicide attempts, depression, and substance abuse. Overall discounted QALYs were 23.30 for SOGICE, 24.91 for no therapy, and 25.84 for affirmative therapy (**Table 2**).

The economic model estimated that SOGICE was associated with 1.61 QALYs lost at an additional cost of \$97 985, whereas affirmative therapy was associated with an increase of 0.93 QALYs with a \$40 329 cost decrease vs no therapy (**Table 2**). The model estimated that affirmative therapy would be associated with \$138 315 in decreased costs for 2.53 QALYs gained vs SOGICE. Relative to no intervention, SOGICE leads to higher costs and worse outcomes, whereas affirmative therapy leads to lower costs and better outcomes compared with both SOGICE and no therapy. The results of the scenario analysis agreed with the results of the base-case analysis (eTable 6 in the [Supplement](#)).

With an estimated 508 892 LGBTQ youths at risk to receive SOGICE in 2021 based on reported rates of therapy (eFigure 2 in the [Supplement](#)), total SOGICE costs were estimated at \$650.16 million, with harms associated with an estimated economic burden of \$8.58 billion, for a total burden of \$9.23 billion (**Table 3**). Although affirmative therapy incurred costs of \$709 million vs no therapy, we estimated total savings of \$1.81 billion for affirmative therapy in the same population.

Discussion

Despite the increase in public support for LGBTQ individuals in the US,⁶⁹ current published literature reveals that SOGICE reinforces societal prejudices and stigmas through promoting sexual and gender identity rejection.¹¹ Approximately 10% of LGBTQ individuals undergo SOGICE in the form of individual or group psychotherapy, inpatient treatment, or ad-

Figure 2. Total Discounted Costs Per At-Risk Individual by Intervention Type




Table 2. Cost-Utility Analysis Comparing No Intervention With SOGICE and Affirmative Therapy

Intervention	Discounted		Incremental ^{a,b}		Interpretation of ICURs
	Costs, \$	QALYs	Costs, \$	QALYs	
No intervention	108 174	24.91	NA	NA	NA
SOGICE	206 159	23.30	97 985	(1.61)	SOGICE dominated
Affirmative therapy	67 844	25.84	(40 329)	0.93	Affirmative therapy dominated

Abbreviations: ICURs, incremental cost-utility ratios; NA, not applicable; QALYs, quality-adjusted life-years; SOGICE, sexual orientation and gender identity change efforts.

^b Incremental values are based on unrounded, exact values, not the rounded costs presented in the table.

^a Values in parentheses are negative.

ministration by religious leaders; many individuals undergo multiple modalities, typically as youths.²² SOGICE recipients experience increased rates of psychological distress, depression, substance abuse, and suicidality.^{11,12,24} Although these clinical and humanistic consequences are severe, no published studies have formally evaluated the economic costs of this unnecessary, harmful practice.

To our knowledge, our economic evaluation is the first to assess the association of SOGICE with socioeconomic outcomes. Its findings underscore the costs of inflicting harm on a vulnerable young population. In addition to the resources wasted on SOGICE, the downstream consequences are associated with lifetime excess costs of \$83 366 per individual at risk, primarily associated with suicidality, anxiety, severe psychological distress, depression, and substance abuse. From a population perspective, this translated to total costs of \$650 million for SOGICE in 2021, with harms associated with an estimated economic burden of \$9.23 billion.

The base-case analysis compared SOGICE with no intervention, but affirmative therapy is an economically feasible alternative that may benefit LGBTQ youths by reducing rates of adverse outcomes. The lifetime excess costs per individual decreased by \$138 315 for affirmative therapy vs SOGICE. Overall, the potential US savings with affirmative therapy are estimated at \$1.81 billion (vs no intervention) and nearly \$6.19 billion (vs SOGICE).

This study’s design has several distinct features that allow us to provide robust estimates to inform policy. The key model inputs originated from an SLR, which identified multiple large-scale studies regarding the use and outcomes of SOGICE. The model structure incorporated various methods of SOGICE and a range of literature-reported outcomes. Last, overall estimates of the economic burden of conversion therapy reflect the real-world treatment landscape and are adjusted based on the legality of minor-directed SOGICE in different states at the time of analysis.

Table 3. Total Economic Burden by Intervention and Factors Associated With Cost^a

Intervention	No therapy	SOGICE	Affirmative therapy	SOGICE vs no therapy ^b	Affirmative therapy vs no therapy ^b	Affirmative therapy vs SOGICE ^b
Therapy costs, \$	0.00	0.65	0.71	0.65	0.71	0.06
Total costs by health outcomes, \$						
Anxiety or severe psychological distress	0.14	0.19	0.08	0.05	(0.06)	(0.11)
Depression	0.55	1.36	0.30	0.81	(0.25)	(1.06)
Suicide attempt	0.85	2.42	0.11	1.57	(0.73)	(2.30)
Fatal suicide	0.41	1.17	0.06	0.76	(0.35)	(1.12)
Alcohol use disorder	1.29	1.26	0.92	(0.03)	(0.36)	(0.34)
Substance abuse	1.62	2.18	0.86	0.56	(0.76)	(1.32)
Total costs, \$	4.85	9.23	3.04	4.38	(1.81)	(6.19)

Abbreviation: SOGICE, sexual orientation and gender identity change efforts.

^b Incremental costs are calculated from unrounded, exact costs, not the rounded costs presented in the table.

^a All costs in billions of 2021 US dollars. Values in parentheses are negative (cost savings).

Limitations

This study has some limitations. Given the evolving societal understanding of gender and sexual orientation, this study focused on recent evidence to ensure that the economic analysis reflected current practices and experiences of LGBTQ adolescents and young adults in the US. A key limitation is that, owing to limited data, the model makes several assumptions, including that the risk of adverse outcomes was the same across different sexual orientations and gender identities and for various SOGICE modalities. The likelihood of adverse outcomes was obtained from the published literature based on participant self-reporting, which is associated with bias in the estimates and increases the uncertainty for these values. The estimation of the likelihood of these events for affirmative therapy using a comparative approach introduces additional uncertainty. The literature used to estimate the likelihood of adverse outcomes was selected to reflect the target population of this model (adolescents and young adults aged 13-24 years), but individual publications may focus on teens, young adults, or broader age ranges, adding to the uncertainty. The inclusion of non-LGBTQ-specific health utilities may be associated with an underestimation of the association of these interventions with quality-of-life measures among LGBTQ individuals. There is uncertainty surrounding the costs associated with adverse events over a lifetime horizon because they were obtained from the current published and available evidence, which generally was not specific to the LGBTQ population. Because the estimation of indirect costs was not standardized among publications, using the human capital approach to estimate productivity loss (eg, suicide attempt and fatal suicide attempt) may be associated with further uncertainty and an overestimation of costs.

Although there are various uncertainties associated with this economic model, in general, it took a conservative approach and is likely to underestimate the true economic effect of SOGICE. The model accounts for costs and outcomes associated with adverse events for 3 years after SOGICE, even though harms and their costs may persist much longer, leading to higher costs. Moreover, there may be additional consequences of SOGICE not included in the analysis (eg, the de-

velopment of eating disorders or posttraumatic stress disorder) as well as medical consequences of some techniques (such as inappropriate use of medications or electroconvulsive therapy). Owing to the limitations and challenges in collecting suicide data, there is also uncertainty associated with the proportion of suicide attempts that may lead to fatalities among the LGBTQ population; the base-case model does not consider the rate and fatality of suicide reattempts.^{28,29} Last, as an economic analysis, this model necessarily examines SOGICE with a focus on direct and indirect monetary costs and cost offsets. Beyond the economic consequences, as noted by multiple international organizations, individuals subjected to this practice experience serious detrimental effects.³⁻¹⁰ Limitations in the evidence base represent opportunities for additional research to better understand this diverse, underserved community that is often actively harmed by clinicians, mental health professionals, and unlicensed practitioners.

Although it is possible that there may be selection bias, in that youths who undergo SOGICE are at elevated risk for adverse outcomes owing to a greater level of distress with their gender and/or sexual identity that may lead them to seek conversion therapy, such an argument assumes that they freely seek SOGICE. In a 2020 survey, 58% of LGBTQ youths reported that someone, typically parents, friends, relatives, or religious leaders, attempted to convince them to change their sexual orientation or gender identity.²² With such prevalent pressure to change orientation or identity, it is unlikely that LGBTQ individuals who undergo SOGICE differ from their peers except for the extent of the pressure or coercion they receive.

Conclusions

There are already multiple, unambiguous statements from professional societies and human rights groups on the imperative to stop SOGICE because of its discriminatory nature and profoundly harmful effects. This current analysis adds an economic dimension to the discussion, demonstrating a difference in economic consequences between SOGICE, no intervention, and affirmative therapy. It is incumbent on policy

makers to act to protect youths from—and stop all funding for—this unacceptable practice. Likewise, increasing access to affirmative therapy may promote health by empowering LGBTQ youths with skills and strategies to counteract minority stress.²⁵

ARTICLE INFORMATION

Accepted for Publication: October 18, 2021.

Published Online: March 7, 2022.

doi:10.1001/jamapediatrics.2022.0042

Open Access: This is an open access article distributed under the terms of the [CC-BY License](#). © 2022 Forsythe A et al. *JAMA Pediatrics*.

Author Contributions: Dr Forsythe had full access to all the data in the study and takes responsibility for the integrity of the data and the accuracy of the data analysis.

Concept and design: All authors.

Acquisition, analysis, or interpretation of data: All authors.

Drafting of the manuscript: Forsythe, Pick, Tremblay, Malaviya, Sandman.

Critical revision of the manuscript for important intellectual content: All authors.

Statistical analysis: Pick, Tremblay, Malaviya.

Obtained funding: Forsythe, Pick.

Administrative, technical, or material support: Pick, Malaviya, Green, Sandman.

Supervision: Forsythe, Pick, Tremblay.

Conflict of Interest Disclosures: Drs Forsythe, Tremblay, and Sandman and Ms Malaviya reported receiving grants from The Trevor Project and being an employee of Purple Squirrel Economics/Cytel, which acted as a paid consultant to The Trevor Project during the conduct of the study. No other disclosures were reported.

Funding/Support: This work was supported by The Trevor Project.

Role of the Funder/Sponsor: The sponsor was involved in the design and conduct of the study; collection, management, analysis, and interpretation of the data; review and approval of the manuscript; and decision to submit the manuscript for publication.

Additional Contributions: Ronda Copher, PhD, was an advisor for the project concept and analysis. Writing and editing assistance for the manuscript was provided by Elizabeth Hubscher, PhD, of Purple Squirrel Economics, a Cytel, Inc company. Copher and Hubscher were not compensated for their contributions.

REFERENCES

- Human Rights Campaign. The lies and dangers of efforts to change sexual orientation or gender identity. Published 2021. Accessed March 1, 2021. <https://www.hrc.org/resources/the-lies-and-dangers-of-reparative-therapy>
- Kinitz DJ, Salway T, Dromer E, et al. The scope and nature of sexual orientation and gender identity and expression change efforts: a systematic review protocol. *Syst Rev*. 2021;10(1):14. doi:10.1186/s13643-020-01563-8
- American Psychological Association. Report of the American Psychological Association Task Force on Appropriate Therapeutic Responses to Sexual Orientation. Published 2009. Accessed March 1, 2021. <https://www.apa.org/pi/lgbt/resources/therapeutic-response.pdf>
- American Academy of Child and Adolescent Psychiatry. Conversion therapy. Published 2018. Accessed May 5, 2021. https://www.aacap.org/aacap/policy_statements/2018/Conversion_Therapy.aspx
- American Medical Association. Issue brief: LGBTQ change efforts (so-called "conversion therapy"). Published 2019. Accessed February 1, 2021. <https://www.ama-assn.org/system/files/2019-12/conversion-therapy-issue-brief.pdf>
- American Psychiatric Association. APA reiterates strong opposition to conversion therapy. Published 2018. Accessed May 5, 2021. <https://www.psychiatry.org/newsroom/news-releases/apa-reiterates-strong-opposition-to-conversion-therapy>
- Committee On Adolescence. Office-based care for lesbian, gay, bisexual, transgender, and questioning youth. *Pediatrics*. 2013;132(1):198-203. doi:10.1542/peds.2013-1282
- American Counseling Association. Resolution on reparative therapy/conversion therapy/sexual orientation change efforts (SOCE) as a significant and serious violation of the ACA code of ethics. Published 2017. Accessed December 12, 2020. https://www.counseling.org/docs/default-source/resolutions/reparative-therapy-resolution-letter-final.pdf?sfvrsn=d7ad512c_4
- United Nations Human Rights Office of the High Commissioner. Born free and equal: sexual orientation, gender identity and sex characteristics in international human rights law. Second edition. Published 2019. Accessed March 2, 2021. https://www.ohchr.org/Documents/Publications/Born_Free_and_Equal_WEB.pdf
- Alempijevic D, Beriashvili R, Beynon J, et al; Independent Forensic Expert Group. Statement on conversion therapy. *J Forensic Leg Med*. 2020;72:101930. doi:10.1016/j.jflm.2020.101930
- Blosnich JR, Henderson ER, Coulter RWS, Goldbach JT, Meyer IH. Sexual orientation change efforts, adverse childhood experiences, and suicide ideation and attempt among sexual minority adults, United States, 2016-2018. *Am J Public Health*. 2020;110(7):e1-e7. doi:10.2105/AJPH.2020.305637
- Turban JL, Beckwith N, Reisner SL, Keuroghlian AS. Association between recalled exposure to gender identity conversion efforts and psychological distress and suicide attempts among transgender adults. *JAMA Psychiatry*. 2020;77(1):68-76. doi:10.1001/jamapsychiatry.2019.2285
- UCLA School of Law Williams Institute. Conversion therapy and LGBT youth. Published June 2019. Accessed March 1, 2021. <https://williamsinstitute.law.ucla.edu/publications/conversion-therapy-and-lgbt-youth/>
- Moher D, Liberati A, Tetzlaff J, Altman DG; PRISMA Group. Preferred reporting items for systematic reviews and meta-analyses: the PRISMA statement. *BMJ*. 2009;339:b2535-b2535. doi:10.1136/bmj.b2535
- National Institute for Health and Care Excellence. Methods for the development of NICE public health guidance (third edition). Accessed December 23, 2019. https://www.ncbi.nlm.nih.gov/books/NBK395862/pdf/Bookshelf_NBK395862.pdf
- Centre for Reviews and Dissemination. Systematic reviews: CRD's guidance for undertaking reviews in health care. Accessed December 23, 2019. https://www.york.ac.uk/media/crd/Systematic_Reviews.pdf
- Higgins JPT, Thomas J, Chandler J, et al, eds. *Cochrane Handbook for Systematic Reviews of Interventions*. Second ed. John Wiley & Sons; 2019. Accessed December 23, 2019. <https://training.cochrane.org/handbook/current>
- Craig S, Austin A. The AFFIRM open pilot feasibility study: a brief affirmative cognitive behavioral coping skills group intervention for sexual and gender minority youth. *Child Youth Serv Rev*. 2016;64:136-144. doi:10.1016/j.childyouth.2016.02.022
- UCLA School of Law Williams Institute. LGBT youth population in the United States. Published September 2020. Accessed March 1, 2021. <https://williamsinstitute.law.ucla.edu/publications/lgbt-youth-pop-us/>
- UCLA School of Law Williams Institute. Adult LGBT population in the United States. Published July 2020. Accessed March 1, 2021. <https://williamsinstitute.law.ucla.edu/publications/adult-lgbt-pop-us/>
- UCLA School of Law Williams Institute. LGBT data & demographics: characteristics of LGBT people: United States. Published January 2019. Accessed March 1, 2021. <https://williamsinstitute.law.ucla.edu/visualization/lgbt-stats/?topic=LGBT#density>
- The Trevor Project. The Trevor Project National Survey on LGBTQ Youth Mental Health 2020. Published 2020. Accessed March 1, 2021. <https://www.thetrevorproject.org/wp-content/uploads/2020/07/The-Trevor-Project-National-Survey-Results-2020.pdf>
- US Bureau of Labor Statistics. Labor force statistics from the Current Population Survey. 2020. Accessed March 1, 2021. <https://www.bls.gov/cps/aa2020/cpsaat03.htm>
- James SE, Herman JL, Rankin S, Keisling M, Mottet L, Anafi M. The Report of the 2015 U.S. Transgender Survey. National Center for Transgender Equality. Published 2016. Accessed March 1, 2021. <https://www.transequality.org/sites/default/files/docs/USTS-Full-Report-FINAL.PDF>
- Pachankis JE, Hatzenbuehler ML, Rendina HJ, Safren SA, Parsons JT. LGB-affirmative cognitive-behavioral therapy for young adult gay and bisexual men: a randomized controlled trial of a transdiagnostic minority stress approach. *J Consult Clin Psychol*. 2015;83(5):875-889. doi:10.1037/ccp0000037
- Ryan C, Toomey RB, Diaz RM, Russell ST. Parent-initiated sexual orientation change efforts with LGBT adolescents: implications for young adult mental health and adjustment. *J Homosex*. 2020;67(2):159-173. doi:10.1080/00918369.2018.1538407
- Reback CJ, Shoptaw S. Development of an evidence-based, gay-specific cognitive behavioral therapy intervention for methamphetamine-abusing gay and bisexual men. *Addict Behav*. 2014;39(8):1286-1291. doi:10.1016/j.addbeh.2011.11.029
- McGraw JS, Peer SO, McManimen S, Chinn J, Mahoney A. Comparison of lifetime suicide attempts and recent suicidal/self-harming thoughts

- among sexual minority and heterosexual Utahns: results from a population-based survey. *Arch Suicide Res*. Published online August 12, 2020. doi:10.1080/13811118.2020.1806159
29. Suicide Awareness Voices of Education. Suicide statistics. Published 2021. Accessed March 1, 2021. <https://save.org/about-suicide/suicide-statistics/>
 30. Bostwick JM, Pabbati C, Geske JR, McKean AJ. Suicide attempt as a risk factor for completed suicide: even more lethal than we knew. *Am J Psychiatry*. 2016;173(11):1094-1100. doi:10.1176/appi.ajp.2016.15070854
 31. Sobocki P, Ekman M, Agren H, et al. Health-related quality of life measured with EQ-5D in patients treated for depression in primary care. *Value Health*. 2007;10(2):153-160. doi:10.1111/j.1524-4733.2006.00162.x
 32. Sonntag M, König H-H, Konnopka A. The responsiveness of the EQ-5D and time trade-off scores in schizophrenia, affective disorders, and alcohol addiction. *Health Qual Life Outcomes*. 2015; 13:114. doi:10.1186/s12955-015-0315-4
 33. Rand K, Arnevik EA, Walderhaug E. Quality of life among patients seeking treatment for substance use disorder, as measured with the EQ-5D-3L. *J Patient Rep Outcomes*. 2020;4(1):92. doi:10.1186/s41687-020-00247-0
 34. Centers for Disease Control and Prevention. National Vital Statistics Reports. Accessed February 1, 2021. <https://www.cdc.gov/nchs/products/nvsr.htm>
 35. Padula WV, Heru S, Campbell JD. Societal implications of health insurance coverage for medically necessary services in the U.S. transgender population: a cost-effectiveness analysis. *J Gen Intern Med*. 2016;31(4):394-401. doi:10.1007/s11606-015-3529-6
 36. Chatterton ML, Rapee RM, Catchpool M, et al. Economic evaluation of stepped care for the management of childhood anxiety disorders: results from a randomised trial. *Aust N Z J Psychiatry*. 2019;53(7):673-682. doi:10.1177/0004867418823272
 37. Mrazek DA, Hornberger JC, Altar CA, Degtjar I. A review of the clinical, economic, and societal burden of treatment-resistant depression: 1996-2013. *Psychiatr Serv*. 2014;65(8):977-987. doi:10.1176/appi.ps.201300059
 38. Shirmeshan E, Bailey J, Relyea G, Franklin BE, Solomon DK, Brown LM. Incremental direct medical expenditures associated with anxiety disorders for the U.S. adult population: evidence from the Medical Expenditure Panel Survey. *J Anxiety Disord*. 2013;27(7):720-727. doi:10.1016/j.janxdis.2013.09.009
 39. Marciniak M, Lage MJ, Landbloom RP, Dunayevich E, Bowman L. Medical and productivity costs of anxiety disorders: case control study. *Depress Anxiety*. 2004;19(2):112-120. doi:10.1002/da.10131
 40. Greenberg PE, Fournier AA, Sisitsky T, Pike CT, Kessler RC. The economic burden of adults with major depressive disorder in the United States (2005 and 2010). *J Clin Psychiatry*. 2015;76(2):155-162. doi:10.4088/JCP.14m09298
 41. Centers for Disease Control and Prevention. Cost of injury data. Published June 30, 2020. Accessed March 1, 2021. <https://www.cdc.gov/injury/wisqars/cost/index.html>
 42. Gryczynski J, Schwartz RP, O'Grady KE, Restivo L, Mitchell SG, Jaffe JH. Understanding patterns of high-cost health care use across different substance user groups. *Health Aff (Millwood)*. 2016;35(1):12-19. doi:10.1377/hlthaff.2015.0618
 43. American Addiction Centers. How much does alcohol rehab cost? Accessed March 1, 2021. <https://americanaddictioncenters.org/alcohol-rehab/cost>
 44. U.S. Bureau of Labor Statistics. Usual weekly earnings summary. Published December 2020. Accessed March 1, 2021. <https://www.bls.gov/news.release/wkyeng.nr0.htm>
 45. Bouchery EE, Harwood HJ, Sacks JJ, Simon CJ, Brewer RD. Economic costs of excessive alcohol consumption in the U.S., 2006. *Am J Prev Med*. 2011;41(5):516-524. doi:10.1016/j.amepre.2011.06.045
 46. Foster WH, Vaughan RD. Absenteeism and business costs: does substance abuse matter? *J Subst Abuse Treat*. 2005;28(1):27-33. doi:10.1016/j.jsat.2004.10.003
 47. Shoptaw S, Reback CJ, Peck JA, et al. Behavioral treatment approaches for methamphetamine dependence and HIV-related sexual risk behaviors among urban gay and bisexual men. *Drug Alcohol Depend*. 2005;78(2):125-134. doi:10.1016/j.drugalcdep.2004.10.004
 48. U.S. Bureau of Labor Statistics. Consumer Price Index (CPI) databases. Accessed March 1, 2021. <https://www.bls.gov/cpi/data.htm>
 49. Shidlo A, Schroeder M. Changing sexual orientation: a consumers' report. *Prof Psychol Res Pract*. 2002;33(3):249-259. doi:10.1037/0735-7028.33.3.249
 50. Diamond GM, Diamond GS, Levy S, Closs C, Ladipo T, Siqueland L. Attachment-based family therapy for suicidal lesbian, gay, and bisexual adolescents: a treatment development study and open trial with preliminary findings. *Psychotherapy (Chic)*. 2012;49(1):62-71. doi:10.1037/a0026247
 51. Green AE, Price-Feeney M, Dorison SH, Pick CJ. Self-reported conversion efforts and suicidality among US LGBTQ youths and young adults, 2018. *Am J Public Health*. 2020;110(8):1221-1227.
 52. Meanley S, Haberlen SA, Okafor CN, et al. Lifetime exposure to conversion therapy and psychosocial health among midlife and older adult men who have sex with men. *Gerontologist*. 2020; 60(7):1291-1302.
 53. Meanley SP, Stall RD, Dakwar O, et al. Characterizing experiences of conversion therapy among middle-aged and older men who have sex with men from the Multicenter AIDS Cohort Study (MACS). *Sex Res Social Policy*. 2020;17(2):334-342.
 54. Higbee M, Wright ER, Roerman RM. Conversion therapy in the southern United States: prevalence and experiences of the survivors. *J Homosex*. Published online November 18, 2020.
 55. Flentje A, Heck NC, Cochran BN. Sexual reorientation therapy interventions: perspectives of ex-gay individuals. *J Gay Lesbian Ment Health*. 2013;17(3):256-277.
 56. Bradshaw K, Dehlin JP, Crowell KA, Galliher RV, Bradshaw WS. Sexual orientation change efforts through psychotherapy for LGBTQ individuals affiliated with the Church of Jesus Christ of Latter-day Saints. *J Sex Marital Ther*. 2015;41(4):391-412.
 57. Dehlin JP, Galliher RV, Bradshaw WS, Hyde DC, Crowell KA. Sexual orientation change efforts among current or former LDS church members. *J Couns Psychol*. 2015;62(2):95-105.
 58. Maccio EM. Influence of family, religion, and social conformity on client participation in sexual reorientation therapy. *J Homosex*. 2010;57(3):441-458.
 59. Maccio E. Self-reported sexual orientation and identity before and after sexual reorientation therapy. *J Gay Lesbian Ment Health*. 2011;15(3):242-259.
 60. Wright T, Candy B, King M. Conversion therapies and access to transition-related healthcare in transgender people: a narrative systematic review. *BMJ Open*. 2018;8(12):e022425.
 61. Spitzer RL. Can some gay men and lesbians change their sexual orientation? 200 participants reporting a change from homosexual to heterosexual orientation. *Arch Sex Behav*. 2003;32(5):403-417; discussion 419-472.
 62. Jones MA, Botsko M, Gorman BS. Predictors of psychotherapeutic benefit of lesbian, gay, and bisexual clients: the effects of sexual orientation matching and other factors. *Psychother*. 2003; 40(4):289-301.
 63. Nicolosi J, Byrd AD, Potts RW. Retrospective self-reports of changes in homosexual orientation: a consumer survey of conversion therapy clients. *Psychol Rep*. 2000;86(3, pt 2):1071-1088.
 64. Hein LC, Matthews AK. Reparative therapy: the adolescent, the psych nurse, and the issues. *J Child Adolesc Psychiatr Nurs*. 2010;23(1):29-35.
 65. Blackwell CW. Nursing implications in the application of conversion therapies on gay, lesbian, bisexual, and transgender clients. *Issues Ment Health Nurs*. 2008;29(6):651-665.
 66. Grace AP. The charisma and deception of reparative therapies: when medical science beds religion. *J Homosex*. 2008;55(4):545-580.
 67. Haldeman DC. The practice and ethics of sexual orientation conversion therapy. *J Consult Clin Psychol*. 1994;62(2):221-227.
 68. Bancroft J. Aversion therapy of homosexuality: a pilot study of 10 cases. *Br J Psychiatry*. 1969; 115(529):1417-1431.
 69. UCLA School of Law Williams Institute. National trends in public opinion on LGBT rights in the United States. Published November 2014. Accessed September 14, 2021. <https://williamsinstitute.law.ucla.edu/publications/trends-pub-opinion-lgbt-rights-us/>
 70. The Trevor Project. The Trevor Project National Survey on LGBTQ Youth Mental Health 2019. Accessed December 20, 2020. <https://www.thetrevorproject.org/wp-content/uploads/2019/06/The-Trevor-Project-National-Survey-Results-2019.pdf>
 71. Turban JL, King D, Reisner SL, Keuroghlian AS. Psychological attempts to change a person's gender identity from transgender to cisgender: estimated prevalence across US states, 2015. *Am J Public Health*. 2019;109(10):1452-1454.
 72. Turban JL, Beckwith N, Reisner S, Keuroghlian AS. 4.10 Exposure to conversion therapy for gender identity is associated with poor adult mental health outcomes among transgender people in the US. *J Am Acad Child Adolesc Psychiatry*. 2018;57(10):S208.