

## IMPROVED INDIRECT FIELD-ORIENTED CONTROL OF INDUCTION MOTOR DRIVE BASED PSO ALGORITHM

Jamal Abd Ali<sup>a,b\*</sup>, M A Hannan<sup>a</sup>, Azah Mohamed<sup>a</sup>

<sup>a</sup>Department of Electrical, Electronic & System Engineering, Faculty of Engineering & Built Environment, Universiti Kebangsaan Malaysia, Malaysia

<sup>b</sup>General Company Of Electricity Production Middle Region, Ministry of Electricity, Iraq

### Article history

Received

23 June 2015

Received in revised form


14 November 2015

Accepted

23 Januari 2016

\*Corresponding author  
jamalabdali@ukm.edu.my

### Graphical abstract



### Abstract

Optimization techniques are increasingly used in research to improve the control of three-phase induction motor (TIM). Indirect field-oriented control (IFOC) scheme is employed to improve the efficiency and enhance the performance of variable speed control of TIM drives. The space vector pulse width modulation (SVPWM) technique is used for switching signals in a three-phase bridge inverter to minimize harmonics in the output signals of the inverter. In this paper, a novel scheme based on particle swarm optimization (PSO) algorithm is proposed to improve the variable speed control of IFOC in TIM. The PSO algorithm is used to search the best values of parameters of proportional-integral (PI) controller (proportional gain ( $k_p$ ) and integral gain ( $k_i$ )) for each speed controller and voltage controller to improve the speed response for TIM. An optimal PI controller-based objective function is also used to tune and minimize the mean square error (MSE). Results of all tests verified the robustness of the PSO-PI controller for speed response in terms of damping capability, fast settling time, steady state error, and transient responses under different conditions of mechanical load and speed.

**Keywords:** Particle swarm optimization, indirect field oriented control, SVPWM, Inverter, induction motor.

© 2016 Penerbit UTM Press. All rights reserved

## 1.0 INTRODUCTION

Squirrel-cage three-phase induction motors (TIMs) are commonly used in considerable research because they are considered industrial workhorses for various applications, as well as because of their ease of maintenance, ruggedness, simple structure, affordability, high degree of reliability, and robustness [1]. The vector control scheme for TIM drives has been widely used in high-performance control systems because of its robustness, high efficiency, good power factor, and extreme ruggedness [2,3]. Indirect field-oriented control (IFOC) scheme has been designed to enhance the controller robustness of TIM drives and realize the torque-flux decoupling technique. This scheme realizes the characteristics of separately excited DC motor TIM drives [2,4]. Considerable studies have employed IFOC as a control for various

applications, such as double-star induction machine [5], TIM [2-4], and system to monitor wind energy conversion [6].

TIMs supplied by three-phase bridge inverter is generated through the control techniques on the switching. These control techniques are called pulse width modulation (PWM) approaches, such as sinusoidal PWM, space vector PWM (SVPWM), carrier-based PWM, selective harmonic elimination PWM, and harmonic band PWM [7,8]. The SVPWM is the best approach for switching control of the inverter because this technique can minimize switching losses and harmonic output signals [3,8,9].

Various conventional controllers are available such as proportional-integral (PI) controller. This controller has been widely used in many devices because of its simple control structure, ease of design, and affordability [4]. This controller scheme is also used to



numerous researchers because of its verified robustness, ease of implementation, and global exploration ability in various applications [11,14]. The particles in the PSO algorithm search the space in two locations. The first location is the best point where the swarm has found the current iteration (local best). The second location is the best point found through all previous iterations (global best) [15]. The principle of the PSO algorithm depends on two factors, namely, velocity and position of particles. These factors can be updated by using the following equations [11,14,16]:

$$V_i^d(t+1) = wV_i^d(t) + c_1r_1(P_i^d(t) - X_i^d(t)) + c_2r_2(P_t^d(t) - X_i^d(t)) \quad (5)$$

$$X_i^d(t+1) = X_i^d(t) + V_i^d(t+1) \quad (6)$$

where  $c_1$  is social rate and  $c_2$  is cognitive rate.  $r_1, r_2$  are the random in the interval (0,1).  $V$  is the velocity factor of agent  $i$  at iteration  $d$ ,  $t$  is the present iteration,  $w$  is the inertia factor, and  $X$  is the position factor.

The PI controller or conventional controller is one of best ways to control TIM because this control scheme has the advantages of simple structure, ease of design, and inexpensive hardware implementation. However, this scheme has difficulty finding suitable values for coefficients of the PI controller ( $k_p, k_i$ ). Thus, the PSO algorithm is used to find the best values for parameters of PI in TIM. The objective function used the MSE to obtain a minimized error in speed response of TIM. The MSE is expressed as follows [15]:

$$MSE = \frac{1}{n} \sum_{i=1}^n error^2 \quad (7)$$

where  $error = \omega_{ref} - \omega_r$ , the error and  $n$  is number of sample. Figure 2 shows the flow chart of the improved speed, q-axis voltage, and d-axis voltage of the PI controller by using the PSO algorithm for the performance development of TIM [11,14,16].




Figure 2 Flow diagram of PSO-based optimal PI controller

#### 4.0 MODELING AND DESCRIPTION OF THE PROPOSED SYSTEM

Figure 3 shows the developed PSO-PI controller simulation model for the three controllers (torque, q-axis voltage, and d-axis voltage) in the TIM drive model. The SVPWM switching technique is utilized to control the TIM drive to improve the signals that are supplied to the TIM. The TIM model is a stationary reference frame, where rotor speed and stator currents are measured depending on the feedback signal. Therefore, the speed sensor and current sensor have to be measured.

The IFOC strategy generates the three voltages to the SVPWM, which are needed for the four-signal feedback. The first signal is rotor speed ( $\omega_r$ ) coming from the speed sensor to the PSO-PI torque controller

to produce the torque reference ( $T_{em}$ ) and the field weakening to generate the d-axis of the rotor flux. These control signals are inputted to field-oriented control (FOC) to create the d-q axes of stator current reference ( $i_{qs}^e, i_{ds}^e$ ) and slip speed ( $\omega_{sl}$ ). The three signals of feedback are stator currents coming from the current sensor and converted to the d-q axes of stator currents by using Clark's and Park's transformation techniques. The error of the stator currents is inputted to two PSO-PI controllers. The first controller is the control on the q-axis stator current to produce the q-axis voltage stator. The second controller is the control on the d-axis stator current to produce the d-axis voltage stator. Thus, the d-q voltages convert to three voltages and proceed to SVPWM to be supplied to the TIM.

### 5.0 RESULTS AND DISCUSSION

Figure 3 shows the Simulink model for IFOC, which represents the total structure of VSI fed to TIM. The modeling includes the three controllers called the PSO-PI controllers, which are used to improve the IFOC method to obtain robustness of controller in TIM. Moreover, the modeling includes the SVPWM technique that receives three voltages to control switching derives (IGBT) in the inverter to obtain regularity of voltage and frequency supplied to the




Figure 4 Relationship curve between MSE and iterations

The simulation results are presented in two test cases to calculate the robustness and enhance effectiveness of the proposed PSO-PI controllers with IFOC. The two cases are (1) fixed speed with varying mechanical load and (2) constant mechanical load with varying speed.




Figure 3 Block diagram of the proposed PSO controller for IFOC

TIM. The performance of the proposed PSO-PI controllers on the TIM is found to be a strong controller under sudden changes in the reference speed and mechanical load at different intervals. The proposed controller has used 100 iterations to find the best results and minimize MSE on speed response (Figure 4). The proposed controller is applied on the TIM of 1HP by using Matlab/Simulink software.

#### 5.1 Sudden Changes In Mechanical Load

The first test on the TIM assumes constant reference speed and varying mechanical load. The test is conducted to illustrate the possibility of controlling the sudden changes in mechanical load. The mechanical load is gradually changed starting from the TIM working on full speed (157 rad/s) but without load until 0.2 s. The load is then changed to a quarter of the

mechanical load until 0.3 s, half of the mechanical load until 0.4 s, three quarters of the mechanical load until 0.5 s, and finally full mechanical load until 0.6 s. The process is repeated but inversely conducted, starting from full load to no load. Figure 5a shows that the speed response controller for TIM is good under the change of mechanical load by removing overshoot and settling time and minimizing steady-state error between the reference and actual speed. The stator currents showed fixed frequency and variable in peak value because of the dependence on fixed speed and varying mechanical load (Figure 5b).




Figure 5 Speed with torque variations: (a) speed response and (b) stator currents

### 5.2 Sudden Changes In Reference Speed

The second test is conducted to verify the performance of the proposed controller under the sudden change in reference speed with constant load. The change of speed has considered two statuses. The first case is rotating the TIM direction counterclockwise by changing the ramp from initial to

full speed at 0.1 s. The full speed is then fixed to 0.4 s and the direction is changed to clockwise (Figure 6). The second status is a difficult case, which is step changing of speed in the initial full speed (157 rad/s) at 0.2 s, and then changing to 118 rad/s at 0.3 s, 78.5 rad/s at 0.4 s, 59 rad/s at 0.6 s, 118 rad/s at 0.7 s, 78.5 rad/sec at 0.8 s, and finally to full speed at 1 s (Figure 7a). The stator currents showed the variable in frequency value because of the dependence on variable speed (Figure 7b).




Figure 6 Ramp speed response




Figure 7 The speed variations with fixed load (a) speed response and (b) stator currents

## 6.0 CONCLUSION

This paper presented a PSO-PI controller to improve the IFOC in TIM. The proposed controller scheme is formulated to automatically change the parameters of the PI used in the three controllers (torque and d-q axis voltages). A suitable objective function is developed to minimize the MSE of the speed response and to enhance the effectiveness of IFOC by tuning the parameters of the proposed PI controller used in the TIM applications. The TIM drive is modeled with IFOC control and SVPWM technique under varying conditions of speed and mechanical load. The results confirmed that the PSO-PI controller scheme increased the robustness and performance of the controller as well as the speed responses under the conditions of sudden changes in mechanical load and speed by removing the overshoot, settling time, and steady state error.

## Acknowledgement

The authors are grateful to Ministry of Science, Technology and Innovation, Malaysia for supporting this research financially under grant 06-01-02-SF1060.

## References

- [1] Ashraf, S., Rateb, I. and Tarek, T. 2010. Hardware-In-the-Loop for on-Line Identification and Control of Three-Phase Squirrel Cage Induction Motors. *Simulation Modelling Practice and Theory*. 18: 277-290.
- [2] Rutuja, S. H. and J., G., C. 2011. Indirect Field Oriented Control for Induction Motor. *Fourth International Conference on Emerging Trends in Engineering & Technology*. 192-194.
- [3] Ishtiyaque, A. and R.K., T. 2012. Indirect Field Oriented Control (IFOC) of Induction Motor Using SVPWM Fed with Z-Source Inverter. *Students Conference on Engineering and Systems (SCES)*. 1-5.
- [4] Farzad, R. and Beitollah, G. 2011. Imperialist Competitive Algorithm (ICA)-Optimized PI Speed Control in the Indirect Field-Oriented Control of an IM Drive. *IEEE Colloquium on Humanities, Science and Engineering Research (CHUSER)*. 445-448.
- [5] Salima, L., Tahar, B. and Youcef, S. 2014. Indirect Rotor Field Oriented Control Based On Fuzzy Logic Controlled Double Star Induction Machine. *Electrical Power and Energy Systems*. 57: 206-211.
- [6] Sreenivasa Y., R., and Jaya A., L. 2012. Fuzzy logic based indirect Vector control of Induction generator in Wind Energy Conversion System. *International Conference on Power, Signals, Controls and Computation (EPSCICON)*. 1-5.
- [7] Rong, W. Z. and Xiao-Jie, W. 2014. Simplified SVPWM that Integrates Overmodulation and Neutral Point Potential Control. *Journal of Power Electronics*. 14: 926-936.
- [8] M. Valan, R., P.S., M. and A., R. 2013. Simulation and an Experimental Investigation of SVPWM Technique on A Multilevel Voltage Source Inverter for Photovoltaic Systems. *Electrical Power and Energy Systems*. 52: 116-131.
- [9] Jamal, A. A., Mahammad, A. H. and Azah, M. 2015. Rule-Based Fuzzy and V/f Control for Induction Motor Speed Responses Using SVPWM Switching Technique. *Przegląd Elektrotechniczny*. 91: 133-136.
- [10] Wang, Q. and Wang, R. and Chen, J. 2008. Design and Application of PID Controller Based Improved Artificial Immune Algorithm. *International Symposium on Systems and Control in Aerospace and Astronautics (ISSCAA)*. 1-5.
- [11] Mohamad, F. H., Hazlina, S. and Salinda B. 2015. An Improved Global Particle Swarm Optimization for Faster Optimization Process. *Jurnal Teknologi (Sciences & Engineering)*. 72: 63-66.
- [12] Omar, E. and Haitham A. 2012. Indirect Field Oriented Control Of An Induction Motor Fed By A Bidirectional Quasi Z-Source Inverter. *Annual Conference on IEEE Industrial Electronics Society (IECON)*. 5297-5302.
- [13] Noaman, M. N. 2008. Speed Control for IFOC Induction Machine with Robust Sliding Mode Controller. *Asain Journal of Scientific Research*. 4: 324-337.
- [14] Liyana, R., Yahaya, M., Zaharuddin, M., M., Khairi, A. and M. Fahezal, I. 2015. Composite Nonlinear Feedback Control with Multi-objective Particle Swarm Optimization for Active Front Steering System. *Jurnal Teknologi (Sciences & Engineering)*. 72: 13-20.
- [15] Hazem, N. N. and Habib, R. 2007. Application of Adaptive Fuzzy Control to Ac Machines. *Applied Soft Computing*. 7: 899-907.
- [16] E.H.E., Bayoumi, M.A., Awadallah, and H.M. Soliman. 2011. Deadbeat Performance of Vector-Controlled Induction Motor Drives Using Particle Swarm Optimization and Adaptive Neuro-Fuzzy Inference Systems. *Electromotion*. 18: 231-242.