

## Influence of neutral surface position on the nonlinear stability behavior of functionally graded plates

T. Prakash · M. K. Singha · M. Ganapathi

Published online: 12 August 2008  
© Springer-Verlag 2008

**Erratum to: Comput Mech**  
**DOI 10.1007/s00466-008-0309-8**

We have found a typo error in the stiffness coefficients of Eq. (10) of the original article. The correct expressions for the stiffness coefficients  $[A_{ij}]^{ns}$ ,  $[D_{ij}]^{ns}$ ,  $[A_{ij}]$ ,  $[B_{ij}]$  and  $[D_{ij}]$  ( $i, j = 1, 2, 6$ ) are

$$[A_{ij}, D_{ij}]^{ns} = \int_{-\frac{h}{2}-C}^{\frac{h}{2}-C} [\bar{Q}_{ij}](1, z_{ns}^2) dz_{ns}$$
$$[A_{ij}, B_{ij}, D_{ij}] = \int_{-h/2}^{h/2} [\bar{Q}_{ij}](1, z_{ms}, z_{ms}^2) dz_{ms}$$

---

The online version of the original article can be found under  
doi:[10.1007/s00466-008-0309-8](https://doi.org/10.1007/s00466-008-0309-8).

---

T. Prakash · M. K. Singha (✉)  
Department of Applied Mechanics,  
Indian Institute of Technology Delhi, New Delhi 110 016, India  
e-mail: maloy@am.iitd.ac.in

M. Ganapathi  
Formerly Professor, Institute of Armament Technology, Girinagar,  
Pune 411 025, India