

Intelligent Neural Network Design for Nonlinear Control using Simultaneous Perturbation Stochastic Approximation (SPSA) Optimization

Adrienn Dineva^{*}, Annamária R. Várkonyi-Kóczy^{**}, József K. Tar^{***} and Vincenzo Piuri^{****}

^{*}Doctoral School of Applied Informatics and Applied Mathematics, Óbuda University, Budapest, Hungary

^{*}Doctoral School of Computer Science, Università degli Studi di Milano, Crema, Italy

^{**}Institute of Mechatronics & Vehicle Engineering, Óbuda University, Budapest Hungary

^{**}Department of Mathematics and Informatics, J. Selye University, Komarno, Slovakia

^{***}Institute of Applied Mathematics, Óbuda University, Budapest, Hungary

^{****}Department of Computer Science, Università degli Studi di Milano, Crema, Italy

E-mail: ^{*} dineva.adrienn@bgk.uni-obuda.hu, ^{**} varkonyi-koczy@uni-obuda.hu,

^{***} tar.jozsef@nik.uni-obuda.hu, ^{****} vincenzo.piuri@unimi.it

(Received September 27, 2015)

Recently intelligent control systems using neural networks (NN) have been widely applied. NNs are used to approximate complicated mathematical functions of nonlinear systems. This paper considers the design of an intelligent NN controller for nonlinear systems where the neural network is trained with the simultaneous perturbation stochastic approximation (SPSA) algorithm instead of the classical training methods. The main contribution of the SPSA method that it requires only two objective function measurements per iteration regardless of the dimension of the optimization problem. The effectiveness of the proposed scheme is demonstrated by the adaptive control of the translational oscillator / rotational actuator (TORA) system. Results of numerical simulation substantiate that the suggested approach leads to a fast way of controller designs by providing acceptable performance.

1. Introduction

Neural Networks are widely applied in various fields of intelligent systems. For instance in nonlinear control tasks which contain strong non-linearities, characterized by high dimensionalities, etc., complicated mathematical functions can be well approximated with several types of neural networks. Their main capability lies in learning a nonlinear model without a priori knowledge of the parameters and structure of the model. These problems are usually computationally complex and often evolutionary programming techniques are required. It is known, that the Simultaneous Perturbation Stochastic Approximation (SPSA) techniques serve as an alternative solution for a variety of optimization problems [1] that ensure satisfying performance with less computation time even in the case of high-dimensional parameter tuning and also well suited to the NN's learning problem. Further, these methods can be especially efficient tools for multi-agent based optimization problems (see, for e.g. [2]). However, in the literature there are few examples of the application of SPSA in nonlinear control [3][4]. For instance, recent studies address a wide range of possible application of NN-based controllers for robot manipulators highlighting its advantages in inverse kinematics problems [5]. It has been also shown that neural networks trained by the simultaneous perturbation stochastic approximation (SPSA) method guarantee closed-loop stability of the estimation in the control problem considered in [6].

This paper addresses the performance analysis of the SPSA-based neural networks in the adaptive control of the TORA (Translational Oscillator with a Rotational Proof Mass Actuator) system [7][8]. Simulation results demonstrate the potential of the proposed method.

2. SPSA Techniques for Training Neural Networks

Large amount of work on the estimation of weights in neural networks has been carried out. The SPSA-based techniques are found to be efficient in the minimization of the error criterion regardless of the dimension of the optimization problem and require only the measurement of the objective function. In contrast to the standard training algorithms both the first-order stochastic approximation and the second-order SPSA is found to be satisfactory [1][3].

2.1 The SPSA Algorithm

In this section we give a brief outline on the mathematical background on the Simultaneous Perturbation Stochastic Approximation (SPSA) algorithm which was devised by Spall in [1]. Let's consider the following mean square error minimizing problem

$$\min \frac{1}{n} \sum_{i=1}^n (y - \hat{y}(w))^2 \tag{1}$$

Where y is the target value and \hat{y} is the actual output of the neural network according to parameters w . For the first-order simultaneous perturbation stochastic approximation (commonly denoted as 1SPSA) algorithm the parameter update law is given by [1]

$$\hat{w}_j = \hat{w}_{j-1} - \lambda_j \hat{g}(\hat{w}_{j-1}) \tag{2}$$

Symbol λ_j is a scalar gain coefficient which should satisfy certain conditions [1] and $\hat{g}(\hat{w}_{j-1})$ denotes the approximation of the gradient that can be calculated as follows

$$\hat{g}_j(w_{j-1}) = \begin{bmatrix} \frac{J(\hat{w}_{j-1} + c_j \Delta_j) - J(\hat{w}_{j-1} - c_j \Delta_j)}{2c_j \Delta_{j1}} \\ \vdots \\ \frac{J(\hat{w}_{j-1} + c_j \Delta_j) - J(\hat{w}_{j-1} - c_j \Delta_j)}{2c_j \Delta_{jp}} \end{bmatrix}, \tag{3}$$

in which the elements of (\hat{w}_{j-1}) are varied simultaneously, Δ_j is a random perturbation vector generated independently while c_j is a positive scalar number. Based on this recursion, the stochastic gradient algorithm can be obtained by applying a smoothed gradient approximation as

$$G_j = p_j G_{j-1} + (1 - p_j) \hat{g}_j(w_{j-1}), \quad 0 \leq p \leq 1. \tag{4}$$

The second-order or 2SPSA algorithm is based on two-measurements defined by the formulas below

$$\hat{w}_j = \hat{w}_{j-1} - \lambda_j \bar{\bar{H}}^{-1} \hat{g}_j(w_{j-1}), \quad \bar{\bar{H}}_j = f(\bar{H}_j) \tag{5}$$

$$\bar{H}_j = \frac{j}{j+1} \bar{H}_{j-1} + \frac{1}{j+1} \hat{H}_j, \tag{6}$$

in which \hat{H}_j stands for the estimate of the Hessian matrix and \bar{H}_j is a mean.

The details of these techniques are discussed in [1][3]. Each algorithm outlined above requires only

the evaluation (or measurement) of the objective functions independent of the number of unknown parameters. Further variations of the core theory exist, such as the global (GSPSA) and the adaptive (ASPSA) techniques are also well established.

2.2 Performance Evaluation

In order to demonstrate the feasibility and performance of the application of the neural network trained by SPSAs in adaptive controllers a simulation study has been carried out. The Translational Oscillator with a Rotational Proof Mass Actuator (TORA) system has been investigated as a nonlinear benchmark problem [7] in its modified fully driven form. There have been a growing number of literature focusing on the control design of underactuated systems [8][9]. In [10] an adaptive backstepping control strategy with online approximation of uncertainties has been introduced for a class of underactuated systems with functional uncertainties.

The model contains a cart restricted to horizontal movement (translational displacement q_3 [m]) with Q_3 force. A pendulum is attached to the device with a rotary joint with angular position q_1 [rad] $\in [-\pi/3;\pi/3]$ Q_1 [Nm] torque, and at the end of it a rotatable dial can be found (q_2 [rad]) with the driving torque Q_2 [Nm]. In the underactuated model $Q_3=0$ is assumed. For q_3 and q_2 a reference signal is defined with the Q_1 and Q_2 control variables. According to [7], the equation of motion is given by

$$\begin{pmatrix} \frac{(ml^2 + \Theta)(m + M)}{ml \cos q_1} + ml \cos q_1 & \Theta \\ -\frac{(m + M)\Theta}{mL \cos q_1} & \Theta \end{pmatrix} \begin{pmatrix} \ddot{q}_3 \\ \ddot{q}_2 \end{pmatrix} + \begin{pmatrix} \frac{(ml^2 + \Theta)ml \sin q_1 \dot{q}_1}{ml \cos q_1} - mlg \sin q_1 \\ 0 \end{pmatrix} = \begin{pmatrix} Q_1 \\ Q_2 \end{pmatrix} \tag{7}$$

For adaptive control strategy the SGFPT (Sigmoid Generated Fixed Point Transformation) has been applied, that is found to be highly efficient in the control of the underactuated TORA system discussed in a previous work of the authors [11]. The applied method is based on a special fixed point transformation (see, for e.g. [12]) and assumes the existence of the approximate model of the system. Detailed discussion of this alternative method which has been originally introduced as an alternative of Lyapunov’s method in adaptive control of nonlinear systems can be found in, for e.g. [12][13][14]. When failures or critical events occur in the system it can become difficult to compute or access the necessary values thus an application of a NN can be useful for predicting the data in order to ensure continuous operation. In the present sequel we investigate the applicability of a neural network trained with SPSA technique in this task. For approximating the nonlinear functions in the control algorithm a feedforward time-delayed neural network has been applied using the model expressed as follows

$$\begin{aligned} M_{11}(q_1, \dot{q}_1) \ddot{q}_3 + H(q) \ddot{q}_2 + h_1(q_1, \dot{q}_1) &= Q_1 \\ M_{21}(q_1, \dot{q}_1) \ddot{q}_3 + H(q) \ddot{q}_2 + 0 &= Q_2. \end{aligned} \tag{8}$$

Here $M_{11}(q_1, \dot{q}_1)$, $M_{21}(q_1, \dot{q}_1)$, $h_1(q_1, \dot{q}_1)$ are the measured or known values for the training database for the NN approximation. The training set consists of three input sequence of 2000 data and also the Q_1 and Q_2 appropriate torque data of 1000 values for target class obtained by numerical simulations [11]. The network has been trained off-line with 1SPSA as well as 2SPSA and for comparison a conventional Levenberg-Marquardt (LM) algorithm. Twenty percent of the database has been reserved for validation while 15 % for test set. For a comparative assessment, the applicability of NNs with different configurations in the controller has been tested. The simulations have been implemented in Matlab7.

3. Simulation Results

The exact model parameters were set in $m=20$ [kg] (mass of the dial), $M=30$ kg (mass of the body of the cart), $L=2$ [m] (length of the beam) and $\Theta=20$ [kg m²] (momentum of inertia of the dial). The approximate model parameters were set in $m'=25$ [kg], $M'=22$ kg, $L'=2$ [m] and $\Theta'=18$ '[kg m²].

Table I. Simulation Results

	1SPSA		2SPSA		LM	
	n_h : number of hidden neurons		n_h : number of hidden neurons		n_h : number of hidden neurons	
	20	35	20	35	20	35
Tracking RMSE for q_3	0.0066	0.0039	4.8057e-04	3.1234e-04	0.01639	0.00539
Convergence (Number of iterations)	257	361	487	675	356	565




Fig. 1. Trajectory Tracking. Upper chart: nominal and simulated results. green line – reference signal for q_3 [m]; black dotted line – reference signal for q_2 . violet: q_3 [m](LM, n_h :20), blue: q_3 [m](1spsa, n_h :35), red: q_3 [m](2spsa, n_h :20); grey: q_2 [rad] (LM, n_h :35), black: q_2 [rad] (1spsa, n_h :20) , yellow: q_2 [rad](2spsa, n_h :20); Lower chart: zoomed part of the upper chart.

Results collected in Table 1. exemplify that SPSAs can provide improved training performance over the standard methods. The tracking performance of some configuration is illustrated in Fig.1. while the tracking error is depicted in Fig. 2. It can be observed that in the here considered task the application of NN trained with 2SPSA and with 20 hidden neurons serves the best trade-off between computational expense and performance.




Fig. 2. Tracking error. green line $q_3[m]$ (2spsa, $n_h:=20$); blue line $-q_3[m]$ (LM, $n_h:=20$); red line $-q_2[rad]$ (2spsa, $n_h:=35$); black line $-q_2[rad]$ (LM, $n_h:=35$)

4. Conclusions

This paper has given an account of intelligent neural network design using SPSA techniques for nonlinear control. It has been shown by the comparative analysis, that the proposed approach leads to a fast and simpler design methodology in case of different NN configurations. The proposed scheme is applied in the adaptive control of the TORA system. Results of numerical simulations validate that the application of the neural network trained with SPSA technique in adaptive control ensures satisfactory performance with less computation time need and appropriately suites to the RFPT-based control strategy. The results also highlight that the 2SPSA provides the best trade-off between performance and computation need in contrast to the other training methods. With the spacious examination of different analyze our results prove to be promising.

Acknowledgement

This work has been supported by the Hungarian National Scientific Fund (OTKA 105846).

References

- [1] J. C. Spall, J. A. Cristion, Nonlinear Adaptive Control Using Neural Networks: Estimation with Smoothed Form of Simultaneous Perturbation Gradient Approximation, *Statistica Sinica* (4), pp. 1-27, 1994
- [2] I. Nagy, From Exploring to Optimal Path Planning Considering Navigation's Error in Multi-agent Mobile Robot's Domain, *Acta Polytechnica Hungarica*, Vol. 11 No. 6, pp. 39-55, ISSN: 1785-8860, 2014

- [3] A. Vande Wouwer, C. Renotte, M. Renotte, and M. Remy, On the Use of Simultaneous Perturbation Stochastic Approximation for Neural Network Training, In Proc. of the Am. Contr. Conf., pp. 388–392, 1999
- [4] M. Ahmad, S. Azuma and T. Sugie, Performance Analysis of Model-free PID Tuning of MIMO Systems Based on Simultaneous Perturbation Stochastic Approximation, International Journal of Expert Systems with Applications (41), pp. 6361-6370, 2014
- [5] H. Patino, R. Carelli, B.R. Kuchen, Neural Networks for Advanced Control of Robot Manipulators, IEEE Trans. on Neural Networks, Vol. 13., No.2, pp. 343-354, 2002
- [6] Q. Song, J.C. Spall, Yen C. Soh, J. Ni, Robust Neural Network Tracking Controller Using Simultaneous Perturbation Stochastic Approximation, IEEE Trans. on Neural Networks, Vol 19., No.5, pp. 817 -835, 2008
- [7] R.T. Bupp, D.S. Bernstein and V.T. Copola, A Benchmark Problem for Nonlinear Control Design, International Journal of Robust and Nonlinear Control (8), pp. 307–310, 1998
- [8] A. Astolfi, D. Karagiannis and R. Ortega, Nonlinear and Adaptive Control with Applications (1st ed.), Communications and Control Engineering, Springer-Verlag London, ISBN 978-1-84800-065-0, 2008
- [9] J. F. Chen, A. C. Huang, Controller Design for a Class of Underactuated Mechanical Systems, IET Control Theory and Applications Vol. 6. Issue 1., pp. 103-110, 2012
- [10] A. Kulkarni, A. Kumar, Adaptive Backstepping Control for Uncertain Underactuated Systems with Input Constraints, In (Eds.: R. Rajesh, K. Ganesh and Siau Ching Lenny Koh) International Conference on Modelling Optimization and Control, Procedia Engineering, Vol. 38, pp. 1001–1010, 2012
- [11] A. Dineva, J. K. Tar, A.R. Várkonyi-Kóczy, V. Piuri, Generalization of a Sigmoid Generated Fixed Point Transformation from SISO to MIMO Systems, IEEE 19th International Conference on Intelligent Engineering Systems (INES 2015), 2015.09.3-5, Bratislava, Slovakia, pp. 135-140, ISBN: 978-1-4673-7938-0, 2015
- [12] J.K. Tar, J.F. Bitó, and I.J. Rudas, Replacement of Lyapunov's Direct Method in Model Reference Adaptive Control with Robust Fixed Point Transformations, 14th IEEE International Conference on Intelligent Engineering Systems 2010, Las Palmas of Gran Canaria, Spain, pp. 231–235, 2010
- [13] J.K. Tar. Towards Replacing Lyapunov's 'Direct' Method in Adaptive Control of Nonlinear Systems (invited plenary lecture), In Proc. of the 2010 Mathematical Methods in Engineering International Symposium (MME 2010), October 21-24, 2010, Coimbra, Portugal, 2010
- [14] J.K. Tar, J.F. Bitó, L. Nádai, J.A. Tenreiro Machado, Robust Fixed Point Transformations in Adaptive Control using Local Basin of Attraction, Acta Polytechnica Hungarica Vol. 6 No.1, pp. 21–37, 2009