Interactive TOPSIS Based Group Decision Making Methodology Using Z-Numbers

Abdul Malek Yaakob*

School of Quantitative Sciences, Universiti Utara Malaysia, Sintok, 06010 Kedah, Malaysia

Alexander Gegov

School of Computing, University of Portsmouth, Portsmouth PO1 3HE, United Kingdom E-mail: alexander.gegov@port.ac.uk www.port.ac.uk

Received 14 July 2014

Accepted 15 January 2016

Abstract

The ability in providing result that is consistent with actual ranking remains the major concern in group decision making environment. The main aim of this paper is to introduce a novel modification of TOPSIS method to facilitate multi criteria decision making problems based on the concept of Z-numbers called Z-TOPSIS. The proposed method is adequate and intuitive in giving meaningful structure for formalizing information of a decision making problem, as it takes into account the decision makers' reliability. This study also provides bridge with some established knowledge in fuzzy sets to certain extend as to strengthen the concept of ranking alternatives using Z – numbers. To ensure practicality and effectiveness of proposed method, stock selection problem is studied. The ranking based on proposed method is validated comparatively using spearman rho rank correlation. Based on the analysis, the proposed method outperforms the established TOPSIS methods in term of ranking performance.

Keywords: Type-1 fuzzy number, interval type-2 fuzzy number, z-number, multi-criteria decision making, TOPSIS, stock selection, reliability of information.

-

^{*}Corresponding author

Tel: +6049286301 Fax: +6049286309

Email: abd.malek@uum.edu.my Alternative Email:abdul.yaakob@port.ac.uk School of Quantitative Sciences,College of Arts & Sciences,Universiti Utara Malaysia, 06010, Sintok,Kedah, Malaysia.

1. Introduction

There has an increasing interest in group decision making technique and a considerable amount of study has published on it. In about forty years since it is introduced, over 70 Multi Criteria Decision Making (MCDM) techniques has developed for facilitating decision making practice [1]. MCDM is a practical tool for selection and ranking of a number of alternatives, its applications are numerous[2]–[5]. Amongst the techniques available, the frequently used are Simple Additive Weighting (SAW)[6], Analytical Hierarchy Process (AHP) [7], ELimination and Choice Expressing REality(ELECTRE)[8], and Technique for Order Preference by Similarity to Ideal Solution (TOPSIS)[9].

SAW method is based on the weighted average. An assessment score is considered for all alternatives by multiply the scaled importance given to the alternative of that element with the weights of relative importance directly assigned by decision maker. However, SAW uses only for maximizing assessment criteria, while minimizing assessment criteria should be transformed into the maximizing ones by the respective formulas prior to their relevance [10]. While for AHP, it is based on the decision maker assigning a relative value of weight for all of the criteria by pair-wise comparison. The shortcoming is that the exhaustive pair-wise comparison is tiresome and time consuming when there are a lot of alternatives to considered. On the other hand, ELECTRE which is introduce by [11], categorised into three namely Choice problematic, ranking problematic and sorting problematic. For ranking problematic, ELECTRE II, ELECTRE III and ELECTRE IV are used. They are concerned with the ranking of all the activities belonging to a specified set of activities from the greatest to the worst. A major problem with the ELECTRE methods is they use similar threshold values but provide different ranking towards alternatives. Therefore, the aforementioned techniques have limitations from one to another.

In contrary, TOPSIS which is introduced in 1981[12], it is a helpful technique in dealing with MCDM problems in real life. It chooses the best alternative in a problem by taking the alternative that has the shortest distance from the positive ideal solution and the farthest from the negative ideal solution. It helps Decision Makers (DMs) solve the problem through

analysis, comparisons and rankings of the alternatives. TOPSIS has deemed one of the major decision making techniques. In recent years, TOPSIS has been effectively applied to the areas of human resources management [13], transportation [5], product design [14], manufacturing [15], water management [16], quality control [4], military [2], tourism [17] and location analysis [18]. In addition, the concept of TOPSIS has also been connected to multi-objective decision making and group decision making. The high flexibility of this concept is able to accommodate further extension to make better choices in various situations.

According to [19] and [20], TOPSIS has the following three advantages: (i) a sound logic that represents the rationale of individual choice; (ii) a scalar value that record for both the best and worst alternatives concurrently; and (iii) a straightforward computation algorithm that can be easily programmed into a spreadsheet. These advantages make TOPSIS a popular MCDM technique as compared with other related techniques such as AHP and ELECTRE[21]. In fact, TOPSIS is a value-based process that compares each alternative directly depending on information in the evaluation matrices and weights [5]. Thus, TOPSIS is chosen as the main body of expansion in this study.

In 2000, TOPSIS methodology was introduced for the first time in fuzzy environment which believed can provide additional flexibility to represent the uncertainty comparison to non-fuzzy TOPSIS by [22]. After a decade. researcher has established methodology using interval type 2 fuzzy set, which supposed can offer further degree of freedom to represent the uncertainty and the fuzziness of the real world comparison to type 1 version of TOPSIS[23]. Nevertheless, the reliability of the decision information and the experience of the expert are not well taken into consideration in decision process. Therefore the problems arise how confident the decision makers are about their decision. According to [24], the issue of reliability of information is very important in decision making environment as this is extensively discussed in [25]. The concept of Z-numbers captures the fuzziness of information better than type-1 and interval type-2 fuzzy set. They provide an additional feature which is the reliability of decision makers in representing the

fuzziness of the decision makers' preference. Hence, in this methodology, the concept of Z-numbers introduced by [25] has been used to propose a novel modification of TOPSIS called Z-TOPSIS. This modification is more effective and intuitively significant for formalising the information structure of decision making problem.

The paper is organized as follows. In the next section, theoretical preliminaries for TOPSIS are given. Section 3 focuses on the proposed TOPSIS method, with various combinations in an algorithm-by-algorithm fashion. Afterwards, the case study on stock selection problem is conducted to illustrate the usefulness of proposed method. For the analysis purposes these results are compared with returns on investment as benchmarking and validated comparatively using Spearman rho rank correlation. In the final section, conclusions are drawn.

2. Basic Terms and Definitions

In the following, we briefly review some basic definitions of fuzzy sets. These basic definitions and notations are used throughout the paper unless stated otherwise.

Definition 1 [22]: Fuzzy set

A fuzzy set A is defined on a universe X may be given as:

$$A = \{(x, \mu_A(x)) | x \in X\}$$

Where $\mu_A(x): X \to [0,1]$ is the membership function A. The membership value $\mu_A(x)$ describes the degree of belongingness of $x \in X$ in A.

Throughout this paper, type-1 fuzzy number, interval type-2 fuzzy number and Z-number are presented in the form of trapezoidal fuzzy number. It is easy to deal with because it is piece wise linear. On the other hand, the good coverage of trapezoidal fuzzy number is a good compromise between efficiency and effectiveness.

Definition 2 [22]: Type-1 Fuzzy Number A trapezoidal fuzzy numbers can be represented by the following membership function given by

$$\mu_{A}(x) = (a_{i1}, a_{i2}, a_{i3}, a_{i4}) = \begin{cases} \frac{x - a_{i1}}{a_{i2} - a_{i1}} & \text{if} \quad a_{i1} \le x \le a_{i2} \\ 1 & \text{if} \quad a_{i2} \le x \le a_{i3} \\ \frac{a_{i4} - x}{a_{i4} - a_{i3}} & \text{if} \quad a_{i3} \le x \le a_{i4} \\ 0 & \text{otherwise} \end{cases}$$




Fig.1: Type-1 Fuzzy Number

Definition 2[26]: Interval Type-2 Fuzzy Set

A type-2 fuzzy set \widehat{A} in the universe of discourse X is represented by a type-2 membership function $\mu_{\widetilde{A}}$ as follows:

$$\widetilde{A} = \left\{ \begin{aligned} &\left\{ \left((x, u), \mu_{\widetilde{A}}(x, u) \right) | \\ &\forall u \in J_X \subseteq [0, 1], 0 \le \mu_{\widetilde{A}}(x, u) \le 1 \end{aligned} \right\} ,$$

where J_X denotes an interval in [0, 1]. A type-2 fuzzy set \widetilde{A} can also be represented as:

$$\widetilde{A} = \int_{x \in X} \int_{u \in J_x} \frac{\mu_{\widetilde{A}}(x, u)}{(x, u)},$$

where $J_X \subseteq [0,1]$ and \iint denotes the union over all admissible x and u.

Definition 3 [23]: Interval Type-2 Fuzzy Number A trapezoidal interval type-2 fuzzy set \widetilde{A} can be represented by $\widetilde{A}_i = (A_i^U, A_i^L) = ((a^U, b^U, c^U, d^U; h_1(A_i^U), h_2(A_i^U)), (a^L, b^L, c^L, d^L; h_1(A_i^L), h_2(A_i^L)))$ as shown in Figure 2, where A_i^U and A_i^L are type-1 fuzzy sets, $a_{i1}^U, a_{i2}^U, a_{i3}^U, a_{i4}^U, a_{i1}^L, a_{i2}^L, a_{i3}^L$ and a_{i4}^L are the reference points of the interval type-2 fuzzy set $A_i, H_j(A_i^U)$ denotes the membership value of the element $a_{i(j+1)}^U$ in the upper trapezoidal membership function $A_i^U, 1 \le j \le 2, H_j(A_i^L)$ denotes the membership value of the lower trapezoidal membership function $A_i^U, 1 \le j \le 2, H_1(A_i^U) \in [0,1], H_2(A_i^U) \in [0,1], H_1(A_i^L) \in [0,1], H_2(A_i^L) \in [0,1],$ and $1 \le i \le n$





Fig. 2: Interval type-2 Fuzzy Number

Definition 4 [27]: Z-number

Z-number is an ordered pair of type-1 fuzzy numbers denoted as $Z=(\widetilde{A},\widetilde{B})$. The first component \widetilde{A} , a restriction on the values, is a real-valued uncertain variable. The second component \widetilde{B} is a measure of reliability for the first component. The illustration of the Z-number can be described as Figure 3.



The concept of a Z-numbers, $Z=(\widetilde{A},\widetilde{B})$, is intended to provide a basis for computation with numbers which not totally reliable. A Z-number can be used to represent the information about an uncertain variable of the type where A represents a value of the variable X, and the second component, B represent an idea of certainty or probability such as the concept of sureness, confident, reliability, strength of belief and possibilities. Or informally, B may be interpreted as a response to the question: How sure are decision makers that X is A. Example of Z-valuation are:

(Very good, Likely), (Good, Unlikely)

3. Proposed Method

A systematic approach to extend the TOPSIS using Z-number is proposed in this section. Step 1 is the extension of non-fuzzy TOPSIS, where the concept of Z-number is introduced into the formulation. Z number enhance the capability of both type -1 and type -2 fuzzy numbers by taking into account the reliability of the numbers used[25]. This concept is very suitable

for solving group decision-making problem in fuzzy environment.

In this paper, the importance weights of various criteria and the ratings of qualitative criteria are considered as linguistic variables. These linguistic variables can be expressed in positive trapezoidal fuzzy numbers as Tables 1, 2 and 3.

Table 1: Linguistic Variables for the Importance Weight of Each Criterion

Linguistic Variables	Trapezoidal Fuzzy Number
Very Low (VL)	(0.00, 0.00, 0.00, 0.10)
Low (L)	(0.00, 0.10, 0.10, 0.25)
Medium Low (ML)	(0.15, 0.30, 0.30, 0.45)
Medium (M)	(0.35, 0.50, 0.50, 0.65)
Medium High (MH)	(0.55, 0.70, 0.70, 0.85)
High (H)	(0.80, 0.90, 0.90, 1.00)
Very High (VH)	(0.90, 1.00, 1.00, 1.00)

Table 2:Linguistic Variables for the Ratings of all alternative

Linguistic Variables	Trapezoidal Fuzzy Number
Very Poor (VP)	(0,0,0,1)
Poor (P)	(0, 1, 1, 3)
Medium Poor (MP)	(1,3,3,5)
Fair (F)	(3, 5, 5, 7)
Medium Good (MG)	(5,7,7,9)
Good (G)	(7, 9, 9, 10)
Very Good (VG)	(9, 10, 10, 10)

Table 3: Linguistic Variables for the Expert's Reliability

Linguistic Variables	Trapezoidal Fuzzy Number
Strongly Unlikely (SU)	(0.00, 0.00, 0.00, 0.10)
Unlikely (U)	(0.00, 0.10, 0.10, 0.25)
Somewhat Unlikely (SWU)	(0.15, 0.30, 0.30, 0.45)
Neutral (N)	(0.35, 0.50, 0.50, 0.65)
Somewhat Likely (SWL)	(0.55, 0.70, 0.70, 0.85)
Likely (L)	(0.80, 0.90, 0.90, 1.00)
Strongly Likely (SL)	(0.90, 1.00, 1.00, 1.00)

In [22], it is suggested that the decision makers use the linguistic variables in Table 1, 2 to evaluate the importance of the criteria and the ratings of alternatives with respect to various criteria. In addition to this, Table 3 is proposed here, which is implementing the Z-TOPSIS formulation to deal on decision makers' reliability. The importance of criteria, the rating of alternatives and the reliability of decision makers can be written in the form $Z = (\widetilde{A}, \widetilde{B})$.

The following algorithm is conducted to get the ranking of alternatives, whereby Step 1 is purely from [24] but it make use the linguistics variable for expert's

reliability from Table 3 for the component B in Z-number, follows by Step 2-7 are adopted from [22].

Z-TOPSIS ALGORITHM

Step 1: Used the Information from Table 3 to Derive Component B, and Then Convert Z-Number to Type-1 Fuzzy Number

Assume a Z-number, $Z = (\widetilde{A}, \widetilde{B})$ Let $\{\widetilde{A} = (x, \mu_{\widetilde{A}}) \mid x \in [0,1]\}, \{\widetilde{B} = (x, \mu_{\widetilde{B}}) \mid x \in [0,1]\}, \quad \mu_{\widetilde{A}}$ and $\mu_{\widetilde{B}}$ is a trapezoidal membership function. The second part (reliability) needs to convert into crisp number using fuzzy expectation as shown in Eq. (1)

$$\alpha = \frac{\int x \mu_{\widetilde{B}} dx}{\int \mu_{\widetilde{B}} dx} \tag{1}$$

where \int denotes an algebraic integration. Then add the weight of the second part (reliability) to the first part (restriction). Weighted Z-number can be denoted as shown in Eq. (2)

$$\widetilde{Z}^{\alpha} = \{(x, \mu_{\widetilde{A}^{\alpha}}) \mid \mu_{\widetilde{A}^{\alpha}}(x) = \alpha \mu_{\widetilde{A}}(x), x \in [0,1]\}$$
 (2)

These can be type-1 fuzzy number as shown in Eq. (3)

$$\widetilde{Z}' = \{ \langle x, \mu_{\widetilde{Z}^{\alpha}}(x) \rangle | \mu_{\widetilde{Z}^{\alpha}}(x) = \mu_{\widetilde{A}}(\frac{x}{\sqrt{\alpha}}), x \in [0,1] \}$$
 (3)

It is proven in [24] that \widetilde{Z}' has the same Fuzzy Expectation with \widetilde{Z}^{α} .

Step 2: Construct Decision Matrix \widetilde{D} and Weight Matrix \widetilde{W}

Assume that a decision group has K persons, and then the importance of the criteria and the rating of alternatives with respect to each criterion can be calculated as in Eq. (4).

$$\widetilde{x}_{ij} = \frac{1}{K} \left[\widetilde{x}_{ij}^{1}(+) \widetilde{x}_{ij}^{2}(+) \cdots (+) \widetilde{x}_{ij}^{K} \right]$$

$$\widetilde{w}_{j} = \frac{1}{K} \left[\widetilde{w}_{j}^{1}(+) \widetilde{w}_{j}^{2}(+) \cdots (+) \widetilde{w}_{j}^{K} \right]$$

$$(4)$$

where \tilde{x}_{ij}^{K} and \tilde{w}_{j}^{K} are the rating and the importance

weight of the K^{th} decision maker Multi criteria decision making problem can easily expressed in matrix format as shown in Eq. (5).

$$\widetilde{D} = \begin{bmatrix} \widetilde{x}_{11} & \widetilde{x}_{12} & \cdots & \widetilde{x}_{1n} \\ \widetilde{x}_{21} & \widetilde{x}_{22} & \cdots & \widetilde{x}_{2n} \\ \vdots & \vdots & \ddots & \vdots \\ \widetilde{x}_{m1} & \widetilde{x}_{m2} & \cdots & \widetilde{x}_{mn} \end{bmatrix}$$
 (5)

$$\widetilde{W} = \begin{bmatrix} \widetilde{w}_1 & \widetilde{w}_2 & \cdots & \widetilde{w}_n \end{bmatrix}$$

where \tilde{x}_{ij} for all i, j and \tilde{w}_j , $j = 1, 2, \dots, n$ are linguistic variables. These linguistic variables can be described by fuzzy numbers, $\tilde{x}_{ij} = (a_{ij,}b_{ij,}c_{ij,}d_{ij,})$ and $\tilde{w}_j = (w_{j1}, w_{j2}, w_{j3}, w_{j4})$.

Step 3: Construct Normalized Fuzzy Decision Matrix, \tilde{R} For the purpose of making various scales comparable, linear scale transformation is used to construct normalized fuzzy decision matrix as shown in Eq. (6)

Let
$$\widetilde{R} = \left[\widetilde{r}_{ij}\right]_{mn}$$
 (6)

where B and C are the set of benefit criteria and cost criteria, respectively, and

$$\begin{split} \widetilde{r}_{ij} &= \left(\frac{a_{ij}}{c_{j}^{*}}, \frac{b_{ij}}{c_{j}^{*}}, \frac{c_{ij}}{c_{j}^{*}}, \frac{d_{ij}}{c_{j}^{*}}\right), & j \in B; \\ \widetilde{r}_{ij} &= \left(\frac{a_{j}^{-}}{d_{ij}}, \frac{a_{j}^{-}}{c_{ij}}, \frac{a_{j}^{-}}{b_{ij}}, \frac{a_{j}^{-}}{a_{ij}}, \right), \ j \in C; \end{split}$$

$$d_j^* = \max_i d_{ij} \text{ if } j \in B;$$

$$a_j^- = \min_i a_{ij} \text{ if } j \in C;$$

The technique mentioned on top of is to preserve the property that the ranges of normalized fuzzy numbers belong to [0,1].

Step 4: Construct the Weighted Normalized Fuzzy

Decision Matrix, \widetilde{V}

Considering the different importance of each criterion, we can construct the weighted normalized fuzzy decision matrix as shown in Eq. (7)

$$\widetilde{V} = \left[\widetilde{v}_{ij}\right]_{m \times n} i = 1, 2, \dots, m \text{ and } j = 1, 2, \dots, n$$
 (7)

where
$$\widetilde{v}_{ij} = \widetilde{r}_{ij} (\cdot) \widetilde{w}_j$$
.

Step 5: Find Fuzzy Positive-Ideal Solution, A^* and Fuzzy Negative-Ideal Solution, A^-

Based on the weighted normalized fuzzy decision matrix, the elements \widetilde{V}_{ij} , for all i and j are normalized positive triangular fuzzy numbers and their ranges belong to the closed interval [0,1]. Then, we can define the fuzzy positive-ideal solution and fuzzy negative-ideal solution as shown in Eq. (8).

$$A^* = (\widetilde{v}_1^*, \widetilde{v}_2^*, \dots, \widetilde{v}_n^*),$$

$$A^- = (\widetilde{v}_1^-, \widetilde{v}_2^-, \dots, \widetilde{v}_n^-),$$
(8)

where
$$\widetilde{v}_{j}^{*} = (1,1,1,1)$$
 and, $\widetilde{v}_{j}^{-} = (0,0,0,0)$ for $j = 1,2,...,n$

Step 6: Find Distance of Each Alternative from A^* and A^-

The distance of each alternative from A^* and A^- can be currently calculated as shown in Eq. (9).

$$d_i^* = \sum_{j=1}^n d(\widetilde{v}_{ij}, \widetilde{v}_j^*), i = 1, 2, ..., m,$$
(9)

$$d_i^- = \sum_{j=1}^n d(\widetilde{v}_{ij}, \widetilde{v}_j^-), i = 1, 2, ..., m,$$

where $d(\cdot, \cdot)$ is the distance measurement between two fuzzy numbers.

Step 7: Find Closeness Coefficient, CC;

A closeness coefficient is defined to determine the ranking order of all alternatives once the d_i^* and d_i^- of each alternative A_i for i = 1, 2, ..., m has been calculated. The closeness coefficient of each alternative is calculated as shown in Eq. (10).

$$CC_i = \frac{d_i^-}{d_i^* + d_i^-}, i = 1, 2, ..., m$$
 (10)

Obviously, an alternative A_i is closer to the A^* and farther from A^- as CC_i approaches to 1. Therefore, according to the closeness coefficient, we can determine the ranking order of all alternatives and select the best one from among a set of feasible alternatives.

4. Application to a Stock Selection Problem

In this case study the evaluation is done by three decision makers. These financial experts including finance lecturer, fund manager and PhD finance student. They evaluated 25 Securities listed on Main Board in Bursa Malaysia at 30 November 2007 and then make

investment recommendations according to financial ratio considered. The stocks are Green Packet Bhd(S1), Malaysian Pacific Industries(S2), AIC Corp Bhd(S3), MesiniagaBhd(S4), HeiTechPaduBhd(S5), D&O Ventures Bhd(S6), Pentamaster Corp Bhd(S7), ENG Teknologi HldgsBhd(S8), Patimas Computers Bhd(S9), Metronic Global Bhd(S10), Globetronics Technology Bhd(S11), Unisem M Bhd(S12), GHL Systems Bhd(S13), Kobay Technology Bhd(S14), AliranIhsan Resources Bhd(S15), PuncakNiaga Holding Bhd(S16), Ranhill Utilities Bhd(S17), Digi.Com Bhd(S18), Time dotComBhd(S19), LingkaranTransKotaHldg(S20), YTL Power International Bhd(S21), BIMB Holdings Bhd(S22), Pan Malaysia Holdings Bhd(S23), Syarikat Takaful Malaysia(S24), Kuchai Development Bhd(S25).

The most importance ratio considered in investment is Market Value of Firm (C1) defined as Market value of firm-to-earnings before amortization, interest and taxes ratio. This ratio is one of the most frequently used financial indicators and the lower this ratio is better [28]. Return on Equity (C2) used to examine how much the company earns on the investment of its shareholders. Portfolio managers examine this ratio very carefully and used it when deciding whether to buy or sell. The higher the ratio is better. Dept/equity ratio (C3), this ratio belongs to long term solvency ratios that are intended to address the firm's long run ability to meet its obligations. So, it is assume by DMs that the lower the ratio the better[29]. Current ratio (C4) is one of the ways to measure liquidity of company. explains the ability of a business to meet its current obligations when fall due. Higher the ratio is better[30]. Market value/net sales (C5) is market value ratios of particular interest to the investor are earnings per common share, the price-to-earnings ratio, market value-to book value ratio, earning-to-price ratio. The lower the ratio is the better[31]. Price/earnings ratio (C6) measure the ratio of market price of each share of common stock to the earnings per share, the lower this ratio is better. In the case study, the alternative of decision makers to be rank and to be weighted according to the above mention ratios are 25 stocks listed in Bursa Malaysia.

In this study, Microsoft Excel is used to calculate all the calculation involved in the evaluating the ranking of stocks and the weight of each criterion. The processes of evaluating the ranking and weight of each stock are as follow the proposed methods. The DMs use the linguistic weighting variable in Table 1 to assess the importance of the criteria ,and make use information in Table 3 to measure the DMs reliability when assess the

criteria then we represent it in the z-number form Z = (A, B) as Table 4 below:

Afterward, the DMs use the linguistic rating variable in Table 2 to evaluate the rating of stock with respect to each criterion and use information in Table 3 to cooperate DMs reliability in evaluating the stock performance with respect to each criterion as presented in Table 5, 6 and 7 (see Annexes).

Table 4: Importance of the criteria and the DMs reliability

	D	M1	D	M2	DM3		
Criteria	A	В	A	В	A	В	
(C1)	VH	L	Н	L	VH	SL	
(C2)	MH	SWL	MH	SL	MH	L	
(C3)	Н	SL	M	SWL	Н	SL	
(C4)	M	L	ML	L	MH	L	
(C5)	Н	SL	MH	SL	ML	SWL	
(C6)	ML	L	ML	L	ML	L	

All linguistic terms can be express as trapezoidal fuzzy number as shown in Table 1, 2 and 3. The Z-TOPSIS Algorithm introduced in Section 3 is now illustrated for the case study of stock selection problem.

Step 1: Used the Information from Table 3 to Derive Component B, and Then Convert Z-Number to Type-1 Fuzzy Number

In this step, using Eq. (1)-(3), the important of criteria C1 from Table 4 is used to illustrate the procedure of proposed approach. Assume Decision Maker 1 (DM1) give his opinion as follows:

$$\widetilde{A} = (0.9, 1.0, 1.0, 1.0, 1)$$

$$\widetilde{B} = (0.8, 0.9, 0.9, 1.0, 1)$$

The DMs knowledge can be expressed to Z-number as:

$$\widetilde{Z} = [(0.9,1.0,1.0,1.0,1),(0.8,0.9,0.9,1.0,1)]$$

At first, we should convert DMs reliability into crisp number

$$\alpha = \frac{\int x \mu_{\widetilde{B}} dx}{\int \mu_{\widetilde{B}} dx} = 0.9$$

Second, add the weight of reliability to the constraint.

$$\widetilde{Z}^{\alpha} = (0.9, 1.0, 1.0, 1.0, 0.9)$$

Third, convert the weighted Z-number to Type-1 fuzzy number according to proposed approach.

$$\widetilde{Z}' = (\sqrt{0.9} * 0.9, \dots, (\sqrt{0.9} * 1.0))$$

$$=(0.8538,0.9487,0.9487,0.9487)$$

Repeat the same procedure for all DM's judgments. By considering the decision makers reliability, the importance of the criteria and the rating of all alternative were obtained in the Table 8.

Table 8: Z-weight matrix for each criterion

	DM1	DM2	DM3			
C1	(0.8538 0.9487 0.9487 0.9487) (0.7589 0.8538 0.8538 0.9487) (0.8849 0.9832 0.9832 0.9832)			
C2	(0.4602 0.5857 0.5857 0.7112) (0.5408 0.6882 0.6882 0.8357) (0.5218 0.6641 0.6641 0.8064)			
C3	(0.7866 0.8849 0.8849 0.9832) (0.2928 0.4183 0.4183 0.5438) (0.7866 0.8849 0.8849 0.9832)			
C4	(0.3320 0.4743 0.4743 0.6166) (0.1423 0.2846 0.2846 0.4269) (0.5218 0.6641 0.6641 0.8064)			
C5	(0.7866 0.8849 0.8849 0.9832) (0.5408 0.6882 0.6882 0.8357) (0.1255 0.2510 0.2510 0.3765)			
C6	(0.1423 0.2846 0.2846 0.4269) (0.1423 0.2846 0.2846 0.4269) (0.1423 0.2846 0.2846 0.4269)			

Step 2: Construct Z- Average Decision Matrix, \widetilde{D} and Z-Average Weight Matrix. \widetilde{W}

Z-Average Weight Matrix. W Considering Eq. (4), the fuzzy decis

Considering Eq. (4), the fuzzy decision matrix and the fuzzy weight of each criterion is constructed.

In this case, the rating of S1 and weight respect to C1 is calculated as below.

$$\widetilde{x}_{ij} = (a, b, c, d) \ a = 6.36 + 8.85 + 5.85/3 = 7.02,$$
 $b = 7.07 + 9.83 + 7.53/3 = 8.14,$
 $c = 7.07 + 9.83 + 7.53/3 = 8.14,$
 $d = 7.07 + 9.83 + 8.37/3 = 8.42.$

Therefore the average rating for S1 is $\widetilde{x}_{11} = (7.02, 8.14, 8.14, 8.42)$. The Z- decision matrix and Z- weight of each criterion shown in Table 9 (see Annexes).

In order to define Z-average weight matrix using Eq. (4) $\widetilde{w}_{ii} = (a, b, c, d)$, a = 0.85 + 0.76 + 0.88/3 = 0.83,

$$b = 0.95 + 0.85 + 0.98/3 = 0.93$$
,
 $c = 0.95 + 0.85 + 0.98/3 = 0.93$, and
 $d = 0.95 + 0.95 + 0.98/3 = 0.96$

Therefore the average weighting for S1 is $\widetilde{w}_{11} = 0.83, 0.93, 0.93, 0.96$

Step 3: Construct a Normalized Z- Decision Matrix (\widetilde{R}) The normalization method involved is to preserve the property that the ranges of normalized trapezoidal fuzzy number belong to [0,1]. The normalized fuzzy decision matrix is constructed based on Eq. (6), by assuming the max $C_{1j} = 9.83$, then the normalized rating calculated as below

$$\widetilde{r}_{11} = (7.02/9.83, 8.14/9.83, 8.14/9.83, 8.42/9.83)$$

 $\widetilde{r}_{11} = (0.71, 0.83, 0.83, 0.86)$

Thus, the normalized *Z*-decision matrix is as in Table 10 (see Annexes).

Step 4: Construct the weight normalize Z-decision making matrix (\widetilde{V})

To construct fuzzy weighted normalized fuzzy decision matrix, Let $\widetilde{v}_{ij} = (a,b,c,d)$ then the \widetilde{v}_{11} is calculated using Eq. (7)

$$a = 0.71*0.83 = 0.59$$
, $b = 0.83*0.93 = 0.77$, $c = 0.83*0.93 = 0.77$, and $d = 0.86*0.96 = 0.82$

Therefore the weight normalizes rating for S1 with respect to C1 is $\tilde{v}_{11} = (0.59, 0.77, 0.77, 0.82)$.

Step 5: The Fuzzy Positive-Ideal Solution A^* and Fuzzy Negative-Ideal Solution A^-

The fuzzy positive ideal solution and fuzzy negative ideal solution are defined based on Eq. (8).

$$A^* = [(1,1,1,1)_1, (1,1,1,1)_2, \dots, (1,1,1,1)_{25}],$$

$$A^- = [(0,0,0,0)_1, (0,0,0,0)_2, \dots, (0,0,0,0)_{25}].$$

Step 6: Distance of Each Alternative from \widetilde{A}^* And \widetilde{A}^- The distance between weights normalized rating \widetilde{v}_{ij} from FPIS and FNIS for 25 stocks are determined using Eq. (9) as shown in Table 11. The coefficients D^+ and D^- are derived as below.

$$d(C_{11}, A^{+}) = \sqrt{\frac{1}{3} \left[(0.59 - 1)^{2} + \dots + (0.89 - 1)^{2} \right]} = 0.32$$

and similarly

$$d(C_{12}, A^+) = 0.55, d(C_{13}, A^+) = 0.58,$$

 $d(C_{14}, A^+) = 0.70, d(C_{15}, A^+) = 0.61, d(C_{16}, A^+) = 0.93$ producing overall:

$$\therefore D_{11}^+ = \sum_{j=1}^n d(\widetilde{v}_{ij}, \widetilde{v}_j^*)$$

= 0.32 + 0.55 + 0.58 + 0.70 + 0.61 + 0.93 = 3.68

Next, using Eq. (16) for S1

$$d(C_{11}, A^{-}) = \sqrt{\frac{1}{3} \left[(0.59 - 0)^{2} + \dots + (0.82 - 0)^{2} \right]} = 0.86$$

and similarly

$$d(C_{12}, A^{-}) = 0.63, d(C_{13}, A^{-} = 0.60,$$

 $d(C_{14}, A^-) = 0.48, d(C_{15}, A^-) = 0.59, d(C_{16}, A^-) = 0.26$ producing overall:

$$D_{11}^- = \sum_{j=1}^n d(\widetilde{v}_{ij}, \widetilde{v}_j^-)$$

= 0.86 + 0.63 + 0.60 + 0.48 + 0.59 + 0.26 = 3.43

Table 11: Distance of each alternative from \tilde{A}^* and \tilde{A}^-

Stock	D+	D-
S1	3.68	3.43
S2	4.98	2.13
S3	5.84	1.27
S4	4.66	2.48
S5	5.49	1.65
S6	5.20	1.92
S7	4.30	2.81
S8	4.88	2.25
S9	5.91	1.16
S10	4.96	2.19
S11	4.72	2.40
S12	4.51	2.64
S13	5.11	2.02
S14	5.04	2.08
S15	4.91	2.24
S16	4.78	2.35
S17	5.16	1.95
S18	5.00	2.11
S19	5.43	1.67
S20	4.54	2.55
S21	4.82	2.32
S22	5.41	1.73
S23	4.33	2.80
S24	5.49	1.66
S25	4.46	2.70

Step 7: The Closeness Coefficient of Each Criterion, CC:

Based on the distance of alternative in Table 11, the closeness coefficient for each alternative are derived using Eq. (10). For example, the closeness coefficient for S1 is calculated using Eq. (10) as follows:

$$CC_1 = \frac{d_i^-}{d_i^* + d_i^-} = \frac{3.43}{3.68 + 3.43} = 0.48$$

The closeness coefficient and the ranking of 25 stocks based on proposed method is shown in Table 12.

5. Discussion of Results

The ranking produced by Z-TOPSIS (see Table 12) is compared with the type-1 TOPSIS method and interval type-2 TOPSIS method as shown in Table 13 and 14, where DMs reliability is not considered. The returns on investment for a month trading period have been used for validation purposes. Investment is dynamic process, since longer the investment period, the greater the risk. It depends on the return on investment. If the percentage is higher, investors very quickly sell their share. So, for this study one month investment is preferable.

Table 12: Ranking of 25 stocks based on Z-TOPSIS

	amo av	
RANK	STOCK	CC
1	Green Packet Bhd(S1),	0.48
2	Pentamaster Corp Bhd(S7),	0.40
3	Pan Malaysia Holdings Bhd(S23),	0.39
4	Kuchai Development BHD (S25).	0.38
5	Unisem M Bhd(S12),	0.37
6	Lingkaran TransKota Hldg (S20),	0.36
7	Mesiniaga Bhd(S4),	0.35
8	Globetronics Technology BHD(S11),	0.34
9	Puncak Niaga Holding BHD (S16),	0.33
10	YTL Power International Bhd(S21),	0.32
11	ENG Teknologi Hldgs BHD (S8),	0.32
12	Aliran Ihsan Resources Bhd (S15),	0.31
13	Metronic Global Bhd(S10),	0.31
14	Malaysian Pacific Industries(S2),	0.30
15	Digi.Com BHD (S18),	0.30
16	Kobay Technology BHD(S14),	0.29
17	GHL Systems Bhd(S13),	0.28
18	Ranhill Utilities Bhd(S17),	0.27
19	D&O Ventures Bhd(S6),	0.27
20	BIMB Holdings Bhd(S22),	0.24
21	Time dotCom Bhd(S19),	0.24
22	Syarikat Takaful Malaysia (S24),	0.23
23	HeiTech Padu Bhd(S5),	0.23
24	AIC Corp BHD (S3),	0.18
25	Patimas Computers Bhd (S9),	0.16

In the stock market, a price change or return in investment is the difference in trading prices from one period to the next or the difference between the daily opening and closing prices of a share of stock. For example, let's say Company Malaysian Pacific Industries (S2) shares opened at MYR8.60 and closed at MYR9.30. The price change is MYR0.7 or percentage of return is MYR0.7/MYR8.60 x 100 = 8.14% as shown in Table 15.

In the real stock market, the greater the positive price change/returns, the more desirable the stock. Likewise, the greater the negative price change/returns the less desirable the stock. The statistical method, spearman rho correlation, is used in this study to identify and test the strength of a relationship between

ranking based on TOPSIS methods and ranking based on returns on investment. At the same time, its measure the efficiency in terms of methods based on rankings performance as shown in Table 16.

Table 13: Ranking based on type 1 TOPSIS

	TYPE 1- TOPSIS METHOD	
RANK	STOCK	CC
1	Green Packet Bhd(S1),	0.6565
2	Kuchai Development BHD (S25).	0.5361
3	Pentamaster Corp Bhd(S7),	0.5341
4	Puncak Niaga Holding BHD (S16),	0.5183
5	Unisem M Bhd(S12),	0.5072
6	Globetronics Technology BHD(S11),	0.5044
7	Pan Malaysia Holdings Bhd(S23),	0.5043
8	Mesiniaga Bhd(S4),	0.4976
9	Lingkaran TransKota Hldg (S20),	0.4821
10	ENG Teknologi Hldgs BHD (S8),	0.4812
11	Aliran Ihsan Resources Bhd (S15),	0.4535
12	Malaysian Pacific Industries(S2),	0.4495
13	Metronic Global Bhd(S10),	0.4489
14	YTL Power International Bhd(S21),	0.4483
15	BIMB Holdings Bhd(S22),	0.4436
16	GHL Systems Bhd(S13),	0.4401
17	Digi.Com BHD (S18),	0.4348
18	Kobay Technology BHD(S14),	0.4256
19	D&O Ventures Bhd(S6),	0.4088
20	Ranhill Utilities Bhd(S17),	0.4001
21	HeiTech Padu Bhd(S5),	0.3853
22	Syarikat Takaful Malaysia (S24),	0.3665
23	Time dotCom Bhd(S19),	0.3640
24	Patimas Computers Bhd (S9),	0.2756
25	AIC Corp BHD (S3),	0.2559

Table 14: Ranking based on interval type 2 TOPSIS

	TYPE 2- TOPSIS METHOD	
RANK	STOCK	CC
1	Green Packet Bhd(S1),	0.94
2	Pentamaster Corp Bhd(S7),	0.77
3	Pan Malaysia Holdings Bhd(S23),	0.69
4	Unisem M Bhd(S12),	0.68
5	Lingkaran TransKota Hldg (S20),	0.66
6	Kuchai Development BHD (S25).	0.63
7	Mesiniaga Bhd(S4),	0.61
8	ENG Teknologi Hldgs BHD (S8),	0.60
9	Puncak Niaga Holding BHD (S16),	0.59
10	Globetronics Technology BHD(S11),	0.56
11	YTL Power International Bhd(S21),	0.56
12	Metronic Global Bhd(S10),	0.54
13	Kobay Technology BHD(S14),	0.53
14	Digi.Com BHD (S18),	0.53
15	Aliran Ihsan Resources Bhd (S15),	0.51
16	Malaysian Pacific Industries(S2),	0.50
17	Ranhill Utilities Bhd(S17),	0.48
18	GHL Systems Bhd(S13),	0.47
19	D&O Ventures Bhd(S6),	0.46
20	BIMB Holdings Bhd(S22),	0.44
21	HeiTech Padu Bhd(S5),	0.39
22	Syarikat Takaful Malaysia (S24),	0.37
23	Time dotCom Bhd(S19),	0.37
24	AIC Corp BHD (S3),	0.35
25	Patimas Computers Bhd (S9),	0.34

For the validation purposes, the authors consider the rankings based on existing non rule based approach and returns on investment. These rankings are compared descriptively using Spearman rho correlation.

The Advantages of this correlation method are its easy algebraic structure and intuitively simple interpretation. Besides this, the method is less sensitive to bias due to the effect of outliers and can be used to reduce the weight of outliers, i.e. large distances get treated as a one-rank difference.

Table 15: Ranking of 25 stocks based on returns on investment

Ranking	Stock	Returns (%)
1	AIC Corp BHD (S3),	25.98
2	Green Packet Bhd(S1),	12.45
3	AliranIhsan Resources Bhd (S15),	11.21
4	Malaysian Pacific Industries(S2),	8.14
5	PuncakNiaga Holding BHD (S16),	6.38
6	Pan Malaysia Holdings Bhd(S23),	5.56
7	YTL Power International Bhd(S21),	3.05
8	Globetronics Technology BHD(S11),	2.27
9	Kobay Technology BHD(S14),	1.45
10	Kuchai Development BHD (S25).	0.95
11	D&O Ventures Bhd(S6),	0.00
12	Digi.Com BHD (S18),	-0.40
13	Unisem M Bhd(S12),	-0.60
14	Syarikat Takaful Malaysia (S24),	-0.63
15	Time dotComBhd(S19),	-0.69
16	LingkaranTransKotaHldg (S20),	-1.02
17	Pentamaster Corp Bhd(S7),	-1.54
18	Ranhill Utilities Bhd(S17),	-2.04
19	HeiTechPaduBhd(S5),	-2.20
20	BIMB Holdings Bhd(S22),	-2.88
21	MesiniagaBhd(S4),	-4.35
22	Metronic Global Bhd(S10),	-6.25
23	Patimas Computers Bhd (S9),	-9.09
24	ENG Teknologi Hldgs BHD (S8),	-9.86
25	GHL Systems Bhd(S13),	-10.87

In general, the coefficient of $\operatorname{rho}(\rho)$ measures the strength of association between two ranked variables. The formula used to calculate Spearman's Rank is shown in Eq. (11)

$$\rho = 1 - \frac{6\sum_{i} \hat{\sigma}_{i}^{2}}{n^{3} - n} \tag{11}$$

where ∂_i represents the difference between the ranks and n donated number of alternatives considered. The coefficient, ρ can take values between +1 to -1. If $\rho = 1$ indicates a perfect relationship of ranks, if $\rho = 0$ shows no relationship between ranks and $\rho = -1$ indicates a perfect negative association of ranks. The closer ρ is to zero, the weaker the relationship between the ranks.

 $Table\ 16: TOPSIS\ Ranking\ Performance\ Based\ on\ Spearman\ Rho\ Correlation\ for\ Established\ Methods\ (EM)\ and\ Proposed\ Method\ (PM)$

						T1	(EM) IT2 (EM)		(EM)	Z-TOP	PSIS (PM)
No.	Stock	Actual	T1 (EM)	IT2 (EM)	Z (PM)	∂_i	∂_{i}^{2}	∂_i	∂_i^2	$\bar{\mathcal{O}}_i$	∂_i^2
1	S1	2	1	1	1	1	1	1	1	1	1
2	S2	4	12	16	14	-8	64	-12	144	-10	100
3	S3	1	25	24	24	-24	576	-23	529	-23	529
4	S4	21	8	7	7	13	169	14	196	14	196
5	S5	19	21	21	23	-2	4	-2	4	-4	16
6	S6	11	19	19	19	-8	64	-8	64	-8	64
7	S7	17	3	2	2	14	196	15	225	15	225
8	S8	24	10	8	11	14	196	16	256	13	169
9	S9	23	24	25	25	-1	1	-2	4	-2	4
10	S10	22	13	12	13	9	81	10	100	9	81
11	S11	8	6	10	8	2	4	-2	4	0	0
12	S12	13	5	4	5	8	64	9	81	8	64
13	S13	25	16	18	17	9	81	7	49	8	64
14	S14	9	18	13	16	-9	81	-4	16	-7	49
15	S15	3	11	15	12	-8	64	-12	144	-9	81
16	S16	5	4	9	9	1	1	-4	16	-4	16
17	S17	18	20	17	18	-2	4	1	1	0	0
18	S18	12	17	14	15	-5	25	-2	4	-3	9
19	S19	15	23	23	21	-8	64	-8	64	-6	36
20	S20	16	9	5	6	7	49	11	121	10	100
21	S21	7	14	11	10	-7	49	-4	16	-3	9
22	S22	20	15	20	20	5	25	0	0	0	0
23	S23	6	7	3	3	-1	1	3	9	3	9
24	S24	14	22	22	22	-8	64	-8	64	-8	64
25	S25	10	2	6	4	8	64	4	16	6	36
						0	1992	0	2128	0	1922
		Rho	coefficient (ho)			0.234		0.182		0.261
	Meth	ods Ranki	ng according	g performance			2		3		1

Based on the analysis in Table 16, it is observed that the proposed method, Z-TOPSIS, outperform the existing non rule based approach in term of ranking performance.

6. Summary

This paper introduces a novel Z-TOPSIS methodextending the capability of the new concept of Z number within multi-criteria decision making analysis particularly TOPSIS. Proposed method takes into account the decision maker reliability very well. Compared to existing TOPSIS methods based on type 1 and interval type 2, Z- TOPSIS can efficiently represent uncertain information. Based on analysis of results, Z-TOPSIS produces the most significant rho coefficient comparison to others established TOPSIS methods. It seems to be more effective and intuitively significant for formalizing information structure of a decision making problem. Proposed method also has more powerful to describe the knowledge of human being and will be widely used in uncertainty information process. Furthermore, this study also provides bridge with some established knowledge in fuzzy sets to certain extend as to strengthen the concept of ranking alternatives using Z- numbers.

References

- [1] X. Sun and Y. Li, "An Intelligent Multi-Criteria Decision Support System for Systems Design," 10th AIAA Aviat. Technol. Integr. Oper. Conf., pp. 1–11, Sep. 2010.
- [2] M. Dağdeviren, S. Yavuz, and N. Kılınç, "Weapon selection using the AHP and TOPSIS methods under fuzzy environment," *Expert Syst. Appl.*, vol. 36, no. 4, pp. 8143– 8151, May 2009.
- [3] Ü. Şengül, M. Eren, S. Eslamian Shiraz, V. Gezder, and A. B. Şengül, "Fuzzy TOPSIS method for ranking renewable energy supply systems in Turkey," *Renew. Energy*, vol. 75, pp. 617–625, Mar. 2015.
- [4] M. Saremi, S. F. Mousavi, and A. Sanayei, "TQM consultant selection in SMEs with TOPSIS under fuzzy environment," *Expert Syst. Appl.*, vol. 36, no. 2, pp. 2742–2749, Mar. 2009.
- [5] A. Awasthi, S. S. Chauhan, and H. Omrani, "Application of fuzzy TOPSIS in evaluating sustainable transportation systems," *Expert Syst. Appl.*, vol. 38, no. 10, pp. 12270– 12280, Sep. 2011.
- [6] Y.-J. Wang, "A fuzzy multi-criteria decision-making model based on simple additive weighting method and relative preference relation," *Appl. Soft Comput.*, vol. 30, pp. 412– 420, May 2015.
- [7] L. Abdullah and N. Zulkifli, "Integration of fuzzy AHP and interval type-2 fuzzy DEMATEL: An application to human resource management," *Expert Syst. Appl.*, vol. 42, no. 9, pp. 4397–4409, Jun. 2015.
- [8] A. Ishizaka and P. Nemery, "Assigning machines to incomparable maintenance strategies with ELECTRE-SORT," Omega, vol. 47, pp. 45–59, Sep. 2014.

- [9] D. Li, "TOPSIS-Based Nonlinear-Programming Methodology for Multiattribute Decision Making With Interval-Valued Intuitionistic Fuzzy Sets," *IEEE Trans.* Fuzzy Syst., vol. 18, no. 2, pp. 299–311, 2010.
- [10] V. Podvezko, "The Comparative Analysis of MCDA Methods SAW and COPRAS," Eng. Econ., vol. 22, no. 2, pp. 134–146, 2011.
- [11] J. Figueira, V. Mousseau, and B. Roy, "Chapter 1 ELECTRE METHODS Introduction: A brief History," in Multiple Criteria Decision Analysis: State of the Art Surveys, 2005, pp. 1–35.
- [12] K. Hwang, C.L.Yoon, Multiple Atribute Decision Making: Methods and Applications. New York: Springer- Verlag, 1981.
- [13] A. Kelemenis, K. Ergazakis, and D. Askounis, "Support managers' selection using an extension of fuzzy TOPSIS," *Expert Syst. Appl.*, vol. 38, no. 3, pp. 2774–2782, Mar. 2011
- [14] H. Shidpour, M. Shahrokhi, and A. Bernard, "A multi-objective programming approach, integrated into the TOPSIS method, in order to optimize product design; in three-dimensional concurrent engineering," *Comput. Ind. Eng.*, vol. 64, no. 4, pp. 875–885, Apr. 2013.
- [15] Y. T. İç, "An experimental design approach using TOPSIS method for the selection of computer-integrated manufacturing technologies," *Robot. Comput. Integr. Manuf.*, vol. 28, no. 2, pp. 245–256, Apr. 2012.
- [16] A. Pires, N.-B. Chang, and G. Martinho, "An AHP-based fuzzy interval TOPSIS assessment for sustainable expansion of the solid waste management system in Setúbal Peninsula, Portugal," *Resour. Conserv. Recycl.*, vol. 56, no. 1, pp. 7– 21, Nov. 2011.
- [17] D. Mohamad and R. M. Jamil, "A Preference Analysis Model for Selecting Tourist Destinations based on Motivational Factors: A Case Study in Kedah, Malaysia," Procedia - Soc. Behav. Sci., vol. 65, pp. 20–25, Dec. 2012.
- [18] T. Özcan, N. Çelebi, and Ş. Esnaf, "Comparative analysis of multi-criteria decision making methodologies and implementation of a warehouse location selection problem," *Expert Syst. Appl.*, vol. 38, no. 8, pp. 9773–9779, Aug. 2011.
- [19] G. Kim, C. S. Park, and K. P. Yoon, "Identifying investment opportunities for advanced manufacturing systems with comparative-integrated performance measurement," *Int. J. Prod. Econ.*, vol. 50, no. 1, pp. 23–33, May 1997.
- [20] H.-S. Shih, H.-J. Shyur, and E. S. Lee, "An extension of TOPSIS for group decision making," *Math. Comput. Model.*, vol. 45, no. 7–8, pp. 801–813, Apr. 2007.
- [21] S. H. Zanakis, A. Solomon, N. Wishart, and S. Dublish, "Multi-attribute decision making: A simulation comparison of select methods," *Eur. J. Oper. Res.*, vol. 107, no. 3, pp. 507–529, Jun. 1998.
- [22] C.-T. Chen, "Extensions of the TOPSIS for group decision-making under fuzzy environment," *Fuzzy Sets Syst.*, vol. 114, no. 1, pp. 1–9, Aug. 2000.
- [23] S.-M. Chen and L.-W. Lee, "Fuzzy multiple attributes group decision-making based on the interval type-2 TOPSIS method," *Expert Syst. Appl.*, vol. 37, no. 4, pp. 2790–2798, Apr. 2010.
- [24] B. Kang, D. Wei, Y. Li, and Y. Deng, "A Method of Converting Z-number to," J. Inf. Comput. Sci., vol. 3, no. March, pp. 703–709, 2012.
- [25] L. A. Zadeh, "A Note on Z-numbers," *Inf. Sci. (Ny).*, vol. 181, no. 14, pp. 2923–2932, Jul. 2011.
- [26] J. M. Mendel, R. I. John, and F. L. Liu, "Interval type 2 fuzzy logical system made simple," *IEEE Trans. Fuzzy Syst.*, vol. 6, no. 14, pp. 808–821, 2006.

- [27] Ahmad Syafadhli Abu Bakar and Alexander Gegov, "Multi-Layer Decision Methodology For Ranking Z-Numbers," *Int.* J. Comput. Intell. Syst., vol. 8, no. 2, pp. 395–406, 2015.
- [28] F. Tiryaki and M. Ahlatcioglu, "Fuzzy stock selection using a new fuzzy ranking and weighting algorithm," *Appl. Math. Comput.*, vol. 170, no. 1, pp. 144–157, Nov. 2005.
- [29] J. Lukeman, The Market Maker's Edge: Day Trading Tactics from a Wall Street Insider. Canada: McGrawHill Profesional, 2003.
- [30] A. Roshayani, U. Laily, and M. A. Siti Maznah, *Financial Accounting An Introduction*, 2nd Editio. Malaysia: McGrawHill Education, 2007.
- [31] J. J. Weygandt, D. E. Kieso, and P. D. & Kimmel, Accounting principles, 6th Editio. United State of America: John Wiley & Son, Inc., 2002.

Annexes

Table 5: Rating of 25 stocks by DM1 for all criteria

			DF	CISIO	N M	AKFR	1					
STOCK		CRITERIA										
	(C1	(22	(23	(C4	(C5	C6	
	A	В	Α	В	Α	В	A	В	A	В	A	В
S1	VG	N	VG	N	G	N	VG	L	G	L	G	SWL
S2	VP	SWL	VG	SWL	F	L	P	SWL	G	L	G	SL
S3	VP	L	VP	SL	G	SL	P	L	VP	L	F	SL
S4	F	L	MP	N	F	N	G	L	MP	SWL	G	SL
S5	P	SWL	P	L	F	SWL	F	N	P	SL	F	L
S6	VP	N	G	SL	F	SL	F	SWL	VP	L	F	SWL
S7	VG	L	F	SWL	F	L	F	SL	G	SL	F	N
S8	F	N	F	N	F	N	F	L	P	N	VG	SL
S9	VP	SL	VP	SL	F	SWL	P	L	VP	SWL	F	L
S10	F	N	G	N	F	SL	F	SL	P	SL	F	SL
S11	P	SWL	G	L	F	N	F	L	P	N	G	SL
S12	G	N	G	SL	F	L	F	SWL	P	L	F	SWL
S13	P	L	G	SL	F	N	VG	L	P	N	F	L
S14	F	N	P	SWL	F	SWL	G	L	P	SWL	VG	N
S15	P	SL	F	N	F	SL	G	SWL	P	SL	F	SL
S16	F	N	VG	SL	F	L	G	SL	P	L	F	SWL
S17	P	N	VG	SL	VP	N	F	N	P	N	P	N
S18	P	SWL	VG	L	G	SWL	F	L	P	SWL	VG	L
S19	VP	SL	VP	N	F	SL	G	SL	F	SL	F	SL
S20	VG	SL	G	SL	F	N	F	SWL	G	L	VG	N
S21	P	L	VG	SWL	G	L	F	L	P	N	F	SWL
S22	F	SL	F	N	F	N	P	SL	F	SL	P	SL
S23	VG	SWL	P	SL	F	SWL	G	L	F	SWL	VG	L
S24	VP	SL	G	L	P	SL	F	L	F	SL	F	N
S25	VG	L	F	SL	F	L	G	SL	G	L	G	SWL

Table 6: Rating of 25 stocks by DM2 for all criteria

	DECISION MAKER 2														
STOCK						CRITE									
	(C1	(22	(23	(C4	(C5	C6				
	A	В	Α	В	Α	В	A	В	Α	В	Α	В			
S1	VG	SL	VG	L	F	SL	MG	SWL	MG	SL	F	SWL			
S2	P	L	VG	SWL	G	L	F	L	MG	SL	F	SL			
S3	P	SWL	VP	SL	G	SWL	F	SL	P	SWL	F	SWL			
S4	MP	L	F	SWL	VG	SWL	G	SWL	P	L	F	L			
S5	P	N	F	L	VG	SL	G	SWL	VP	SWL	MG	SL			
S6	P	SWL	MG	SWL	VG	L	G	SWL	VP	SWL	MG	L			
S7	VG	L	MG	SL	F	SWL	F	SL	G	N	G	N			
S8	G L		MG	L	G	SWL	G	N	P	L	P	SL			
S9	P	N	VP	SWL	VG	N	F	SWL	F	L	F	N			
S10	F	L	G	SL	F	L	G	L	P	SL	G	SWL			
S11	F	SL	G	SWL	VG	SL	VG	N	F	SL	F	L			
S12	MG	SWL	G	L	G	L	F	SWL	F	SWL	MG	SL			
S13	P	L	G	SL	VG	SWL	G	SL	VP	L	VG	SWL			
S14	G	L	F	SWL	VG	SL	G	SL	P	SWL	P	SL			
S15	MG	SL	G	L	G	SL	VG	L	F	SL	G	L			
S16	F	SWL	VG	SWL	P	N	G	N	F	L	G	SWL			
S17	F	SL	VG	L	VP	L	G	SWL	F	SWL	G	SL			
S18	F	L	VG	SL	G	SWL	F	SL	VP	L	F	SL			
S19	P	SL	P	SWL	VG	SL	G	SWL	G	SWL	F	SWL			
S20	VP	SWL	G	L	P	SL	G	L	G	N	F	L			
S21	G	SL	G	L	G	SL	G	L	P	SL	MG	SL			
S22	P	SL	P	SWL	F	SWL	F	SWL	F	SWL	MP	SWL			
S23	VG	SWL	F	SL	MG	L	G	SL	G	L	P	L			
S24	P	SL	MG	SL	VP	SL	G	SL	VP	SWL	F	SL			
S25	F	L	P	SWL	F	SL	VG	L	MG	SL	G	SL			

Table 7: Rating of 25 stocks by DM3 for all criteria

_																
L		DECISION MAKER 3														
	STOCK	CRITERIA														
		(C1	(C2	(C3	(C4	(C5	C6				
		Α	В	Α	В	A	В	Α	В	A	В	Α	В			
	S1	G	SWL	VG	SWL	VG	L	VG	SL	G	L	G	SL			
	S2	VP	L	VG	L	P	N	VP	L	G	N	G	SWL			
	S3	VP	N	VP	L	G	SL	P	N	P	SL	P	L			
	S4	G	SL	G	SL	G	SWL	G	SL	P	SWL	G	N			
	S5	P	SWL	P	SWL	G	SL	P	SWL	P	L	G	SL			
	S6	VP	SL	VG	SL	G	SL	P	SWL	P	SL	MP	L			
	S7	G	N	VG	N	G	N	P	N	G	SL	P	SWL			
	S8	F	SL	G	L	G	SL	P	L	P	SL	P	L			
	S9	VP	SWL	VP	SL	VG	SL	P	SL	VP	SWL	VP	N			
	S10	F	L	VG	SL	P	SL	P	SWL	P	N	VG	SL			
	S11	P	SL	VG	SWL	G	SWL	G	SL	P	L	G	SWL			
	S12	G	SL	VG	L	F	L	P	N	P	N	G	L			
	S13	P	SWL	G	SL	MP	N	MP	L	VP	SL	VG	L			
	S14	G	SL	P	SL	MP	SL	MP	SWL	VP	L	P	L			
	S15	F	SL	P	L	P	L	MG	SL	P	L	MG	N			
	S16	G	SL	F	SL	F	L	MP	SL	P	SWL	MG	L			
	S17	G	L	G	SL	VP	SL	P	L	P	SL	G	SWL			
	S18	P	SWL	VG	N	G	SL	VP	N	VP	N	P	N			
	S19	VP	N	VP	L	VP	SWL	P	L	G	SL	F	L			
	S20	G	SL	P	SWL	G	L	P	N	G	SWL	P	SWL			
	S21	MP	SL	G	SL	P	N	P	SWL	P	SL	F	SL			
	S22	F	L	F	SL	F	SL	P	SL	F	L	P	SL			
	S23	G	SWL	P	SWL	G	SWL	G	SL	G	SWL	P	SWL			
	S24	VP	SL	VG	SL	P	SL	MG	L	VP	SL	G	N			
	S25	F	SL	F	L	F	L	F	L	F	SL	F	L			

Table 9: Z- decision matrix and Z-weight of each criterion

•	C1						C2		C3				C4				C:	5	C6				
WEIGHT	(0.83	0.93	0.93	0.96) (0.51	0.65 0.65	0.78) (0.62	0.73	0.73	0.84) (0.33	0.47	0.47	0.62) (0.48	0.61	0.61	0.73) (0.14 0.	28 0.28	0.43)
STOCK			C1				C2		C3			C4				C5				C6			
S1	(7.02	8.14	8.14	8.42) (7.48	8.31 8.31	8.31) (5.48	6.92	6.92	7.81) (7.19	8.39	8.39	8.95) (6.07	7.99	7.99	9.27) (5.08 6.	85 6.85	8.02)
S2	(0.00	0.32	0.32	1.54) (7.87	8.74 8.74	8.74) (3.16	4.66	4.66	6.08) (0.95	1.86	1.86	3.37) (5.50	7.26	7.26	8.47) (5.23 7.	10 7.10	8.36)
S3	(0.00	0.28	0.28	1.39) (0.00	0.00 0.00	0.97) (6.54	8.41	8.41	9.34) (0.98	2.19	2.19	3.95) (0.00	0.61	0.61	2.14) (1.82 3.	35 3.35	5.19)
S4	(3.56	5.48	5.48	7.07) (3.37	5.05 5.05	6.41) (5.17	6.48	6.48	7.23) (6.46	8.31	8.31	9.23) (0.28	1.43	1.43	3.18) (4.89 6.	65 6.65	7.85)
S5	(0.00	0.79	0.79	2.38) (0.95	2.18 2.18	4.00) (6.08	7.62	7.62	8.51) (2.66	3.97	3.97	5.28) (0.00	0.64	0.64	2.21) (4.88 6.	82 6.82	8.44)
S6	(0.00	0.28	0.28	1.40) (6.64	8.18 8.18	9.06) (6.12	7.75	7.75	8.73) (2.79	4.18	4.18	5.58) (0.00	0.33	0.33	1.58) (2.73 4.	56 4.56	6.38)
S7	(7.34	8.45	8.45	8.68) (4.60	6.05 6.05	7.26) (3.45	5.13	5.13	6.56) (1.97	3.51	3.51	5.30) (6.24	8.02	8.02	8.91) (2.36 3.	58 3.58	4.84)
S8	(3.90	5.66	5.66	7.11) (4.50	6.24 6.24	7.66) (4.95	6.64	6.64	7.72) (2.60	4.02	4.02	5.52) (0.00	0.88	0.88	2.64) (2.95 3.	92 3.92	5.21)
S9	(0.00	0.24	0.24	1.31) (0.00	0.00 0.00	0.93) (5.91	7.03	7.03	7.59) (0.84	2.04	2.04	3.88) (0.95	1.58	1.58	2.77) (1.66 2.	76 2.76	4.10)
S10	(2.60	4.34	4.34	6.08) (6.89	8.35 8.35	8.91) (1.93	3.55	3.55	5.49) (3.20	4.76	4.76	6.29) (0.00	0.89	0.89	2.67) (5.88 7.	43 7.43	8.36)
S11	(0.98	2.25	2.25	4.11) (6.68	8.14 8.14	8.74) (5.61	6.97	6.97	7.72) (5.36	6.89	6.89	7.85) (0.98	2.19	2.19	3.95) (5.19 7.	04 7.04	8.28)
S12	(5.34	7.02	7.02	8.14) (7.35	8.96 8.96	9.60) (4.13	6.04	6.04	7.63) (1.67	3.02	3.02	4.61) (0.84	1.95	1.95	3.61) (4.69 6.	53 6.53	8.06)
S13	(0.00	0.91	0.91	2.73) (6.88	8.85 8.85	9.83) (3.45	4.67	4.67	5.62) (5.46	7.06	7.06	8.02) (0.00	0.24	0.24	1.35) (6.30 7.	53 7.53	8.16)
S14	(5.21	6.97	6.97	8.09) (0.84	2.00 2.00	3.77) (4.11	5.65	5.65	6.87) (4.79	6.63	6.63	7.83) (0.00	0.56	0.56	1.99) (2.12 3.	00 3.00	4.29)
S15	(2.62	4.26	4.26	6.23) (2.92	4.34 4.34	5.76) (3.28	4.90	4.90	6.52) (6.44	7.97	7.97	8.90) (0.98	2.28	2.28	4.23) (4.38 6.	13 6.13	7.58)
S16	(3.84	5.52	5.52	6.88) (6.44	7.70 7.70	8.36) (1.91	3.43	3.43	5.17) (4.27	6.05	6.05	7.27) (0.95	2.18	2.18	4.00) (4.37 6.	12 6.12	7.59)
S17	(3.20	4.72	4.72	6.16) (8.09	9.39 9.39	9.72) (0.00	0.00	0.00	0.88) (2.66	4.00	4.00	5.39) (0.84	1.96	1.96	3.64) (4.25 5.	70 5.70	6.77)
S18	(0.95	2.14	2.14	3.89) (7.92	8.80 8.80	8.80) (6.20	7.97	7.97	8.85) (1.93	3.22	3.22	4.74) (0.00	0.28	0.28	1.39) (3.83 5.	04 5.04	6.16)
S19	(0.00	0.33	0.33	1.55) (0.00	0.28 0.28	1.39) (3.93	4.92	4.92	5.85) (4.25	5.78	5.78	7.01) (5.23	7.10	7.10	8.36) (2.77 4.	61 4.61	6.46)
S20	(5.24	6.23	6.23	6.83) (4.51	6.07 6.07	7.28) (2.92	4.35	4.35	5.80) (3.05	4.48	4.48	5.82) (5.82	7.48	7.48	8.31) (3.07 4.	22 4.22	5.41)
S21	(2.62	4.25	4.25	5.86) (7.02	8.58 8.58	9.23) (4.51	6.03	6.03	7.15) (3.16	4.71	4.71	6.21) (0.00	0.89	0.89	2.67) (3.46 5.	33 5.33	7.20)
S22	(1.93	3.55	3.55	5.49) (1.69	3.10 3.10	4.78) (2.53	4.21	4.21	5.90) (0.84	2.05	2.05	3.92) (2.77	4.61	4.61	6.46) (0.28 1.	49 1.49	3.36)
S23	(6.97	8.09	8.09	8.37) (0.98	2.25 2.25	4.11) (4.37	6.12	6.12	7.59) (6.80	8.74	8.74	9.72) (5.00	6.75	6.75	7.90) (2.85 3.	76 3.76	4.95)
S24	(0.00	0.33	0.33	1.64) (6.80	8.42 8.42	9.39) (0.00	0.66	0.66	2.29) (4.82	6.74	6.74	8.34) (0.98	1.64	1.64	3.57) (3.34 4.	94 4.94	6.30)
S25	(4.78	6.38	6.38	7.67) (1.93	3.50 3.50	5.34) (2.88	4.80	4.80	6.72) (6.09	7.69	7.69	8.65) (4.84	6.78	6.78	8.41) (5.19 7.	04 7.04	8.28)

Table 10: Z -weighted Normalized decision Matrix

STOCK		C1			C2 C3					C4					5		C6			
S1	(0.59 0.7692 0.76	69 0.8226) (0.386 0.545894	0.55 0.663) (0.35	0.514	0.514	0.665)	(0.24 0.405	0.405 0.561) (0.3	0.494	0.494	0.69) (0.074	0.2	0.2 0	.348)
S2	(0.00 0.0299 0.0	03 0.1508) (0.406 0.574269	0.57 0.697) (0.2	0.346	0.346	0.518)	(0.03 0.09	0.09 0.211) (0.27	0.449	0.449	0.63) (0.076	0.21	0.21 0	.363)
S3	(0.00 0.0263 0.02	26 0.1356) (0 0	0 0.078) (0.41	0.624	0.624	0.795)	(0.03 0.106	0.106 0.248) (0	0.038	0.038	0.159) (0.026	0.1	0.1 0	.226)
S4	(0.30 0.5175 0.5	18 0.6907) (0.174 0.331881	0.33 0.511) (0.33	0.481	0.481	0.615)	(0.22 0.401	0.401 0.579) (0.01	0.089	0.089	0.237) (0.071	0.19	0.19 0	.341)
S5	(0.00 0.0749 0.07	75 0.2325) (0.049 0.142992	0.14 0.319) (0.38	0.565	0.565	0.724)	(0.09 0.191	0.191 0.331) (0	0.04	0.04	0.165) (0.071	0.2	0.2 0	.366)
S6	(0.00 0.0263 0.02	26 0.1367) (0.343 0.537399	0.54 0.723) (0.39	0.575	0.575	0.743)	(0.09 0.202	0.202 0.35) (0	0.02	0.02	0.117) (0.04	0.13	0.13 0	.277)
S7	(0.62 0.7977 0.79	98 0.8479) (0.237 0.397224	0.4 0.579) (0.22	0.38	0.38	0.559)	(0.07 0.169	0.169 0.332) (0.31	0.496	0.496	0.663) (0.034	0.1	0.1	0.21)
S8	(0.33 0.5349 0.53	35 0.694) (0.232 0.409883	0.41 0.611) (0.31	0.492	0.492	0.657)	(0.09 0.194	0.194 0.346) (0	0.054	0.054	0.196) (0.043	0.11	0.11 0	.226)
S9	(0.00 0.0223 0.02	22 0.1283) (0 0	0 0.075) (0.37	0.521	0.521	0.646)	(0.03 0.098	0.098 0.244) (0.05	0.098	0.098	0.206) (0.024	0.08	0.08 0	.178)
S10	(0.22 0.41 0.4	41 0.5935) (0.356 0.548511	0.55 0.711) (0.12	0.263	0.263	0.467)	(0.11 0.23	0.23 0.395) (0	0.055	0.055	0.199) (0.085	0.21	0.21 0	.363)
S11	(0.08 0.2121 0.21	12 0.4018) (0.345 0.535167	0.54 0.697) (0.35	0.517	0.517	0.657)	(0.18 0.332	0.332 0.492) (0.05	0.135	0.135	0.294) (0.075	0.2	0.2	0.36)
S12	(0.45 0.6633 0.66	63 0.7954) (0.38 0.588579	0.59 0.766) (0.26	0.448	0.448	0.649)	(0.06 0.146	0.146 0.289) (0.04	0.12	0.12	0.269) (0.068	0.19	0.19	0.35)
S13	(0.00 0.0861 0.08	86 0.267) (0.355 0.581392	0.58 0.784) (0.22	0.347	0.347	0.478)	(0.18 0.341	0.341 0.503) (0	0.015	0.015	0.101) (0.091	0.22	0.22 0	.355)
S14	(0.44 0.6587 0.65	59 0.79) (0.043 0.13148	0.13 0.301) (0.26	0.42	0.42	0.585)	(0.16 0.32	0.32 0.491) (0	0.034	0.034	0.148) (0.031	0.09	0.09 0	.186)
S15	(0.22 0.4024 0.40	02 0.6081) (0.151 0.285215	0.29 0.46) (0.21	0.364	0.364	0.555)	(0.22 0.384	0.384 0.558) (0.05	0.141	0.141	0.315) (0.063	0.18	0.18 0	.329)
S16	(0.32 0.5216 0.52	22 0.6719) (0.333 0.50624	0.51 0.667) (0.12	0.254	0.254	0.44)	(0.14 0.292	0.292 0.456) (0.05	0.135	0.135	0.298) (0.063	0.18	0.18 0	.329)
S17	(0.27 0.4458 0.44	46 0.6019) (0.418 0.616908	0.62 0.775) (0	0	0	0.075)	(0.09 0.193	0.193 0.338) (0.04	0.121	0.121	0.271) (0.061	0.16	0.16 0	.294)
S18	(0.08 0.202 0.20	02 0.3796) (0.409 0.57798	0.58 0.702) (0.39	0.591	0.591	0.754)	(0.07 0.155	0.155 0.298) (0	0.017	0.017	0.103) (0.055	0.15	0.15 0	.268)
S19	(0.00 0.031 0.03	31 0.151) (0 0.018324	0.02 0.111) (0.25	0.365	0.365	0.498)	(0.14 0.279	0.279 0.44) (0.26	0.439	0.439	0.622) (0.04	0.13	0.13	0.28)
S20	(0.44 0.5881 0.58	88 0.6674) (0.233 0.399124	0.4 0.581) (0.18	0.323	0.323	0.493)	(0.1 0.216	0.216 0.365) (0.29	0.462	0.462	0.618) (0.044	0.12	0.12 0	.235)
S21	(0.22 0.4013 0.40	01 0.5727) (0.362 0.564044	0.56 0.736) (0.29	0.447	0.447	0.608)	(0.11 0.227	0.227 0.39) (0	0.055	0.055	0.199) (0.05	0.15	0.15 0	.312)
S22	(0.16 0.335 0.33	35 0.5362) (0.087 0.203425	0.2 0.381) (0.16	0.312	0.312	0.502)	(0.03 0.099	0.099 0.246) (0.14	0.285	0.285	0.481) (0.004	0.04	0.04 0	.146)
S23	(0.59 0.7639 0.76	64 0.8171) (0.051 0.147523	0.15 0.328) (0.28	0.454	0.454	0.646)	(0.23 0.422	0.422 0.609) (0.25	0.417	0.417	0.588) (0.041	0.11	0.11 0	.215)
S24	(0.00 0.031 0.03	31 0.16) (0.351 0.553064	0.55 0.749) (0	0.049	0.049	0.195)	(0.16 0.325	0.325 0.523) (0.05	0.101	0.101	0.266) (0.048	0.14	0.14 0	.274)
S25	(0.40 0.6028 0.60	03 0.7491) (0.1 0.22988	0.23 0.426) (0.18	0.356	0.356	0.572)	(0.21 0.371	0.371 0.543) (0.24	0.419	0.419	0.626) (0.075	0.2	0.2	0.36)