

Journal status

JOHAN BOLLEN, MARKO A. RODRIGUEZ, HERBERT VAN DE SOMPEL

*Digital Library Research & Prototyping Team, Research Library
Los Alamos National Laboratory, Los Alamos (USA)*

The status of an actor in a social context is commonly defined in terms of two factors: the total number of endorsements the actor receives from other actors and the prestige of the endorsing actors. These two factors indicate the distinction between popularity and expert appreciation of the actor, respectively. We refer to the former as popularity and to the latter as prestige. These notions of popularity and prestige also apply to the domain of scholarly assessment. The ISI Impact Factor (ISI IF) is defined as the mean number of citations a journal receives over a 2 year period. By merely counting the amount of citations and disregarding the prestige of the citing journals, the ISI IF is a metric of popularity, not of prestige. We demonstrate how a weighted version of the popular PageRank algorithm can be used to obtain a metric that reflects prestige. We contrast the rankings of journals according to their ISI IF and their Weighted PageRank, and we provide an analysis that reveals both significant overlaps and differences. Furthermore, we introduce the Y-factor which is a simple combination of both the ISI IF and the weighted PageRank, and find that the resulting journal rankings correspond well to a general understanding of journal status.

Introduction

Some people are popular but not prestigious and vice versa. For example, an author of pulp detectives may sell many books, but may not have earned the respect of literary critics. Conversely, a Nobel Prize in Literature winner may be highly valued among

Received June 29, 2006

Address for correspondence:

JOHAN BOLLEN

Digital Library Research & Prototyping Team, Research Library
Los Alamos National Laboratory, Los Alamos, NM, 87545, USA
E-mail: jbollen@lanl.gov

0138–9130/US \$ 20.00

Copyright © 2006 Akadémiai Kiadó, Budapest
All rights reserved

literary experts, yet never make the New York Times bestseller list. In essence, these examples reveal the existence of two factors that contribute to the status of an actor in a social context: the total number of endorsements the actor receives from other actors, and the prestige of the endorsing actors. In the remainder of this paper, we refer to the former as popularity and to the latter as prestige.

Similar considerations apply to the assessment of scholarly communication where citation counts are commonly used as an indication of scholarly status. For example, a journal that publishes mostly review articles may be frequently cited by graduate students, yet largely be ignored by experts interested in the cutting edge of research. The Thomson Scientific ISI Impact Factor (ISI IF) is generally accepted as an indicator of journal status, and is defined as the mean number of citations to articles published in a journal over a 2 year period (GARFIELD, 1979; 1999). Given that the ISI IF is based on the amount of citations to a journal, and does not take into account the prestige of the citing journals, it seems to only represent the popularity factor of status, not its prestige factor.

Many concerns have been expressed over the usefulness of the ISI IF as an indicator of journal status (SEGLEN, 1997; HARTER & NISONGER, 1997; NEDERHOF et al., 2001; LEWISON, 2002; SAHA & SAINT, 2003; *Nature*, 2005). We add another: the ISI IF's present definition in terms of mean citation rates leads to a bias towards popularity. This characteristic would render it impossible to use in many other areas, such as for example the WWW. A web page that is often linked to can indeed be of very low status and vice versa. For that reason, alternatives to link counting, developed in the domain of social network analysis, have been widely adopted for WWW searching.

When the Google search engine ranks web pages according to their status it does so by not merely counting the number of hyperlinks to a page. Google's PageRank algorithm (BRIN & PAGE, 1998) computes the status of a web page based on a combination of the number of hyperlinks that point to the page and the status of the pages that the hyperlinks originate from. By taking into account both the popularity and the prestige factor of status, Google has been able to avoid assigning high ranks to popular but otherwise irrelevant web pages.

The success of the PageRank algorithm in the Google environment has led to PageRank becoming a standard technique to assess the status of web resources. However, where the evaluation of journal status is concerned the ISI IF still rules supreme. This situation may not be sustainable. As an ever growing collection of scholarly materials becomes available on the web, and hence becomes searchable through Google and Google Scholar, our perception of article status (and hence of journal status) will change as a result of the PageRank-driven manner by which Google lists its search results. In the future, PageRank, not the ISI IF, may very well start representing our perception of article and journal status.

A change from the ISI IF to PageRank-based metrics for journal ranking would effectively signify a shift from an evaluation based on popularity, i.e. citation frequency, to an evaluation based on prestige, i.e. the prestige of those who cite is taken into account. To evaluate the consequences of such a change on the assessment of journal status, we used the dataset of the 2003 ISI Journal Citation Reports (ISI JCR) to compare the ISI IF and Weighted PageRank rankings of journals. We paid special attention to journals with a significant discrepancy between their ISI IF and Weighted PageRank values. We also introduce a ranking principle, the Y-factor, to rank journals according to whether they have both high ISI IF and Weighted PageRank values.

Two common metrics of status

Citations are at the basis of most present attempts to assess scholarly impact. This is true for the assessment of the impact of individual articles, journals, researchers (CALZA & GARBISA, 1995; BALL, 2005; HIRSCH, 2005), research departments, universities and even countries (BRAUN et al., 1996; BORDONS et al., 2002; REY-ROCHA et al., 2002; KALTENBORN & KUHN, 2003). As articles cite one another, they define an article citation network in which each node represents an article and each directed edge represents a citation by that article to another. By grouping all articles published in the same journal under a single journal node, an article citation network can easily be transformed into a Journal Citation Network. In that network, the directed edges between the journal nodes represent the collection of citations from one journal to another. This network can be formalized as a set of journals V , a set of directed edges $E \subseteq V^2$ that exist between the journals in V , and the function $W(v_i, v_j) \rightarrow \mathbb{N}^+$ which maps each edge between the journal v_i and v_j to a positive, integer citation frequency. A range of journal status metrics can be applied to such a Journal Citation Network. In the following sections, we discuss two highly common metrics, namely the ISI IF and Google's PageRank. The latter has been modified to take into account edge weights (Weighted PageRank) so that it can be applied to the Journal Citation Network.

The ISI Impact Factor

The ISI IF defines the status of a journal for a specific year as the mean number of citations that occurred in that year to the articles published in the journal during the two previous years. More concretely, the 2003 ISI IF of a journal v_i is calculated by dividing the number of citations made in 2003 to v_i 's 2001 and 2002 articles by the total number of articles v_i published in 2002 and 2001. Expressed in terms of a Journal Citation Network the ISI IF corresponds to a journal's in-degree (ALEXANDER, 1963) normalized by the total number of papers the journal published in that period.

Eq. 1 defines the IF of journal v_i in year t , labeled $IF(v_i, t)$, as follows:

$$IF(v_i, t) = \frac{\sum_j c(v_j, v_i, t)}{n(v_i)} \quad (1)$$

where $c(v_i, v_j, t)$ corresponds to the number of citations from journal v_j to journal v_i in year t . The number of publications published in journal v_i , denoted $n(v_i)$, during the two years previous to t , normalizes the resulting citation count, leading to a mean, 2-year citation rate per article.

In social network analysis terms, in-degree can be considered a metric of popularity because it corresponds to the number of endorsements received by a particular actor in the network. And, indeed, when assuming that a citation to a journal indicates an endorsement of the journal's content, we find that, in terms of social network analysis, the ISI IF is a measure of popularity because a journal has a higher ISI IF if its articles are more often cited.

Journal PageRank

This aspect of the ISI IF has been known and studied for decades. In particular, PINSKI et al. (1977; PINSKI & NARIN, 1976) propose an algorithm that evaluates the influence of journals by taking into account not simply the number of citations from one journal to the other, but also the prestige of the citing journal. Journals that receive many citations from prestigious journals are considered highly prestigious themselves. By iteratively passing prestige from one journal to the other, a stable solution is reached which reflects the relative prestige of journals. This procedure is highly related to efforts in social network science to define status in terms of "inherited" status, e.g. eigenvector centrality (BONACICH, 1987), systems to separate web pages into "authorities" and "hubs" (KLEINBERG, 1998; 1999) and recent investigations of the role of journals as knowledge sources or storers (NERUR et al., 2005).

Within this long lineage of social network metrics of status, the founders of the Google search engine outline an algorithm to assess the prestige of web pages based on similar principles in their 1998 paper "The anatomy of a large-scale search engine" (BRIN & PAGE, 1998). This concept is further developed in later publications (PAGE et al., 1998) in terms of random walk models of web navigation. Much like the proposal by Pinski et al., PageRank is calculated by an iterative algorithm which propagates prestige values from one web page to another and converges to a solution (PILLAI et al., 2005). The PageRank equation that governs the iterative transfer of PageRank values from one web page to the other is shown in Eq. 2:

$$PR(v_i) = \frac{(1-\lambda)}{N} + \lambda \sum_j PR(v_j) \times \frac{1}{O(v_j)} \quad (2)$$

In Eq. 2, it is assumed that a collection of pages v_j link to a recipient page v_i and each transfers a proportion of their PageRank, denoted $PR(v_j)$, to v_i . It is also assumed that PageRank values are equally distributed along a page's out-links, i.e. if a page v_j has 3 out-links each recipient page v_i receives only one-third of v_j 's PageRank. Transferred PageRank values are therefore normalized by the number of out-links from page v_j which is denoted $O(v_j)$. The parameter λ , which can take values between zero and one, represents the attenuation of prestige values as they are transferred from one web page to the other. The parameter $(1-\lambda)/N$ represents the minimal amount of prestige assigned to each web page. N represents the total number of pages in the network.

Weighted PageRank for Journal Citation Networks

PageRank has become a standard to evaluate the status of web pages. It is our objective to apply it to Journal Citation Networks so that we can compare two highly common metrics of status, i.e. the ISI IF and PageRank, in terms of their ability to evaluate the relative popularity or prestige of journals. The PageRank definition above assumes that prestige is distributed equally across all of a web page's hyperlinks. This is appropriate since hyperlinks are not weighted, i.e. each hyperlink indicates an equal degree of relationship between a pair of linked pages. In the Journal Citation Network, however, not all edges are created equal; some journals are connected by more citations than others. The PageRank equation when applied to Journal Citation Networks should therefore be adapted to take into account journal citation frequencies in its transfer of PageRank values. Indeed, if a journal v_j cites journal v_i 10 times more frequently than any other journal, the amount of prestige transferred from v_j to v_i should be ten times as high. More generally, a journal that receives many citations from a specific other journal should receive a matching proportion of that journal's prestige.

This is in fact a common problem encountered in applications of PageRank to weighted networks. Modifications of the PageRank equation have therefore been proposed to take into account link weights. A web-based Weighted PageRank algorithm has earlier been defined (XING & GHORBANI, 2004) to calculate aggregate web site prestige and a Weighted PageRank algorithm has been used to rank authors in a weighted co-authorship network (LIU et al., 2005). The notion of weighted links is in fact an integral part of Pinski and Narin's approach to define journal influence. We will briefly discuss these common modifications of the PageRank equation in terms of weighted Journal Citation Networks below.

Assume we need to rewrite Eq. 2 to account for the transmission of journal prestige relative to the number of citations that exist between pairs of journals in the Journal Citation Network. First, we define a propagation proportion $w(v_j, v_i)$ between journals v_j

and v_j by normalizing the link weights emanating from a particular journal v_j as follows:

$$w(v_j, v_i) = \frac{W(v_j, v_i)}{\sum_k W(v_j, v_k)} \quad (3)$$

For any particular journal v_j , all (v_j, v_i) now sum up to one and it can therefore be used to determine the fraction of the journal's PageRank it transfers to the journals it cites.

We now obtain the Weighted PageRank equation for journal v_j as follows:

$$PR_w(v_i) = \frac{(1-\lambda)}{N} + \lambda \sum_j PR_w(v_j) \times w(v_j, v_i) \quad (4)$$

According to Eq. 4, the transfer of prestige from one journal to the other is modulated by the propagation proportion $w(v_j, v_i)$. In effect, the equal distribution of PageRank values in Eq. 2, as given by the factor $1/O(v_j)$, has been replaced by the propagation proportion $w(v_j, v_i)$ thereby allowing Weighted PageRank to be calculated for Journal Citation Networks.

Product of ISI IF and Weighted PageRank

We now have two different, but highly common, metrics of status at our disposal. The ISI IF relies on citation frequencies and therefore stresses the popularity aspect of journal status. The Weighted PageRank, as defined above, relies on a propagation of prestige values from one journal to the other, and therefore corresponds better to our intuitive notion that prestige is not only a matter of the number of endorsements, but who is actually endorsing.

Thus defined, the ISI IF and the Weighted PR represent highly common, but possibly different, facets of journal status. As will be demonstrated in the next section, there can indeed exist significant discrepancies between a journal's ISI IF and Weighted PageRank values, i.e. some journals can have high ISI IF and low Weighted PageRank values, and vice versa. To rank journals on the basis of both metrics combined we defined a product of the ISI IF and the Weighted PageRank, labeled *Y-factor*, as shown in Eq. 5 below.

$$Y(v_j) = ISI\ IF(v_j) \times PR_w(v_j) \quad (5)$$

Journals that score highly on the *Y-factor* will be ranked highly by either or both the ISI IF and Weighted PageRank. The resulting rankings are included in the following section for informational purposes.

Indicators of journal status

In this section, we compare three indicators of journal status in the Journal Citation Network: the popularity-oriented ISI IF, the prestige-oriented Weighted PageRank and a product of both, namely the Y-factor. We do so based on the dataset provided by the 2003 ISI Journal Citation Reports.

Comparing the ISI IF and the Weighted PageRank

In order to obtain Weighted PageRank values for journals that have an ISI Impact Factor, a Journal Citation Network was constructed on the basis of the 2003 ISI JCR data set which contains journal citations recorded in 2003 to publications published in 2001 and 2002. This journal citation information was represented as a matrix in which both rows and columns represent journals, and in which cells represent the amount of times a journal in a row cites a journal in a column. Self-citations were included contrary to an earlier report in BOLLEN et al. (2006). Not surprisingly, a sparse matrix resulted with 5709 journals having non-zero citation counts.

To provide an indication of the overall characteristics of the ISI IF and the Weighted PageRank, Table 1 shows the ten highest ranking journals for both status metrics. Clearly, the rankings diverge significantly, with only two journals, *Nature*, and *The New England Journal of Medicine* being represented in both lists. We observe that the journals with the highest ISI IF are largely positioned in the area of medicine, with review journals being heavily represented. The latter confirms the characterization of the ISI IF as a popularity-oriented metric, since review journals typically publish background material that is likely to be cited frequently. Overall, the listing according to Weighted PageRank shows more variation in scholarly discipline, and many of the top-ranked journals such as the *Journal of Biological Chemistry*, *Nature*, *Science*, and *Proceedings of the National Academy of Science USA* (PNAS) are generally considered highly prestigious journals. We note that the resulting Y-factor ranking is similar to one recently generated on the basis of Hirsch's h-index (HIRSCH, 2005) adapted for journal citation data (BRAUN et al., 2005).

Table 1. The highest ranking journals according to the 2003 ISI IF, Weighted PageRank and Y-factor

Rank	ISI IF		$PR_w \times 10^3$		$Y\text{-factor} \times 10^2$	
	Value	Journal	Value	Journal	Value	Journal
1	52.28	ANNU REV IMMUNOL	17.46	J BIOL CHEM	51.15	NATURE
2	37.65	ANNU REV BIOCHEM	16.51	NATURE	47.72	SCIENCE
3	36.83	PHYSIOL REV	16.02	SCIENCE	19.92	NEW ENGL J MED
4	35.04	NET REV MOL CELL BIO	13.77	PNAS	14.36	CELL
5	34.83	NEW ENGL J MED	8.90	PHYS REV LETT	14.14	PNAS
6	33.95	NAT REV CANCER	5.93	PHYS REV B	11.32	J BIOL CHEM
7	33.06	CANCER J CLIN	5.72	NEW ENGL J MED	8.73	JAMA
8	30.98	NATURE	5.40	ASTROPHYS J	7.83	LANCET
9	30.55	NAT MED	5.39	CELL	7.22	NAT GENET
10	30.17	ANNU REV NEUROSCI	4.90	J AM CHEM SOC	6.26	PHYS REV LETT




Figure 1. Scatter plot of 2003 ISI IF versus the Weighted PageRank (PRw)

A more quantitative analysis of the overlap and discrepancies between the two status metrics is provided by the scatter plot of Figure 1. Despite the strong discrepancies in the top ten listings according to both status metrics, the plot reveals a significant overall

correlation, confirmed by a Spearman rank-order correlation coefficient of $\rho=0.61, p<0.01$ between the ISI IF and the Weighted PageRank. We note that the journals *Nature* and *Science* are positioned in the top-right corner of the scatter plot, reflecting the fact that they have both high ISI IF and high Weighted PageRank values. This means that both journals are often cited and are cited by prestigious journals.

Since it is common knowledge in bibliometrics that comparisons of ISI IF values across scholarly disciplines are problematic due to differences in the publication and citation process, we decided to focus on a subset of our Journal Citation Network that pertains to Physics journals. We selected Physics journals in the 2003 ISI JCR dataset on the basis of the ISI subject categories listed in Table 2.¹ The resulting Physics subset of the Journal Citation Network contained 236 journals. A ranking of this subset according to ISI IF, Weighted PageRank and the Y-factor is shown in Table 5.

Table 2. ISI subject categories for Physics journals

ISI category	ISI category name
UB	PHYSICS, APPLIED
UF	PHYSICS, FLUID & PLASMAS
UH	PHYSICS, ATOMIC, MOLECULAR & CHEMICAL
UI	PHYSICS, MULTIDISCIPLINARY
UK	PHYSICS, CONDENSED MATTER
UN	PHYSICS, NUCLEAR
UP	PHYSICS, PARTICLES & FIELDS
UR	PHYSICS, MATHEMATICAL

Table 3. ISI subject categories for Computer Science journals

ISI category	ISI category name
EP	COMPUTER SCIENCE, ARTIFICIAL INTELLIGENCE
ER	COMPUTER SCIENCE, CYBERNETICS
ES	COMPUTER SCIENCE, HARDWARE & ARCHITECTURE
ET	COMPUTER SCIENCE, INFORMATION SYSTEMS
EV	COMPUTER SCIENCE, INTERDISCIPLINARY APPLICATIONS
EW	COMPUTER SCIENCE, SOFTWARE, GRAPHICS, PROGRAMMING
EX	COMPUTER SCIENCE, THEORY & METHODS

¹ We realize this is only an approximation of the actual set of journals published in the particular domain. For a more quantitative, yet preliminary manner of classifying journals we refer to LEYDESDORFF (2006).

Table 4. ISI subject categories for Medicine journals

ISI category	ISI category name
DS	CRITICAL CARE MEDICINE
FF	EMERGENCY MEDICINE
FY	DENTISTRY, ORAL SURGERY & MEDICINE
OI	INTEGRATIVE & COMPLEMENTARY MEDICINE
OP	MEDICINE, LEGAL
PY	MEDICINE, GENERAL & INTERNAL
QA	MEDICINE, RESEARCH & EXPERIMENTAL
VY	RADIOLOGY, NUCLEAR MEDICINE & MEDICIN IMAGING
YU	TROPICAL MEDICINE

Table 5. The highest ranking Physics journals according to the 2003 ISI IF, Weighted PageRank (PR_w) and Y-factor

Rank	ISI IF		PR _w ×10 ³		Y-factor×10 ³	
	Value	Journal	Value	Journal	Value	Journal
1	28.17	REV MOD PHYS	8.90	PHYS REV LETT	62.61	PHYS REV LETT
2	13.09	ADV PHYS	4.71	ADV PHYS LETT	19.06	ADV PHYS LETT
3	11.98	PHYS REP	2.68	PHYS REV D	12.32	PHYS REV D
4	10.03	MAT SCI ENG R	2.64	J CHEM PHYS	12.09	REV MOD PHYS
5	8.75	ADV NUCL PHYS	2.53	PHYS REV E	7.78	J CHEM PHYS
6	8.67	ANNU REV NUCL PART S	2.51	J APPL PHYS	6.88	J HIGH ENERGY PHYS
7	8.41	REP PROG PHYS	1.80	PHYS REV A	5.74	PHYS LETT B
8	7.04	PHYS REV LETT	1.41	PHYS LETT B	5.57	PHYS LETT E
9	7.00	SOLID STATE PHYS	1.14	CHEM PHYS LETT	5.45	J APPL PHYS
10	6.06	J HIGH ENERGY PHYS	1.14	J HIGH ENERGY PHYS	5.40	NUCL PHYS B

We can detect a pattern similar to that found for the complete Journal Citation Network. Again, only 2 journals, namely *Physical Review Letters* and *Journal of High Energy Physics*, are amongst the highest ranking according to both the ISI IF and the Weighted PageRank. In addition, the ISI IF rankings can again be characterized by a preponderance of review journals or ones that frequently publish background material that is likely to be cited. The Weighted PageRank ranking seems to focus on a set of journals typically appreciated by domain experts, such as *Physical Review Letters*, *Applied Physics Letters*, and the journals of the American Physical Society: *Physical Review A*, *D* and *E*. The Spearman rank-order correlation coefficient between the ISI IF and Weighted PageRank values was found to be $\rho=0.58$, $p<0.01$. We leave the interpretation of the Y-factor rankings to the expert reader.

Proceeding along the same lines, we also compared the ISI IF and the Weighted PageRank for journals in Computer Science and Medicine. Again, subsets of the




Figure 3. Popular and Prestigious Journals in Computer Science




Figure 4. Popular and Prestigious Journals in Medicine

Popular and prestigious journals

Intrigued by the significant correlation between the ISI IF and the Weighted PageRank as shown in Figure 1 and the significant discrepancies revealed in Table 1 and Table 5, we set out to inspect the Journal Citation Network for journals that have strongly diverging ISI IF and Weighted PageRank values. Two types of divergences were explored:

Popular Journals are journals that are cited frequently by journals with little prestige. These journals have a very high ISI IF and a very low Weighted PageRank.

Prestigious Journals are journals that are not frequently cited, but their citations come from highly prestigious journals. These journals have a very low ISI IF and a very high Weighted PageRank.

We identified Popular and Prestigious Journals in the full Journal Citation Network, but were unable to recognize a meaningful pattern in the results. This was not unexpected as the exercise amounted to comparing ISI IF values across disciplines. Hence, we decided to refocus our attention on the Physics subset of the Journal Citation Network. First, we decided that any Weighted PageRank value below the 10th percentile was very low, and any value above the 90th percentile was very high. These choices are represented by the vertical lines marked “10p” and “90p” respectively in the scatter plot of Figure 2. Second, to determine the low and high threshold values for the ISI IF, we generated a linear regression model for the relationship between the ISI IF and the Weighted PageRank. The result for the physics domain is visualized in Figure 2 as the line that cuts across the cloud of physics journals.

Figure 2 outlines the regions of the scatter plot that correspond to our categorization of Popular and Prestigious Journals and to our chosen threshold values. The former category is shown as the top-left region, the latter as the bottom-right region. Popular, prestigious and high Y-factor ranking journals are labeled by their abbreviated journal titles in the graph.² Table 8. shows the top-ranked journals in both the Popular and Prestigious Journals category ranked by the degree to which their actual ISI IF values deviate from the value predicted by the linear regression model, labeled IF_{Δ} , within the boundaries of the defined Weighted PageRank percentiles. The particular Weighted PageRank thresholds, i.e. 10th and 90th percentile, lead to differing numbers of journals in each respective category.

² Some labels may have been moved slightly, or even deleted, to enhance readability.

Table 6. The highest ranking Computer Science journals according to the 2003 ISI IF, Weighted PageRank (PR_w) and Y-factor

Rank	ISI IF		PR _w ×10 ³		Y-factor×10 ³	
	Value	Journal	Value	Journal	Value	Journal
1	7.50	ACM COMPUT SURV	1.67	IEEE T INFORM THEORY	6.58	BIOINFORMATICS
2	6.70	BIOINFORMATICS	0.98	BIOINFORMATICS	3.75	IEEE T INFORM THEORY
3	4.54	VLDB J	0.67	IEEE T PATTERN ANAL	2.57	IEEE T PATTERN ANAL
4	4.39	USER MODEL USER – ADAP	0.63	J COMPUT PHYS	1.38	IEEE T IMAGE PROCESS
5	3.87	IEEE NETWORK	0.62	COMPUT METHOD APPL M	1.26	IEEE T MED IMAGING
6	3.82	IEEE T PATTERN ANAL	0.61	COMMUN ACM	1.14	J CRYPTOL
7	3.75	IEEE T MED IMAGING	0.59	THEOR COMPUT SCI	1.11	ACM COMPUT SURV
8	3.73	IEEE INTELL SYST	0.58	COMPUTER	1.10	J COMPUT PHYS
9	3.61	IBM J RES DEV	0.54	INFORM MANAGE	1.02	IEEE INTELL SYST
10	3.53	ACM T INFORM SYST	0.52	IEEE T IMAGE PROCESS	1.01	IEEE INTERNET COMPUT

Table 7. The highest ranking Medicine journals according to the 2003 ISI IF, Weighted PageRank (PR_w) and Y-factor

Rank	ISI IF		PR _w ×10 ³		Y-factor×10 ³	
	Value	Journal	Value	Journal	Value	Journal
1	34.83	NEW ENGL J MED	5.72	NEW ENGL J MED	199.18	NEW ENGL J MED
2	30.55	NAT MED	4.28	LANCET	87.29	JAMA
3	21.45	JAMA	4.07	JAMA	78.34	LANCET
4	18.32	LANCET	2.17	J EXP MED	61.29	NAT MED
5	15.30	J EXP MED	2.09	J CLIN INVEST	33.13	J EXP MED
6	14.31	J CLIN INVEST	2.01	NAT MED	29.97	J CLIN INVEST
7	12.43	ANN INTER MED	1.93	AM J RESP CRIT CARE	17.15	AM J RESP CRIT CARE
8	11.38	ANNU REV MED	1.17	ANN INTERN MED	14.50	ANN INTERN MED
9	8.88	AM J RESP CRIT CARE	1.01	RADIOLOGY	6.07	NEUROIMAGE
10	6.76	ARCH INTERN MED	0.98	NEUROIMAGE	5.77	ARCH INTERN MED

A close examination of the resulting Popular Journal category reveals that it contains either review journals or journals that frequently publish data tables. Such journals are likely to be cited as background material, hence have a high ISI IF, but they do not correspond well to what would generally be perceived as a prestigious journal. The Prestigious Journal category reveals a collection of highly esteemed Physics journals: *Journal of Applied Physics*, *Physical Review E*, *Physical Review Letters*, and the *Journal of Magnetism and Magnetic Materials* to name a few. Despite their prestigious status, they have a lower ISI IF than predicted on the basis of the generated linear regression model.

Table 8. The top-ranked popular and prestigious journals in Physics

Popular: ISI IF \uparrow , $PR_w < 10\%$ -title				
	Journal title	ISI IF	$PR_w \times 10^3$	IF_Δ
1	ADV NUCL PHYS	8.75	0.03	7.19
2	SOLID STATE PHYS	7.00	0.04	5.44
3	ATOM DATA NUCL DATA	4.63	0.05	3.06
4	CRIT REV SOLID STATE	4.44	0.03	2.89
5	CHEM VAPOR DEPOS	2.07	0.05	0.50
6	RIV NUOVO CIMENTO	1.70	0.03	0.14
Prestigious: ISI IF \downarrow , $PR_w > 90\%$ -title				
	Journal title	ISI IF	$PR_w \times 10^3$	IF_Δ
1	J APPL PHYS	2.17	2.51	-1.20
2	PHYS REV E	2.20	2.53	-1.18
3	PHYS REV LETT	7.04	8.90	-1.03
4	J MAGN MAGN MATER	0.91	0.52	-1.00
5	IEEE T MAGN	1.01	0.64	-1.00
6	JPN J APPL PHYS	1.17	0.85	-0.98
7	NUCL INSTRUM METH A	1.17	0.80	-0.95
8	APPL PHYS LETT	4.05	4.71	-0.94
9	J PHYS A - MATH GEN	1.36	0.59	-0.61
10	APPL SURF SCI	1.28	0.46	-0.58

A similar analysis was performed for the Computer Science and Medicine subsets of the Journal Citation Network. The Popular Journals for Computer Science listed in Table 9 and shown in Figure 3 contains a number of methodological and applied journals such as *Formal Methods in System Design*, *Medical Informatics*, *The Internet in Medicine*, and *Computers in Biology and Medicine* which may be frequently cited as background material. At the opposite end of the spectrum is the journal *IEEE Transactions on Information Theory* which is classified as Prestigious, indicating that it is appreciated by domain experts, but it lags in citation counts ($IF_\Delta = -3.25$). When comparing the Popular and Prestigious Medicine Journals, shown in Table 10 and Figure 4, the most striking position is held by *Lancet* which is assigned to the set of Prestigious journals but whose IF is significantly lower than expected.

Table 9. The top-ranked Popular and Prestigious Journals in Computer Science

Popular: ISI IF \uparrow , $PR_w < 10\%$ -title				
	Journal title	ISI IF	$PR_w \times 10^5$	IF_Δ
1	FORM METHOD SYST DES	1.46	0.05	0.61
2	DISTRIB PARALLEL DAT	0.97	0.04	0.17
3	COMPUT BIOL MED	0.97	0.04	0.16
4	J VIS COMMON IMAGE R	0.96	0.05	0.14
5	MED INFORM INTERNET	0.92	0.04	0.11
6	COMPUT COMPLEX	0.90	0.04	0.08
7	COMPUT SCI ENG	0.91	0.05	0.08
8	ARCH COMPUT METHOD E	0.87	0.04	0.06
9	EUR J INFORM SYST	0.90	0.05	0.05

Prestigious: ISI IF \downarrow , $PR_w > 90\%$ -title				
	Journal title	ISI IF	$PR_w \times 10^4$	IF_Δ
1	IEEE T INFORM THEORY	2.25	1.67	-3.25
2	THEOR COMPUT SCI	0.76	0.59	-1.64
3	COMPUT GRAPH WORLD	0.04	0.29	-1.47
4	FUZZY SET SYST	0.58	0.46	-1.44
5	COMPUT METHOD APPL M	1.25	0.62	-1.23
6	COMPUT HUMANITIES	0.28	0.26	-1.16
7	COMPUT MATH APPL	0.50	0.27	-0.98
8	INFORM PROCESS LETT	0.47	0.24	-0.92
9	COMMUN ACM	1.55	0.61	-0.89
10	COMPUT STRUCT	0.63	0.29	-0.89

Since we had already found that the ISI IF and the Weighted PageRank are most strongly correlated for Medicine, we are not surprised to not find a particularly salient pattern when comparing its Popular and Prestigious sets of journals.

Table 10. The top-ranked Popular and Prestigious Journals in Medicine

Popular: ISI IF \uparrow , $PR_w < 10\%$ -title				
	Journal title	ISI IF	$PR_w \times 10^3$	IF_Δ
1	DIS MARKERS	2.38	0.04	1.27
2	NUKLEARMED – NUCL MED	1.85	0.05	0.70
3	ULTRASONIC IMAGING	1.58	0.04	0.47
4	CRIT CARE CLIN	1.49	0.04	0.38
5	CLIN INVEST MED	1.40	0.04	0.32
6	J OROFAC PAIN	1.43	0.05	0.28
7	EXP MOL MED	1.37	0.04	0.27
8	J CRIT CARE	1.29	0.04	0.21
9	ALTERN THER HEALTH M	1.15	0.04	0.04
10	J CARDIOV MAGN RESON	1.12	0.04	0.02

Prestigious: ISI IF \downarrow , $PR_w > 90\%$ -title				
	Journal title	ISI IF	$PR_w \times 10^3$	IF_Δ
1	LANCET	18.32	4.28	-7.50
2	AM J RESP CRIT CARE	8.88	1.93	-3.26
3	JAMA – J AM MED ASSOC	21.45	4.07	-3.15
4	AM J ROENTGENOL	2.47	0.61	-1.94
5	RADIOLOGY	4.82	1.01	-1.92
6	INT J RADIAT ONCOL	4.29	0.90	-1.85
7	STAT MED	1.13	0.32	-1.59
8	FORENSIC SCI INT	1.62	0.38	-1.44
9	LARYNGOSCOPE	1.45	0.34	-1.41
10	J TRAUMA	1.43	0.28	-1.06

Conclusion

The distinction between popularity and prestige that is prevalent in all areas of social life has yet to find its way into the assessment of scholarship. There, the ISI Impact Factor rules as the prime indicator of journal status. The ISI IF for a given journal is based on the number of citations it receives, and ignores the prestige of the citing journals. Therefore, it is an indicator of journal status that favors popularity over prestige.

In this paper, we have added new insights to the ongoing discussions regarding the suitability of the ISI IF as the sole metric of journal status. The outcome of what is becoming a global discussion can have a fundamental impact on scholarly communication and assessment (WEINGART, 2005), as the ISI IF metric also lies at the

basis of the assessment of the status of scholars, research departments, universities and countries. In this paper, we found that, while the journal status metric that we obtained by computing Weighted PageRank for all journals in a Journal Citation Network strongly overlapped with the ISI IF, it also revealed significant and meaningful discrepancies. PageRank is a metric known to take the prestige factor of status into account. It has provided the foundation for a revolution in web searching, and it has since successfully been applied to obtain rankings of nodes in a wide variety of networks. We find the mere fact that the widely used PageRank metric differs in a meaningful manner from the ISI IF a reason to seriously contemplate the use of a variety of journal status metrics instead of just one. Whether or not a PageRank inspired metric will be added to the status assessment arsenal, it will *de facto* change our perception of status as it will be the manner in which scholarly search results will be ranked by Google, Google Scholar and its competitors (SMITH, 1999; THELWALL, 2001). In fact, the application of PageRank as a metric to detect high status journal articles was recently proposed by CHEN et al. (2007) for similar reasons as we outlined in this paper.

To further underline, as many of our colleagues have done before us, that the ISI IF is not the Oracle, but just one of many possible measures of status, we have introduced a ranking of journals according to a product of the ISI IF and the Weighted PageRank. The intuitive and simplistic definition of the Y-factor rankings may not be scientifically convincing, still one may be intrigued to find that the top scoring journals according to this ranking principle rather closely matched their personal perception of importance.

*

We thank Joan Smith at the Department of Computer Science at Old Dominion University for her assistance in producing the initial raw data on which parts of this analysis are based. Xiaoming Liu of the Digital Library Research and Prototyping Team at the Los Alamos National Laboratory Research Library kindly proof-read the initial versions of the manuscript.

References

- ALEXANDER, C. (1963), A method for processing sociometric data. *Sociometry*, 26 : 268–269.
- BALL, P. (2005), Index aims for fair ranking of scientists. *Nature*, 436 : 900.
- BOLLEN, J., RODRIGUEZ, M. A., SOMPEL, H. VAN DE (2006), *Journal Status* (Tech. Rep. No. arxiv.org:cs.DL/0601030). Los Alamos National Laboratory.
- BONACICH, P. (1987), Power and centrality: A family of measures. *American Journal of Sociology*, 92 (5) : 1170–1182.
- BORDONS, M., FERNANDEZ, M. T., GOMEZ, I. (2002), Advantages and limitations in the use of impact factor measures for the assessment of research performance. *Scientometrics*, 53 (2) : 195–206.
- BRAUN, T., GLÄNZEL, W., SCHUBERT, A. (2005), A Hirsch-type index for journals. *The Scientist* (22) : 8;
- BRAUN, T., GLÄNZEL, W., SCHUBERT, A. (2006), A Hirsch-type index for journals. *Scientometrics*, 69 (1) 169–173.

- BRAUN, T., SCHUBERT, A. (1996), Indicators of research output in the sciences from 5 central European countries, 1990–1994. *Scientometrics*, 36 (2) : 145–165.
- BRIN, S., PAGE, L. (1998), The anatomy of a large-scale hypertextual web search engine. *Computer Networks and ISDN Systems*, 30 (1–7) : 107–117.
- CALZA, L., GARBISA, S. (1995), Italian professorships. *Nature*, 374 (6522) : 492.
- CHEN, P., XIE, H., MASLOV, S., REDNER, S. (2007), Finding scientific gems with Google. *Journal of Informetrics*, 1 (1), In press. arxiv.org/abs/physics/0604130.
- GARFIELD, E. (1979), *Citation Indexing: Its Theory and Application in Science, Technology, and Humanities*. New York: John Wiley and Sons.
- GARFIELD, E. (1999), Journal impact factor: A brief review. *Canadian Medical Association Journal*, 161 : 979–980.
- HARTER, S. P., NISONGER, T. E. (1997), ISI's impact factor as misnomer: a proposed new measure to assess journal impact. *Journal of the American Society for Information Science*, 48 (12) : 1146–1148.
- HIRSCH, J. E. (2005), An index to quantify an individual's scientific research output. *Proceedings of the National Academy of Sciences*, 102 (46) : 16569–16572.
- KALTENBORN, K.-F., KUHN, K. (2003), The journal impact factor as a parameter for the evaluation of researchers and research. *Medizinische Klinik*, 98 (3) : 153–169.
- KLEINBERG, J. M. (1998), Authoritative sources in a hyperlinked environment. In: *Proceedings of the 9th ACM-SIAM Symposium on Discrete Algorithms*, Baltimore, MD, pp. 668–677.
- KLEINBERG, J. M. (1999), Hubs, authorities, and communities. *ACM Computing Surveys (CSUR)*, 31 (4es) : 5.
- LEWISON, G. (2002), Researchers' and users' perceptions of the relative standing of biomedical papers in different journals. *Scientometrics*, 53 (2) : 229–240.
- LEYDESDORFF, L. (2006), Can scientific journals be classified in terms of aggregated journal-journal citation relations using the journal citation reports? *Journal of the American Society for Information Science and Technology*, 57 (5) : 601–613.
- LIU, X., BOLLEN, J., NELSON, M. L., SOMPEL, H. V. DE (2005), Co-authorship networks in the digital library research community. *Information Processing and Management*, 41 (6).
- NATURE (2005), Editorial: Not-so-deep impact. *Nature*, 435 : 1003–1004.
- NEDERHOF, A. J., LUWEL, M., MOED, H. F. (2001), Assessing the quality of scholarly journals in linguistics: An alternative to citation-based journal impact factors. *Scientometrics*, 51 (1) : 241–265.
- NERUR, S., SIKORA, R., MANGALARAJ, G., BELJEPALLY, V. (2005), Assessing the relative influence of journals in a citation network. *Communications of the ACM*, 48 (11) : 71–74.
- PAGE, L., BRIN, S., MOTWANI, R., WINOGRAD, T. (1998), *The PageRank Citation Ranking: Bringing Order to the Web (Tech. Rep.)*. Stanford Digital Library Technologies Project.
- PILLAI, S. U., SUEL, T., CHA, S. H. (2005), The Perron-Frobenius theorem: some of its applications. *IEEE Signal Processing Magazine*, 22 (2) : 62–75.
- PINSKI, G., NARIN, F. (1976), Citation influence for journal aggregates of scientific publications: theory, with application to the literature of physics. *Information Processing and Management*, 12 (5) : 297–312.
- REY-ROCHA, J., MARTIN-SEMPRE, M. J., GARZON, B. (2002), Research productivity of scientists in consolidated vs. non-consolidated teams: The case of spanish university geologists. *Scientometrics*, 35 (1) : 137–156.
- SAHA, S., SAINT, S. (2003), Impact factor: a valid measure of journal quality? *J. Med. Libr. Assoc.*, 91 (1) : 42–46.
- SEGLEN, P. O. (1997), Why the impact factor of journals should not be used for evaluating research. *British Medical Journal*, 314 (7079) : 498–502.
- SMITH, A. G. (1999), A tale of two web spaces: comparing sites using web impact factors. *Journal of Documentation*, 55 (5) : 577–592.
- THELWALL, M. (2001), Results from a web impact factor crawler. *Journal of Documentation*, 57 (2) : 177–191.
- WEINGART, P. (2005), Impact of bibliometrics upon the science system: Inadvertent consequences? *Scientometrics*, 62 (1) : 117–131.
- XING, W., GHORBANI, A. (2004), Weighted pagerank algorithm. In: *Second Annual Conference on Communication Networks and Services Research CNSR'04*, Fredericton, N.B., Canada, pp. 305–314.