- 1 Key indicators to track current progress and future ambition of the Paris Agreement
- 2 Glen P. Peters<sup>1</sup>, Robbie M. Andrew<sup>1</sup>, Josep G. Canadell<sup>2</sup>, Sabine Fuss<sup>3</sup>, Robert B. Jackson<sup>4</sup>, Jan Ivar
- 3 Korsbakken<sup>1</sup>, Corinne Le Quéré<sup>5</sup>, Nebojsa Nakicenovic<sup>6</sup>
- <sup>4</sup> <sup>1</sup>Center for International Climate and Environmental Research Oslo (CICERO), Norway
- <sup>5</sup> <sup>2</sup>Global Carbon Project, CSIRO Oceans and Atmosphere, GPO Box 3023, Canberra, ACT 2601, Australia
- <sup>3</sup>Mercator Research Institute on Global Commons and Climate Change, 10829 Berlin, Germany
- <sup>7</sup> <sup>4</sup>Department of Earth System Science, Woods Institute for the Environment, and Precourt Institute for
- 8 Energy, Stanford University, Stanford, California 94305, USA
- <sup>5</sup>Tyndall Centre for Climate Change Research, University of East Anglia, Norwich NR4 7TJ, UK
- <sup>6</sup>International Institute for Applied Systems Analysis (IIASA), Schlossplatz 1, 2361 Laxenburg, Austria
- 11 Current emission pledges to the Paris Agreement appear insufficient to hold the global average
- 12 temperature increase to well below 2°C above pre-industrial levels<sup>1</sup>. Yet, details are missing on how to
- 13 track progress towards the 'Paris goal', inform the five-yearly 'global stocktake', and increase the
- ambition of Nationally Determined Contributions (NDCs). We develop a nested structure of key
- 15 indicators to track progress through time. Global emissions<sup>2,3</sup> track aggregated progress<sup>1</sup>, country-
- 16 level decomposition track emerging trends<sup>4-6</sup> that link directly to NDCs<sup>7</sup>, and technology diffusion<sup>8-10</sup>
- 17 indicates future reductions. We find the recent slowdown in global emissions growth<sup>11</sup> is due to
- reduced growth in coal use since 2011, primarily in China and secondarily the United States<sup>12</sup>. The
- 19 slowdown is projected to continue in 2016, with global CO<sub>2</sub> emissions from fossil fuels and industry
- 20 similar to the 2015 level of 36GtCO<sub>2</sub>. Explosive and policy-driven growth in wind and solar has
- 21 contributed to the global emissions slowdown, but has been less important than economic factors and
- 22 energy efficiency. We show that many key indicators are currently broadly consistent with emission
- 23 scenarios that keep temperatures below 2°C, but the continued lack of large-scale Carbon Capture and
- 24 Storage<sup>13</sup> threatens 2030 targets and the longer-term Paris ambition of net-zero emissions.
- 25 Tracking progress of individual countries towards a collective global climate target requires a hierarchy
- 26 of indicators spanning different levels of detail and time periods (Figure 1). At the aggregate level one
- 27 could track global temperature, atmospheric concentrations, and greenhouse gas (GHG) emissions<sup>2,3</sup>;
- 28 CO<sub>2</sub> emissions are particularly relevant due to their dominant role in climate policy and long-lasting
- 29 effect in perturbing the climate system. Global CO<sub>2</sub> emissions from fossil fuels and industry are
- 30 projected<sup>3</sup> to be 36.4GtCO<sub>2</sub> in 2016, approximately the same as in 2014 and 2015, indicating that growth
- 31 in global CO<sub>2</sub> emissions has stalled for the third year in a row<sup>11</sup>. While this is a positive step towards
- 32 addressing climate change, cumulative emissions are still rising and emissions need to rapidly decrease
- 33 until they reach zero to remain consistent with the Paris Agreement<sup>1</sup>.
- 34 More relevant for policy implementation is to track progress nationally to assess historical and future
- 35 trends in emissions<sup>4-6</sup>, progress towards emission pledges<sup>14</sup>, and the adequacy of pledges to achieve
- 36 global targets<sup>1</sup>. Chinese emissions grew at 10%/yr in the 2000's, but have been largely stable since 2013
- potentially indicating a peak in emissions earlier than expected<sup>12</sup>. US emissions declined from 2007 to
- 38 2012 at over -2%/yr due to a weaker economy, a shift from coal to gas, and growth in renewables<sup>15</sup>, but
- emissions have been relatively flat since 2012. EU emissions declined by -0.7%/yr from 2000-2010 and -
- 40 2.2%/yr from 2011-2015, ensuring the EU is on track to meeting its 2030 emission pledge. India has
- 41 sustained emissions growth of 5-6%/yr over the last decade, and even with its NDC, is expected to have
- 42 high future growth rates<sup>16</sup>.

- 43 It is not clear if the driving forces behind these global and country-level trends will be sustained. If the
- 44 observed trends are driven by strengthening of energy and climate policies, then good progress can be
- 45 expected towards achieving the NDCs, with flexibility to raise mitigation ambitions. If the trends are
- 46 largely due to lingering economic weakness<sup>17</sup>, or other short-term factors, then emissions growth may
- 47 rebound<sup>18</sup>. Disentangling the factors causing short-term changes in emissions is therefore critical,
- 48 otherwise current or future policies may be inconsistent with emission pledges<sup>1</sup>.
- 49 The implementation of the Paris Agreement requires a consistent and harmonised approach to track
- 50 progress at different levels of detail and over different time periods. The Kaya Identity is one such
- 51 approach<sup>5</sup>, in which different components form an interconnected and nested structure (Figure 1, see
- 52 Methods). Each component of the identity can be decomposed into measurable indicators directly
- 53 impacted by energy and climate policy<sup>5</sup>, which themselves can be further decomposed. Many countries
- 54 already express their climate policies in terms of Kaya components, such as the energy intensity of Gross
- 55 Domestic Product (GDP), or sub-components such as the share of non-fossil energy in total energy use<sup>7</sup>.
- 56 The indicators in the top three layers of Figure 1 are the outcomes of dynamics that occur at a more
- 57 detailed level (bottom two layers). The carbon intensity of fossil fuel combustion (layer 3) can be
- reduced by substituting coal with natural gas or with Carbon Capture and Storage (CCS; layer 4). The
- 59 share of fossil fuels in energy use (layer 3) can be decreased by replacing fossil fuels with renewables
- 60 (layer 4). The diffusion of new technologies may require longer-term investments<sup>19</sup>, which may be
- 61 tracked<sup>9</sup> via private and public investments<sup>16</sup>, price declines<sup>8</sup>, and deployment<sup>13</sup> (layer 5). More rapid
- 62 technological progress would support and drive increased ambition of country pledges.
- 63 We explore this nested structure using global and country-level data (Figure 1). We focus on the Kaya-
- 64 derived indicators: CO<sub>2</sub> emissions (layer 1); GDP, energy intensity of GDP (e.g., energy efficiency), and
- 65 CO<sub>2</sub> per energy unit (layer 2); and CO<sub>2</sub> intensity of fossil fuels and share of fossil fuels in total energy use
- (layer 3). These indicators are the most relevant for the current slowdown in CO<sub>2</sub> emissions growth<sup>11</sup>,
- 67 are important indicators in low-emission scenarios<sup>20</sup>, and cover energy-related indicators used in the
- 68 NDCs. We focus on CO<sub>2</sub> emissions from the energy system, representing 70% of global GHG emissions in
- $2010^5$ . The drivers are different<sup>5</sup> for non-CO<sub>2</sub> GHGs, such as agriculture, and CO<sub>2</sub> emissions not derived
- from energy use, such as cement (5%) and land-use change (10% total CO<sub>2</sub> emissions).
- A decomposition of the world and key countries (Figure 2, Supplementary Figure 1) shows that, over
- 72 long periods, growth in GDP (green) has exerted upward pressure on CO<sub>2</sub> emissions, in most cases only
- partially offset by downward pressure from improved energy intensity of GDP (purple) and lower carbon
- 74 intensity of energy (orange). Country trajectories differ, but when averaging over years to decades to
- 75 remove interannual variability, three developments are particularly relevant for changes in emission
- trajectories (Figure 2). First, GDP growth in the EU28, US, and China has been lower in the decade 2005-
- 2015 compared to 1995-2005 (values in 2010 and 2000 in Figure 2) leading to lower emissions growth in
- the later period. The apparent increase in GDP growth since 2013 in the US and globally is partially due
- to the reduced influence of the global financial crisis in 2008/2009 from the smoothing process (see
- 80 Methods, and compare Figure 2 and Supplementary Figure 1). Second, improvements in the energy
- 81 intensity of GDP (Figure 2, purple) have ensured that energy use has grown more slowly than GDP
- 82 (Supplementary Figure 2). The declines in energy intensity are an important long-term trend as
- 83 economies develop, become more efficient, and shift to services<sup>5</sup>. Third, there are signs of emerging
- 84 declines in carbon intensity of energy globally, in China and the US, and of continual declines in the EU28

(Figure 2, orange). The declining energy and carbon intensities ensure that CO<sub>2</sub> emissions grow at a
 slower rate than GDP (Figure 2, black line).

- 87 Emission scenarios consistent with the Paris Agreement (Figure 3, top) show that stringent climate
- 88 policy is expected to only slightly accelerate historical improvements in energy intensity compared to
- 89 baseline scenarios. In contrast, the scenarios indicate that significant mitigation is achieved by deep and
- 90 sustained reductions in the carbon intensity of energy (Figure 3, bottom). Identifying signs of emerging
- 91 downward trends in the carbon intensity of energy (Figure 2) could be an early indicator of progress in
- 92 mitigation.
- 93 Due to the importance of carbon intensity of energy in emission scenarios and for emerging trends, we
- 94 decompose the carbon intensity of energy (Figure 2, orange) into the share of fossil fuels in total energy
- use and carbon intensity of fossil fuel combustion (Level 3 in Figure 1; Figure 4). The trends vary by
   country<sup>21</sup>, indicating the effectiveness of different factors. China has shown a decline in the share of
- country<sup>21</sup>, indicating the effectiveness of different factors. China has shown a decline in the share of
   fossil fuels in total energy use (orange) driven by renewables growth, with continual improvements in
- 98 the carbon emitted per unit of fossil fuel (green) due to a declining coal share. The US show declines in
- 99 carbon per unit of fossil fuel consumed (green) representing the gains from a shift from coal to natural
- 100 gas, with smaller reductions from growth in renewables (orange). Results for the US are consistent with
- an earlier study<sup>15</sup>, but we find that coal to gas is more important than the expansion of renewables<sup>22</sup>
- 102 (Figure 4). The EU carbon intensity decline is dominated by the growing share of renewables in total
- 103 energy use (orange), with decreasing gains from the carbon emitted from fossil fuel use (green). There
- are no clear trends in India. Globally, after a period of rapid recarbonisation<sup>6</sup> in the 2000's, there
- appears to be an emerging trend of declining carbon intensity, primarily driven by an increased share of
- 106 non-fossil energy sources, consistent with requirements of 2°C scenarios (Figure 3, bottom).
- 107 Despite the improvements in the carbon intensity of energy, and its components (Figure 4), energy use 108 remains the dominant driver of  $CO_2$  emissions (Supplementary Figure 3). Although there has been strong
- 109 growth in solar and wind power recently, the growth in global energy use has largely been dominated by
- 110 increases in fossil fuel use and, to a lesser extent, nuclear and hydro-power (Supplementary Figure 4).
- 111 Because of the recent decline in Chinese coal use<sup>12</sup>, the contribution of renewables growth to total
- energy growth was remarkably large globally in 2015 (~50%). In recent years, the use of fossil fuels in
- 113 the US and EU declined, and the relative contributions of the growth in wind and solar power are
- significant and, in some years, dominant.
- 115 The recent gains in renewable energy use are significant, but it will be difficult for renewable energy to
- supply the entire annual growth in total energy use in the short-term unless growth in global energy use
- 117 further declines. If the annual growth in total energy use remains stable or declines, global CO<sub>2</sub>
- emissions are likely to remain flat or even decline. A return to stronger GDP and energy growth could
- 119 lead to renewed growth in emissions through increased capacity utilisation of existing coal power plants
- and rapid construction of new ones<sup>23</sup>. Policies locking in the recent reductions in coal use and avoiding
- 121 new capacity additions<sup>12</sup> can potentially avert a rebound<sup>18</sup>.
- 122 Future changes in the carbon intensity of energy (Figure 3) will be driven by the development and
- deployment of alternative technologies (Level 4, Figure 1). Scenarios consistent with the Paris goal
- require a decreasing fossil fuel share in energy use (Figure 5a). Despite the large increase in fossil energy
- 125 use in the last decades, current fossil energy trends remain consistent with many 2°C scenarios

(Supplementary Figure 5). For this consistency to continue, declines in fossil energy, particularly coal, 126

- 127 need to be initiated soon, particularly given existing infrastructure lock-in<sup>24</sup>.
- 128 The relatively high fossil energy use in many 2°C scenarios is predicated on large-scale deployment of
- Carbon Capture and Storage (CCS)<sup>25</sup> (Figure 5b). In addition, most scenarios require strong growth in 129
- bioenergy (Figure 5d), a large share of which is linked with CCS for carbon dioxide removal<sup>25,26</sup>. It is 130
- uncertain whether bioenergy can be sustainably produced and made carbon-neutral at the scales 131
- required<sup>27,28</sup>. Compounding this, without large-scale CCS deployment most models cannot produce 132
- 133 emission pathways consistent with the 2°C goal<sup>20,26</sup>. Despite its importance, CCS deployment has
- 134 continued to lag behind expectations<sup>13</sup>. Emission scenarios require a rapid ramp up of CCS facilities,
- 135 potentially 4000 facilities by 2030 (Figure 5b, Supplementary Figure 6), compared to the tens currently
- proposed by 2020<sup>29</sup>. Given the lack of focus on CCS in emission pledges<sup>7</sup>, a globally coordinated effort is 136
- needed to accelerate progress<sup>13</sup>, better understand the technological risks<sup>25</sup>, and address social 137
- 138 acceptability<sup>30</sup>.
- 139 Renewable energies are currently tracking well with the requirements of most 2°C emission scenarios
- 140 (Figure 5). Despite the extraordinary growth rates of wind and solar in recent years, greatly accelerated
- 141 expansion is required in the next decades. Most scenarios have limited scope for large-scale hydropower
- 142 expansion due to geophysical constraints. Further, most scenarios indicate strong growth in nuclear
- 143 energy, but there is renewed uncertainty from the drop in public support since the 2011 Fukushima
- 144 Daiichi accident. Scenarios indicate that renewables alone may not be sufficient to stay below 2°C given
- physical constraints to large-scale deployment and the need to offset emissions in some sectors<sup>20</sup>, such 145
- 146 as agriculture.
- 147 Current trends in many indicators appear broadly consistent with many of the emission scenarios that
- limit warming to well below 2°C (Figure 5), but this masks four critical issues. First, studies clearly show 148
- 149 that up to 2030, current emission pledges quickly deviate from what is required to be consistent with
- 150 the Paris goal<sup>1</sup>. Second, current trends of some key technologies (e.g., CCS) deviate substantially from
- 151 long-term requirements to meet the Paris goal. Third, if some technologies lag considerably behind expectations<sup>13</sup> or requirements<sup>20</sup>, then other technologies will need more rapid deployment and higher 152
- 153 penetration levels into energy systems, a particularly important constraint for carbon dioxide removal<sup>25</sup>.
- 154 Fourth, there is the lack of scenarios exploring opportunities and challenges of transformational lifestyle
- and behavioural changes, low-CCS and high renewables<sup>31</sup>, alternative forms of carbon dioxide 155
- removal<sup>26,32</sup> and solar radiation management<sup>33</sup>. 156
- 157 The nested structure we have demonstrated and applied (Figure 1) facilitates the tracking of key
- indicators that need significant change to avoid 2°C of warming. The methodology allows consistent and 158
- 159 robust decomposition of current emissions, energy, and technology trends, and helps identifying key
- 160 policy needs. We argue that extending tracking across indicators, scales, and time periods will increase
- 161 the likelihood that policies will be implemented that ensure the societal transition consistent with the
- 162 Paris Agreement.

## 163 References

- 1 Rogeli, J. et al. Paris Agreement climate proposals need a boost to keep warming well below 2 °C. 164 165 Nature 534, 631-639, doi:10.1038/nature18307 (2016).
- 166 2 UNEP. The Emissions Gap Report 2015. (United Nations Environment Programme, Nairobi, 2015).

167 3 Le Quéré, C. et al. Global Carbon Budget 2016. Earth Syst. Sci. Data 8, 605-649, doi: 10.5194/essd-8-168 605-2016 (2016). 169 4 Raupach, M. R. et al. Global and regional drivers of accelerating CO<sub>2</sub> emissions. Proceedings of the 170 National Academy of Sciences 104, 10288-10293 (2007). 171 5 Blanco, G. et al. in Climate Change 2014: Mitigation of Climate Change. Contribution of Working 172 Group III to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change (eds O. 173 Edenhofer et al.) (Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA, 174 2014). 175 6 Steckel, J. C., Edenhofer, O. & Jakob, M. Drivers for the renaissance of coal. Proceedings of the 176 National Academy of Sciences 112, E3775-E3781, doi:10.1073/pnas.1422722112 (2015). 177 7 UNFCCC. Synthesis report on the aggregate effect of the intended nationally determined 178 contributions. (United Nations Framework Convention on Climate Change, 2015). 179 8 Nykvist, B. & Nilsson, M. Rapidly falling costs of battery packs for electric vehicles. Nature Clim. 180 Change 5, 329-332, doi:10.1038/nclimate2564 (2015). 181 9 Wilson, C., Grubler, A., Gallagher, K. S. & Nemet, G. F. Marginalization of end-use technologies in 182 energy innovation for climate protection. *Nature Clim. Change* 2, 780-788 (2012). 183 10 IEA. World Energy Investment Outlook. (International Energy Agency, 2014). 184 11 Jackson, R. B. et al. Reaching peak emissions. Nature Clim. Change 6, 7-10, doi:10.1038/nclimate2892 185 (2016). 12 Qi, Y., Stern, N., Wu, T., Lu, J. & Green, F. China's post-coal growth. Nature Geosci 9, 564-566, 186 187 doi:10.1038/ngeo2777 (2016). 13 Reiner, D. M. Learning through a portfolio of carbon capture and storage demonstration projects. 188 189 Nature Energy 1, 15011, doi:10.1038/nenergy.2015.11 (2016). 190 14 Peters, G. P., Andrew, R. M., Solomon, S. & Friedlingstein, P. Measuring a fair and ambitious climate 191 agreement using cumulative emissions. Environmental Research Letters 10, 105004 (2015). 192 15 Feng, K., Davis, S. J., Sun, L. & Hubacek, K. Drivers of the US CO2 emissions 1997-2013. Nat Commun 193 6, doi:10.1038/ncomms8714 (2015). 194 16 IEA. World Energy Outlook 2015. (International Energy Agency, 2015). 195 17 World Bank Group. Global Economic Prospects, June 2016: Divergences and Risks. (World Bank, 196 2016). 197 18 Peters, G. P. et al. Rapid growth in CO2 emissions after the 2008–2009 global financial crisis. Nature 198 *Climate Change* **2**, 2-4 (2012). 199 19 Galiana, I. & Green, C. Let the global technology race begin. *Nature* **462**, 570-571 (2009). 200 20 Clarke, L. et al. in Climate Change 2014: Mitigation of Climate Change. Contribution of Working Group 201 III to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change (eds O. 202 Edenhofer et al.) 413-510 (Cambridge University Press, Cambridge, United Kingdom and New York, 203 NY, USA, 2014). 204 21 Ang, B. W. & Su, B. Carbon emission intensity in electricity production: A global analysis. *Energy Policy* 205 94, 56-63, doi:http://dx.doi.org/10.1016/j.enpol.2016.03.038 (2016). 206 22 Kotchen, M. J. & Mansur, E. T. Correspondence: Reassessing the contribution of natural gas to US 207 CO2 emission reductions since 2007. Nat Commun 7, doi:10.1038/ncomms10648 (2016). 208 23 Shearer, C., Ghio, N., Myllyvirta, L., Yu, A. & Nace, T. Boom and Bust 2016: Tracking the global coal 209 plant pipeline. (CoalSwarm, Sierra Club, and Greenpeace, 2016). 210 24 Davis, S. J., Matthews, D. & Caldeira, K. Future CO<sub>2</sub> emissions and climate change from existing 211 energy infrastructure. Science 329, 1330-1335 (2010). 212 25 Anderson, K. & Peters, G. The trouble with negative emissions. *Science* **354**, 182 (2016). 213 26 Fuss, S. et al. Betting on negative emissions. Nature Clim. Change 4, 850-853, 214 doi:10.1038/nclimate2392 (2014).

- 215 27 Creutzig, F. *et al.* Bioenergy and climate change mitigation: an assessment. *GCB Bioenergy* 7, 916 944, doi:10.1111/gcbb.12205 (2014).
- 217 28 Canadell, J. G. & Schulze, E. D. Global potential of biospheric carbon management for climate
   218 mitigation. *Nat Commun* 5, doi:10.1038/ncomms6282 (2014).
- 219 29 Global CCS Institute. The Global Status of CCS: 2015. (Melbourne, Australia, 2015).
- 30 Buck, H. J. Rapid scale-up of negative emissions technologies: social barriers and social implications.
- 221 *Climatic Change*, 1-13, doi:10.1007/s10584-016-1770-6 (2016).
- 31 Peters, G. P. The 'best available science' to inform 1.5 °C policy choices. *Nature Climate Change* 6, 646-649, doi:10.1038/nclimate3000 (2016).
- 32 Smith, P. *et al.* Biophysical and economic limits to negative CO<sub>2</sub> emissions. *Nature Climate Change* 6,
   42-50, doi:10.1038/nclimate2870 (2015).
- 226 33 Chen, C. & Tavoni, M. Direct air capture of CO2 and climate stabilization: A model based assessment.
- 227 *Climatic Change* **118**, 59-72, doi:10.1007/s10584-013-0714-7 (2013).
- 228
- Additional information. Correspondence and requests for materials should be addressed to G.P.P.
- 230 Acknowledgements. GPP, RMA, and JKA acknowledge the support of the Research Council of Norway
- 231 (projects 569980 & 209701). JGC thanks the support of the National Environmental Science Program –
- 232 Earth Systems and Climate Change (NESP-ESCC) Hub.
- Author contributions. GPP, JGC, CLQ designed the research; GPP, RMA performed the analysis; all
- analysed the results; all wrote the paper.

## 236 Methods

250

237 Hierarchical Framework. The framework is not unique and different indicators can be used depending

238 on the focus. We have chosen to focus on primary energy, though final energy could be used to

incorporate efficiency losses in energy conversion and end-use efficiency. We have included fossil CCS in

240 the carbon intensity indicator as electricity is still produced from fossil fuels, but with lower emissions.

241 We have not included carbon dioxide removal (e.g., afforestation, direct air capture) unless it leads to

242 energy production (e.g., BECCS).

243 Kaya Identity. We apply the Kaya Identity in our core analysis<sup>5</sup>

244 
$$C = G \times \frac{E}{G} \times \frac{C}{E} = G \times I_E \times I_C$$

where C is  $CO_2$  emissions from fossil-fuel use, G is the Gross Domestic Product (GDP) in constant prices,

*E* is total primary energy use (fossil- and non-fossil fuels),  $I_E$  is the energy use per unit GDP (energy

intensity of GDP), and  $I_c$  is the carbon emissions per unit energy use (carbon intensity of energy). We do

not include population as a separate component, and instead focus on aggregated GDP. We find it is

249 useful to further decompose the carbon intensity of energy,

$$I_C = \frac{C}{E_F} \times \frac{E_F}{E} = F_C$$

where  $E_F$  is the fossil primary energy use,  $F_i$  is the carbon intensity of fossil fuel use and  $F_s$  is the share of fossil-fuel use in total energy use.

 $\times F_s$ 

253 **Decomposition**. We performing Index Decomposition Analysis<sup>34</sup> (IDA) as we do not aim to assess

254 structural changes. Further, we keep the number of components in each decomposition low to avoid

difficulties interpreting the driver of changes<sup>35</sup>. A decomposition with *n* factors has n! unique

decompositions and there are a variety of ways of dealing with non-uniqueness. We take standard

257 forward differences and keep the interaction terms separate. As an example of a two factor

decomposition, *f=xy*,

259  $\Delta f(t) = y(t)\Delta x + x(t)\Delta y + \Delta x\Delta y$ 

260 where  $\Delta x(t) = x(t + \Delta t) - x(t)$ . The strength of this approach is that in relative terms

261 
$$\frac{\Delta f}{f(t)} = \frac{\Delta x}{x(t)} + \frac{\Delta y}{y(t)} + \left(\frac{\Delta x}{x(t)}\frac{\Delta y}{y(t)}\right)$$

each term is the standard annual growth rate (in percent) of each factor and the magnitude of the
interaction term can be isolated to assess its implications<sup>35</sup>. For example, for each year in Figure 2 the
growth rate of CO<sub>2</sub> emissions is the sum of the growth rates of GDP, energy intensity, and carbon
intensity, with a small interaction term (labelled 'cross'). Our approach is most relevant for historical,
and short- to medium-term trends. If emissions cross zero, then the method may need to be revised.

Data. As explained in the main text, we focus on CO<sub>2</sub> emissions from fossil fuels only. The CO<sub>2</sub> emissions
 data<sup>3</sup> is from the Carbon Dioxide Information Analysis Center<sup>36</sup> (CDIAC) up to 2013 with 2014 and 2015
 projected by fuel-type based on the BP Statistical Review of World Energy<sup>37</sup>, but for developed countries

we overwrite this data from 1990 to 2014 using official reports to the UNFCCC. The CDIAC emissions

- data did not include the full revisions to Chinese data<sup>38</sup>, so we followed the BP methodology<sup>37</sup> to
- estimate the emissions by fuel type (to be consistent with CDIAC). The difference between Chinese
- estimates of CDIAC and BP were propagated through to the global total to ensure consistency. Energy
- data is taken from BP, which scales up all non-fossil energy sources by a factor 0.38 to account for
- different efficiencies of fossil and non-fossil fuels in producing final energy<sup>39</sup>. Further, BP only reports
- commercial bioenergy and we include traditional bioenergy from the International Energy Agency (IEA)
   to be consistent with the IPCC. We do note, however, that traditional<sup>40</sup> and future<sup>25,26</sup> bioenergy may
- 278 not be sustainable or fully carbon neutral. GDP is taken from UN and is measured in constant 2005
- 279 prices<sup>41</sup>.
- 280 Data challenges: Our analysis faces important data challenges, but these should not affect our findings
- 281 unduly. First, most developed countries officially report emission statistics (Annex I countries to the
- 282 UNFCCC), though this will change as the Paris Agreement is implemented<sup>42</sup>. This limitation means that
- 283 we have to source emission data for developing countries (non-Annex I countries) from non-official
- sources<sup>3</sup>. Second, economic and energy use data consistent with the reported emissions are rarely
- reported. Even though energy, economic, and emission statistics are ultimately all derived from official
- 286 national data, third-party data suppliers and national governments may apply different assumptions,
- 287 limiting the ability to reliably track some NDCs. These challenges mean that we need to ensure our
- findings are not due to inconsistencies between different datasets. These issues have implications far
   beyond our analysis, and highlight the need for harmonised official reporting of economic, energy, and
- 290 emission statistics.
- 291 **Projections.** To estimate emissions in 2016 we separate out China, the US, and treat the rest of the
- 292 world separately<sup>3</sup>. For China, we use monthly data from a variety of Chinese sources to estimate full
- 293 year emissions<sup>3</sup>. For the US, we use estimates of fossil-fuel emissions from the US Energy Information
- Administration<sup>43</sup>, and supplement with estimates of cement<sup>3</sup>. For the remaining countries, we add the
- 295 10-year average growth in CO<sub>2</sub>/GDP to GDP growth projections from the International Monetary Fund<sup>3</sup>.
- As emphasised elsewhere<sup>3</sup>, the 2016 estimates have additional uncertainties and the estimates should
- 297 not be over interpreted.
- 298 **Data Availability.** The CO<sub>2</sub> emissions data are available from the Global Carbon Budget 2016 v1.0
- available at <a href="http://dx.doi.org/10.3334/CDIAC/GCP\_2016">http://dx.doi.org/10.3334/CDIAC/GCP\_2016</a>. All energy data except for bioenergy are taken
   from the 2016 edition of BP's "Statistical Review of World Energy" available at
- 301 http://www.bp.com/en/global/corporate/energy-economics/statistical-review-of-world-energy/co2-
- 301 <u>inttp://www.bp.com/en/giobal/corporate/energy/economics/statistical-review-of-world-energy/co2-</u>
   302 emissions.html. Bioenergy data (used only in Figure 5d) are from the International Energy Agency's
- 303 "World Energy Balances", available at http://data.iea.org/payment/products/103-world-energy-
- 304 <u>statistics-and-balances-2016-edition.aspx</u>. GDP to 2014 is taken from the 2015 edition of the UN
- 305 Statistics Divisions dataset "GDP and its breakdown at constant 2005 prices in US Dollars" available at
- 306 <u>http://unstats.un.org/unsd/snaama/dnlList.asp</u>. GDP for 2015 is from the International Monetary Fund's
   307 April 2016 World Economic Outlook available at
- 308 <u>http://www.imf.org/external/pubs/ft/weo/2016/01/index.htm</u>. The AR5 scenario database is available
- at <u>https://tntcat.iiasa.ac.at/AR5DB</u>. The data are also available from the corresponding author upon
- 310 reasonable request.
- 311 References

- 34 Hoekstra, R. & van der Bergh, J. C. J. M. Comparing structural and index decomposition analysis.
   *Energy Economics* 25, 39-64 (2003).
- 314 35 Su, B. & Ang, B. W. Structural decomposition analysis applied to energy and emissions: Some 315 methodological developments. *Energy Economics* **34**, 177-188,
- 316 doi:http://dx.doi.org/10.1016/j.eneco.2011.10.009 (2012).
- 36 Boden, T. A., Andres, R. J. & Marland, G. Global, Regional, and National Fossil-Fuel CO<sub>2</sub> Emissions in
   Trends. (Carbon Dioxide Information Analysis Center, Oak Ridge National Laboratory, U.S.
- 319 Department of Energy, Oak Ridge, Tenn., U.S.A., 2016).
- 320 37 BP. *BP Statistical Review of World Energy June 2016*, <bp.com/statisticalreview> (2016).
- 321 38 Korsbakken, J. I., Peters, G. P. & Andrew, R. M. Uncertainties around reductions in China's coal use 322 and CO2 emissions. *Nature Climate Change* **6**, 687-690, doi:10.1038/nclimate2963 (2016).
- 323 39 Krey, V. et al. in Climate Change 2014: Mitigation of Climate Change. Contribution of Working Group
   324 III to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change (eds O.
   325 Edenhofer et al.) (Cambridge University Press, 2014).
- 40 Bailis, R., Drigo, R., Ghilardi, A. & Masera, O. The carbon footprint of traditional woodfuels. *Nature Clim. Change* **5**, 266-272, doi:10.1038/nclimate2491 (2015).
- 328 41 United Nations. National Accounts Main Aggregates Database,
- 329 <http://unstats.un.org/unsd/snaama/Introduction.asp> (2015).
- 42 UNFCCC. Adoption of the Paris Agreement. (United Nations Framework Convention on Climate
   Chance, FCCC/CP/2015/L.9/Rev.1, 2015).
- 43 EIA. Short-term Energy Outlook. (US Energy Information Administration, 2016).




Figure 1: A schematic hierarchy of potential indicators for tracking progress of the Paris Agreement at different levels. This schematic is not unique or exhaustive, and represents a disaggregation of indicators relevant for our analysis of recent trends in emissions, with a focus on the carbon intensity of energy (CO<sub>2</sub>/Energy). The upper layers are closer to the outcomes of policy, often used in emission pledges (emissions, emission intensity), while the lower layers represent more detailed technology inputs required to meet the outcomes. The structure can be analyzed over different time periods (years, decades). Each layer represents components of similar aggregation. GDP: Gross Domestic Product, CCS: Carbon Capture and Storage, BECCS: Bioenergy with CCS; Others: nuclear, hydro, and other forms of renewable energy.




Figure 2: A Kaya Identity decomposition of CO<sub>2</sub> emissions and its immediate drivers (Levels 1 & 2 in Figure 1), for the world (a),
China (b), USA (c), EU28 (d), India (e), and the rest of the World (f); note varying y-axes. The data is smoothed with a 11-year
window to show longer term trends, and the grey shading from 2010-2015 represents a diminishing window length as 2015 is
approached. The missing data before 1995 is since there is no GDP data for the EU28 before 1990. Growth in GDP exerts upward
pressure on emissions, energy efficiency (Energy/GDP) downward pressure, and in recent years, carbon intensity (CO<sub>2</sub>/Energy)
downward pressure. "Cross" is a small interaction term (see Methods). See Supplementary Figure 1 for a non-smoothed version.






Figure 3: Energy intensity of GDP (top) and carbon intensity of energy (bottom), both shown in Level 2 of Figure 1. Data is shown for the historical period (black), the 2°C scenarios assessed in AR5<sup>39</sup>, and the median of the associated baselines (brown). The 116 2°C scenarios are split into different categories with global climate policies starting in 2010 (blue), 2020 (red), and 2030 (orange). The light lines are individual scenarios and the dark with white markers medians. Historically and in the long-term, Energy/GDP has trended downwards and the 2°C scenarios suggest only a slight acceleration to bridge the baseline trend with the 2°C scenarios. The scenarios indicate that most future mitigation is due to reductions in CO<sub>2</sub>/Energy, and this partly explains our focus on this term in our analysis.





Figure 4: A decomposition of the carbon intensity (CO<sub>2</sub>/Energy) into the carbon intensity of fossil fuel use (CO<sub>2</sub>/Fossil, called
Fossil Intensity) and the share of fossil fuels in energy use (Fossil/Energy), Level 3 in Figure 1. Data shown are for the world (a),
China (b), USA (c), EU28 (d), India (e), and the rest of the World (f). The data has been smoothed with a 11-year window to show
longer term trends, and the grey shading from 2010-2015 represents a diminishing window length as 2015 is approached. The
missing data for the EU before 1995 is since there is no data before 1990. "Cross" is a negligible interaction term (see Methods).



366 Figure 5: Historical trends and future pathways for the fossil share of primary energy (a), fossil and bioenergy CCS (b), and 367 renewable energy use disaggregated into solar and wind (c), biomass (d), nuclear (e), and hydropower (f). All panels show the 368 historical period (black), the 2°C scenarios assessed in AR5, and the median of the associated baselines (brown). The 116 2°C 369 scenarios are split into different categories with global climate policies starting in 2010 (blue), 2020 (red), and 2030 (orange). 370 The light lines are individual scenarios and the dark with white markers medians. Current trends appear to track well with most 371 2°C scenarios, with the notable exception of CCS. If CCS does not live up to expectations, then alternative energy sources will be 372 required to grow faster over longer periods of time. Additional energy sources and longer time periods are shown in 373 Supplementary Figure 5, and Supplementary Figure 6 shows panel **b** (CCS) to 2100 in energy units (EJ/yr) and the amount of  $CO_2$ 374 captured ( $GtCO_2/yr$ ).