



Kinetics, Pharmacokinetics, and Regulation of L-Carnitine and Acetyl-L-carnitine Metabolism

Charles J. Rebouche, Ph.D.





Carrier-mediated and Passive


Carnitine + Acetyl-CoA



Acetylcarnitine + CoA




Absorption of Dietary L-Carnitine




Data from: Rebouche & Chenard (1991) J Nutr 121:539-546

Metabolism of L-Carnitine in the Large Intestine




Carnitine Kinetics in Humans




Data from: Rebouche & Engel (1984) *J Clin Invest* 73, 857-867

A Kinetic Model for Carnitine Metabolism in Humans




Data from: Rebouche & Engel (1984) J Clin Invest 73, 857-867

Renal Carnitine Excretion



Data from: Rebouche, et al. (1993) Am J Clin Nutr 58:660-665

Diet Supplement




Bioavailability of Oral Carnitine Supplements

Dose	Bioavailability	Reference
2 g	0.16	Harper et al., 1988
6 g*	0.05	Harper et al., 1988
30 and 100 mg/kg	0.16, 0.14	Rizza et al., 1992
100 mg/kg	0.18	Segre et al., 1988
2 g every 12 h	0.14 - 0.16	Sahajwalla et al., 1995
600 mg, 3 times/day	0.17	Rebouche, 1991


Kinetic Parameters for Oral Carnitine Supplements

Dose	T _{max} (h)	T _{1/2} (h)	Reference
2 g	4.9	6.5	Harper et al., 1988
30 mg/kg	5.2	1.9	Segre et al., 1988
100 mg/kg	3.7		Segre et al., 1988
30 mg/kg	3.0	3.0	Rizza et al., 1992
100 mg/kg	3.5	4.1	Rizza et al., 1992
2 g	3.1-3.4		Sahajwalla et al., 1995
600 mg	4.0		Rebouche, 1991

Serum Response to Multiple Oral Dosing



Carnitine Supplement in Rats




Data from: Rebouche (1983) J Nutr 113:1906-1913

Carnitine Supplement and Acylcarnitine Ester Appearance

- Serum acylcarnitine ester concentrations
 - no supplement 7.27 µmol/L
 - supplement 13.9 µmol/L
- Acylcarnitine ester excretion
 - no supplement 3.27 µmol/kg/day
 - supplement 6.06 µmol/kg/day
- Ratio, non-esterified carnitine/total carnitine in urine
 - no supplement 0.58
 - supplement 0.62

Acetyl-L-carnitine IV Pharmacokinetics



Data from: Marzo et al. (1989) Eur J Clin Pharmacol 37:59-63

Acetyl-L-carnitine and L-Carnitine Clearance and Interconversions

Renal Clearance

“Clearances of Transformation”

Sex	Basal	0-12		12-24		CL_{ALC-LC}	CL_{LC-ALC}
		h	L/h	h	L/h		
CL_{ALC}	F	0.57	1.40	1.23		Females	14.1
	M	0.35	2.08	0.64			
CL_{LC}	F	0.14	1.46	0.39		Males	2.48
	M	0.24	3.42	0.34			

Data from: Marzo et al. (1989) Eur J Clin Pharmacol 37:59-63

Future Research Directions

- Do benefits of oral L-carnitine supplements accrue from increase of intracellular carnitine concentrations, or from increased IC/EC carnitine-acylcarnitine exchange?
- Acetyl-L-carnitine supplements: Where do the acetyl and carnitine moieties go, and how much goes intact (as acetyl-L-carnitine)?

Summary and Highlights

- Dietary carnitine is absorbed by active transport and diffusion processes, whereas supplements are absorbed primarily by diffusion. Intracellular acetylation plays a role in the absorption process.
- Renal excretion/reabsorption provides driving force for homeostatic regulation of carnitine metabolism.
- Rapid carnitine-carnitine and carnitine-acylcarnitine ester exchange occurs between tissues and extracellular compartment.
- Repeated dosing L-carnitine supplements are capable of maintaining increased circulating and probably tissue carnitine concentrations.
- Acetyl-L-carnitine supplements are rapidly deacetylated.