

Daolin Fu · Péter Szűcs · Liuling Yan
Marcelo Helguera · Jeffrey S. Skinner
Jarislav von Zitzewitz · Patrick M. Hayes
Jorge Dubcovsky

Large deletions within the first intron in *VRN-1* are associated with spring growth habit in barley and wheat

Published online: 22 October 2005
© Springer-Verlag 2005

Molecular Genetics and Genomics 273(1):54–65

The version of Table 2 that appeared in this paper contained a number of errors. The correct version appears below:

The online version of the original article can be found at <http://dx.doi.org/10.1007/s00438-004-1095-4>

D. Fu · L. Yan · J. Dubcovsky (✉)
Department of Plant Sciences, University of California,
One Shields Av, Davis, CA 95616, USA
E-mail: jdubcovsky@ucdavis.edu

P. Szűcs
Agricultural Research Institute of the Hungarian Academy of
Sciences, 2462 Martonvásár, Hungary

M. Helguera
EEA INTA Marcos Juárez, CC 21, 2580 Marcos Juárez,
Argentina

J. S. Skinner · J. von Zitzewitz · P. M. Hayes
Department of Crop and Soil Science and Horticulture,
Oregon State University, Corvallis, OR 97331, USA

Table 2 Survey of wheat varieties grown in Argentina and California (1930–2004) with previously unknown vernalization genes

Allele combination ^a		Wheat varieties grown in Argentina and California
Winter (6x)	<i>Vrn-A1</i> <i>Vrn-B1</i> <i>vrn-D1</i>	Argentina: General Roca, Klein 32, Klein Rendidor, Prointa Puntal, Prointa Super US: Andrews, Barbee, Bonne Ville, Eltan, Garland, Gene, Hill 81, Hyak, Komor, Lambert, Mac Vicar, Madsen, Malcolm, Meridian, Newton, Nugaines, Phoenix, Promontory, Red Chief, Rod, Rohde, Rulo, Stephens, Tascosa, Triumph 64, Turkey, Yamhill, Wincora
Spring (4x)	<i>Vrn-A1c</i> <i>vrn-B1</i>	Others: Ranyaya, Bezostaya, VPMI, Mercia
Spring (6x)	<i>Vrn-A1a b</i> <i>Vrn-B1</i> <i>vrn-D1</i>	Argentina: Bonaerense INTA Cumenay, Bonaerense INTA Facón, Bonaerense Quilacó, Buck Ambar, Buck Esmeralda, Buck Topacio US: Aldura, Altar 84, Aruba, Carcomuni's, Duraking, Durex, Durfort, Eddie, Imperial, Leeds, Mexicali 75, Minos, Ocotillo, Reva, Ria, Westbred 881, Westbred Laker, Westbred Turbo
	<i>Vrn-A1a b</i> <i>Vrn-B1</i> <i>vrn-D1</i>	Argentina: Buck Biguá, Buck Catriel, Buck Guarani, Buck Palenque, Cooperación Millán, Diamante INTA, Klein Flecha, Leones INTA, Pampa INTA, Prointa Bonaerense Redomón, Prointa Elite, Prointa Molinero US: Anza, Big Club 60, Blanca, Brooks, Calorwa, Canthatch, Centennial, Challenger, Copper, Dirkwin, Klasic, Marshall, Poco Red, Rich, Spillman, Westbred 926
	<i>Vrn-A1a b</i> <i>Vrn-B1</i> <i>Vrn-D1</i>	Argentina: Bonaerense Pasuco, Buck Arriero, Buck Brasil, Buck Guatimozín, Buck Manantial, Buck Nandú, Cooperación Liqueñ, Granero INTA, Klein Chajá, Prointa Bonaerense Alazán, Prointa Granar US: Len, Owens, Probrand 755, Siete Cerros 66 (CIMMYT), Stoa, Sunstar II, Sunstar Promise, Treasure, Twin
	<i>Vrn-A1a b</i> <i>vrn-B1</i> <i>Vrn-D1</i>	Argentina: ACA 601, Buck Chambergo, Baek Namuncurá, Buck Patacón, Buck Yapeyú, Las Rosas INTA, Prointa Imperial US: Serra, Sonora 64 (CIMMYT), Waduel 94.
	<i>Vrn-A1a b</i> <i>Vrn-B1</i> <i>Vrn-D1</i>	Argentina: ACA 302, Buck Mataco, Buck Pingo, INIA Tijereta, Prointa Colibrí US: Pomerelle, Wawawai, Yaqui 54 (CIMMYT).
	<i>Vrn-A1</i> <i>Vrn-B1</i> <i>vrn-D1</i>	Argentina: Bonaerense INTA Potrillo, Buck Charrúa, Buck Guapo, Buck Pampero, Buck Quequén, Buck Sureño, Buck Yatasto, INIA Churrinche, Klein Don Enrique, Klein Petiso, Klein Sagitario, Klein Salado, Prointa Oasis US: Inia 66R, Penawawa, Pitic 62 (CIMMYT), Poso 48, Ramona 50, RSI 5, Whitebird.
	<i>vrn-A1</i> <i>vrn-B1</i> <i>Vrn-D1</i>	Argentina: Marcos Juárez INTA, Prointa Gaucho US: Cajeme 71, Express, Kern, Probred, UC1041, UC1037, UC1041, UC1107, UC1358, Westbred 911
	<i>Vrn-A1</i> <i>Vrn-B1</i> <i>Vrn-D1</i>	Argentina: ACA 303, Bonaerense INTA Payador, Bordenave Puan SAG, Buck Farol, Buck Poncho, Klein Escorpión, Klein Escudo, Klein Estrella, Klein Jabali, Klein Martillo, Klein Pegaso, Klein Proteo. US: Alpowa, Clear White, Naimari 60 (CIMMYT), Shasta, Tadinia, Tammy, UC1128, Vanna

^a Information for the *Vrn-1* promoter regions is from Yan et al. (2004). *Vrn-A1a* and *Vrn-A1b* indicate promoter insertions or deletions, respectively (no intron deletion); *Vrn-A1c*, intron 1 deletion in the A genome copy; *Vrn-B1*, intron 1 deletion in the B genome copy; *Vrn-D1*, intron 1 deletion in the D genome copy. *vrn-A1*, *vrn-B1* and *vrn-D1* indicate no indels in the intron or promoter region compared to the winter allele