

Contents

| | |
|---|------|
| List of Symbols | xvii |
| Introduction | 1 |
| Part I The Electromagnetic Field | 5 |
| 1 Geometrical Optics | 7 |
| 1.1 General Aspects | 7 |
| 1.2 Ray Transfer Matrices | 9 |
| 1.2.1 One-Dimensional Optical Systems | 9 |
| 1.2.2 Matrix Elements and Liouville's Theorem | 19 |
| 1.2.3 Misaligned Optical Systems | 29 |
| 1.2.4 Two-Dimensional Optical Systems | 34 |
| 1.2.5 Rotation and Tilt | 38 |
| 1.2.6 The ABCD Law for the Radius of Curvature | 47 |
| 1.2.7 Eigensolutions and Eigenvalues | 50 |
| 1.3 Optical Resonators and Ray Transfer Matrices | 52 |
| 2 Wave Optics | 57 |
| 2.1 Huygens' Principle and Kirchhoff-Integral | 57 |
| 2.2 Diffraction | 61 |
| 2.2.1 Rectangular Aperture | 61 |
| 2.2.2 Circular Aperture | 67 |
| 2.3 Collins-Integral | 71 |
| 2.3.1 One-Dimensional Optical Systems | 71 |
| 2.3.2 Two-Dimensional Optical Systems | 73 |
| 2.4 Collins-Integral and Vanishing Ray Matrix Elements | 75 |
| 2.4.1 Imaging Condition ($B=0$) | 75 |
| 2.4.2 Fourier Transformation ($A=0$) | 76 |
| 2.5 Gaussian Beams | 80 |
| 2.5.1 Gaussian Beams in One-Dimensional Optical Systems | 80 |
| 2.5.2 Elliptical Gaussian Beams | 91 |

| | | |
|----------------|--|------------|
| 2.6 | Intensity Moments and Beam Propagation | 96 |
| 2.6.1 | Stigmatic and Simple Astigmatic Beams | 96 |
| 2.6.2 | Generalized Astigmatic Beams | 102 |
| 2.6.3 | Beam Quality | 107 |
| 2.7 | Coherence | 110 |
| 2.7.1 | Temporal Coherence | 110 |
| 2.7.2 | Spatial Coherence | 117 |
| 2.8 | Diffraction Theory of Optical Resonators | 134 |
| 2.8.1 | Integral-Equation for the Electric Field Distribution | 134 |
| 2.8.2 | The Gaussian Beam as a Fundamental Resonator Mode | 136 |
| 2.9 | Plane Wave Presentation of Diffraction | 138 |
| 2.10 | Diffraction-Free Beams | 143 |
| 2.11 | Beam Propagation in Anisotropic Crystals | 150 |
| 3 | Polarization | 153 |
| 3.1 | General Aspects | 153 |
| 3.2 | Jones Matrices | 156 |
| 3.2.1 | Definition | 156 |
| 3.2.2 | Matrices for Rotated Polarizing Optics | 161 |
| 3.2.3 | Combination of Several Polarizing Optics | 163 |
| 3.3 | Eigenstates of Polarization | 167 |
| 3.4 | Polarization in Optical Resonators | 169 |
| 3.4.1 | Eigenstates of the Roundtrip Jones Matrix | 169 |
| 3.4.2 | Polarization and Diffraction-Integrals | 170 |
| 3.5 | Depolarizers | 171 |
| 3.6 | Momentum and Angular Momentum of a Beam | 173 |
| 3.6.2 | The Poynting Vector of Structured Beams | 176 |
| 3.6.3 | Angular Momentum | 178 |
| Part II | Basic Properties of Optical Resonators | 187 |
| 4 | The Fabry Perot Interferometer | 189 |
| 4.1 | General Aspects | 189 |
| 4.2 | The Fabry Perot Interferometer | 191 |
| 4.2.1 | Passive Fabry Perot Interferometer | 191 |
| 4.2.2 | Applications of FPIs | 197 |
| 4.2.3 | Fabry Perot Interferometer with Gain - The Laser Resonator | 199 |
| 4.3 | Optical Coatings | 204 |
| 4.3.1 | Coating Design Matrix Method | 204 |
| 4.3.2 | Quarter Wavelength Systems | 209 |
| 4.3.3 | Coating Methods and Materials | 214 |

| | |
|--|-----|
| Part III Passive Open Resonators | 217 |
| 5 Stable Resonators | 219 |
| 5.1 General Aspects | 219 |
| 5.2 Unconfined Stable Resonators | 221 |
| 5.2.1 Transverse Mode Structures | 222 |
| 5.2.2 Resonance Frequencies | 233 |
| 5.2.3 The TEM ₀₀ -Mode | 235 |
| 5.2.4 Higher Order Modes | 242 |
| 5.2.5 Focusability and Beam Quality | 250 |
| 5.3 Aperture Limited Stable Resonators | 259 |
| 5.3.1 One Aperture Limited Mirror | 261 |
| 5.3.2 Two Aperture Limited Mirrors | 267 |
| 5.4 Misalignment Sensitivity | 271 |
| 5.4.1 One Aperture Limited Mirror | 273 |
| 5.3.2 Two Aperture Limited Mirrors | 277 |
| 6 Resonators on the Stability Limits | 281 |
| 6.1 Resonators with $g_1g_2=1$ | 281 |
| 6.2 Resonators with One Vanishing g -Parameter | 285 |
| 6.3 The Confocal Resonator | 287 |
| 7 Unstable Resonators | 295 |
| 7.1 General Aspects | 295 |
| 7.1 Geometric-Optical Description of Unstable Resonators | 296 |
| 7.2.1 Beam Propagation | 296 |
| 7.2.2 Focusability | 303 |
| 7.3 Diffraction Theory | 311 |
| 7.3.1 Mode Structure, Beam Quality, and Losses | 311 |
| 7.3.2 Applications of Unstable Resonators | 317 |
| 7.4 Misalignment Sensitivity | 317 |
| 7.5 Unstable Resonators in Off-Axis Geometry | 323 |
| 7.6 Unstable Resonators with Homogenous Output Coupling | 328 |
| 7.7 Unstable Resonators with Graded Reflectivity Mirrors | 330 |
| 7.7.1 Resonator Properties | 330 |
| 7.7.2 Production of VRMs | 334 |
| 7.7.3 Laser Performance of VRM Unstable Resonators | 337 |
| 8 Resonators with Internal Lenses | 341 |
| 8.1 Resonators with Internal Lenses | 341 |
| 8.2 Resonators with Polarizing Optics | 344 |
| 8.2.1 The Twisted Mode Resonator | 346 |
| 8.2.2 Resonators with Variable Output Coupling | 347 |
| 8.2.3 The Pockels Cell Resonator | 349 |

| | |
|--|------------|
| 8.2.4 Resonators with Radially Birefringent Elements | 351 |
| 8.2.5 Resonators with Azimuthally Birefringent Elements | 353 |
| 8.2.6 Resonators with Radial-Azimuthally Birefringent Elements | 355 |
| 8.2.7 Compensation of Radial-Azimuthal Birefringence | 358 |
| | |
| Part IV Open Resonators with Gain | 365 |
| | |
| 9 The Active Medium | 367 |
| 9.1 General Aspects | 367 |
| 9.2 Effective Length of a Resonator | 368 |
| 9.3 Amplification and Efficiencies | 370 |
| 9.4 The Laser Equations | 374 |
| 9.5 Line Broadening and Hole Burning | 382 |
| 9.5.1 Homogeneous and Inhomogeneous Line Broadening | 382 |
| 9.5.2 Spatial Hole Burning | 386 |
| 9.6 Spectral Gain Distribution and Frequency Pulling | 388 |
| 9.7 The Spectral Linewidth of Laser Modes | 391 |
| | |
| 10 Output Power of Laser Resonators | 393 |
| 10.1 Output Power of Stable Resonators | 393 |
| 10.1.1 Linear Resonators | 393 |
| 10.1.2 Folded Resonators without Beam Overlap | 402 |
| 10.1.3 Folded Resonators with Beam Overlap | 403 |
| 10.1.4 Ring Resonators | 408 |
| 10.2 Output Power of Unstable Resonators | 410 |
| | |
| 11 Influence of Gain on Mode Structure and Loss | 413 |
| 11.1 General Aspects | 413 |
| 11.2 Stable Resonators | 414 |
| 11.2.1 Fundamental Mode Operation | 414 |
| 11.2.2 Transverse Multimode Operation | 422 |
| 11.3 Unstable Resonators | 425 |
| 11.3.1 Mode Structure and Loss | 425 |
| 11.3.2 Optimum Extraction Efficiency | 427 |
| 11.4 Mode Structure and Steady State Condition | 431 |
| | |
| 12 Q-switched Laser Resonators | 433 |
| 12.1 General Aspects | 433 |
| 12.2 Rate Equations for Q-switching | 436 |
| 12.2.1 Inversion Densities | 436 |
| 12.2.2 Energy, Pulse Duration and Peak Power | 438 |
| 12.3 Optimum Output Coupling | 441 |
| 12.4 Repetitive Q-switching | 443 |

| | |
|---|-----|
| 13 Resonators with Variable Internal Lenses | 451 |
| 13.1 General Aspects | 451 |
| 13.1.1 Thermal Lensing in Solid State Lasers | 451 |
| 13.1.2 Ray Transfer Matrices | 454 |
| 13.2 Stable Resonators | 457 |
| 13.2.1 Fundamental Mode Operation | 457 |
| 13.2.2 Transverse Multimode Operation | 460 |
| 13.2.3 Beam Radii, Divergence, and Beam Quality | 465 |
| 13.2.4 Output Power and Beam Quality | 467 |
| 13.2.5 Output Power in Fundamental Mode Operation | 473 |
| 13.2.6 Spherical Aberration | 476 |
| 13.3 Unstable Resonators | 488 |
| 13.3.1 Beam Propagation | 488 |
| 13.3.2 Positive Branch Confocal Unstable Resonators | 490 |
| 13.3.3 Rod-Imaging Unstable Resonator | 494 |
| 13.3.4 Near Concentric Unstable Resonator | 497 |
| 13.3.5 Beam Quality and Focusing | 500 |
| 14 Resonators with Several Active Media | 505 |
| 14.1 General Aspects | 505 |
| 14.2 Output Power and Efficiency | 507 |
| 14.2.1 Oscillator Arrangement | 507 |
| 14.2.2 Oscillator-Amplifier Arrangement | 508 |
| 14.3 Multirod Solid State Lasers | 509 |
| 14.3.1 The Equivalent g-Diagram | 509 |
| 14.3.2 Beam Quality and Output Power | 511 |
| 14.3.3 Multirod Resonators with Variable Reflectivity Mirrors | 515 |
| 15 Misalignment Sensitivity of Output Power | 517 |
| 15.1 General Properties | 517 |
| 15.2 Stable Resonators in Multimode Operation | 519 |
| 15.2.1 Without Thermal Lensing | 519 |
| 15.2.2 With Thermal Lensing | 523 |
| 15.3 Stable Resonators in Fundamental Mode Operation | 529 |
| 15.4 Unstable Resonators | 531 |
| 15.4.1 Without Thermal Lensing | 531 |
| 15.4.2 With Thermal Lensing | 535 |
| 16 Resonators with Nonlinear Elements | 539 |
| 16.1 General Aspects | 539 |
| 16.2 Intracavity Second Harmonic Generation | 540 |
| 16.2.1 Basic Properties of SHG | 540 |
| 16.2.2 Efficiency of Intracavity Second Harmonic Generation | 548 |
| 16.2.3 Phase Mismatch, Axial Modes, and Conversion Efficiency | 552 |

| | |
|--|------------|
| 16.2.4 Resonator Configurations | 554 |
| 16.3 Intracavity Third Harmonic Generation | 558 |
| 16.3.1 General Properties of Third Harmonic Generation | 558 |
| 16.3.2 Properties of Intracavity Third Harmonic Generation | 563 |
| 16.4 Resonators with Phase-Conjugate Mirrors | 566 |
| 16.4.1 General Properties of a Phase-Conjugate Mirror | 566 |
| 16.4.2 Optical Resonators with a Phase-Conjugate Mirror | 567 |
| 16.4.3 Phase-Conjugate Resonators using SBS | 574 |
| | |
| Part V Special Resonator Concepts | 583 |
| | |
| 17 Prism Resonators | 585 |
| 17.1 Porro Prism Resonator | 585 |
| 17.2 Corner Cube Prism Resonator | 591 |
| | |
| 18 Fourier Transform Resonators | 595 |
| 18.1 Self-Filtering Unstable Resonators | 595 |
| 18.2 Stable Fourier Transform Resonators | 600 |
| | |
| 19 Hybrid Resonators | 605 |
| 19.1 General Aspects | 605 |
| 19.2 Unstable-Stable Resonators | 606 |
| 19.3 Waveguide Resonators | 607 |
| 19.3.1 Motivation | 607 |
| 19.3.2 Eigenmodes of Hollow Waveguides | 609 |
| 19.3.3 Properties of Waveguide Resonators | 622 |
| 19.3.4 Properties of Slab Waveguide Lasers | 638 |
| 19.3.5 Solid State Waveguide Lasers | 643 |
| | |
| 20 Resonators for Annular Gain Media | 647 |
| 20.1 Characteristics of Annular Gain Lasers | 647 |
| 20.2 Stable Resonators with Toric Mirrors | 649 |
| 20.2.1 Transverse Mode Structure | 649 |
| 20.2.2 Beam Quality | 651 |
| 20.3 Herriot Cell Resonators | 654 |
| 20.4 Unstable Resonators | 658 |
| 20.4.1 Toric Unstable Resonators | 658 |
| 20.4.2 Azimuthally Unstable Resonators | 660 |
| 20.4.3 Spherical Unstable Resonators | 663 |
| | |
| 21 Ring Resonators | 665 |
| 21.1 General Properties of Ring Resonators | 665 |

| | |
|---|------------|
| 21.2 Unstable Ring Resonators | 670 |
| 21.3 Nonplanar Ring Resonators | 673 |
| 22 Single Mode Laser Resonators | 675 |
| 22.1 Axial Mode Spectrum of Lasers | 675 |
| 22.2 Axial Mode Selection with Intracavity Elements | 677 |
| 22.3 Axial Mode Selection in Coupled Resonators | 679 |
| 22.4 Resonators for Homogeneously Broadened Lasers | 682 |
| 22.5 Micro-optical Resonators | 684 |
| | |
| Part VI Measurement Techniques | 687 |
| | |
| 23 Measurement of Laser Parameters | 689 |
| 23.1 Measurement of Losses, Gain, and Efficiency | 689 |
| 23.1.1 Findlay-Clay Analysis | 689 |
| 23.1.2 Delay-Time Analysis | 697 |
| 23.1.3 Measurement of Diffraction Losses | 701 |
| 23.1.4 Measurement of the Saturation Intensity | 703 |
| 23.2 Measurement of Thermal Lensing | 704 |
| 23.2.1 Focusing of an Expanded Probe Beam | 705 |
| 23.2.2 Deviation of a Collimated Probe Beam | 707 |
| 23.2.3 Change in Laser Properties | 708 |
| | |
| 24 Measurement of Laser Beam Parameters | 713 |
| 24.1 Measurement of Beam Quality | 713 |
| 24.1.1 The Beam Propagation Factor | 713 |
| 24.1.2 ISO Standardized Methods | 715 |
| 24.1.3 Beam Attenuation | 722 |
| 24.1.4 Beam Quality Analyzers | 722 |
| 24.2 Measurement of Polarization | 724 |
| 24.3 Measurement of the Phase | 727 |
| | |
| References | 731 |
| | |
| Index | 787 |