

This is a repository copy of Latest Permian to Middle Triassic redox condition variations in ramp settings, South China: Pyrite framboid evidence.

White Rose Research Online URL for this paper: http://eprints.whiterose.ac.uk/112358/

Version: Supplemental Material

## Article:

Huang, Y, Chen, Z-Q, Wignall, PB et al. (1 more author) (2017) Latest Permian to Middle Triassic redox condition variations in ramp settings, South China: Pyrite framboid evidence. Geological Society of America Bulletin, 129 (1-2). pp. 229-243. ISSN 0016-7606

https://doi.org/10.1130/B31458.1

© 2016 Geological Society of America. This is an author produced version of a paper published in Geological Society of America Bulletin. Uploaded in accordance with the publisher's self-archiving policy.

## Reuse

Unless indicated otherwise, fulltext items are protected by copyright with all rights reserved. The copyright exception in section 29 of the Copyright, Designs and Patents Act 1988 allows the making of a single copy solely for the purpose of non-commercial research or private study within the limits of fair dealing. The publisher or other rights-holder may allow further reproduction and re-use of this version - refer to the White Rose Research Online record for this item. Where records identify the publisher as the copyright holder, users can verify any specific terms of use on the publisher's website.

## Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.





Figure1







Figure 3







Figure 5



Figure 6



Figure 7



Figure 8

![](_page_7_Figure_0.jpeg)

Figure 9

![](_page_7_Figure_2.jpeg)

Figure 10

![](_page_8_Picture_0.jpeg)

Figure S1 Overgrowth sunflower-like pyrite aggregates.