

## Lifestyle factors and serum androgens among 636 middle aged men from seven countries in the European Prospective Investigation into Cancer and Nutrition (EPIC)

Reiko Suzuki · Naomi E. Allen · Paul N. Appleby · Timothy J. Key · Laure Dossus · Anne Tjønneland · Nina Føns Johnsen · Kim Overvad · Carlotta Sacerdote · Domenico Palli · Vittorio Krogh · Rosario Tumino · Sabine Rohrmann · Jakob Linseisen · Heiner Boeing · Antonia Trichopoulou · Georgios Makrygiannis · Gesthimani Misirli · H. Bas Bueno-de-Mesquita · Anne M. May · María José Tormo Díaz · Maria-José Sánchez · Aurelio Barricarte Gurrea · Laudina Rodríguez Suárez · Genevieve Buckland · Nerea Larrañaga · Sheila Bingham · Kay-Tee Khaw · Sabina Rinaldi · Nadia Slimani · Mazda Jenab · Elio Riboli · Rudolf Kaaks

Published online: 25 April 2009  
© Springer Science+Business Media B.V. 2009

### Erratum to: Cancer Causes Control DOI 10.1007/s10552-009-9326-y

Under the **Statistical analysis** section, the second starting sentence should be read as “Partial correlation coefficients with adjustment for age at blood collection, laboratory batch, center and BMI were used to ....”

The online version of the original article can be found under doi:10.1007/s10552-009-9326-y.

R. Suzuki · N. E. Allen · P. N. Appleby · T. J. Key  
Cancer Epidemiology Unit, Nuffield Department of Medicine,  
University of Oxford, Oxford, UK

R. Suzuki (✉)  
Division of Epidemiology and Prevention, Research Center  
for Cancer Prevention and Screening, National Cancer Center,  
Tukiji 5-1-1, Chuo-ku, 104-0045 Tokyo, Japan  
e-mail: resuzuki@ncc.go.jp

L. Dossus · S. Rohrmann · J. Linseisen · R. Kaaks  
Division of Cancer Epidemiology, German Cancer Research  
Centre (DKFZ), Heidelberg, Germany

A. Tjønneland · N. Føns Johnsen  
Institute of Cancer Epidemiology, Danish Cancer Society,  
Copenhagen, Denmark

K. Overvad  
Department of Clinical Epidemiology, Aarhus University  
Hospital, Aalborg, Denmark

C. Sacerdote  
CPO-Piemonte and ISI Foundation, Torino, Italy

Third para of **Result** section, should read as “Partial correlations between log-transformed androgen concentrations, adjusted for age, batch, center and BMI, are shown in Table 2. Statistically significant positive associations ( $p < 0.01$ ) were observed between all hormones, except between SHBG and each of A-dione and FT. The correlation between SHBG and A-diol-g was of borderline statistical significance ( $p = 0.01$ ).”

C. Sacerdote  
Unit of Cancer Epidemiology, University of Turin, Turin, Italy

D. Palli  
Molecular and Nutritional Epidemiology Unit, Cancer Research  
and Prevention Institute (ISPO), Florence, Italy

V. Krogh  
Nutritional Epidemiology Unit, Fondazione IRCCS Istituto  
Nazionale dei Tumori, Milan, Italy

R. Tumino  
Cancer Registry, Azienda Ospedaliera “Civile M.P. Arezzo”,  
Ragusa, Italy

H. Boeing  
Department of Epidemiology, German Institute of Human  
Nutrition Potsdam-Rehbruecke, Nuthetal, Germany

H. Boeing  
Department of Urology, Charité-University Medicine Berlin,  
Berlin, Germany

---

A. Trichopoulou · G. Makrygiannis · G. Misirli  
Department of Hygiene and Epidemiology, University of Athens  
Medical School, Athens, Greece

H. B. Bueno-de-Mesquita · A. M. May  
National Institute for Public Health and the Environment  
(RIVM), Bilthoven, The Netherlands

M. J. T. Díaz  
Epidemiology Department, Murcia Health Council, Murcia,  
Spain

M. J. T. Díaz · M.-J. Sánchez · A. Barricarte Gurrea  
CIBER Epidemiología y Salud Pública (CIBERESP), Barcelona,  
Spain

M.-J. Sánchez  
Andalusian School of Public Health, Granada, Spain

A. Barricarte Gurrea  
Public Health Institute of Navarra, Pamplona, Spain

L. Rodríguez Suárez  
The Public Health Directorate, Asturias, Spain

G. Buckland  
Unit of Nutrition, Environment and Cancer, Cancer  
Epidemiology, Research Programme, Catalan Institute  
of Oncology (ICO), Barcelona, Spain

N. Larrañaga  
Epidemiology Unit, Basque Health Department in Gipuzkoa,  
San Sebastian, Spain

S. Bingham  
Department of Public Health and Primary Care, MRC Centre  
for Nutritional Epidemiology in Cancer Prevention and Survival,  
Cambridge, UK

K.-T. Khaw  
Department of Gerontology, University of Cambridge,  
Cambridge, UK

S. Rinaldi · N. Slimani · M. Jenab  
International Agency for Research on Cancer (IARC-WHO),  
Lyon, France

E. Riboli  
Department of Epidemiology and Public Health, Imperial  
College London, London, UK