

 Open access • Journal Article • DOI:10.1111/JPY.12148

Ligulate *Desmarestia* (Desmarestiales, Phaeophyceae) revisited: *D. japonica* sp. nov. and *D. dudresnayi* differ from *D. ligulata*. — [Source link](#)

Eun Chan Yang, Eun Chan Yang, Akira F. Peters, Hiroshi Kawai ...+8 more authors

Institutions: Scottish Association for Marine Science, Korean Ocean Research and Development Institute, Kobe University, University of A Coruña ...+3 more institutions

Published on: 01 Feb 2014 - Journal of Phycology (John Wiley & Sons, Ltd)

Topics: Desmarestia and Desmarestiales


Related papers:

- [A molecular assessment of northeast Pacific *Alaria* species \(Laminariales, Phaeophyceae\) with reference to the utility of DNA barcoding.](#)
- [Barcoding of Cryptic Stages of Marine Brown Algae Isolated from Incubated Substratum Reveals High Diversity in Acinetosporaceae \(Ectocarpales, Phaeophyceae\)](#)¹
- [A multi-locus time-calibrated phylogeny of the brown algae \(Heterokonta, Ochrophyta, Phaeophyceae\): Investigating the evolutionary nature of the "brown algal crown radiation".](#)
- [Applying DNA barcoding to red macroalgae: a preliminary appraisal holds promise for future applications](#)
- [Utility of taxon-specific molecular markers for the species identification of herbarium specimens: an example from *Desmarestia japonica* \(Phaeophyceae, Desmarestiales\) in Korea](#)

Share this paper:    

View more about this paper here: <https://typeset.io/papers/ligulate-desmarestia-desmarestiales-phaeophyceae-revisited-d-55nuceo49s>

A



B

