Metric measure spaces with Riemannian Ricci curvature bounded from below

Giuseppe Savaré[*]

Pisa, June 9–13, 2014

The course will provide an introduction to non-smooth analysis in a metric-measure space $(X, \mathsf{d}, \mathfrak{m})$ and its recent developments regarding first order calculus tools, Sobolev spaces, energy forms, heat flow, lower Ricci curvature bounds in terms of optimal transport and Bakry-Emery "Gamma-calculus".

After a quick review of the basic results in a smooth differentiable Riemannian setting, we will consider the case of a complete metric space (X, d) endowed with a Borel probability measure $\mathfrak{m}$ and we will try to present and discuss:

1. the construction of the Sobolev space $W^{1,2}(X, \mathsf{d}, \mathfrak{m})$ and of the Cheeger energy obtained by relaxing the $L^2(X, \mathfrak{m})$ norm of the local slope of Lipschitz functions;

2. the equivalent characterization by weak upper gradients and derivatives along "good" collections of absolutely continuous curves, defined by modulus or test-plans;

3. the construction of a (possibly nonlinear) heat flow as the L^2-gradient flow of the Cheeger energy or the Wasserstein W_2-gradient flow of the relative entropy functional;

4. the role of the curvature-dimension condition $\mathrm{CD}(K, \infty)$ in terms of geodesic convexity of the entropy functional in the Wasserstein space;

5. the distinguished case when the Cheeger energy is quadratic: $\mathrm{RCD}(K, \infty)$ spaces and their characterization in terms of Evolution Variational Inequalities;

6. the point of view of Dirichlet forms: Γ-calculus, Bakry-Émery condition, intrinsic Biroli-Mosco distance;

7. the equivalence between the "metric-measure-transport" and the "energy-measure-semigroup" approaches.

Each topic will be supplemented with examples, applications, recent new results and research directions.

The course will be mainly based on [17, 30, 41]; an indicative (but largely incomplete) list of references follows.

---

[*]Dipartimento di Matematica, Università di Pavia.
Email: giuseppe.savare@unipv.it   Web: http://www.imati.cnr.it/savare

Monographs and Lecture notes

[1] Zhi-Ming Ma and M. Röckner. *Introduction to the Theory of (Non-symmetric) Dirichlet Forms*. New York: Springer, 1992.

[2] Cédric Villani. *Topics in optimal transportation*. Vol. 58. Graduate Studies in Mathematics. Providence, RI: American Mathematical Society, 2003, pp. xvi+370. ISBN: 0-8218-3312-X.

[3] Luigi Ambrosio, Nicola Gigli, and Giuseppe Savaré. *Gradient flows in metric spaces and in the space of probability measures*. Second Edition (First edition: 2005). Lectures in Mathematics ETH Zürich. Basel: Birkhäuser Verlag, 2008, pp. x+334. ISBN: 978-3-7643-8721-1.

[4] Cédric Villani. *Optimal transport. Old and new*. Vol. 338. Grundlehren der Mathematischen Wissenschaften. Berlin: Springer-Verlag, 2009, pp. xxii+973. ISBN: 978-3-540-71049-3.

[5] Anders Björn and Jana Björn. *Nonlinear potential theory on metric spaces*. Vol. 17. EMS Tracts in Mathematics. European Mathematical Society (EMS), Zürich, 2011, pp. xii+403. ISBN: 978-3-03719-099-9. DOI: 10.4171/099.

[6] Masatoshi Fukushima, Yoichi Oshima, and Masayoshi Takeda. *Dirichlet forms and symmetric Markov processes*. extended. Vol. 19. de Gruyter Studies in Mathematics. Berlin: Walter de Gruyter & Co., 2011, pp. x+489. ISBN: 978-3-11-021808-4.

[7] Luigi Ambrosio and Nicola Gigli. "A user's guide to optimal transport". In: *Modelling and optimisation of flows on networks*. Vol. 2062. Lecture Notes in Math. Springer, Heidelberg, 2013, pp. 1–155. DOI: 10.1007/978-3-642-32160-3_1.

[8] Dominique Bakry, Ivan Gentil, and Michel Ledoux. *Analysis and geometry of Markov diffusion operators*. Vol. 348. Grundlehren der Mathematischen Wissenschaften [Fundamental Principles of Mathematical Sciences]. Springer, Cham, 2014, pp. xx+552. ISBN: 978-3-319-00226-2; 978-3-319-00227-9. DOI: 10.1007/978-3-319-00227-9.

Calculus, Sobolev spaces and Optimal transport on metric-measure spaces

[9] Pekka Koskela and Paul MacManus. "Quasiconformal mappings and Sobolev spaces". In: *Studia Math.* 131.1 (1998), pp. 1–17. ISSN: 0039-3223.

[10] J. Cheeger. "Differentiability of Lipschitz functions on metric measure spaces". In: *Geom. Funct. Anal.* 9.3 (1999), pp. 428–517. ISSN: 1016-443X.

[11] Nageswari Shanmugalingam. "Newtonian spaces: an extension of Sobolev spaces to metric measure spaces". In: *Rev. Mat. Iberoamericana* 16.2 (2000), pp. 243–279. ISSN: 0213-2230.

[12] Juha Heinonen. "Nonsmooth calculus". In: *Bull. Amer. Math. Soc. (N.S.)* 44.2 (2007), pp. 163–232. ISSN: 0273-0979. DOI: 10.1090/S0273-0979-07-01140-8.

[13] Kazumasa Kuwada. "Duality on gradient estimates and Wasserstein controls". In: *J. Funct. Anal.* 258.11 (2010), pp. 3758–3774. ISSN: 0022-1236. DOI: 10.1016/j.jfa.2010.01.010.

[14] N. Gigli. "On the differential structure of metric measure spaces and applications". In: *ArXiv e-prints* (2012). arXiv:1205.6622 [math.MG].

[15] L. Ambrosio, S. Di Marino, and G. Savaré. "On the duality between p-Modulus and probability measures". In: *ArXiv e-prints* (2013), pp. 1–40. arXiv:1311.1381 [math.FA].

[16] Luigi Ambrosio, Nicola Gigli, and Giuseppe Savaré. "Density of Lipschitz functions and equivalence of weak gradients in metric measure spaces". In: *Rev. Mat. Iberoam.* 29.3 (2013), pp. 969–996. ISSN: 0213-2230. DOI: 10.4171/RMI/746.

[17] Luigi Ambrosio, Nicola Gigli, and Giuseppe Savaré. "Calculus and heat flow in metric measure spaces and applications to spaces with Ricci bounds from below". In: *Invent. Math.* 195.2 (2014), pp. 289–391. ISSN: 0020-9910. DOI: 10.1007/s00222-013-0456-1.

Ricci curvature and optimal transport in a smooth setting

[18]   F. Otto and C. Villani. "Generalization of an inequality by Talagrand and links with the logarithmic Sobolev inequality". In: *J. Funct. Anal.* 173.2 (2000), pp. 361–400. ISSN: 0022-1236.

[19]   Dario Cordero-Erausquin, Robert J. McCann, and Michael Schmuckenschläger. "A Riemannian interpolation inequality à la Borell, Brascamp and Lieb". In: *Invent. Math.* 146.2 (2001), pp. 219–257. ISSN: 0020-9910.

[20]   Karl-Theodor Sturm. "Convex functionals of probability measures and nonlinear diffusions on manifolds". In: *J. Math. Pures Appl. (9)* 84.2 (2005), pp. 149–168. ISSN: 0021-7824.

[21]   Karl-Theodor Sturm and Max-K. von Renesse. "Transport inequalities, gradient estimates, entropy, and Ricci curvature". In: *Comm. Pure Appl. Math.* 58.7 (2005), pp. 923–940. ISSN: 0010-3640.

[22]   Dario Cordero-Erausquin, Robert J. McCann, and Michael Schmuckenschläger. "Prékopa-Leindler type inequalities on Riemannian manifolds, Jacobi fields, and optimal transport". In: *Ann. Fac. Sci. Toulouse Math. (6)* 15.4 (2006), pp. 613–635. ISSN: 0240-2963.

Lower Ricci curvature bounds in metric-measure spaces

[23]   Jeff Cheeger and Tobias H. Colding. "Lower bounds on Ricci curvature and the almost rigidity of warped products". In: *Ann. of Math. (2)* 144.1 (1996), pp. 189–237. ISSN: 0003-486X. DOI: 10.2307/2118589.

[24]   Jeff Cheeger and Tobias H. Colding. "On the structure of spaces with Ricci curvature bounded below. I". In: *J. Differential Geom.* 46.3 (1997), pp. 406–480. ISSN: 0022-040X. URL: http://projecteuclid.org/getRecord?id=euclid.jdg/1214459974.

[25]   Jeff Cheeger and Tobias H. Colding. "On the structure of spaces with Ricci curvature bounded below. II". In: *J. Differential Geom.* 54.1 (2000), pp. 13–35. ISSN: 0022-040X. URL: http://projecteuclid.org/getRecord?id=euclid.jdg/1214342145.

[26]   Jeff Cheeger and Tobias H. Colding. "On the structure of spaces with Ricci curvature bounded below. III". In: *J. Differential Geom.* 54.1 (2000), pp. 37–74. ISSN: 0022-040X. URL: http://projecteuclid.org/getRecord?id=euclid.jdg/1214342146.

[27]   Karl-Theodor Sturm. "On the geometry of metric measure spaces. I". In: *Acta Math.* 196.1 (2006), pp. 65–131. ISSN: 0001-5962.

[28]   Karl-Theodor Sturm. "On the geometry of metric measure spaces. II". In: *Acta Math.* 196.1 (2006), pp. 133–177. ISSN: 0001-5962.

[29]   John Lott and Cédric Villani. "Ricci curvature for metric-measure spaces via optimal transport". In: *Ann. of Math. (2)* 169.3 (2009), pp. 903–991. ISSN: 0003-486X. DOI: 10.4007/annals.2009.169.903.

Riemannian Ricci curvature bounds

[30]   Luigi Ambrosio, Nicola Gigli, and Giuseppe Savaré. "Metric measure spaces with Riemannian Ricci curvature bounded from below". In: *Duke Mathematical Journal, to appear.* (2011), pp. 1–60. arXiv:1109.0222.

[31]   L. Ambrosio, N. Gigli, A. Mondino, and T. Rajala. "Riemannian Ricci curvature lower bounds in metric measure spaces with σ-finite measure". In: *ArXiv e-prints* (2012). arXiv:1207.4924 [math.DG].

[32] Luigi Ambrosio, Nicola Gigli, and Giuseppe Savaré. "Heat flow and calculus on metric measure spaces with Ricci curvature bounded below - the compact case". In: *Analysis and Numerics of Partial Differential Equations*. Ed. by F. Brezzi, P. Colli Franzone, U.P. Gianazza, and G. Gilardi. Vol. 4. INDAM. Springer, 2013, pp. 63–116.

[33] N. Gigli. "An overview on the proof of the splitting theorem in non-smooth context". In: *ArXiv e-prints* (May 2013). arXiv:1305.4854 [math.DG].

[34] N. Gigli, A. Mondino, and G. Savaré. "Convergence of pointed non-compact metric measure spaces and stability of Ricci curvature bounds and heat flows". In: *ArXiv e-prints* 1311.4907 (2013), pp. 1–62. arXiv:1311.4907.

[35] N. Gigli, T. Rajala, and K.-T. Sturm. "Optimal maps and exponentiation on finite dimensional spaces with Ricci curvature bounded from below". In: *ArXiv e-prints* (May 2013). arXiv:1305.4849 [math.DG].

The Bakry-Émery approach to curvature-dimension lower bounds

[36] D. Bakry. "Transformations de Riesz pour les semi-groupes symétriques. II. Étude sous la condition $\Gamma_2 \geq 0$". In: *Séminaire de probabilités, XIX, 1983/84*. Vol. 1123. Lecture Notes in Math. Springer, Berlin, 1985, pp. 145–174. DOI: 10.1007/BFb0075844.

[37] D. Bakry and Michel Émery. "Diffusions hypercontractives". In: *Séminaire de probabilités, XIX, 1983/84*. Vol. 1123. Lecture Notes in Math. Springer, Berlin, 1985, pp. 177–206. DOI: 10.1007/BFb0075847.

[38] Dominique Bakry. "Functional inequalities for Markov semigroups". In: *Probability measures on groups: recent directions and trends*. Tata Inst. Fund. Res., Mumbai, 2006, pp. 91–147.

[39] Dominique Bakry and Michel Ledoux. "A logarithmic Sobolev form of the Li-Yau parabolic inequality". In: *Rev. Mat. Iberoam.* 22.2 (2006), pp. 683–702. ISSN: 0213-2230. DOI: 10.4171/RMI/470.

[40] Feng-Yu Wang. "Equivalent semigroup properties for the curvature-dimension condition". In: *Bull. Sci. Math.* 135.6-7 (2011), pp. 803–815. ISSN: 0007-4497. DOI: 10.1016/j.bulsci.2011.07.005.

Bakry-Émery and Riemannian Ricci curvature bounds

[41] Luigi Ambrosio, Nicola Gigli, and Giuseppe Savaré. "Bakry-Émery curvature-dimension condition and Riemannian Ricci curvature bounds". In: *Annals of Probability, to appear.* (2012), pp. 1–61. arXiv:1209.5786.

[42] L. Ambrosio, A. Mondino, and G. Savaré. "On the Bakry-Émery condition, the gradient estimates and the Local-to-Global property of RCD*(K,N) metric measure spaces". In: *ArXiv e-prints* (2013), pp. 1–29. arXiv:1309.4664.

[43] M. Erbar, K. Kuwada, and K.-T. Sturm. "On the Equivalence of the Entropic Curvature-Dimension Condition and Bochner's Inequality on Metric Measure Spaces". In: *ArXiv e-prints* (Mar. 2013). arXiv:1303.4382 [math.DG].

[44] Giuseppe Savaré. "Self-improvement of the Bakry-Émery condition and Wasserstein contraction of the heat flow in RCD(K, ∞) metric measure spaces". In: *Disc. Cont. Dyn. Sist. A* 34 (2014), pp. 1641–1661. DOI: 10.3934/dcds.2014.34.1641. arXiv:1304.0643.