

## Modelling navigation in muddy areas through captive model tests

Guillaume Delefortrie · Marc Vantorre ·  
Katrien Eloot

Published online: 27 January 2009  
© JASNAOE 2009

**Erratum to: J Mar Sci Technol (2005) 10:188–202**  
**DOI 10.1007/s00773-005-0210-5**

On page 191 in Equation 2 an error appeared, published as:

$$X_H = \left[ X_{\dot{u}} - m \right] \dot{u} + mvr + mx_G r^2 \\ \times \left[ X_{\dot{v}\dot{v}} \dot{v}^2 + X_{\dot{v}} \dot{v} + X_{\dot{r}\dot{r}} \dot{r}^2 + X_{\dot{r}} \dot{r} \right] \\ + \frac{1}{2} \rho LT \left\{ \left[ u^2 + v^2 \right] X'(\beta) + \left[ u^2 + \left( \frac{1}{2} rL \right)^2 \right] X'(\gamma) \right. \\ \left. + \left[ v^2 + \left( \frac{1}{2} rL \right)^2 \right] X'(\chi) \right\}$$

The equation should be correctly written as:

$$X_H = \left[ X_{\dot{u}} - m \right] \dot{u} + mvr + mx_G r^2 \\ + \left[ X_{\dot{v}\dot{v}} \dot{v}^2 + X_{\dot{v}} \dot{v} + X_{\dot{r}\dot{r}} \dot{r}^2 + X_{\dot{r}} \dot{r} \right] \\ + \frac{1}{2} \rho LT \left\{ \left[ u^2 + v^2 \right] X'(\beta) + \left[ u^2 + \left( \frac{1}{2} rL \right)^2 \right] X'(\gamma) \right. \\ \left. + \left[ v^2 + \left( \frac{1}{2} rL \right)^2 \right] X'(\chi) \right\}$$

---

The online version of the original article can be found under  
doi:[10.1007/s00773-005-0210-5](https://doi.org/10.1007/s00773-005-0210-5).

---

G. Delefortrie (✉) · M. Vantorre  
Maritime Technology Division, Ghent University,  
Technologiepark 9, B9052 Gent, Belgium  
e-mail: [guillaume.delefortrie@ugent.be](mailto:guillaume.delefortrie@ugent.be)

K. Eloot  
Flanders Hydraulics Research, Antwerp, Belgium