

Multilevel Coordination Control of Partially Observed Modular DES

Jan Komenda, Tomáš Masopust, and Jan H. van Schuppen

Abstract—Coordination control for multi-level discrete-event systems is generalized to supervisory control with partial observations. The multi-level system architecture is in this paper restricted to three levels, which include two levels of coordination on the two highest levels. At Level 1 a coordinator coordinates several coordinators of Level 2 and at Level 2 each coordinator coordinates a set of subsystems of Level 3. The problem is to synthesize a set of supervisors based on partial observations and on top-down synthesis, which together achieve the control objectives. A necessary and sufficient condition for the existence of such supervisors is three-level conditional controllability and three-level conditional observability. A procedure is formulated and proven (Theorem 16) to construct the supremal three-level conditionally controllable and conditionally normal sublanguage of the specification language.

I. INTRODUCTION

Large-scale technological systems consist nowadays of large networks of subsystems. A realistic model is then a distributed system of a synchronous product of finite automata. Supervisory control synthesis of a distributed system has to overcome the major research issues of complexity and of nonblockingness. Coordination control of distributed systems with synchronous communication has been developed by the authors, see [1] and the references therein, in which a coordinator restricts the behavior of two or more subsystems so that, after further control synthesis, safety and nonblockingness of the distributed system are achieved.

To further limit the complexity of control synthesis, a multi-level system architecture and multi-level control synthesis have been developed. In the multi-level system architecture, there are three levels. At Level 1 a coordinator coordinates several coordinators of Level 2 and at Level 2 each coordinator coordinates a set of subsystem of Level 3, see [2]. This architecture considerably limits the computational complexity due to relatively small event sets at the various levels.

In [3], the authors have proven results on the existence of a set of supervisors based on complete observations at the various levels of a multi-level discrete-event system.

In this paper, supervisory control of multi-level discrete-event systems is generalized to supremal supervisors based on partial observations and for a prefixed-closed specification. The concepts of three-level conditional observability and of three-level conditional normality are introduced. It is

proven that such supervisors based on partial observations exist if and only if three-level conditional controllability and three-level conditional observability both hold.

For supremal supervisors the concept of three-level conditional normality is introduced. A procedure is formulated and proven to be correct for the computation of the supremal three-level conditionally controllable and conditionally normal sublanguage. The formulations of the concepts are uniform for all levels and use controllability and normality.

The literature on hierarchical approach to supervisory control of a network of discrete-event systems is rather limited. The hierarchical approach of K. Schmidt, cf. [4] is restricted to two levels of hierarchy.

The content of the paper consists of a summary of coordination control in Section II, the main results on multi-level coordination control of multi-level discrete-event systems in Section III, and concluding remarks in the last section.

II. COORDINATION CONTROL OF PARTIALLY OBSERVED MODULAR DES

In this section elementary notions of supervisory control theory are first recalled. The reader is referred to [5] for more details.

Let A be a finite nonempty set of *events*, and let A^* denote the set of all finite words over A . The *empty word* is denoted by ε . Let $|A|$ denote the cardinality of A .

A *generator* is a quintuple $G = (Q, A, f, q_0, Q_m)$, where Q is the finite nonempty set of *states*, A is the *event set*, $f: Q \times A \rightarrow Q$ is the *partial transition function*, $q_0 \in Q$ is the *initial state*, and $Q_m \subseteq Q$ is the set of *marked states*. In the usual way, the transition function f can be extended to the domain $Q \times A^*$ by induction. The behavior of G is described in terms of languages. The language *generated* by G is the set $L(G) = \{s \in A^* \mid f(q_0, s) \in Q\}$ and the language *marked* by G is the set $L_m(G) = \{s \in A^* \mid f(q_0, s) \in Q_m\} \subseteq L(G)$.

A (*regular*) *language* L over an event set A is a set $L \subseteq A^*$ such that there exists a generator G with $L_m(G) = L$. The prefix closure of L is the set $\bar{L} = \{w \in A^* \mid \text{there exists } u \in A^* \text{ such that } wu \in L\}$; L is *prefix-closed* if $L = \bar{L}$. In this paper it is assumed that all languages are prefix-closed.

A (*natural*) *projection* $P: A^* \rightarrow A_o^*$, for some $A_o \subseteq A$, is a homomorphism defined so that $P(a) = \varepsilon$, for $a \in A \setminus A_o$, and $P(a) = a$, for $a \in A_o$. The *inverse image* of P , denoted by $P^{-1}: A_o^* \rightarrow 2^{A^*}$, is defined as $P^{-1}(s) = \{w \in A^* \mid P(w) = s\}$. The definitions can naturally be extended to languages. The projection of a generator G is a generator $P(G)$ whose behavior satisfies $L(P(G)) = P(L(G))$ and $L_m(P(G)) = P(L_m(G))$.

A *controlled generator* is a structure (G, A_c, P, Γ) , where G is a generator over A , $A_c \subseteq A$ is the set of *controllable events*,

J. Komenda is with the Institute of Mathematics, Academy of Sciences of the Czech Republic, Žitkova 22, 616 62 Brno, Czech Republic. T. Masopust is with TU Dresden, Germany, and with the Institute of Mathematics, Academy of Sciences of the Czech Republic. J. H. van Schuppen is with Van Schuppen Control Research, Gouden Leeuw 143, 1103 KB, Amsterdam, The Netherlands. komenda@math.cas.cz, masopust@ipm.cz, jan.h.van.schuppen@xs4all.nl

$A_u = A \setminus A_c$ is the set of *uncontrollable events*, $P: A^* \rightarrow A_o^*$ is the projection, and $\Gamma = \{\gamma \subseteq A \mid A_u \subseteq \gamma\}$ is the *set of control patterns*.

A *supervisor* for the controlled generator (G, A_c, P, Γ) is a map $S: P(L(G)) \rightarrow \Gamma$. A *closed-loop system* associated with the controlled generator (G, A_c, P, Γ) and the supervisor S is defined as the smallest language $L(S/G) \subseteq A^*$ such that

- 1) $\varepsilon \in L(S/G)$ and
- 2) if $s \in L(S/G)$, $sa \in L(G)$, and $a \in S(P(s))$, then also $sa \in L(S/G)$.

Let G be a generator over A , and let $K = \bar{K} \subseteq L_m(G)$ be a specification. The aim of supervisory control theory is to find a supervisor S such that $L(S/G) = K$. It is known that such a supervisor exists if and only if K is

- 1) *controllable* with respect to $L(G)$ and A_u ; that is, $KA_u \cap L \subseteq K$, and
- 2) *observable* with respect to $L(G)$, A_o , and A_c ; that is, for all $s \in K$ and $\sigma \in A_c$, if $s\sigma \notin K$ and $s\sigma \in L(G)$, then $P^{-1}[P(s)]\sigma \cap K = \emptyset$, where $P: A^* \rightarrow A_o^*$.

The synchronous product (parallel composition) of languages $L_1 \subseteq A_1^*$ and $L_2 \subseteq A_2^*$ is defined by

$$L_1 \parallel L_2 = P_1^{-1}(L_1) \cap P_2^{-1}(L_2) \subseteq A^*,$$

where $P_i: A^* \rightarrow A_i^*$, for $i = 1, 2$, are projections to local event sets. In terms of generators, it is known that $L(G_1 \parallel G_2) = L(G_1) \parallel L(G_2)$ and $L_m(G_1 \parallel G_2) = L_m(G_1) \parallel L_m(G_2)$, see [5] for more details.

We need the following lemma, which should be obvious.

Lemma 1: For any language $L \subseteq A^*$ and projections $P_1: A^* \rightarrow B_1^*$ and $P_2: A^* \rightarrow B_2^*$ with $B_2 \subseteq B_1 \subseteq A$, it holds that $P_1(L) \parallel P_2(L) = P_1(L)$. ■

Let G be a generator over A , and let $Q: A^* \rightarrow A_o^*$ be a natural projection. A language $K \subseteq L(G)$ is *normal* with respect to $L(G)$ and Q if $K = Q^{-1}Q(K) \cap L(G)$.

For prefix-closed languages that are exclusively considered in this paper nonconflictiness holds trivially, hence controllability is preserved by the synchronous product. It is easy to show that the same holds for normality.

Lemma 2: For $i = 1, 2, \dots, n$, let $K_i \subseteq L_i$ be controllable with respect to $L_i \subseteq A_i^*$ and $A_{i,u}$, and normal with respect to L_i and Q_i , where $Q_i: A_i^* \rightarrow A_{i,o}^*$ are natural projections that define partial observations in subsystems. Then $\parallel_{i=1}^n K_i$ is controllable with respect to $\parallel_{i=1}^n L_i$ and $\cup_{i=1}^n A_{i,u}$ and normal with respect to $\parallel_{i=1}^n L_i$ and Q , where $Q: (\cup_{i=1}^n A_i)^* \rightarrow (\cup_{i=1}^n A_{i,o})^*$ is the natural projection that describes partial observations over the global alphabet. ■

Now we recall the basic notions of coordination control [1]. A language K over $\cup_{i=1}^n A_i$ is *conditionally decomposable with respect to alphabets* $(A_i)_{i=1}^n$ and A_k , where $\cup_{1 \leq i, j \leq n}^{i \neq j} (A_i \cap A_j) \subseteq A_k \subseteq \cup_{i=1}^n A_j$, if

$$K = \parallel_{i=1}^n P_{i+k}(K),$$

for projections P_{i+k} from $\cup_{j=1}^n A_j$ to $A_i \cup A_k$, for $i = 1, 2, \dots, n$. The alphabet A_k is referred to as a coordinator alphabet and

satisfies the *conditional independence* property, that is, A_k includes all shared events:

$$A_{sh} = \cup_{1 \leq i, j \leq n}^{i \neq j} (A_i \cap A_j) \subseteq A_k.$$

This has the following well-known impact.

Lemma 3 ([6]): Let $P_k: A^* \rightarrow A_k^*$ be a projection, and let L_i be a language over A_i , for $i = 1, 2, \dots, n$, and $\cup_{1 \leq i, j \leq n}^{i \neq j} (A_i \cap A_j) \subseteq A_k$. Then $P_k(\parallel_{i=1}^n L_i) = \parallel_{i=1}^n P_k(L_i)$. ■

The problem of coordination control synthesis is now recalled.

Problem 4: Let G_i , for $i = 1, 2, \dots, n$, be local generators over the event sets A_i of a modular plant $G = \parallel_{i=1}^n G_i$, and let G_k be a coordinator over an alphabet A_k . Consider a prefix-closed specification language $K \subseteq L(G \parallel G_k)$. Assume that $A_k \supseteq A_{sh}$ and that the specification language K is conditionally decomposable with respect to event sets $(A_i)_{i=1}^n$ and A_k .

The global specification is divided into the local subtasks and the coordinator subtask as in [7]. The coordinator takes care of its “part” of the specification, namely $P_k(K)$, i.e., $L(S_k/G_k) \subseteq P_k(K)$. Similarly, the supervisors S_i take care of their corresponding “parts” of the specification, namely $P_{i+k}(K)$, i.e., $L(S_i/[G_i \parallel (S_k/G_k)]) \subseteq P_{i+k}(K)$, for $i = 1, 2, \dots, n$.

The aim is to determine the supervisors S_1, S_2, \dots, S_n , and S_k for the respective generators so that the closed-loop system with the coordinator is such that

$$\parallel_{i=1}^n L(S_i/[G_i \parallel (S_k/G_k)]) = K. \quad \triangleleft$$

Conditional controllability along with conditional observability form an equivalent condition for a language to be achieved by the closed-loop system within our coordination control architecture, see below.

A language $K \subseteq L(G_1 \parallel G_2 \parallel \dots \parallel G_n \parallel G_k)$ is *conditionally controllable* for generators G_1, G_2, \dots, G_n and a coordinator G_k and uncontrollable alphabets $A_{i,u}$, $i = 1, 2, \dots, n$, and $A_{k,u}$ if

- 1) $P_k(K)$ is controllable with respect to $L(G_k)$ and $A_{k,u}$, and
- 2) $P_{i+k}(K)$ is controllable with respect to $L(G_i) \parallel P_k(K)$ and $A_{i+k,u} = (A_i \cup A_k) \cap A_u$, for $i = 1, 2, \dots, n$.

For coordination control with partial observations, the notion of conditional observability is of the same importance as observability for monolithic supervisory control theory with partial observations. We recall that the supervisors S_i , $i = 1, 2, \dots, n$, are supervisors based on partial observations, because they have only information about observable events from $A_{i,o}$ and observable coordinator events $A_{k,o}$, but do not observe events from $A_{i+k} \setminus (A_{i,o} \cup A_{k,o})$.

Let G_i be generators over the event sets A_i , $i = 1, 2, \dots, n$, and let G_k be a coordinator over A_k . A language $K \subseteq L(G_1 \parallel G_2 \parallel \dots \parallel G_n \parallel G_k)$ is *conditionally observable* with respect to the generators G_i and G_k , controllable sets $A_{i,c}$ and $A_{k,c}$, and projections $Q_{i+k}: A_{i+k}^* \rightarrow A_{i+k,o}^*$, for $i = 1, 2, \dots, n$ and $Q_k: A_k^* \rightarrow A_{k,o}^*$, if

- 1) $P_k(K)$ is observable with respect to $L(G_k)$, $A_{k,c}$, Q_k ,

- 2) $P_{i+k}(K)$ is observable with respect to $L(G_i) \parallel P_k(K)$, $A_{i+k,c} = A_c \cap (A_i \cup A_k)$, and Q_{i+k} , for $i = 1, 2, \dots, n$.

We can now formulate the main existential result for coordination control with partial observation.

Theorem 5: Consider the setting of Problem 4. There exist supervisors S_1, S_2, \dots, S_n and S_k based on partial observations such that

$$\prod_{i=1}^n L(S_i / [G_i \parallel (S_k / G_k)]) = K \quad (1)$$

if and only if K is

- 1) conditionally controllable with respect to the generators G_i and G_k , and the uncontrollable sets $A_{i,u}$ and $A_{k,u}$, for $i = 1, 2, \dots, n$, and
- 2) conditionally observable with respect to G_i and G_k , event sets $A_{i,c}$ and $A_{k,c}$, and projections Q_{i+k} and Q_k , for $i = 1, 2, \dots, n$. ■

III. MULTI-LEVEL COORDINATION CONTROL WITH PARTIAL OBSERVATIONS

In this section coordination control of DES with partial observations recalled in the previous section is generalized to the multi-level setting. Similarly as in the complete observation case [3], [2], the subsystems are organized into groups on the lowest level of the hierarchy and a low-level coordinator will be assigned to each group. The high-level coordinator ensures communication among these groups.

A. Existential results of three-level coordination control

We first recall existential results for the three-level coordination control with complete observations from [2] and constructive results from [3].

It is assumed that $G = G_1 \parallel G_2 \parallel \dots \parallel G_n$ and that the subsystems are organized into $m \leq n$ groups I_j , for $j = 1, 2, \dots, m$. The multi-level structure of the subsystems and their coordinators is displayed on Fig. 1. The notation

$$A_{I_r} = \bigcup_{i \in I_r} A_i$$

is used in the paper. Here P_{I_r} denotes the projection $P_{I_r} : A^* \rightarrow A_{I_r}^*$. The notation $P_{I_r+k} : A^* \rightarrow (A_{I_r} \cup A_k)^*$ is then used for the projection to group events extended by the high-level coordinator events. Similarly, $P_{j+k_r+k} : A^* \rightarrow (A_j \cup A_{k_r} \cup A_k)^*$ denotes the projection to the event set A_j of an automaton G_j belonging to the group I_r extended by the event set A_{k_r} of the group coordinator for the low-level group I_r and by the event set A_k of the high-level coordinator. We have introduced the corresponding notion of conditional decomposability in [2].

Definition 6 (three-level conditional decomposability):

A language $K \subseteq A^*$ is called *three-level conditionally decomposable* with respect to the alphabets A_1, A_2, \dots, A_n , the high-level coordinator alphabet A_k , and the low-level coordinator alphabets $A_{k_1}, A_{k_2}, \dots, A_{k_m}$ if

$$K = \prod_{r=1}^m P_{I_r+k}(K) \quad \text{and} \quad P_{I_r+k}(K) = \prod_{j \in I_r} P_{j+k_r+k}(K)$$

for $r = 1, 2, \dots, m$. ◁

It should be noted that on the right-hand side of the second equation in Definition 6, the natural projection includes events from both the group coordinator A_{k_r} and the

high-level coordinator A_k . Note that on the left-hand side there can be events outside the group I_r , because the high-level coordinator alphabet includes shared events between different low-level groups. Therefore, these events should also be included on the right-hand side.

Problem 7 (three-level coordination control problem):

Consider the modular system $G = G_1 \parallel G_2 \parallel \dots \parallel G_n$ along with the three-level hierarchical structure of the subsystems organized into groups I_j , $j = 1, 2, \dots, m \leq n$, on the low level. The synchronous products $\prod_{i \in I_j} G_i$, $j = 1, 2, \dots, m$, then represent the m high-level systems. The coordinators G_{k_j} are associated to groups of subsystems $\{G_i \mid i \in I_j\}$, $j = 1, 2, \dots, m$. The three-level coordination control problem consists in synthesizing the supervisor S_j for each low-level system G_i , $i = 1, 2, \dots, n$, and the high-level supervisor S_{k_j} supervising the group coordinator G_{k_j} , $j = 1, 2, \dots, m$, such that the specification $K = \bar{K} \subseteq L(G)$ is met by the closed-loop system, i.e.,

$$\prod_{j=1}^m \prod_{i \in I_j} L(S_i / [G_i \parallel (S_{k_j} / G_{k_j})]) = K. \quad \triangleleft$$

In this paper the distinguishing feature is that all supervisors have only partial observations of their respective event sets. Moreover, we will present a generalization of sufficient conditions in the constructive part of the paper and it is at the same time a generalization of sufficient conditions in the complete-observations case presented in [3].

Remark 8: In [2] we have proposed a simplification. We increase the low-level coordinator alphabets A_{k_j} that contain shared events among subsystems of the group I_j , $j = 1, 2, \dots, m$, by making its union with the high-level coordinator alphabet A_k , i.e., we put $A_{k_j} := A_{k_j} \cup A_k$, $j = 1, 2, \dots, m$. We recall that A_k contains only events shared between different groups of subsystems, that is, $A_k \supseteq \bigcup_{k, \ell \in \{1, 2, \dots, m\}}^{k \neq \ell} (A_{I_k} \cap A_{I_\ell})$, which is typically a much smaller set than the set of shared events (between two or more subsystems). Otherwise stated, we include into the alphabets A_{k_j} of the group coordinators also events from the global coordinator set (if this is nonempty). We recall that we first construct A_k by extending the set of events that are shared among the low-level groups. i.e.,

$$A_{sh} = \bigcup_{k, \ell \in \{1, 2, \dots, m\}}^{k \neq \ell} (A_{I_k} \cap A_{I_\ell}).$$

This set is typically much smaller than the set of all shared events, because many events are shared only among subsystems belonging to a given low-level group and these do not count for A_{sh} . We find A_k as an extension of A_{sh} using a method described in [8] such that the first equation of Definition 6 holds true.

We recall that in the prefix-closed case the coordinators (both the high-level and the group coordinators) are actually determined by the corresponding alphabets from Definition 6 as projections of the plant to these alphabets. The simplification described above enables us to use only the group coordinators G_{k_j} in all definitions below, which is more concise than using $G_{k_j} \parallel G_k$, but we have to bear in mind that G_{k_j} may also contain the high-level coordinator events belonging to other groups than I_j . ◁




Fig. 1. The multi-level control architecture under consideration.

Formally, the group coordinators G_{k_j} , $j = 1, 2, \dots, m$, are computed using Algorithm 1 below. We emphasize that G_{k_j}

Algorithm 1 Computation of the group coordinators.

For a specification K , the coordinator G_{k_j} of the j -th group of subsystems $\{G_i \mid i \in I_j\}$ is computed as follows.

- 1) Set $A_{k_j} = \bigcup_{k, \ell \in I_j}^{k \neq \ell} (A_k \cap A_\ell)$ to be the set of all shared events of systems from the group I_j .
 - 2) Extend A_{k_j} so that $P_{r+k}(K)$ is conditional decomposable with respect to $(A_i)_{i \in I_j}$ and A_{k_j} , for instance using a method described in [8].
 - 3) Let coordinator $G_{k_j} = \prod_{i=1}^n P_{k_j}(G_i)$.
-

are computed in a distributed way and A_{k_j} might be extended further so that P_{k_j} have the observer property [6], which makes $P_{k_j}(G_i)$ smaller than G_i . We recall that with the definition that $A_k \subseteq A_{k_j}$ described in Remark 8, we can simplify $L(G_k) \parallel L(G_{k_j})$ of [2] to $L(G_{k_j})$. Indeed, by our choice of the coordinators, $L(G_k) \parallel L(G_{k_j}) = P_k(L) \parallel P_{k_j}(L) = P_{k_j}(L) = L(G_{k_j})$, where $L = \prod_{i=1}^n L(G_i)$ is the global plant language and the second equality holds by Lemma 1. Therefore, instead of the low-level coordinators G_{k_j} , $j = 1, 2, \dots, m$, for subsystems belonging to the individual groups $\{G_i \mid i \in I_j\}$ and the high-level coordinators G_k that coordinate the different groups, we are using only the low-level (group) coordinators G_{k_j} , but over larger alphabets compared to [2].

Since the only known condition ensuring that the projected generator is smaller than the original one is the observer property [9] we might need to further extend the alphabets A_{k_j} so that the projection P_{k_j} is an $L(G_i)$ -observer, for all $i \in I_j$.

The key concept is the following.

Definition 9 ([2]): Consider the setting and notations of Problem 7, and let G_k be a coordinator. A language $K \subseteq L(\prod_{i=1}^n G_i)$ is *three-level conditionally controllable* with respect to the generators G_1, G_2, \dots, G_n , the local alphabets A_1, A_2, \dots, A_n , the low-level coordinator alphabets A_{k_1} ,

A_{k_2}, \dots, A_{k_m} , and the uncontrollable alphabet A_u if for all $j = 1, 2, \dots, m$

- 1) $P_{k_j}(K)$ is controllable with respect to $L(G_{k_j})$ and $A_{k_j, u}$,
- 2) $P_{i+k_j}(K)$ is controllable with respect to $L(G_i) \parallel P_{k_j}(K)$ and $A_{i+k_j, u}$, for all $i \in I_j$. \triangleleft

The original version of three-level conditional controllability from [2] is simplified by replacing the composition $L(G_k) \parallel L(G_{k_j})$ by $L(G_{k_j})$ as discussed in Remark 8. For the sake of brevity K will be called three-level conditionally controllable with respect to G_i , $i \in I_\ell$, and G_{k_ℓ} , where some sets are not referenced.

For modular DES with partial observations and three level hierarchy the following concept is needed.

Definition 10: A language $K \subseteq L(\prod_{i=1}^n G_i)$ is *three-level conditionally observable* with respect to the generators G_1, G_2, \dots, G_n , the local alphabets A_1, A_2, \dots, A_n , the low-level coordinator alphabets $A_{k_1}, A_{k_2}, \dots, A_{k_m}$, and the corresponding natural projections if for $j = 1, 2, \dots, m$

- 1) $P_{k_j}(K)$ is observable with respect to $L(G_{k_j})$ and Q_{k_j} ,
- 2) $P_{i+k_j}(K)$ is observable with respect to $L(G_i) \parallel P_{k_j}(K)$ and Q_{i+k_j} , for $i \in I_j$. \triangleleft

The main existential result of multi-level coordination control stated below is a generalization of the one from [2].

Theorem 11: Let K be three-level conditionally decomposable with respect to the local alphabets A_1, A_2, \dots, A_n , the high-level coordinator alphabet A_k , and the low-level coordinator alphabets $A_{k_1}, A_{k_2}, \dots, A_{k_m}$, and let the multi-level structure of the groups of subsystems, coordinators and corresponding supervisors under partial observations be as described in Problem 7. There exist supervisors S_i , $i \in I_j$, for the low-level systems within any group of low-level systems $\{G_i \mid i \in I_j\}$, $j = 1, 2, \dots, m$, and supervisors S_{k_j} , $j = 1, 2, \dots, m$, for the low-level coordinators such that

$$\prod_{j=1}^m \prod_{i \in I_j} L(S_i/G_i \parallel (S_{k_j}/G_{k_j})) = K \quad (1)$$

if and only if K is three-level conditionally controllable and three-level conditionally observable. \blacksquare

B. Generalized constructive results

If the specification fails to satisfy the necessary and sufficient conditions for being achievable then it is customary in supervisory control theory to construct a maximal achievable sublanguage. This applies also to the multi-level coordination control architecture for modular DES. We recall from [3] that in the case specification K fails to be three-level conditionally controllable, the supremal three-level conditionally controllable sublanguage always exists and can be computed in a distributive way.

It is not surprising that three-level conditional observability is not closed under language unions as it is the case of (one-level) conditional observability as well as observability in the monolithic framework. Therefore, we propose three-level conditional normality that is stronger, but closed under language unions.

Definition 12: A language $K \subseteq L(\|_{i=1}^n G_i)$ is *three-level conditionally normal* with respect to the generators G_1, G_2, \dots, G_n , the local alphabets A_1, A_2, \dots, A_n , the low-level coordinator alphabets $A_{k_1}, A_{k_2}, \dots, A_{k_m}$, and the corresponding natural projections if for all $j = 1, 2, \dots, m$

- 1) $P_{k_j}(K)$ is normal with respect to $L(G_{k_j})$ and Q_{k_j} ,
- 2) $P_{i+k_j}(K)$ is normal with respect to $L(G_i) \| P_{k_j}(K)$ and Q_{i+k_j} , for all $i \in I_j$. \triangleleft

Theorem 13: Three-level conditional normality is preserved under arbitrary unions, hence the supremal three-level conditionally normal language always exists. \blacksquare

The computation of conditionally controllable and conditionally normal sublanguages is an important issue if the specification fails to satisfy these conditions. By Theorem 13, the supremal three-level conditionally normal sublanguage of a specification K always exists. Below we propose a procedure to compute the supremal three-level conditionally controllable and conditionally normal sublanguage of K with respect to the three level hierarchical structure of the system, denoted by $\text{sup}2\text{cCN}(K, L, A, Q)$ that always exists as well, since the three-level conditional-controllability is already known to preserve language unions [3].

Similarly as in the centralized coordination control we introduce the following notation. For all $j = 1, 2, \dots, m$ and $i \in I_j$,

$$\begin{aligned} \text{supCN}_{k_j} &= \text{supCN}(P_{k_j}(K), L(G_{k_j}), A_{k_j,u}, Q_{k_j}) \\ \text{supCN}_{i+k_j} &= \text{supCN}(P_{i+k_j}(K), L(G_i) \| \text{supCN}_{k_j}, A_{i+k_j,u}, Q_{i+k_j}) \end{aligned} \quad (2)$$

where $\text{supCN}(K, L, A_u, Q)$ denotes the supremal sublanguage of K controllable with respect to L and A_u and normal with respect to L and the natural projection Q , see [5].

As in the centralized coordination, the following inclusion always holds true.

Lemma 14: For all $j = 1, 2, \dots, m$ and for all $i \in I_j$, we have that $P_{k_j}^{i+k_j}(\text{supCN}_{i+k_j}) \subseteq \text{supCN}_{k_j}$. \blacksquare

Transitivity of controllability and normality is needed later.

Lemma 15 ([1]): Let $K \subseteq L \subseteq M$ be languages over A such that K is controllable with respect to L and A_u and normal with respect to L and Q , and L is controllable with

respect to M and A_u and normal with respect to M and Q . Then K is controllable with respect to M and A_u and normal with respect to M and Q . \blacksquare

The notation $\text{supcCN}_j = \|_{i \in I_j} \text{supCN}_{i+k_j}$ is chosen for the resulting language of the (centralized) coordination control applied in the low-level group I_j . Then we have the following result.

Theorem 16: Consider Problem 7 and the languages defined in (2). For $j = 1, 2, \dots, m$ and $i \in I_j$, let the languages $P_{k_j}^{i+k_j}(\text{supCN}_{i+k_j})$ be controllable with respect to $L(G_{k_j})$ and $A_{k_j,u}$, and normal with respect to $L(G_{k_j})$ and Q_{k_j} , and let $P_k^j(\text{supcCN}_j)$ be controllable with respect to $L(G_k)$ and $A_{k,u}$, and normal with respect to $L(G_k)$ and Q_k . Then

$$\text{sup}2\text{cCN}(K, L, A, Q) = \|_{j=1}^m \|_{i \in I_j} \text{supCN}_{i+k_j}. \quad \blacksquare$$

Remark 17: (i) In Theorem 16, sufficient conditions imposed on the interaction between the Levels 1 and 2 and Levels 2 and 3 are made homogeneous, which generalizes the corresponding results [3, Theorem 14] in the complete observation case in two ways at the same time. On one hand it is a generalization to partial observations, but the observer and OCC or LCC sufficient conditions have been weakened, which has an important impact discussed in point (ii) below. Moreover, the uniformity of the weakened conditions (namely, for both levels of interfaces, they are formulated in terms of controllability and normality of supervisors with respect to coordinators) makes the generalization to arbitrary number of levels easy.

(ii) There is a natural way how to impose controllability and normality conditions of supervisors with respect to coordinators on the next higher level. It suffices to synthesize new supervisors under partial observations, where supervisors on different levels will play the role of (uncontrollable) specifications and plant languages will be the corresponding coordinators on the next higher level.

(iii) Note that controllability and normality conditions on both levels are not suitable conditions for verification. We have shown in [3] that for the low-level controllability condition there exist two stronger checkable conditions recalled below. In this paper, we have weakened the (stronger) high-level checkable condition formulated in terms of observer and LCC properties to the controllability condition. There exist similar stronger conditions that imply normality, based on local observational consistency of [10], but it is not clear yet whether this condition is decidable at all. However, as we have mentioned in (ii), if normality at one or both interfaces does not hold, it can be imposed by a new supervisor. More formally, we define a posteriori supervisors on both high-level and all low-level coordinator alphabets given by languages

$$\text{supCN}'_k = \text{supCN}(P_k(\text{supcCN}_j), L(G_k), A_{k,u}, Q_k)$$

for imposing controllability and normality with respect to $L(G_k)$ and

$$\text{supCN}'_{k_j} = \|_{i \in I_j} \text{supCN}(P_{k_j}(\text{supCN}_{i+k_j}), L(G_{k_j}), A_{k_j,u}, Q_{k_j})$$

for imposing controllability and normality with respect to $L(G_k)$. It can be shown that $\prod_{j=1}^m \sup_{i \in I_j} \text{supCN}_{i+k_j}$ further restricted by these supervisors will always satisfy all controllability and normality conditions required in Theorem 16. Moreover, it is easy to check that supCN'_k can be computed in the modular way as follows:

$$\begin{aligned} \text{supCN}'_k &= \text{supCN}(P_k(\prod_{i \in I_j} \text{supCN}_{i+k_j}), L(G_k), A_{k,u}, Q_k) \\ &= \cap_{i \in I_j} \text{supCN}(P_k(\text{supCN}_{i+k_j}), L(G_k), A_{k,u}, Q_k). \end{aligned}$$

This is because it is a special case of modular control with multiple prefix-closed specifications for a single plant G_k . \triangleleft

We note that the equality in Lemma 14 implies the sufficient conditions of Theorem 16. Indeed, if $P_{k_j}(\text{supCN}_{i+k_j}) \subseteq \text{supCN}_{k_j}$, for all $j = 1, 2, \dots, m$ and $i \in I_j$, then in particular $P_{k_j}(\text{supCN}_{i+k_j})$ is controllable and normal with respect to $L(G_{k_j})$. Hence, $\cap_{i \in I_j} P_{k_j}(\text{supCN}_{i+k_j})$ is controllable and normal with respect to $L(G_{k_j})$, for all $j = 1, 2, \dots, m$.

Similarly, there is a sufficient condition for controllability in terms of observer and OCC conditions (that can also be weakened to LCC of [4]). These conditions are well known in hierarchical supervisory control and an interested reader can find the definitions of these conditions in [3].

Proposition 18: [3] Consider the setting in the case of complete observations with supCN_{i+k_j} replaced by supC_{i+k_j} . If for all $j = 1, 2, \dots, m$, $P_{k_j}^{k_j}$ is an $L(G_{k_j})$ -observer and OCC for $L(G_{k_j})$, and for all $i \in I_j$, $P_{k_j}^{i+k_j}(\text{supC}_{i+k_j}) = \text{supC}_{k_j}$, then $\text{sup}2\text{cC}(K, L, A_{i+k_j}) = \prod_{j=1}^m \sup_{i \in I_j} \text{supC}_{i+k_j}$. ■

Finally, we emphasize that even without the above sufficient conditions $\prod_{j=1}^m \sup_{i \in I_j} \text{supCN}_{i+k_j}$ is controllable and normal with respect to $L(G)$, but we cannot prove that it is three-level conditionally controllable and conditionally normal. These conditions are, however, necessary for the language $\prod_{j=1}^m \sup_{i \in I_j} \text{supCN}_{i+k_j}$ to be achievable in our multi-level coordination control architecture under partial observations as we have shown in Theorem 11. Similarly, we cannot guarantee the maximal permissiveness with respect to the three-level coordination control architecture. Therefore, in the case these conditions are not satisfied, it is reasonable to synthesize supervisors that make them hold, which is a natural approach knowing that these conditions are formulated in terms of controllability and observability for both level interfaces.

IV. CONCLUDING REMARKS

We have extended multi-level coordination control to partially observed modular discrete-event systems. A constructive algorithm for the computation of the supremal three-level conditionally controllable and conditionally normal sublanguages have been presented. Moreover, we have generalized the sufficient condition for the computation of the supremal three-level conditionally controllable language that has now the same form for both high-level and low-level coordinators. It should be noted that recently a weaker condition than normality, called relative observability, has been proposed for

monolithic partially observed DES, cf. [11]. It is then possible to introduce a distributed version of relative observability, conditional relative observability [12].

This work opens the way to combine top-down and bottom-up approach. It turns out that bottom-up approach is better suited for handling nonblockingness, because non-blocking is best to be guaranteed first within low-level groups and then in the higher level between different groups. Moreover, it follows from the main constructive theorem that the sufficient conditions on normality between the different levels of the hierarchy can be naturally met by computing the appropriate supervisors that will guarantee the normality conditions. It appears that the best way to do it is in the bottom-up way: first a supervisor on low-level coordinator alphabets are computed and then the supervisors on the high-level coordinator alphabet is computed. Unlike previous approaches this means that we do not need to extend the respective coordinator alphabets to meet the sufficient conditions, but we can design supervisors to meet the conditions on the current coordinator alphabets.

V. ACKNOWLEDGMENTS

The authors would like to thank S. Lafortune and F. Lin for a fruitful discussion. Supported by RVO 67985840, by the MŠMT grant LH13012 (MUSIC), and partially by the DFG project DIAMOND (Emmy Noether grant KR 4381/1-1).

REFERENCES

- [1] J. Komenda, T. Masopust, and J. H. van Schuppen, "Coordination control of discrete-event systems revisited," *Discrete Event Dyn. Syst.*, 2014, to appear.
- [2] —, "Multilevel coordination control of modular DES," in *Proc. of 52nd IEEE Conference on Decision and Control (CDC 2013)*, Florence, Italy, 2013, pp. 6323–6328.
- [3] J. Komenda and T. Masopust, "Decentralized supervisory control with communicating supervisors based on top-down coordination control," in *Proc. of 53rd IEEE Conference on Decision and Control (CDC.2014)*, Los Angeles, CA, USA, 2014, accepted.
- [4] K. Schmidt and C. Breindl, "Maximally permissive hierarchical control of decentralized discrete event systems," *IEEE Trans. Automat. Control*, vol. 56, no. 4, pp. 723–737, 2011.
- [5] C. G. Cassandras and S. Lafortune, *Introduction to discrete event systems*, 2nd ed., Springer, 2008.
- [6] L. Feng, "Computationally efficient supervisor design for discrete-event systems," Ph.D. dissertation, University of Toronto, 2007. [Online]. Available: http://www.kth.se/polopoly_fs/1.24026!thesis.zip
- [7] J. Komenda and J. H. van Schuppen, "Coordination control of discrete event systems," in *Proc. of International Workshop on Discrete Event Systems (WODES 2008)*, Goteborg, Sweden, 2008, pp. 9–15.
- [8] J. Komenda, T. Masopust, and J. H. van Schuppen, "On conditional decomposability," *Systems Control Lett.*, vol. 61, no. 12, pp. 1260–1268, 2012.
- [9] K. C. Wong and W. M. Wonham, "Hierarchical control of discrete-event systems," *Discrete Event Dyn. Syst.*, vol. 6, no. 3, pp. 241–273, 1996.
- [10] O. Boutin, J. Komenda, T. Masopust, K. Schmidt, and J. H. van Schuppen, "Hierarchical control with partial observations: Sufficient conditions," in *Proc. of 50th IEEE Conference on Decision and Control and European Control Conference, (CDC-ECC 2011)*, Orlando, FL, USA, 2011, pp. 1817–1822.
- [11] K. Cai, R. Zhang, and W. M. Wonham, "On relative observability of discrete-event systems," in *Proc. of 52nd IEEE Conference on Decision and Control (CDC 2013)*, Florence, Italy, 2013, pp. 7285–7290.
- [12] J. Komenda, T. Masopust, and J. H. van Schuppen, "A note on relative observability in coordination control," *CoRR*, vol. abs/1404.2195, 2014. [Online]. Available: <http://arxiv.org/abs/1404.2195>