

# Natural language based financial forecasting: a survey

The MIT Faculty has made this article openly available. *Please share* how this access benefits you. Your story matters.

Citation	Xing, Frank Z., et al. "Natural Language Based Financial Forecasting: A Survey." Artificial Intelligence Review, vol. 50, no. 1, June 2018, pp. 49–73.	
As Published	https://doi.org/10.1007/s10462-017-9588-9	
Publisher	Springer Netherlands	
Version	Author's final manuscript	
Citable link	http://hdl.handle.net/1721.1/116314	
Terms of Use	Creative Commons Attribution-Noncommercial-Share Alike	
Detailed Terms	http://creativecommons.org/licenses/by-nc-sa/4.0/	



DSpace@MIT

## Natural Language Based Financial Forecasting: A Survey

Frank Z. Xing · Erik Cambria · Roy E. Welsch

Received: 2017-04-07 / Accepted: 2017-09-09

**Abstract** Natural language processing (NLP), or the pragmatic research perspective of computational linguistics, has become increasingly powerful due to data availability and various techniques developed in the past decade. This increasing capability makes it possible to capture sentiments more accurately and semantics in a more nuanced way. Naturally, many applications are starting to seek improvements by adopting cutting-edge NLP techniques. Financial forecasting is no exception. As a result, articles that leverage NLP techniques to predict financial markets are fast accumulating, gradually establishing the research field of natural language based financial forecasting (NLFF), or from the application perspective, stock market prediction. This review article clarifies the scope of NLFF research by ordering and structuring techniques and applications from related work. The survey also aims to increase the understanding of progress and hotspots in NLFF, and bring about discussions across many different disciplines.

## **1** Introduction

Utilizing textual data to improve modeling of the financial market dynamics has long been the tradition of trading practice. The growing volume of financial reports, press releases, and news articles also galvanizes the wish to run this analysis automatically to keep a competitive business advantage, which at least dates back to the 1980's. Interestingly, this is the time that solely exploring historical data became more difficult. According to the analysis of [95] using the Hurst exponent, the correlation between Dow Jones daily returns and its historical data receded from the 1990's. Apart from econometricians' increasingly complicated pattern mining models, the earliest attempts to import other predictors employed

R. E. Welsch MIT Sloan School of Management Massachusetts Institute of Technology, USA E-mail: rwelsch@mit.edu

F. Z. Xing and E. Cambria School of Computer Science and Engineering Nanyang Technological University, Singapore E-mail: zxing001@e.ntu.edu.sg, cambria@ntu.edu.sg

discourse analysis techniques developed from linguistics [39] and naïve statistical methods such as word spotting [12]. However, the idea of automatically analyzing textual information has made little progress for years for many reasons from different aspects. For example, the most popular language model earlier, was bag-of-words, which may not be adequate to the task of comprehensive or deep understanding; the paradigm of knowledge engineering research also bounds the focus on a small portion of highly structured texts.

The construction of ontologies or semantic networks relies on very reliable and noisefree materials, while information about corporations from Internet Stock Message Boards (SMB) and forum discussions [2] are seldom considered. In the first decade of this century, the standard financial news analyzing system usually involved a mixed collection of news articles and stock quotes, as described in [102]. News articles are represented with concatenated vectors, for instance, word frequencies together with a one-hot representation of key noun phrases and name entities. Popular machine learning algorithms at that time, usually support vector machines (SVM) [40] or evolutionary heuristics [11], are applied to blend the vector feature with numerical data, to predict stock movements.

From 2010 onward, social media websites such as Twitter, Facebook, etc., have generated an exponentially increasing amount of user content, the news analytics community once developed a special interest in mining this real-time information [20]. Numerous papers especially pore over Twitter contents because of the relatively simple semantics conveyed in a restricted character length [9, 107, 120]. Besides of the enrichment in different types of text sources, in this stage, more sophisticated NLP techniques are proposed. Sentiment analysis resources, such as Opinion Lexicon [52], are proposed; topic model [8] is used to discover both aspect and the related sentiment [82]. Machine Learning methods and knowledge-based techniques are simultaneously used for sentiment analysis as a core component. Neural networks, including a myriad of deep learning variants like convolutional neural networks (CNN) [34], restricted Boltzmann machines (RBM) [126], long short-term memory (LSTM) networks [64], etc., are experimented with prediction algorithms. Sometimes these models are also applied together with classic time series models such as autoregressive integrated moving average (ARIMA) [127,69]. Stepping back for a holistic view, we are at the dawn of the semantics curve of NLP technologies [21]. NLP systems start to approach human understanding accuracy at the sentence level. Therefore, it is reasonable to expect a long period to witness different approaches to compete before we could reach the next narrative curve within the framework of NLFF.

To provide a landscape of the hotspots, methods, and findings of NLFF research, we survey the most important studies by ordering and structuring them from many different perspectives. We use the following query to search for the relevant literature included in Scopus database: (*TITLE-ABS-KEY*("text mining") OR *TITLE-ABS-KEY*("textual") OR *TITLE-ABS-KEY*("sentiment analysis") ) AND ((*TITLE-ABS-KEY*("financial") OR *TITLE-ABS-KEY*("forecasting"))). Figure 1 shows the recent exponential increase of papers in this field.

It is quite interesting that, though financial forecasting covers a wide range of ideas from inflation rate prediction to credit scoring [116,101], a large proportion of the studies that employed textual data focus on stock market and foreign exchange rate (FOREX) prediction. We owe this special appeal of stock and currency markets to three main reasons.

 Lack of accessibility for many assets: Corporate financial statements are usually internally archived or from scattered sources. For the current stage, it's difficult to agglomerate information from these materials.




Fig. 1 Research articles published by year (1998-2016).

- The nature of other financial products: Treasury securities have simple and policy driven term structure of interest rates. As a result, the correlation between mass textual information and interest rates movement is weak; On the contrary, derivatives have complicated pricing mechanisms and constrained information transparency. These characteristics make the market a gray, chaotic system, which is very sensitive to perturbation. Therefore, any delayed estimation of public mood or topic is not really useful for prediction.
- Transparency of stock and currency markets: These markets usually have a large capitalization and many participants, which gives weight to the massive opinions of the investors or participants. Public information on the stock market is much more available.

Given the long history and the above properties of stock markets, it is a good venue for discovering and testing our knowledge distilled from the financial markets. Despite the fact that few of the forecasting systems reported in the literature have been shown to make a profit in the long run with transaction cost deducted, many meaningful hypotheses and significant observations have been drawn from stock market data. Figure 2 provides an intuitive grasp of the scope of NLFF. At the intersection of NLP and financial forecasting, NLFF brings together topics that would interest both fields, such as sentic computing, natural language understanding, time series analysis and more.

The rest of this survey is organized as follows: Section 2 provides a historical view of how currently approved NLP techniques are derived, plus some basic knowledge of time series modeling; Section 3 enumerates and discusses several mainstream philosophies and the motivation behind different forecasting frameworks; Section 4 reviews existing studies from three angles: text source and processing techniques, algorithms for predictive models, and result evaluation; finally, Section 5 concludes this survey and proposes future research directions.




Fig. 2 A word cloud illustration of NLFF bridging the research scope of NLP and financial forecasting.

#### 2 Background

#### 2.1 Semantic Modeling

The idea that language is a set of lexicons and, at the same time, a syntactic system [14] has been proposed even before the inception of NLP. Aligned with this tradition, the early popular approaches of NLP research as well take a view that emphasizes either the expressiveness [109] or language rules [30]. Most of the diversified NLP techniques developed and applied on NLFF these days can still fit into these two categories, or a mix of them.

To represent textual financial data as features that can be easily processed by a computer, most of the early NLFF papers have employed bag-of-words, which represent the semantics of a piece of text by the set of words and the frequency of their appearance. Stopword lists are often used to filter out function words such as "a", "the" etc. An obvious drawback of this technique is that word order is not taken into consideration. This problem can be serious in certain cases. For example, the financial news "Samsung now is gaining advantages on Apple" and "Apple now is gaining advantages on Samsung" lead to opposite reaction in the market, though they share the same bag-of-words representation. Another drawback is, when one meaning is phrased by different words, such as in "Brexit caused a drop in the pound" and "Leaving the EU accelerates pound's slump", this semantic similarity will not be captured.

These problems are well addressed by considering a word with its context. A family of neural network models can be leveraged to generate distributed and compact representation of words [7]. With the recent advances in deep learning, this vector representation, or word embedding [78,26], is better formed. This representation makes it possible to compute semantic similarities. Beside word representations, topic models [8] capture the semantics of a collection of documents on a grand scale. At the document level, semantics is discomposed to multiple topics and corresponding relevance coefficients. These techniques enable the analysis of a large volume of financial articles as a whole.

#### 2.2 Sentiment Analysis

Sentiment analysis [16] is a 'suitcase research problem' [19] that requires tackling many NLP sub-tasks, including aspect extraction [92], subjectivity detection [27], named entity recognition [73], and sarcasm detection [93], but also complementary tasks such as personality recognition [74], user profiling [77] and multimodal fusion [94]. Sentiment analysis is yet another important perspective for NLFF due to the interactive nature of financial activities. According to the five-eras vision of the future web [88], market sentiment will become a prominent factor that influences trading and information flow as well as shaping products and services. This research area of sentiment analysis flourishes along with the trend of Web 2.0. Existing approaches to affective computing fall into three categories: knowledge-based techniques, statistical methods, and hybrid approaches [91]. Knowledge-based techniques derive from and leverage early age large scale resource-building projects, such as Cyc [42], Open Mind Common Sense (OMCS) from which ConceptNet [70] was built, and Word-Net [38]. Along with different psychological theories of emotion, computational models of the representation of sentiment were proposed [76]. Models that take discrete theories of emotion assign core emotion labels to words, for example, WordNet-Affect [118]. Further

generalization can categorize words into positive and negative ones according to the primary core emotion, for example, Opinion Lexicons [52]. Models that consider dimensional or appraisal theories of emotion add more factors such as subjectivity and intensity to the knowledge base. SentiWordNet [4] is a good representative. Other popular open domain sources include SenticNet [18], which contains entries at the concept level to tackle the problem of phrases and multiword expressions [99, 15].

In the financial domain, there are several widely used hand-crafted public resources developed by economists, such as the General Inquirer [54], the Henry Word List [48], and the Loughran & McDonald Word List [71]. Wuthrich et al. in their pioneer work [124] have also used around 400 expert crafted keyword tuples as influential factors of market movements. Recently, there have been other attempts to automatically build lexicons for the financial domain [111,45]. Both papers used a label propagation framework from some seed words. However, the financial lexicons produced by [111] have not been made public. Instead of the sentiment polarity value, there are different fine-grained sentiment spaces that can be applied to financial forecasting. For instance, SenticNet stores four-dimensional values of the hourglass model [17], which is derived from Plutchik's wheel of emotions model. On the other hand, a rather different sentiment space empirically proposed to scale mood aptitude, or subjectivity, by some psychologists called Profile of Mood States (POMS), is quite popular among researchers of finance. The original form of POMS [105] consists of six factors: tension-anxiety, depression-dejection, anger-hostility, fatigue-inertia, vigor-activity, and confusion-bewilderment. Different modified versions of POMS and tools that adopted this idea, such as OpinionFinder [122], are crucial components in the NLFF framework of many studies [9,85]. These factors are not necessarily independent because redundant representations of sentiment states can be useful. Furthermore, applications of sentiment analysis in pragmatic systems can also be carried out at different levels. The Stock Sonar [37] used to conduct sentiment analysis at both the word level and phrase level. At the end, the system will do polarity classification at a document level.

## 2.3 Event Extraction

Statistical methods extract conjunctions between words, usually depending on a large annotated corpus. For example, [47] uses a 21 million word Wall Street Journal corpus to mine the relations between adjectives such as "and", "or", "but". As a result, much knowledge about financial phenomena and descriptions can be obtained. Also, these meaningful narratives can be fed into deep neural networks to produce vector representations. For example, [34] introduced the idea of using deep learning to embed events, which are Actor-Action-Object-Time tuples such as "Google acquires Nest on Jan 13, 2014".

Apart from the above-mentioned context-aware and sentiment analysis approaches, more fundamental NLP techniques that help to analyze text structure, for example, parse trees, POS tagging, named entity recognition, and event modeling [75,34] are applied as infrastructure for NLFF as well [102]. Some recent research indicates that a combination of subjective sentiment and objective event facts would take advantage of each other and produce a better forecasting result [33].

Based on the capability to extract semantics and sentiments from natural language, the problem of financial forecasting can be modeled at a more abstract level. Time series analysis is a classic technique which gives more weight to endogenous factors. Some research adopts time series model like ARIMA [69], generalized autoregressive conditional heteroskedasticity (GARCH) [79], and combine it with machine learning techniques. To contemplate introducing more external impact, a monitor of happening activities is required. This can be achieved either by following the framework of, for example, Open Information Extraction [5], or leveraging on existing event databases, such as GDELT [61] or ICEWS [121].

## **3** Philosophy behind Financial Forecasting

The scope of the financial forecasting task is categorized into a two layer taxonomy according to [57]. In a narrow sense, financial forecasting should cover prediction of key indicators, such as price, volatility, volume and so forth, in FOREX and the stock market. In a broader sense, cyber security affairs like fraud detection and in service, supply chain management, are discussed as well. For market prediction, most studies justify their effectiveness by the goodness of approximation for the realized time series to their prediction. With this capability, in trading simulations they will provide excess return compared to average market participants. For tasks such as credit scoring and customer relationship management, those companies that adopt good forecasting techniques will outperform ignorant competitors in the rapidly changing business environment. A fundamental question to address here is "Where does the excess return come from?"

The most acknowledged answer lays on the negation of the efficient market hypothesis (EMH) [36] in a real world case. Actually, if all the participants in a market are "informationally efficient", all deals would be conducted at a fair value. The excess return should come from the passionate or noise traders, which further offends the hypothesis of rational man. To reconcile this problem, behavioral economics has come up with theories that are compatible with the interactive nature of the market and participants, such as the adaptive market hypothesis (AMH). Then excess return can be ascribed to information asymmetry. More recently, as the concept of information overload comes into vision, we realized that even for a market that is "informationally efficient", the ability to quickly utilize and mine the information can be very different among participants. As in heterogeneous agent models (HAM) [51], stock cycles still appear in efficient market.

Traditionally, there are two schools of thought regarding what information to resort to. Technical analysts [89] believe there exist patterns or motifs that would repeat in the future. Consequently, many data mining techniques are applied to historical data to find these patterns [44]. Sometimes, these computational methods can be used together with existing technical indicators, such as moving average convergence divergence (MACD). In this case, there seems to be no difficulty in locating the information, but the speed and mining power is crucial. While for fundamental analysis, what information to look at is of more significance. Since many macroeconomic factors are unstructured and scattered from different sources, it is a field where text mining and NLP techniques are frequently employed.

From the perspective of Artificial Intelligence, three sources of information have been most heavily exploited [34]. Historical time series data such that used by technical analysis, semantic features, and sentiment information extracted from the financial news as valued by fundamental analysis. The latter two sources often involve NLFF techniques.




Fig. 3 An illustration of co-movement of connected stocks.

#### 3.1 A Spectrum of Perspectives

According to our observations, the intriguing task of financial forecasting attracts researchers with both computer science and finance backgrounds. The ways they formalize this task are diversified. However, these thoughts are compatible with each other. They form a spectrum of perspectives together. We list four typical perspectives as follows.

*The connectionist perspective:* Economists hold the belief that assets in similar sectors will have similar behavior due to the fundamental environment. Corporations that are involved in the same manufacturing chain are also connected in some sense [31], as illustrated in Figure 3. Market participants are not able to pay full attention to all the assets. This limited attention will induce stock price to under-react to firm-specific information that would potentially influence unmentioned firms as well. Discovering these related firms will generate return predictability across assets. Moreover, based on the analysis of a natural experiment

of the 2003 mutual fund trading scandal, the co-movement of stocks can further be caused by their shared ownership [1]. Intuitively, the aggregational behavior of these agents will be reflected in the movement of price. This observation lays another layer under the relation between stocks, hence gives birth to the connectionist perspective. The trading strategy of using abnormally connected ratios derives from it. Prior to this, the practice of finding connected stocks has been explored in real life stock trading. Despite the fact that the underlying mechanism is often uninvestigated, a stock trader will always be interested in finding out the inter-relationships among stocks, such that the movement of one stock could trigger the movements of some other stocks [40]. The mainstream way to dig into connections is data mining techniques. However, textual data can be used to drive the connection discovery as well.

The portfolio management perspective: When constructing trading strategies, certain constraints may significantly change the effectiveness in practice. As market participants allocate their capital into different assets, the portfolio management, or portfolio selection problem is described as simultaneously achieving two goals: maximizing the return and minimizing the risk in the classic Markowitz theory. A standard Markowitz mean-variance model for portfolio selection can be formalized as:

minimize 
$$\lambda \sum_{i=1}^{N} \sum_{j=1}^{N} x_i \sigma_{ij} x_j + (1-\lambda) \left[-\sum_{i=1}^{N} \mu_i x_i\right]$$
subject to 
$$\sum_{i=1}^{N} x_i = 1, \ i = 1, 2, ..., N$$

where  $\mu_i$  is the mean return of asset *i*;  $\sigma_{ij}$  is the covariance between returns from assets *i* and *j*;  $0 < \lambda < 1$  is the risk aversion parameter. The proportion of asset *i* in the portfolio  $x_i$  can be negative if it is possible to short this asset.

Therefore, portfolio management can be formalized as an optimization problem. Machine learning techniques can be actively used in solving this optimization problem when asset prices are fast-changing [63] or weights are allocated across assets sparsely [106]. More probabilistic modeling of how the rebalance actions can be taken will result in more complicated (hence more general) portfolio representations, such as Bayesian Portfolio Analysis [3] and Stochastic Portfolio Theory [100]. However, the mutual idea is that the excess return, which is often referred to as "alpha" in portfolio management theory, comes from volatility harvesting [10,123]. In practice, the task of "seeking the alpha" depends on risk modeling. Different rebalancing trigger methods have been reported for developed markets and emerging markets [110]. Sometimes manipulating portfolios can have surprising effects. For instance, two investment portfolios with negative profit expectation can generate positive return expectation when the two investments are not independent [46].

The energy system perspective: A rather physical way of considering the market is to take it as an energy system. The fundamental analysis assumes the movement in the market is a reflection of real world operation of companies. These companies can either be collaborative or competitive, hence form a dynamic business network. The energy cascading model (ECM) assumes there are two types of business influence that can propagate via links in the network: positive energy that brings up the price and negative energy that drags down the price. The internal energy of nodes in the business network in the current state can be estimated by sentiment scores deduced from financial news, hence the energy flow and the

future states of the network can be calculated [128]. For one specific company, energy can also be calculated for various technical indices. The effects of these hidden energy terms on the visible stock price energy can be modeled and fused as a Bayesian network [115].

*The social network perspective:* The social network perspective derives from the early work in mathematics and was later confirmed by evidence from experimental finance. With plenty of heterogeneous market participants, the simulation suggests that bubbles may easily triple the fundamental price [6]. This puts into serious question about to what extent the market price depends on real world economic scenarios, or market fluctuation is just a reflection of mass sentiment. As an evidence, some keyword queries data from search engines, such as Google Trends, is proved to be useful to forecast near-term economic indicators [29]. Bollen and colleagues reported stock market prediction with Twitter mood as well [9]. Generally, they support their claim by illustrating better approximation (drop in mean absolute error) when indicators from social media are taken into consideration. In this perspective, the excess return comes from the correct reaction to the sticky nature of market fluctuation.

#### 4 Walking through the Literature

#### 4.1 A Review of Reviews

The application of NLP techniques to financial forecasting is an emerging research field, the techniques used are also fast developing. As a result, the number of previous reviews is limited. Most of them have been published recently. To the best of our knowledge, one earliest review in the sense of NLFF is [81]. Prior to it, some relevant discussions about news impact on stock markets can be spotted within papers, such as [67] and [43]. Other similar topics reviewed either manually conduct text processing [28] or rely solely on numerical data [119], which is not exactly what we discuss here.

According to [81], text mining for market prediction is positioned at the intersection of linguistics, machine learning, and behavioral economics. This review article covers different types of input datasets, pre-processing methods and machine learning techniques employed. Many of the machine learning algorithms presented, such as SVM, Naïve Bayes, and decision rules, are slightly outdated considering the recent research advances yet remain popular in the industry. Limited to the systematic point of view, issues on sentiment analysis are not well addressed too. In comparison, our survey makes two more contributions. The first one is to compare and elaborate on why these systems use diversified set-ups; and the second one is to include recent attention to sentiment analysis, event extraction and deep learning.

Review papers by researchers with a finance background, such as [72], takes a less engineering view. In [72], they do not attempt to evaluate the performance of a built system, but focus more on introducing resources used and interpretability. This survey also includes indicators that are seldom considered by computer scientists, such as the concept of readability. [97] roughly surveyed methods such as SVM, latent Dirichlet allocation (LDA) and aspect-based sentiment analysis as a whole. Another survey of better quality is [57]. In this article, a two-layer taxonomy of text mining in financial applications is provided. Different studies are grouped according to that taxonomy. Distributional analysis of publication venue, year, and datasets used are reported as well. This article concludes that due to different datasets and evaluation metrics used, it is still an open question about a suitable feature selection method. It also suggested constructing an ontology for each domain, and exploring some potential algorithms such as evolutionary methods, fuzzy-logic based techniques, deep learning, and spiking neural networks.

#### 4.2 Text Source and Processing

We do not plan to enumerate all the papers that process financial texts for forecasting from Section 4.2 to Section 4.4. However, we try to meet two principles. The articles we include into our discussion here 1) are deemed to be a significant work (received high citation level) and 2) have good coverage of the corresponding categories.

Previous studies leverage a very diversified set of text sources. Both the form and content can be systematically different. We categorize them into six main groups according to length, subjectivity, and the frequency of updates as shown in Table 1. Corporate disclosures are primary sources directly distributed by the company. The motivation to exploit this source derives from the empirically reinforced belief of a relation between price movement and corporate releases. Because of the length and the relatively complicated structure, only a few studies automate exploiting this kind of source with mixed news data, for example, [41] investigates a collection of disclosures published to fulfill the German security regulations. Financial reports are produced by research institutions. These materials can be similar in form to corporate disclosures, but the content is re-organized and examined by the third party. Though it is considered hard to maintain a balanced source of financial reports, some research still leverages on the highly logical feature of financial reports [23]. Professional periodicals refer to the regular press of media companies that have special authority in finance, like The Wall Street Journal (WSJ), Financial Times [124], Dow Jones News Services (DJNS), Thomson Reuters [40], Bloomberg [34], Forbes [96], to name a few. Most studies use a mixture of several of the above-mentioned sources. Aggregated news, however, is a service that does not produce its own, but gathers the information from various professional periodicals. News Wire Services or news feeds (RSS) also belong here. Dominant sources are Yahoo! Finance [59, 102, 83], Google Finance and Thomson Reuter Eikon (formerly TR3000 Extra) [40]. Message boards take the form of a forum. Market participants express their opinion under a directory of different topics. Raging Bull [2], Yahoo's message board, Amazon's message board [32] are discussed in the literature. Social media is a new and fast-growing source from which financial information can be extracted. Most studies have cast their attention on Twitter [9, 107, 85]. Google Trend is yet another form, for which further processing of natural language is not required with the help of a search engine [29]. Generally, social media contains much noise that needs to be filtered by a list of financially related keywords. Corporate disclosures and financial reports are better-structured and more reliable sources. Though less studied in the past, these sources are gaining increasing attention

We believe that the volume of data for analysis, which varies enormously among different studies, is less important than the frequency they come up. As a result, the volume is not listed as a character in our categorization in Table 1. Information with different propagation speed actually has an effect on a different time scale of market cycles. Texts with low data frequency and high authority tend to have a profound and long-lasting impact, while highfrequency data reflects short-term volatility and can generate different patterns depending on market microstructure. Because of its continuous effect, the market reaction can attenuate very fast after rounds of adaptation. As a good example, the tweets of US newly elected president Trump have observable effects on the stock price of the company he mentioned at the beginning. However, within a month his tweets no longer have positive relevance with the inter-day price change.

Table 2 includes the concrete information on what kind of sources are investigated as well as the way they are processed for previous studies. It is shown that from the very inception of this research field, professional periodicals are always a crucial text source.

When processing this information, filtering text source with a list of keywords or hashtags to a domain specific, or even company-specific materials, rather than taking the noisy data collection as a whole, is common. Only in the five recent years, a large proportion of research papers has cast their attention to social media. Consequently, most studies dealing with social media texts have a very condensed timestamp at the second level. In this situation, machine learning techniques are more actively considered.

Table 1 Financial texts from different sources and examples.

Туре	Characters	Example
Corporate disclosures	Long Length, Subjective Tone, Low Fre- quency	Apple Quarter Reports:We are pleased to report third quar- ter results that reflect stronger customer demand and business performance than we anticipated at the start of the quarter, said Tim Cook, Apple's CEO
Financial reports	Long Length, Objective Tone, Low Fre- quency	Quamnet Portal: Gold prices went through a week of uncer- tainty due to mixed economic data. First there were weak re- tail sales data, which led gold prices to surge, yet investors remained uncertain how the data will affect the upcoming de- cision of the Federal Reserve
Professional periodicals	Variable Length, Objective Tone, Mid Fre- quency	Financial Times: The US Consumer Product Safety Commis- sion issued a formal recall notice for 1 million Samung Glaaxy Note 7 smartphones on Thursday, after nearly a hundred re- ports of overheating batteries
Aggregated news	Mid Length, Variable Tone, Variable Fre- quency	Vahoo! Finance: Indonesians Declare \$8.9 Billion of Singa- pore Assets for Tax A positive ruling, should remove the uncertainty that may be hampering more participation, said Euben Paracuelles, a Singapore-based economist with Nomura Holdings Inc., in a report Friday
Message boards	Short Length, Objective Tone, High Fre- quency	Amazon's Board: The fact is The value of the company in- creases because the leader (Bezos) is identified as a commodity with a version for what the future may hold. He will now be a public figure until the day he dies. That is value.
Social media	Short Length, Subjective Tone, High Fre- quency	Twitter: \$AAPL is loosing customers. everybody is buying an- droid phones! \$GOOG.

There is no clear standard on how long we should watch the market before we start to theorize and implement our model. Some studies have speculated on a very short data span, for instance, 5 weeks [102], while some make an effort to trace back to 1980 [113]. The majority takes a span of several months into consideration. Empirically, we suggest investigating into a longer time span with less frequent data, such as corporate disclosures and professional periodicals. While for data from social media, the data span can be shorter as the effects are often intraday. Another consideration is that the time span should not either be too long or too short. Otherwise, the data observed will often be accompanied by deterministic trends. When having a trend, the metrics reported will not be comparable. In this case, the raw data should be differenced before further processing.

Text data processing is the procedure that prepares a well-formatted input. This input will be used for later forecasting by feeding it to the algorithms implemented in a predictive model. Popular formatting techniques can be roughly divided into three groups. The first group is a one-hot representation of keyword, keyword tuples, sentiment word, or more advanced statistics of them. For example, the share of positive mood on all target word occurrences (sum of positive and negative mood states) can be defined as "Social Mood Index (SMI)" [85]. A time series of weighted mood word density in postings for each day, is defined as optimism-pessimism mood scores ( $M_s^+$  and  $M_s^-$ ) in [67]. The second group contains specific input formats for certain algorithms such as word embeddings [34], or distributional probabilities of the price moving up, down or steady conditional on different words [2]. [126] used a standard bag-of-words model to represents the news articles. However, the temporal properties of the articles are emphasized by employing a combination of

Reference	Text Type	Coverage	Frequency level	Data span	Processing
[124]	Professional periodicals	Stock, Currency, Bond Market	est. Hours	6/12/1997-6/3/1998	Manually crafted keyword tuples spotting
[59]	Aggregated news	Stock Market	Minutes	15/10/1999-10/2/2000	Alignment with trends
[40]	Professional periodical	Stock Market	Minutes	1/10/2002-30/4/2003	Alignment with other stocks
[2]	Message board	Stock Market	Minutes	3/1/2000-29/12/2000	Naïve Bayes clas- sifier
[32]	Message boards	Stock Market	Minutes	6/2001-8/2001	Manually crafted sentiment lexicon
[113]	Professional periodical	Stock Market	Hours	1980–2004	Bag-of-negative- words
[102]	Aggregated news	Stock Market	Minutes	26/10/2005-28/11/2005	Bag-of-words, Name entities, Noun phrases
[9]	Social Media	Stock Market	Seconds	28/2/2008-19/12/2008	Sentiment classi- fication tool
[23]	Financial Reports	Comprehensive	-	Not mentioned	Semantic class, Instance-attribute pair
[41]	Corporate disclosures	Comprehensive	Days	1/8/2003-31/7/2005	Risk modeling
[98]	Social Media	Stock Market	est. Seconds	1/2010-6/2010	Graph represen- tation
[103]	Aggregated news	Comprehensive	Minutes	26/10/2005-28/11/2005	Pos/Neg & Sub/Obj classifi- cation
[107]	Social Media	Stock Market	Seconds	2/11/2012-7/2/2013	Dirichlet Pro- cesses Mixture model
[108]	Social Media	Stock Market	Seconds	2/11/2012-3/4/2013	Semantic Stock Network
[67]	Mixed type	Stock Market	-	1/1/2011-31/12/2011	Emotion word dictionary
[34]	Professional periodicals	Comprehensive	Minutes	10/2006-11/2013	Neural tensor net- work
[85]	Social Media	Comprehensive	Seconds	1/2011-11/2013	Sentiment classi- fication tool
[83]	Message board	Stock Market	est. Hours	23/7/2012-19/7/2013	Latent Dirichlet Allocation
[126]	Aggregated news	Stock Market	Minutes	1/1/1999-31/12/2008	Recurrent neural network, RBMs

Table 2 Type of financial texts leveraged and how are they processed.

recurrent neural network and RBM. The trained article representation was later incorporated to tune deep belief networks (DBN) that output an uptrend or downtrend. The third group actively gathers the alignments from texts to different trend motifs [59], triggers for related stocks, or simply the directional categories without further semantic or sentiment analysis of these alignments. In other words, this third group representation is similar to association rules.

Additionally, there were many XML-format text sources delivered by the main financial information companies such as Dow Jones Elementized News Feed, Thomson Reuters News Feed Direct, Bloomberg Event-Driven Trading Feed, and NASDAQ OMX Event-Driven Analytics. Perhaps due to some commercial reason, these services are no longer available. Instead, there are some commercial sources, mostly from content vendors, that directly provide the processed sentiment data. The correlation between Thomson Reuters Datastream and stock returns is examined and believed to exist according to [117]. Latest released products include TR MarketPsych Indices (TRMI), RavenPack News Analytics (RPNA) and so forth. TRMI covers a wide range of text sources from blogs to main social media sites. While the detailed source list and how they process the texts are not revealed. According to historical testing using the moving average of TRMI to indicate buy/sell pressure, the index has proved to be a significant predictor for Apple's stock price and JPY/USD exchange rate [114].

## 4.3 Algorithms

Linear regressions and SVM are classic methods that dominate prediction models in the past decades. Regression models are particularly preferred since we can explicitly observe the impact of each factor included and analyze the importance of variables by dropping them out. SVM has a sound mathematical foundation and all the support vectors can be computed. According to Kumar and Ravi [57], 70% of previous studies have adopted regular methods (decision trees, SVMs, etc) and regression analysis. For articles we discuss here, the proportion is roughly the same. Considering the volume and quality of data available, overly complicated models generally have a poor performance. However, one drawback of linear models is that they rely on strong hypotheses, for example, a Gaussian distribution of dependent variables, which does not always stand up in real world cases. In spite of this there are efforts to estimate some singular distributions [112], the result is often specific to problems and cannot be popularized to various financial indicators. Therefore, neural network and other statistical learning methods, such as Bayesian networks are also widely experimented with. In many studies, the features generated from the texts are combined with numerical data to form a robust input data stream for prediction, in which case an ensemble method can be used to manipulate the combination either on a feature level or a decision level.

It is still an open question as to what category of algorithms is especially appropriate for NLFF [57]. From Table 3, mainstream algorithms can be placed into four categories: regressions, probabilistic inferences, and neural networks, or a hybrid of them. Our analysis of Table 3 comes to the similar observation as [57] that evolutionary computing has been applied for numerical analysis [11], but seldom discussed in the literature to deal with financial texts.

Regression models are especially suitable for impact analysis. Sometimes, a primary linear regression is directly used with ordinary least square (OLS) to estimate coefficients [81]. For example, [113] uses this method to illustrate that, negatives words in firm-specific news stories robustly predict slightly lower returns on the following trading day. If we want to include more complicated time lags or multiple factors simultaneously, an MR or VAR model is required. Multivariate regression (MR) [2] is conducted in two steps. First, a dummy variable is introduced to examine whether different lags of the corresponding factor are predictive. Then, logistic regression is used to adopt all factors with t-statistics to show significance. This approach is good at drawing pairwise conclusions such as "Does factor Ahave an effect, and to what extent, on factor B". However, we should be cautious that the MR method evades the problem of collinearity and leaves the interaction between predictors untouched. Vector autoregression (VAR) [108,85] can be used to model the time series of sentiment and stock price as a vector together, based on their past values. This is due to the observation that, not only the public sentiment will cause volatility of the market, the market will also induce fluctuation on social moods. This observation is addressed in [104] by modeling the sentiment score as a probability conditional on the past information released from text sources. Although there are other models, such as copula-based regression [56] or structural equation modeling (SEM), that are capable of capturing this correlation, VAR is still

currently the most popular model. However, since no theory suggests the interdependencies should be linear, doubts exist [90, 125] about the appropriateness of VAR.

If we solely care about predicting the direction, not the intensity of market movement, SVM can naturally serve as a binary classifier. Many previous studies indeed formalize stock market prediction or more broadly, financial forecasting as a classification problem. Inspired by the idea that the empirical risk minimization principle can also be used to build a regression model, support vector regression (SVR) [102,67] is proposed to make discrete forecasting. The hyperplane for SVR is also determined by a portion of training data with a sensitivity threshold. Unlike SVM paying attention only to classification accuracy, SVR gives more weight to data far away from the classification hyperplane due to the fact that this type of error would cause a huge loss in practice. The shortcoming of SVR is the necessity of introducing a kernel to map training data into a linear separable higher dimension and an extra threshold parameter. These hyper-parameters are picked manually without much sound reasoning, for instance as in [102].

The original task discussed in [59] is financial news recommendation. However, assuming this recommendation is "accurate", a user should be able to make a profit based on it. Therefore, financial news recommendation plus some text analyzing techniques would be equivalent to the task of financial forecasting. [59] attempts to maximize the probability of a model with trends  $(M_{trends})$  conditional on a set of documents as recommendations  $P(M_{trends}|D_1, D_2, ..., D_m)$ . Using Bayes' theorem, the problem can be converted to maximizing  $P(D_1, D_2, ..., D_m)$ . Using Bayes' theorem, the problem can be converted to maximizing  $P(D_1, D_2, ..., D_m)$  can be estimated from generating these documents from normal English. Assuming independence of documents, the problem is maximizing  $\prod P(D_i|M)$ , or further decomposes the formula to word level, maximizing  $\prod P(w_{ij}|M)$ . [23] provides yet another perspective of event sequence extraction. Strictly speaking, it is not a predictive algorithm, while it would be useful to extract structured information from text sources. With the help of a trained inference engine, a trading strategy can be further built on the predicted event sequence.

From many popular self-organizing neural network architectures, Bollen et al [9] chose self-organizing fuzzy neural network (SOFNN) which is developed specially for regression problems and is faster than other fuzzy neural network models, such as adaptive neuro-fuzzy inference system (ANFIS). The structure of SOFNN is not different from common fuzzy neural networks. However, the learning process is bifold. In the early phase of self-organizing learning, the number of rules is determined. After the network structure is established, weight parameters are adjusted in the optimization-learning phase. In [9], lagged Dow Jones industrial average (DJIA) value and generalized POMS (GPOMS) are simultaneously set as the input of an SOFNN model. The output will be the current value of DJIA. [34] chose a neural tensor network (NTN) to train event embeddings. Later a sequence of event embeddings with different term span are fed into a CNN for a binary output.

#### 4.4 Results

Previous studies report their results in various forms. Even though some studies argue that their text processing output is a statistically significant predictor [2,85], three kinds of measurement are commonly acknowledged (see Table 4). The first measurement is directional accuracy, where the forecasting is simply represented in a binary up/down form. Accuracy is the percentage of correct forecasts of the total number of forecasting attempts. Reported accuracy rates are from 40% to around 80%. Theoretically, any accuracy rate that significantly

Reference	Feature formatting	Model type	Implementation
[124]	Number of tuples occurrences	Naïve Bayes & Association Rules	Experimentally tuned k-NN
[59]	Trend possibility distribution	n-gram Language model	Conditional probability maximization
[40]	Tf-idf weighted key words	Support Vector Machine	Split-and-merge segmentation
[2]	Text classification	Regressions	Variable& Lag tuning
[32]	Lexicon occurrences	Classifiers Voting	Discriminant values
[113]	Lexicon based sentiment score	Regressions	Ordinary least square & Dependent variables
[102]	Binary representation	Support Vector Regression	Sequential minimal optimization
[9]	Temporal mood indicator	Self-Organized Fuzzy Neural Network	Online learning
[23]	Textual information database	Inference engine	Multiple decision tree classifiers
[41]	Labelled lexicon occurrences	Ensemble learning	NB, k-NN, NN, SVM with tuning
[98]	Graph features	Vector Autoregression	Least square regression
[103]	Proper Nouns	Support Vector Regression	Sequential minimal optimization
[107]	Topic based sentiment score	Vector Autoregression	Least square regression
[108]	Lexicon based sentiment score	Vector Autoregression	Least square regression
[67]	Tf-idf weighted key/senti words	Support Vector Regression	Sequential minimal optimization
[34]	Sequence of event embeddings	Convolutional Neural Network	Margin loss minimization
[85]	Weighted Social Mood Index	Vector Autoregression	Minimum Information Criterion
[83]	Topic model parameters	Support Vector Machine	Linear kernel soft margin
[126]	Temporal news embeddings	Deep Belief Network	Greedy layer-wise training

Table 3 Algorithms involved and the implementation details.

differs from 50% can prove the effectiveness of forecasting results. Though, in fact, accuracy improvements on a benchmark method would be more convincing. To analyze false positive and false negative errors, in addition to accuracy rate, precision and recall may be considered as well, such as in [41].

The second measurement is the closeness between the forecasted time series and the corresponding real world time series, usually in the form of stock price. Closeness measurement is commonly used for function approximation tasks. Several metrics can be taken in this measurement, such as mean squared error (MSE) [102], root mean squared error (RMSE) which is simply the square root of MSE [67], mean absolute percentage error (MAPE) [9], mean absolute scaled error (MASE) [53] and more. Reduction in these errors generally means a more precise forecasting result.

$$MSE = \frac{1}{n} \sum_{i=1}^{n} (x_i - \hat{x_i})^2$$
$$MAPE = \frac{1}{n} \sum_{i=1}^{n} |\frac{x_i - \hat{x_i}}{x_i}|$$

The third measurement is trading simulation results. Specific metrics include average percentage gain per transaction (AGPT) [59], accumulated profit for a certain period, profit ratio, or portfolio performance. It is very hard to compare trading simulation results among previous studies because the configurations are quite arbitrarily set. Many studies report simulation result without deducting transaction costs. Simulation results for financial indices and for specific big companies such as Apple [108] or Amazon are more comparable than results from different sectors. Trading strategies are usually reported if the evaluation part consists of trading simulation. Though more sophisticated trading strategies are developed by financial practitioners, two simple strategies remain the most popular in the experiments. The "buy up/sell down" strategy suggests buying stocks when the forecasted price is rising, and selling stocks when the forecasted price is going down. The "short-term reversal" strategy arbitrages on the overreaction and correction of the market. Both strategies can be equipped with a trigger mechanism, which aligns with the idea of passive management. The traditional rebalance frequency is daily. However, hourly rebalancing [59] or 20-minutes

rebalancing [103] are also reported. Current NLP techniques are not fast enough to facilitate low delay trading at below the second level. As social media accelerate the fluctuations of the market, there might be pressure to shorten the rebalance frequency. However, daily rebalancing seems a good trade-off between arbitrage efficiency and transaction cost.

Figure 4 categorizes many choices of specific metrics into the taxonomy of three measurements. These research designs are also common for other computational social science problems [50]. However, it is worth mentioning that the three measurements are not necessarily correlated. For example, a forecasting method may have very high directional accuracy and work well in most cases, but at the same time being extremely fragile to black swan events. The method that suffers a huge loss in a single transaction can illustrate no profitability in trading simulation. Consequently, we suggest evaluating the forecasting result using all three measurements and make robust comparisons comprehensively. We also observe researchers' preference to analyze the market in their home countries [84,85,35], which is often referred to as "home bias" by investors. Despite this effect, most efforts have been made on the New York Stock Exchange (NYSE) and NASDAQ.




Fig. 4 Taxonomy of measurements reported.

## **5** Conclusion

Our survey presents various NLP techniques used for financial forecasting tasks today, as well as how these techniques are developed. As shown by Figure 5, NLFF is related to many groups of concepts. The artificial intelligence community tends to consider three major types of representation of textual financial data: semantic, sentiment, and event representation extracted from information sources. Utilizing these data, many studies attempted to build financial forecasting systems and took the underlying financial principles for granted. We explicitly construct a spectrum of philosophies for reference. As one more step, we analyze previous studies from three angles: different type of text sources employed, algorithms, and reported results. Some recent updates, such as the use of deep learning methods for forecasting, are included. In addition, we make an effort to categorize and standardize the measurements used for evaluation. We suggest future research following and covering these three measurements. This would partially solve the difficulty of making comparisons between research results in the scope of NLFF.

We conclude our survey by summarizing some main findings as well as interesting facts from previous studies. Some future directions are provided at the same time.

Reference	Measurement	Performance	Trading Strategy
[124]	Direction accuracy of 5 main indices	Ftse 42%, Nky 47%, Dow 40%, Hsi 53%, Sti 40%	Buy up/sell down, rebalancing daily
[59]	Trading simulation of 127 stocks	Average gain per transaction 0.23%	Short-term reversal, rebalancing hourly
[40]	Trading simulation of 33 stocks from Hsi	Cumulative profit 6.55%	Buy up/sell down, rebalancing daily
[2]	Statistic testing for corre- lation with DJIA & DJII	Significant predictor	No
[32]	Statistic testing for corre- lation with MSH-35	Correlation is weak	No
[102]	Closeness, direction accu- racy, trading simulation	MSE 0.04261, Acc 57%, Return 2.06%	Not mentioned
[9]	Closeness, direction accu- racy for DJIA	MAPE reduction by 6%	No
[23]	Even sequence correct ac- curacy	Significant improvement (>7%)	No
[41]	Accuracy, precision, re- call, option simulation	Acc 70%, p 47%, r 70%, significant false positive	No
[98]	Trading simulation on a 10-company portfolio	Return 0.32%	Buy up/sell down, rebalancing daily
[103]	Direction accuracy & trad- ing simulation	Acc 59%, Return 3.30% (sub. news only)	Triggered short-term reversal, rebalancing every 20 mins
[107]	Direction accuracy of S&P100 index	best tuning 68.0%	No
[108]	Direction accuracy on \$AAPL	best tuning 78.0%	No
[67]	Closeness, direction accu- racy, trading simulation	RMSE 0.63, Acc 54.21%, est. Return 4%	Short-term reversal, rebalancing every 26 mins
[34]	Direction accuracy, trad- ing simulation	Acc 65.08%, Avg. Profit Ratio 1.679	Short-term reversal, rebalancing daily
[85]	Statistic testing for corre- lation with DAX, trading simulation	Significant predictor, AROR 84.96%	Buy up/sell down of ETF, rebalancing daily
[83]	Direction accuracy	Acc 54.41%	No
[126]	Direction accuracy, trad- ing simulation	Improved error rates and profit gain than SVM	Buy/sell at MACD turning point

 Table 4 Results reported using different measurements.

## 5.1 Main Findings

*The illusion of Growth:* The way growth rate is calculated for each period brings up the illusion of growth when the price of an asset is actually stagnant. Regardless of the movement trajectory of price, the average growth rate is always positive. This mathematical rule alerts us it is important to reduce volatility with regard to trading strategy. In other words, compounded wealth is reduced dramatically by the square of volatility [110]. In trading simulations, the gains are not the only indicator that is worth reporting. Realized volatility is a crucial factor to the quality of a trading strategy.

*The predictability of Financial News:* It seems that most previous studies have confirmed the correlation between public mood and the movement of the market, for instance, [68,49]. The literature [55] argues that the reversal of sentiment will be slightly ahead of price reversal. As a result, sentiment reversals can serve as buy/sell signals in constructing trading strategies. Though [13] claimed that sentiment levels and changes are strongly correlated with contemporaneous market returns, but have little predictive power for the near-term (weekly) stock market. It refers to the critical problem of time window selection, as elaborated in The "20-minute" Theory. While for the market return itself, long-term memory may exist.

*The "20-minute" Theory:* There exists an optimum time window to foresee the impact of new information released and the market correction to equilibrium. This theory was proposed by [60], and supported by empirical evidence from [102], [66], and [65].

*The Monday Effect:* The effect of less trading volume by institutional investors at the start of a week was first found by Lakonishok et al [58]. Furthermore, the market also tends to be bearish at the start of a new week. Perhaps because people are busy doing other things,




Fig. 5 Topics concerning NLFF, inspired and adapted from the concept wheel of financial markets [22].

observation shows that the number of messages posted and the length of them drop dramatically on the first trading day of a new week [2].

*The Reversal Effect:* An increasingly optimistic mood from message boards usually leads to negative return for the next trading day; Disagreement among the posted messages is associated with increased trading volume for the day, but will decrease trading volume for the next trading day, though this may only apply to developed markets [2].

#### 5.2 Future Directions

We believe three future directions are very promising in the near term.

*Domain Specific Resources Building:* Previous surveys have pointed out the importance of resource building. For instance, [57] suggests constructing domain specific ontologies. In fact, the form of knowledge representation is not limited to ontologies, but can also be wordlists, concept databases, manually annotated datasets, etc. Due to the lack of ground truth in the financial domain, [24] can only evaluate model accuracy on a popular movie review dataset. Embarrassingly for financial text streams, the paper used the Granger causality test to prove the sentiment index is not random. Some recent attempts have been made to automatically identify sentiment lexicons [86,87] or more straightforwardly, identify the sentiment polarity of information contents [25]. However, there is a lot to be done before we have a rich and authoritative resource in the financial domain.

*Online Predictive Model:* Online, or real-time algorithms will modify the key variables stored with the model each time a new batch of data comes in. For this reason, online models have very good adaptability, which is necessary for monitoring fast-changing markets. In addition, the short optimum time window requires a quick response in time as well. For

numerical data, many studies have discussed online methods to reduce algorithm complexity, such as motif matching [80] and online portfolio selection [62]. However, at the unstructured textual data stage, little work has been done for exploring online NLP techniques. New approaches absent from the domain are worth trying as well [57]. For example, directly generate fuzzy rules from textual data, which provides better interpretability.

*Comprehensive Evaluation Measurements:* A main current difficulty to summarize and compare the existing studies is various and incomplete measurements used by researchers. We suggest experiments to at least cover all three kinds of measurements we discussed in Section 4.4. Some metrics are not always measuring independent effects. For example, volatility measured by the stability of trading simulation is closely correlated to Sharpe Ratio [117], if we consider volatility as a risk factor. Many efforts are needed to unify these measures.

#### References

- 1. Anton, M., Polk, C.: Connected stocks. The Journal of Finance 69(3), 1099-1127 (2014)
- Antweiler, W., Frank, M.Z.: Is all that talk just noise? the information content of internet stock message boards. The Journal of Finance 59(3), 1259–94 (2004)
- Avramov, D., Zhou, G.: Bayesian portfolio analysis. Annual Review of Financial Economics 2, 25–47 (2010)
- Baccianella, S., Esuli, A., Sebastiani, F.: Sentiwordnet 3.0: An enhanced lexical resource for sentiment analysis and opinion mining. In: 7th Language Resources and Evaluation Conference, pp. 2200–2204 (2010)
- Banko, M., Cafarella, M.J., Soderland, S., Broadhead, M., Etzioni, O.: Open information extraction from the web. In: International Joint Conference on Artificial Intelligence, pp. 2670–2676 (2007)
- Bao, T., Hommes, C., Makarewicz, T.: Bubble formation and (in)efficient markets in learning-toforecast and -optimise experiments. The Economic Journal, forthcoming (2015)
- Bengio, Y., Ducharme, R., Vincent, P.: A neural probabilistic language model. Journal of Machine Learning Research 3, 1137–1155 (2003)
- 8. Blei, D.M.: Probabilistic topic models. Communications of the ACM 55(4), 77-84 (2012)
- Bollen, J., Mao, H., Zeng, X.: Twitter mood predicts the stock market. Journal of Computational Science 2(1), 1–8 (2011)
- Bouchey, P., Nemtchinov, V., Wong, T.K.L.: Volatility harvesting in theory and practice. The Journal of Wealth Management 18(3), 89–100 (2015)
- Brabazon, A., O'Neill, M.: An introduction to evolutionary computation in finance. IEEE Computational Intelligence Magazine 3(4), 42–55 (2008)
- Brachman, R.J., Khabaza, T., et. al.: Mining business databases. Communications of the ACM 39(11), 42–48 (1996)
- 13. Brown, G.W., Cliff, M.T.: Investor sentiment and the near-term stock market. Journal of Empirical Finance 11, 1–27 (2004)
- 14. Bühler, K.: Sprachtheorie. Fischer (1934)
- Cambria, E.: An introduction to concept-level sentiment analysis. In: Lecture Notes in Computer Science (LNCS), vol. 8266, pp. 478–483. Springer-Verlag (2013)
- Cambria, E.: Affective computing and sentiment analysis. IEEE Intelligent Systems 31(2), 102–107 (2016)
- Cambria, E., Livingstone, A., Hussain, A.: The hourglass of emotions. In: Lecture Notes in Computer Science, vol. 7403, pp. 144–157. Springer (2012)
- Cambria, E., Poria, S., Bajpai, R., Schuller, B.: SenticNet 4: A semantic resource for sentiment analysis based on conceptual primitives. In: International Conference on Computational Linguistics (COLING), pp. 2666–2677 (2016)
- Cambria, E., Poria, S., Gelbukh, A., Thelwall, M.: Sentiment analysis is a big suitcase. IEEE Intelligent Systems 32(6) (2017)
- Cambria, E., Wang, H., White, B.: Guest editorial: Big social data analysis. Knowledge-Based Systems 69, 1–2 (2014)
- Cambria, E., White, B.: Jumping nlp curves: A review of natural language processing research. IEEE Computational Intelligence Magazine 9(2), 48–57 (2014)

- Cavalcante, R.C., Brasileiro, R.C., Souza, V.L., Nobrega, J.P., Oliveira, A.L.: Computational intelligence and financial markets: A survey and future directions. Expert Systems with Applications 55, 194–211 (2016)
- Chan, S., Franklin, J.: A text-based decision support system for financial sequence prediction. Decision Support Systems 52(1), 189–198 (2011)
- Chan, S.W., Chong, M.W.: Sentiment analysis in financial texts. Decision Support Systems 94, 53–64 (2017)
- Chang, C.Y., Zhang, Y., Teng, Z., Bozanic, Z., Ke, B.: Measuring the information content of financial news. In: Proceedings of the the 26th International Conference on Computational Linguistics (2016)
- Chaturvedi, I., Ong, Y.S., Tsang, I., Welsch, R., Cambria, E.: Learning word dependencies in text by means of a deep recurrent belief network. Knowledge-Based Systems 108, 144–154 (2016)
- Chaturvedi, I., Ragusa, E., Gastaldo, P., Zunino, R., Cambria, E.: Bayesian network based extreme learning machine for subjectivity detection. Journal of The Franklin Institute doi.org/10.1016/j.jfranklin.2017.06.007 (2017)
- Chen, N., Ribeiro, B., Chen, A.: Financial credit risk assessment: a recent review. Artif Intell Rev 45, 1–23 (2016)
- 29. Choi, H., Varian, H.: Predicting the present with google trends. The Economic Record **88**(1), 2–9 (2012)
- 30. Chomsky, N.: Three models for the description of language. IRE Trans. Inform. Theory **2**(3) (1956)
- Cohen, L., Frazzini, A.: Economic links and predictable returns. The Journal of Finance 63(4), 1977– 2011 (2008)
- 32. Das, S.R., Chen, M.Y.: Yahoo! for amazon: Sentiment extraction from small talk on the web. Management Science **53**(9), 1375–1388 (2007)
- Ding, X.: Research on methodology of market trends prediction based on social media. Ph.D. thesis, Harbin Institute of Technology (2016)
- Ding, X., Zhang, Y., Liu, T., Duan, J.: Deep learning for event-driven stock prediction. In: International Joint Conference on Artificial Intelligence (2015)
- Dong, L., Wang, Z., Xiong, D.: Stock market prediction based on text information. Acta Scientiarum Naturalium Universitatis Pekinesis (2017)
- Fama, E.F.: Efficient capital markets: A review of theory and empirical work. The Journal of Finance 25, 383–417 (1970)
- Feldman, R.: Techniques and applications for sentiment analysis. Communications of the ACM 56(4), 82–89 (2013)
- 38. Fellbaum, C.: WordNet: An Electronic Lexical Database. MIT Press (1998)
- Frazier, K.B., Ingram, R.W., Tennyson, B.M.: A methodology for the analysis of narrative accounting disclosures. Journal of Accounting Research 22(1), 318–331 (1984)
- Fung, G.P.C., Yu, J.X., Lam, W.: Stock prediction: Integrating text mining approach using real-time news. In: Computational Intelligence for Financial Engineering, 2003. Proceedings. 2003 IEEE International Conference on, pp. 395–402 (2003). DOI 10.1109/CIFER.2003.1196287
- Groth, S.S., Muntermann, J.: An intraday market risk management approach based on textual analysis. Decision Support Systems 50(4), 680–691 (2011)
- 42. Guha, R.V., Lenat, D.B.: Cyc: A midterm report. AI Magazine 11(3), 32–59 (1990)
- Hagenau, M., Liebmann, M., Neumann, D.: Automated news reading: Stock price prediction based on financial news using context-capturing features. Decision Support Systems (2013)
- Hajizadeh, E., Ardakani, H.D., Shahrabi, J.: Application of data mining techniques in stock markets: A survey. Journal of Economics and International Finance 2(7), 109–118 (2010)
- Hamilton, W.L., Clark, K., Leskovec, J., Jurafsky, D.: Inducing domain-specific sentiment lexicons from unlabeled corpora. In: Empirical Methods in Natural Language Processing (EMNLP), pp. 595– 605 (2016)
- 46. Harmer, G.P., Abbott, D.: Parrondo's paradox. Statistical Science 14(2), 206–213 (1999)
- Hatzivassiloglou, V., McKeown, K.R.: Predicting the semantic orientation of adjectives. In: Proceedings of the European Chapter of the Association for Computational Linguistics (EACL), pp. 174–181 (1997)
- Henry, E.: Are investors influenced by how earnings press releases are written? International Journal of Business Communication 45, 363–407 (2008)
- Heston, S.L., Sinha, N.R.: News versus sentiment: Predicting stock returns from news stories. Tech. Rep. 2016-048, Washington: Board of Governors of the Federal Reserve System (2016)
- Hofman, J.M., Sharma, A., Watts, D.J.: Prediction and explanation in social systems. Science 355(6324), 486–488 (2017)
- 51. Hommes, C.H.: Heterogeneous agent models in economics and finance. In: Handbook of computational economics II: Agent-based economics, pp. 1109–86. Elsevier (2006)

- Hu, M., Liu, B.: Mining and summarizing customer reviews. In: Proceedings of the tenth ACM SIGKDD international conference on Knowledge discovery and data mining, pp. 168–177 (2004)
- Hyndman, R.J., Koehler, A.B.: Another look at measures of forecast accuracy. International Journal of Forecasting 22(4), 679–688 (2006)
- Kelly, E.F.: Computer recognition of English word senses. distributed by American Elsevier Pub. (1975)
   Kittrell, J.: Sentiment reversals as buy signals, pp. 231–244. John Wiley & Sons, Ltd. (2011). DOI 10.1002/9781118467411.ch9
- Koleva, N., Paiva, D.: Copula-based regression models: A survey. Journal of Statistical Planning and Inference 139(11) (2009)
- Kumar, B.S., Ravi, V.: A survey of the applications of text mining in financial domain. Knowledge-Based Systems 114, 128–147 (2016)
- Lakonishok, J., Maberly, E.: The weekend effect: Trading patterns of individual and institutional investors. The Journal of Finance 40, 231–243 (1990)
- Lavrenko, V., Schmill, M., Lawrie, D., Ogilvie, P., Jensen, D., Allan, J.: Language models for financial news recommendation. In: Proceedings of the ninth international conference on Information and knowledge management, pp. 389–396 (2000)
- LeBaron, B., Arthur, W., Palmer, R.: Time series properties of an artificial stock market. Journal of Economic Dynamics and Control 23, 1487–1516 (1999)
- Leetaru, K., Schrodt, P.A.: Gdelt: Global data on events, location, and tone, 1979–2012. In: ISA Annual Convention, vol. 2. Citeseer (2013)
- 62. Li, B., Hoi, S.C.H.: Online portfolio selection: A survey. ACM Comput. Surv. 46(3) (2014)
- Li, B., Hoi, S.C.H., Sahoo, D., Liu, Z.Y.: Moving average reversion strategy for on-line portfolio selection. Artificial Intelligence 222, 104–123 (2015)
- Li, L., Qin, B., Ren, W., Liu, T.: Truth discovery with memory network. CoRR abs/1611.01868 (2016)
   Li, Q., Jiang, L., Li, P., Chen, H.: Tensor-based learning for predicting stock movements. In: Proceedings of the Twenty-Ninth AAAI Conference on Artificial Intelligence, pp. 1784–90 (2015)
- 66. Li, Q., Wang, T., Gong, Q., Chen, Y., Lin, Z., kwang Song, S.: Media-aware quantitative trading based on public web information. Decision Support Systems **61**, 93–105 (2014)
- 67. Li, Q., Wang, T., Li, P., Liu, L., Gong, Q., Chen, Y.: The effect of news and public mood on stock movements. Information Science **278**, 826–40 (2014)
- Li, X., Xie, H., Chen, L., Wang, J., Deng, X.: News impact on stock price return via sentiment analysis. Knowledge-Based Systems 69, 14–23 (2014)
- 69. Liu, C., Hoi, S.C.H., Zhao, P., Sun, J.: Online arima algorithms for time series prediction. In: Thirtieth AAAI Conference on Artificial Intelligence (2016)
- Liu, H., Singh, P.: Conceptnet –a practical commonsense reasoning tool-kit. BT Technology Journal 22(4), 211–226 (2004)
- 71. Loughran, T., McDonald, B.: When is a liability not a liability? textual analysis, dictionaries, and 10-ks. The Journal of Finance **66**, 67–97 (2011)
- Loughran, T., McDonald, B.: Textual analysis in accounting and finance: A survey. Journal of Accounting Research 54(4), 1187–1230 (2016)
- Ma, Y., Cambria, E., Gao, S.: Label embedding for zero-shot fine-grained named entity typing. In: COLING, pp. 171–180 (2016)
- Majumder, N., Poria, S., Gelbukh, A., Cambria, E.: Deep learning based document modeling for personality detection from text. IEEE Intelligent Systems 32(2), 74–79 (2017)
- Malik, H.H., Bhardwaj, V.S., Fiorletta, H.: Accurate information extraction for quantitative financial events. In: Proceedings of the 20th ACM international conference on Information and Knowledge Management (2011)
- Marsella, S., Gratch, J.: Computationally modeling human emotion. Communications of the ACM 57(12), 56–67 (2014)
- Mihalcea, R., Garimella, A.: What men say, what women hear: Finding gender-specific meaning shades. IEEE Intelligent Systems 31(4), 62–67 (2016)
- Mikolov, T., Sutskever, I., Chen, K., Corrado, G., Dean, J.: Distributed representations of words and phrases and their compositionality. CoRR abs/1310.4546 (2013)
- Moniz, A., de Jong, F.: Classifying the influence of negative affect expressed by the financial media on investor behavior. In: Fifth Information Interaction in Context Symposium, IIiX '14, Regensburg, Germany, August 26-29, 2014, pp. 275–278 (2014)
- Mueen, A., Keogh, E.: Online discovery and maintenance of time series motifs. In: Proceedings of the 16th ACM SIGKDD International Conference on Knowledge Discovery and Data Mining, KDD '10, pp. 1089–1098. ACM, New York, NY, USA (2010). DOI 10.1145/1835804.1835941
- Nassirtoussi, A.K., Aghabozorgi, S., Waha, T.Y., Ngo, D.C.L.: Text mining for market prediction: A systematic review. Expert Systems with Applications 41, 7653–70 (2014)

- Nguyen, T.H., Shirai, K.: Topic modeling based sentiment analysis on social media for stock market prediction. In: The 53rd Annual Meeting of the Association for Computational Linguistics (ACL), pp. 1354–64 (2015)
- Nguyen, T.H., Shirai, K., Velcin, J.: Sentiment analysis on social media for stock movement prediction. Expert Systems with Applications 42, 9603–11 (2015)
- Njølstad, L.S.H.: Sentiment analysis for financial applications. Master's thesis, Norwegian University of Science and Technology (2014)
- Nofer, M., Hinz, O.: Using twitter to predict the stock market: Where is the mood effect? Bus Inf Syst Eng 57(4), 229–242 (2015)
- Oliveira, N., Cortez, P., Areal, N.: Stock market sentiment lexicon acquisition using microblogging data and statistical measures. Decision Support Systems 85, 62–73 (2016)
- Oliveira, N., Cortez, P., Areal, N.: The impact of microblogging data for stock market prediction: Using twitter to predict returns, volatility, trading volume and survey sentiment indices. Expert Systems with Applications 73, 125–144 (2017)
- 88. Owyang, J.: The Future Of The Social Web. Forrester Research, Inc. (2009)
- Park, C.H., Irwin, S.H.: The profitability of technical analysis: A review. AgMAS Project Research Report 2004-04, University of Illinois at Urbana-Champaign (2004)
- 90. Peters, E.E.: A chaotic attractor for the s&p 500. Financial Analysts Journal 47(2) (1991)
- Poria, S., Cambria, E., Bajpai, R., Hussain, A.: A review of affective computing: From unimodal analysis to multimodal fusion. Information Fusion 37, 98–125 (2017)
- 92. Poria, S., Cambria, E., Gelbukh, A.: Aspect extraction for opinion mining with a deep convolutional neural network. Knowledge-Based Systems **108**, 42–49 (2016)
- Poria, S., Cambria, E., Hazarika, D., Vij, P.: A deeper look into sarcastic tweets using deep convolutional neural networks. In: COLING, pp. 1601–1612 (2016)
- 94. Poria, S., Chaturvedi, I., Cambria, E., Hussain, A.: Convolutional MKL based multimodal emotion recognition and sentiment analysis. In: ICDM, pp. 439–448. Barcelona (2016)
- Qian, B., Rasheed, K.: Hurst exponent and financial market predictability. In: Proceedings of the 2nd IASTED international conference on financial engineering and applications, pp. 203–209 (2004)
- Rachlin, G., Last, M., Alberg, D., Kandel, A.: Admiral: A data mining based financial trading system. In: Computational Intelligence and Data Mining, IEEE Symposium on (2007)
- Rajput, V., Bobde, S.: Stock market forecasting techniques: Literature survey. International Journal of Computer Science and Mobile Computing 5(6), 500–506 (2016)
- Ruiz, E.J., Hristidis, V., Castillo, C., Gionis, A., Jaimes, A.: Correlating financial time series with microblogging activity. In: Proceedings of the Fifth ACM International Conference on Web Search and Data Mining, pp. 513–522 (2012)
- Sag, I.A., Baldwin, T., Bond, F., Copestake, A., Flickinger, D.: Multiword expressions: A pain in the neck for nlp. In: Lecture Notes in Computer Science, vol. 2276, pp. 1–15 (2002)
- Samo, Y.L.K., Vervuurt, A.: Stochastic portfolio theory: A machine learning approach. In: Proceedings of the Thirty-Second Conference on Uncertainty in Artificial Intelligence (UAI) (2016)
- 101. Schneider, M.J., Gupta, S.: Forecasting sales of new and existing products using consumer reviews: A random projections approach. International Journal of Forecasting **32**, 243–256 (2016)
- 102. Schumaker, R.P., Chen, H.: Textual analysis of stock market prediction using breaking financial news: The azfintext system. ACM Transactions on Information Systems 27(2), 1–19 (2009). DOI 10.1145/ 1462198.1462204
- 103. Schumaker, R.P., Zhang, Y., Huang, C.N., Chen, H.: Financial fraud detection using vocal, linguistic and financial cues. Decision Support Systems **53**, 458–464 (2012)
- Sehgal, V., Song, C.: Sops: Stock prediction using web sentiment. In: Proceedings of the Seventh IEEE International Conference on Data Mining Workshops, pp. 21–26 (2007)
- Shacham, S.: A shortened version of the profile of mood states. Journal of Personality Assessment 47(3), 305–306 (1983)
- 106. Shen, W., Wang, J., Ma, S.: Doubly regularized portfolio with risk minimization. In: Proceedings of the Twenty-Eighth AAAI Conference on Artificial Intelligence, pp. 1286–1292. AAAI Press (2014)
- Si, J., Mukherjee, A., Liu, B., Li, Q., Li, H., Deng, X.: Exploiting topic based twitter sentiment for stock prediction. In: The 51st Annual Meeting of the Association for Computational Linguistics (ACL) (2013)
- Si, J., Mukherjee, A., Liu, B., Pan, S.J., Li, Q., Li, H.: Exploiting social relations and sentiment for stock prediction. In: Proceedings of the Conference on Empirical Methods in Natural Language Processing (EMNLP), pp. 1139–45 (2014)
- 109. Sowa, J.F.: Semantic networks. Encyclopedia of Artificial Intelligence (1987)
- Stein, D., Bouchey, P., Atwill, T., Nemtchinov, V.: Why does diversifying and rebalancing create alpha? White paper, Parametric (2013)

- 111. Tai, Y., Kao, H.: Automatic domain-specific sentiment lexicon generation with label propagation. In: The 15th International Conference on Information Integration and Web-based Applications & Services, Vienna, Austria (2013)
- 112. Taleb, N.N.: Finiteness of variance is irrelevant in the practice of quantitative finance. Complexity **14**(3) (2008)
- 113. Tetlock, P.C., Saar-Tsechansky, M., Macskassy, S.: More than words: Quantifying language to measure firms' fundamentals. The Journal of Finance **63**(3), 1437–1467 (2008)
- 114. ThomsonReuters, OptiRisk: Marketpsych indices and sentiment analysis toolkit. Products Leaflets (2016)
- Ticknor, J.L.: A bayesian regularized artificial neural network for stock market forecasting. Expert Systems with Applications 40(14), 5501–06 (2013)
- Tkác, M., Verner, R.: Artificial neural networks in business: Two decades of research. Applied Soft Computing 38, 788–804 (2016)
- 117. Uhl, M.: Reuters sentiment and stock returns. Journal of Behavioral Finance 15(4), 287–298 (2014)
- Valitutti, R.: Wordnet-affect: an affective extension of wordnet. In: In Proceedings of the 4th International Conference on Language Resources and Evaluation, pp. 1083–1086 (2004)
- Vui, C.S., et. al.: A review of stock market prediction with artificial neural network. In: IEEE International Conference on Control System, Computing and Engineering, pp. 477–482 (2013)
- Wei, W., Mao, Y., Wang, B.: Twitter volume spikes and stock options pricing. Computer Communications 73, 271–281 (2016)
- 121. Weidmann, N.B., Ward, M.D.: Predicting conflict in space and time. The Journal of Conflict Resolution **54**(6), 883–901 (2010)
- 122. Wilson, T., Hoffmann, P., Somasundaran, S., Kessler, J., Wiebe, J., Choi, Y., Cardie, C., Riloff, E., Patwardhan, S.: Opinionfinder: A system for subjectivity analysis. In: Empirical Methods in Natural Language Processing (EMNLP) (2005)
- 123. Witte, J.H.: Volatility harvesting: Extracting return from randomness. CoRR abs/1508.05241 (2015)
- 124. Wuthrich, B., Cho, V., Leung, S., Permunetilleke, D., Sankaran, K., Zhang, J.: Daily stock market forecast from textual web data. In: Systems, Man, and Cybernetics, IEEE International Conference on, vol. 3, pp. 2720–2725 (1998)
- 125. Xing, F.Z., Cambria, E., Zou, X.: Predicting evolving chaotic time series with fuzzy neural networks. In: International Joint Conference on Neural Networks (IJCNN), pp. 3176–83 (2017)
- 126. Yoshihara, A., Seki, K., Uehara, K.: Leveraging temporal properties of news events for stock market prediction. Artificial Intelligence Research **5**(1), 103–110 (2016)
- 127. Zhang, G.P.: Time series forecasting using a hybrid arima and neural network model. Neurocomputing **50**, 159–175 (2003)
- Zhang, W., Li, C., Ye, Y., Li, W., Ngai, E.W.: Dynamic business network analysis for correlated stock price movement prediction. IEEE Intelligent Systems 30(2), 26–33 (2015)