



Received: 24.09.2015

Accepted: 08.03.2016

Editors-in-Chief: Bilge Hilal Cadirci

Area Editor: Serkan Demiriz

## Neutrosophic Soft Multi-Attribute Group Decision Making Based On Grey Relational Analysis Method

Partha Pratim DEY<sup>a</sup> (parsur.fuzz@gmail.com)  
 Surapati PRAMANIK<sup>b,1</sup> (sura\_pati@yahoo.co.in)  
 Bibhas C. GIRI<sup>a</sup> (bcgiri.jumath@gmail.com)

<sup>a</sup>Department of Mathematics, Jadavpur University, Kolkata-700032, West Bengal, India

<sup>b</sup>Department of Mathematics, Nandalal Ghosh B.T. College, Panpur, P.O.-Narayanpur, District –North 24 Parganas, Pin code-743126, West Bengal, India

**Abstract** – The objective of the paper is to present neutrosophic soft multi attribute group decision making based on grey relational analysis involving multiple decision makers. The concept of neutrosophic soft sets is derived from the hybridization of the concepts of neutrosophic set and soft set. In the decision making process, the decision makers offer the rating of alternatives with respect to the parameters in terms of single valued neutrosophic set. We utilize AND operator of neutrosophic soft sets in order to aggregate the individual decision maker's opinion into a common opinion based on choice parameters of the evaluator. Then, information entropy method is employed in order to attain the weights of the choice parameters. We determine the order of the alternatives and identify the most suitable alternative based on grey relational analysis. Finally, in order to show the effectiveness of the proposed approach, a numerical example is solved.

**Keywords -**  
 Neutrosophic set,  
 neutrosophic soft set,  
 grey relational  
 analysis, multi-  
 attribute group  
 decision making.

### 1. Introduction

Multi attribute group decision making (MAGDM) is one of the significant topics in modern society, where it is necessary to select the best alternative from a list of feasible alternatives with respect to some predefined attribute values provided by the multiple decision makers (DMs). However, a DM's preferences for alternatives may not be expressed precisely due to the fact that the information about attribute values may be vague, incomplete or indeterminate. Zadeh [45] proposed fuzzy set theory by incorporating degree of membership (acceptance) in order to deal with different types of uncertainties. Atanassov [3] extended the concept of Zadeh [45] and defined intuitionistic fuzzy sets by introducing degree of non-membership (rejection) such that the sum of degree of membership and degree of non-membership is less than one. In 1998 Smarandache [34] introduced a new branch of philosophy called "neutrosophy" and coined the terms "neutrosophy" and "neutrosophic". In his pioneering work [34], Smarandache clearly mentioned that neutrosophy is derived from French word 'neutre', or Latin word 'neuter', and Greek word 'sophia'. 'Neute' or 'neuter' means neutral and 'sophia' means skill or wisdom. So according to Smarandache [34], neutrosophy means knowledge of neutral thought. The

term ‘neutrosophic’, derivative of neutrosophy, means having the nature of, or having the characteristic of Neutrosophy such as “neutrosophic logic”, “neutrosophic set”, “neutrosophic probability”, and “neutrosophic statistics”. Thus Smarandache has opened a new avenue of research in four fields, namely, philosophy, logics, set theory, and probability/statistics. Smarandache [34, 35, 36, 37] initiated neutrosophic sets (NSs) by introducing degree of indeterminacy as independent component for dealing with uncertain, incomplete, imprecise, inconsistent information. However, in order to cope with practical engineering and scientific problems, Wang et al. [39] proposed a subclass of NSs called single valued neutrosophic sets (SVNSs) such that the sum of degree of membership, degree of non-membership and degree of indeterminacy is less than or equal to 3.

Molodtsov [28] developed soft set theory in 1999 as a general mathematical apparatus for dealing with uncertainty and vagueness which is free from parameterization insufficiency syndrome of fuzzy set theory, rough set theory and probability theory. Maji et al. [25] applied soft set theory to solve a decision making problem by using rough technique of Pawlak [31]. Maji et al. [22] also provided theoretical studies on soft set theory initiated by Molodtsov [28] in details. Thereafter, many researchers have discussed diverse mathematical hybrid structures such as fuzzy soft sets [10, 11, 24], intuitionistic fuzzy soft sets [8, 9, 23], possibility fuzzy soft sets [2], generalized fuzzy soft sets [27, 44], generalized intuitionistic fuzzy soft sets [4], possibility intuitionistic fuzzy soft sets [5], vague soft sets [43], possibility vague soft sets [1], etc by generalizing and extending the pioneering work of Molodtsov [28]. Recently, Maji [21] initiated a hybrid structure called neutrosophic soft sets (NSSs) where the parameters considered are neutrosophic in nature. Maji [20] incorporated weighted NSSs by imposing weights on the parameters (may be in a particular parameter) and also defined some operations and verified some propositions. Maji [19] applied WNSSs approach to solve a decision making problem.

Deng [13] developed the concept of grey relational analysis (GRA) method and it has been applied widely for different practical problems such as corrosion failure of oil tubes [14], vendor selection [38], watermarking scheme [18], teacher selection [32] comprehensive evaluation [12], advanced manufacturing systems [15], optimal welding parameter selection [33], etc. GRA has been recognized as an appropriate multi-attribute decision making device for solving problems with complicated interrelationships between numerous factors and variables [17, 41, 42]. Biswas et al. [7] studied entropy based GRA method for solving multi-attribute decision making (MADM) problem under neutrosophic environment. Biswas et al. [6] also presented a procedure for solving MADM problem with incompletely known or completely unknown attribute weight information based on modified GRA method under single-valued neutrosophic assessments. Mondal and Pramanik [29] presented a GRA method for neutrosophic MADM problem with interval weight information for selecting the best school for the children. Mondal and Pramanik [30] also introduced rough neutrosophic MADM based on modified GRA.

In the paper, an attempt has been made to develop neutrosophic soft MAGDM based on GRA. Firstly, the multiple DMs assign their preference values on the alternatives with respect to the specified parameters in terms of SVNSs. Then, AND operation of NSSs is applied to aggregate the DMs opinion into a common opinion based on the choice parameters of the evaluator in the decision making situation. Thereafter, ideal neutrosophic estimates reliability solution (INERS) and ideal neutrosophic estimates un-reliability solution (INEURS) are identified and grey relational coefficient between each alternative

from INERS and INEURS are calculated. Finally, best alternative is selected based on biggest value of grey relational degree.

The remaining of the paper is structured as follows: Section 2 presents some preliminaries regarding NSs, SVNNSs, soft sets, and NSSs. Section 3 is devoted to present GRA method for solving neutrosophic soft MAGDM problem. A numerical example is solved to demonstrate the effectiveness of the proposed method in Section 4. Finally, the last Section concludes the paper.

## 2. Preliminaries

In this Section, we provide some basic definitions concerning NSs, SVNNSs, soft sets, and NSSs.

### 2.1. Neutrosophic sets

**Definition 2.1.1.** [34-37] A neutrosophic set  $S$  on the universal space  $X$  is represented as follows:

$$S = \{x, \langle T_S(x), I_S(x), F_S(x) \rangle \mid x \in X\}$$

where,  $T_S(x), I_S(x), F_S(x): X \rightarrow ]0, 1^+[$  and  $0 \leq T_S(x) + I_S(x) + F_S(x) \leq 3^+$ . Here,  $T_S(x), I_S(x), F_S(x)$  are the truth-membership, indeterminacy-membership, and falsity-membership functions, respectively of a point  $x \in X$ .

**Definition 2.1.2.** [39] Let  $X$  be a universal space of points, then a SVNNS is defined as follows:

$$N = \{x, \langle t_N(x), u_N(x), v_N(x) \rangle \mid x \in X\}$$

where,  $t_N(x), u_N(x), v_N(x): X \rightarrow [0, 1]$  and  $0 \leq t_N(x) + u_N(x) + v_N(x) \leq 3$  for each point  $x \in X$ . We will represent the set of all SVNNSs in the universal space  $X$  by  $Q$  and for convenience, a single  $n$ -valued neutrosophic number (SVNN) is expressed as  $\tilde{q} = \langle t, u, v \rangle$ .

**Definition 2.1.3.** [39] The Hamming distance between two NSSs  $N_C = \{x_i, \langle t_{N_C}(x_i), u_{N_C}(x_i), v_{N_C}(x_i) \rangle \mid x_i \in X\}$  and  $N_D = \{x_i, \langle t_{N_D}(x_i), u_{N_D}(x_i), v_{N_D}(x_i) \rangle \mid x_i \in X\}$  is defined as follows:

$$H(N_C, N_D) = \frac{1}{3} \sum_{i=1}^n |t_{N_C}(x_i) - t_{N_D}(x_i)| + |u_{N_C}(x_i) - u_{N_D}(x_i)| + |v_{N_C}(x_i) - v_{N_D}(x_i)| \quad (2.1)$$

with the property:  $0 \leq H(N_C, N_D) \leq 1$ .

### 2.2. Soft set and neutrosophic soft sets

**Definition 2.2.1.** [28] Assume that  $U$  is a universal set,  $E$  is a set of parameters and  $P(U)$  represents a power set of  $U$ . Let  $A$  be a non-empty set, where  $A \subset E$ . Then, a pair  $(\Phi, A)$  is called a soft set over  $U$ , where  $\Phi$  is a mapping given by  $\Phi: A \rightarrow P(U)$ .

**Definition 2.2.2.** [21] Consider  $U$  be a universal set. Suppose  $E$  be a set of parameters and  $A$  be a non-empty set such that  $A \subset E$ .  $P(U_E)$  denotes the set of all neutrosophic subsets of

U. A pair  $(\Phi, A)$  is termed to be a NSSs over U, where  $\Phi$  is a mapping given by  $\Phi : A \rightarrow P(U_E)$ .

**Example:** Suppose U be the universal set of objects and  $E = \{\text{very large, large, low, attractive, cheap, expensive, beautiful}\}$  be the set of parameters. Here, each parameter is a neutrosophic word or sentence regarding neutrosophic word. To describe NSS means to point out very large objects, large objects, low objects, attractive objects, cheap objects, etc. Consider five objects in the universe U given by  $U = (u_1, u_2, u_3, u_4, u_5)$  and  $A = \{e_1, e_2, e_3, e_4, e_5\}$  be a set of parameters. Here,  $e_1, e_2, e_3, e_4, e_5$  denote the parameters ‘very large’, ‘low’, ‘attractive’, ‘cheap’, ‘beautiful’ respectively.

Suppose that,

$$\Phi(\text{very large}) = \{ \langle u_1, 0.9, 0.3, 0.4 \rangle, \langle u_2, 0.8, 0.3, 0.4 \rangle, \langle u_3, 0.7, 0.2, 0.3 \rangle, \langle u_4, 0.6, 0.3, 0.5 \rangle, \langle u_5, 0.9, 0.1, 0.3 \rangle \},$$

$$\Phi(\text{low}) = \{ \langle u_1, 0.5, 0.3, 0.3 \rangle, \langle u_2, 0.6, 0.3, 0.3 \rangle, \langle u_3, 0.7, 0.2, 0.4 \rangle, \langle u_4, 0.6, 0.4, 0.2 \rangle, \langle u_5, 0.5, 0.4, 0.4 \rangle \},$$

$$\Phi(\text{attractive}) = \{ \langle u_1, 0.9, 0.1, 0.2 \rangle, \langle u_2, 0.8, 0.2, 0.2 \rangle, \langle u_3, 0.9, 0.2, 0.2 \rangle, \langle u_4, 0.9, 0.3, 0.2 \rangle, \langle u_5, 0.8, 0.4, 0.3 \rangle \},$$

$$\Phi(\text{cheap}) = \{ \langle u_1, 0.5, 0.6, 0.8 \rangle, \langle u_2, 0.4, 0.7, 0.7 \rangle, \langle u_3, 0.6, 0.7, 0.6 \rangle, \langle u_4, 0.5, 0.5, 0.7 \rangle, \langle u_5, 0.3, 0.8, 0.8 \rangle \}$$

$$\Phi(\text{beautiful}) = \{ \langle u_1, 0.8, 0.2, 0.3 \rangle, \langle u_2, 0.9, 0.3, 0.3 \rangle, \langle u_3, 0.8, 0.4, 0.3 \rangle, \langle u_4, 0.7, 0.2, 0.3 \rangle, \langle u_5, 0.9, 0.1, 0.2 \rangle \}$$

Consequently,  $\Phi(\text{large})$  stands for large objects,  $\Phi(\text{cheap})$  stands for cheap objects,  $\Phi(\text{beautiful})$  stands for beautiful objects, etc. The tabular representation of NSS  $(\Phi, A)$  is presented in the table 1.

**Table 1.** Tabular representation of NSS  $(\Phi, A)$

U	$e_1 = \text{very large}$	$e_2 = \text{low}$	$e_3 = \text{attractive}$	$e_4 = \text{cheap}$	$e_5 = \text{beautiful}$
$u_1$	(0.9, 0.3, 0.4)	(0.8, 0.3, 0.4)	(0.7, 0.2, 0.3)	(0.6, 0.3, 0.5)	(0.9, 0.1, 0.3)
$u_2$	(0.5, 0.3, 0.3)	(0.6, 0.3, 0.3)	(0.7, 0.2, 0.4)	(0.6, 0.4, 0.2)	(0.5, 0.4, 0.4)
$u_3$	(0.9, 0.1, 0.2)	(0.8, 0.2, 0.2)	(0.9, 0.2, 0.2)	(0.9, 0.3, 0.2)	(0.8, 0.4, 0.3)
$u_4$	(0.5, 0.6, 0.8)	(0.4, 0.7, 0.7)	(0.6, 0.7, 0.6)	(0.5, 0.5, 0.7)	(0.3, 0.8, 0.8)
$u_5$	(0.8, 0.2, 0.3)	(0.9, 0.3, 0.3)	(0.8, 0.4, 0.3)	(0.7, 0.2, 0.3)	(0.9, 0.1, 0.2)

**Definition 2.2.3.** [21]: Let  $(\Phi_1, A)$  and  $(\Phi_2, B)$  be two NSSs over a common universe U.

The union  $(\Phi_1, A)$  and  $(\Phi_2, B)$  is defined by  $(\Phi_1, A) \cup (\Phi_2, B) = (\Phi_3, C)$ , where  $C = A \cup B$ . The truth-membership, indeterminacy-membership and falsity-membership functions are presented as follows:

$$\begin{aligned} T_{\Phi_3(e)}(m) &= T_{\Phi_1(e)}(m), \text{ if } e \in A - B, \\ &= T_{\Phi_2(e)}(m), \text{ if } e \in B - A, \\ &= \text{Max}(T_{\Phi_1(e)}(m), T_{\Phi_2(e)}(m)), \text{ if } e \in A \cap B. \end{aligned}$$

$$\begin{aligned} I_{\Phi_3(e)}(m) &= I_{\Phi_1(e)}(m), \text{ if } e \in A - B, \\ &= I_{\Phi_2(e)}(m), \text{ if } e \in B - A, \\ &= \frac{I_{\Phi_1(e)}(m) + I_{\Phi_2(e)}(m)}{2}, \text{ if } e \in A \cap B. \end{aligned}$$

$$\begin{aligned} F_{\Phi_3(e)}(m) &= F_{\Phi_1(e)}(m), \text{ if } e \in A - B, \\ &= F_{\Phi_2(e)}(m), \text{ if } e \in B - A, \\ &= \text{Min}(F_{\Phi_1(e)}(m), F_{\Phi_2(e)}(m)), \text{ if } e \in A \cap B. \end{aligned}$$

**Definition 2.2.4.** [21]: Suppose  $(\Phi_1, A)$  and  $(\Phi_2, B)$  are two NSSs over the same universe  $U$ . The intersection  $(\Phi_1, A)$  and  $(\Phi_2, B)$  is defined by  $(\Phi_1, A) \cap (\Phi_2, B) = (\Phi_4, D)$ , where  $D = A \cap B$  and the truth-membership, indeterminacy-membership and falsity-membership functions of  $(\Phi_4, D)$  are defined as follows:

$$T_{\Phi_4(e)}(m) = \text{Min} (T_{\Phi_1(e)}(m), T_{\Phi_2(e)}(m)), I_{\Phi_4(e)}(m) = \frac{I_{\Phi_1(e)}(m) + I_{\Phi_2(e)}(m)}{2}, F_{\Phi_4(e)}(m) = \text{Max} (F_{\Phi_1(e)}(m), F_{\Phi_2(e)}(m)), \forall e \in D.$$

**Definition 2.2.5.** [21]: Let  $(\Phi_1, A)$  and  $(\Phi_2, B)$  be two NSSs over the identical universe  $U$ . Then ‘AND’ operation on  $(\Phi_1, A)$  and  $(\Phi_2, B)$  is defined by  $(\Phi_1, A) \wedge (\Phi_2, B) = (\Phi_5, H)$ , where  $H = A \times B$  and the truth-membership, indeterminacy-membership and falsity-membership functions of  $(\Phi_5, A \times B)$  are defined as follows:

$$T_{\Phi_5(\gamma, \delta)}(m) = \text{Min} (T_{\Phi_1(\gamma)}(m), T_{\Phi_2(\delta)}(m)), I_{\Phi_5(\gamma, \delta)}(m) = \frac{I_{\Phi_1(\gamma)}(m) + I_{\Phi_2(\delta)}(m)}{2}, F_{\Phi_5(\gamma, \delta)}(m) = \text{Max} (F_{\Phi_1(\gamma)}(m), F_{\Phi_2(\delta)}(m)), \forall \gamma \in A, \forall \delta \in B.$$

### 3. A neutrosophic soft MAGDM based on grey relational analysis

Suppose  $G = \{g_1, g_2, \dots, g_p\}$ , ( $p \geq 2$ ) be a discrete set of alternatives under consideration in a MAGDM problem with  $k$  DMs. Let,  $q$  be the total number of parameters under the assessment of DMs. Also, let  $q_1, q_2, \dots, q_k$  be the number of parameters under the consideration of  $DM_1, DM_2, \dots, DM_k$  respectively such that  $q = q_1 + q_2 + \dots + q_k$ . The rating of performance value of alternative  $g_i$ , ( $i = 1, 2, \dots, p$ ) with respect to the choice parameters is provided by the DMs and they can be expressed in terms of SVNNS. Therefore, the steps for solving neutrosophic soft MAGDM based on GRA method is presented as follows:

#### Step 1. Formulation of criterion matrix with SVNNS

Selection of key parameters is one of the important issues in a MAGDM problem. The key parameters are either identified by the evaluator or by some other methods that are technically useful. Suppose that the rating of alternative  $g_i$  ( $i = 1, 2, \dots, p$ ) with respect to the parameters provided by the  $s$ -th ( $s = 1, 2, \dots, k$ ) DM is represented by NSSs  $(\Phi_s, H_s)$ , ( $s = 1, 2, \dots, k$ ) and they can be presented in matrix form  $d_{N_j}^s$  ( $i = 1, 2, \dots, p; j = 1, 2, \dots, q_s; s = 1, 2, \dots, k$ ). Therefore, criterion matrix for  $s$ -th DM can be explicitly constructed as follows:

$$D_N^s = \langle d_{ij}^s \rangle_{p \times q_s} = \begin{bmatrix} d_{11}^s & d_{12}^s & \dots & d_{1q_s}^s \\ d_{21}^s & d_{22}^s & \dots & d_{2q_s}^s \\ \cdot & \cdot & \dots & \cdot \\ \cdot & \cdot & \dots & \cdot \\ d_{p1}^s & d_{p2}^s & \dots & d_{pq_s}^s \end{bmatrix}$$

Here,  $d_{ij}^s = (t_{ij}^s, u_{ij}^s, v_{ij}^s)$  where  $t_{ij}^s, u_{ij}^s, v_{ij}^s \in [0, 1]$  and  $0 \leq t_{ij}^s + u_{ij}^s + v_{ij}^s \leq 3, i = 1, 2, \dots, p; j = 1, 2, \dots, q_s; s = 1, 2, \dots, k$ .

**Step 2. Construction of aggregated criterion matrix with SVNSSs**

In the group decision making situation, all the individual assessments require to be combined into a group opinion on the basis of the choice parameters of the evaluator. Suppose the evaluator considers  $r$  number of choice parameters in the decision making situation. The resultant NSS can be obtained by using ‘AND’ operator of NSSs proposed by Maji [21] and is placed in a criterion matrix as follows:

$$D_N = \langle d_{ij} \rangle_{p \times r} = \begin{bmatrix} d_{11} & d_{12} & \dots & d_{1r} \\ d_{21} & d_{22} & \dots & d_{2r} \\ \cdot & \cdot & \dots & \cdot \\ \cdot & \cdot & \dots & \cdot \\ d_{p1} & d_{p2} & \dots & d_{pr} \end{bmatrix}$$

Here,  $d_{ij} = (t_{ij}, u_{ij}, v_{ij})$  where  $t_{ij}, u_{ij}, v_{ij} \in [0, 1]$  and  $0 \leq t_{ij} + u_{ij} + v_{ij} \leq 3, i = 1, 2, \dots, p; j = 1, 2, \dots, r$ .

**Step 3. Determination of weights of the choice parameters**

In general, the weights of the choice parameters are different. In this paper, we use information entropy method in order to obtain the weights of the choice parameters. The entropy measure [26] can be used when weights of the choice parameters are different and completely unknown to the evaluator. The entropy measure of a SVNSS  $\mathfrak{R} = \{x, \langle t_{\mathfrak{R}}(x), u_{\mathfrak{R}}(x), v_{\mathfrak{R}}(x) \rangle\}$  is defined as follows:

$$G_i(\mathfrak{R}) = 1 - \frac{1}{r} \sum_{i=1}^p (t_{\mathfrak{R}}(x_i) + v_{\mathfrak{R}}(x_i)) |u_{\mathfrak{R}}(x_i) - u_{\mathfrak{R}}^C(x_i)| \tag{3.1}$$

which has the following properties:

- (i)  $G_i(\mathfrak{R}) = 0$  if  $\mathfrak{R}$  is a crisp set and  $u_{\mathfrak{R}}(x_i) = 0, \forall x \in X$ .
- (ii)  $G_i(\mathfrak{R}) = 0$  if  $\langle t_{\mathfrak{R}}(x_i), u_{\mathfrak{R}}(x_i), v_{\mathfrak{R}}(x_i) \rangle = \langle 0.5, 0.5, 0.5 \rangle, \forall x \in X$ .
- (iii)  $G_i(\mathfrak{R}_1) \leq G_i(\mathfrak{R}_2)$  if  $\mathfrak{R}_1$  is more uncertain than  $\mathfrak{R}_2$  i.e.  
 $t_{\mathfrak{R}_1}(x_i) + v_{\mathfrak{R}_1}(x_i) \leq t_{\mathfrak{R}_2}(x_i) + v_{\mathfrak{R}_2}(x_i)$  and  $|v_{\mathfrak{R}_1}(x_i) - v_{\mathfrak{R}_1}^C(x_i)| \leq |v_{\mathfrak{R}_2}(x_i) - v_{\mathfrak{R}_2}^C(x_i)|$ .
- (iv)  $G_i(\mathfrak{R}) = G_i(\mathfrak{R}^C), \forall x \in X$ .

Therefore, the entropy value  $G_j$  of the  $j$ -th attribute can be defined as follows:

$$G_j = 1 - \frac{1}{r} \sum_{i=1}^p (t_{ij}(x_i) + v_{ij}(x_i)) |u_{ij}(x_i) - u_{ij}^C(x_i)|, i = 1, 2, \dots, p; j = 1, 2, \dots, r. \tag{3.2}$$

Here,  $0 \leq G_j \leq 1$  and the entropy weight owing to Hwang and Yoon [16] and Wang and Zhang [40] of the  $j$ -th attribute is presented as follows:

$$w_j = \frac{1 - G_j}{\sum_{j=1}^r 1 - G_j}, \text{ with } 0 \leq w_j \leq 1 \text{ and } \sum_{j=1}^r w_j = 1 \tag{3.3}$$

**Step 4. Determination of INERS and INEURS based on SVNNS**

Generally two types of attributes arise in practical decision making problems namely benefit type attribute ( $J_1$ ) and cost type attribute ( $J_2$ ). Let  $R_N^+$  and  $R_N^-$  be INERS and INEURS respectively. Then,  $R_N^+$  and  $R_N^-$  can be defined as follows:

$$R_N^+ = (\langle t_1^+, u_1^+, v_1^+ \rangle, \langle t_2^+, u_2^+, v_2^+ \rangle, \dots, \langle t_r^+, u_r^+, v_r^+ \rangle)$$

$$R_N^- = (\langle t_1^-, u_1^-, v_1^- \rangle, \langle t_2^-, u_2^-, v_2^- \rangle, \dots, \langle t_r^-, u_r^-, v_r^- \rangle)$$

where

$$\langle t_j^+, u_j^+, v_j^+ \rangle = < [\{ \text{Max}_i(t_{ij}) | j \in J_1 \}; \{ \text{Min}_i(t_{ij}) | j \in J_2 \}], [\{ \text{Min}_i(u_{ij}) | j \in J_1 \}; \{ \text{Max}_i(u_{ij}) | j \in J_2 \}], [\{ \text{Min}_i(v_{ij}) | j \in J_1 \}; \{ \text{Max}_i(v_{ij}) | j \in J_2 \}] >, j = 1, 2, \dots, r,$$

$$\langle t_j^-, u_j^-, v_j^- \rangle = < [\{ \text{Min}_i(t_{ij}) | j \in J_1 \}; \{ \text{Max}_i(t_{ij}) | j \in J_2 \}], [\{ \text{Max}_i(u_{ij}) | j \in J_1 \}; \{ \text{Min}_i(u_{ij}) | j \in J_2 \}], [\{ \text{Max}_i(v_{ij}) | j \in J_1 \}; \{ \text{Min}_i(v_{ij}) | j \in J_2 \}] >, j = 1, 2, \dots, r.$$

**Step 5. Calculation of grey relational coefficient**

The grey relational coefficient of each alternative from INERS is defined as follows:

$$\eta_{ij}^+ = \left( \text{Min}_{1 \leq i \leq p} \text{Min}_{1 \leq j \leq r} \sigma_{ij}^+ + \tau \text{Max}_{1 \leq i \leq p} \text{Max}_{1 \leq j \leq r} \sigma_{ij}^+ \right) \times \left( \sigma_{ij}^+ + \tau \text{Max}_{1 \leq i \leq p} \text{Max}_{1 \leq j \leq r} \sigma_{ij}^+ \right)^{-1} \tag{3.4}$$

Where  $\sigma_{ij}^+ = H(d_{ij}, R_N^+)$ , for  $i = 1, 2, \dots, p; j = 1, 2, \dots, r$ .

Also, the grey relational coefficient of each alternative from INEURS is presented as follows:

$$\eta_{ij}^- = \left( \text{Min}_{1 \leq i \leq p} \text{Min}_{1 \leq j \leq r} \sigma_{ij}^- + \tau \text{Max}_{1 \leq i \leq p} \text{Max}_{1 \leq j \leq r} \sigma_{ij}^- \right) \times \left( \sigma_{ij}^- + \tau \text{Max}_{1 \leq i \leq p} \text{Max}_{1 \leq j \leq r} \sigma_{ij}^- \right)^{-1} \tag{3.5}$$

Where  $\sigma_{ij}^- = H(d_{ij}, R_N^-)$ , for  $i = 1, 2, \dots, p; j = 1, 2, \dots, r$ . Here,  $\tau \in [0, 1]$  is called distinguishable coefficient which is used to control the level of difference of the relation coefficients. Generally,  $\tau = 0.5$  is applied in the decision making circumstances.

**Step 6. Computation of the degree of grey relational coefficient**

Compute the degree of grey relational coefficient of each alternative from INERS and INEURS respectively as follows:

$$\eta_i^+ = \sum_{j=1}^r w_j \eta_{ij}^+, i = 1, 2, \dots, p, \tag{3.6}$$

$$\eta_i^- = \sum_{j=1}^r w_j \eta_{ij}^-, i = 1, 2, \dots, p. \tag{3.7}$$

**Step 7. Determination of the relative relational degree**

We determine the relative relational degree of each alternative from INERS by using the Eq. 3.8 as follows:

$$\eta_i = \frac{\eta_i^+}{\eta_i^+ + \eta_i^-} \text{ for } i = 1, 2, \dots, p. \tag{3.8}$$

**Step 8. Rank the alternatives**

We rank the alternatives according to the values of  $\eta_i$ ,  $i = 1, 2, \dots, p$  and biggest value of  $\eta_i$ ,  $i = 1, 2, \dots, p$  gives the most desirable alternative.

**4. A numerical example**

Let  $U = \{g_1, g_2, g_3, g_4, g_5\}$  be the set of objects characterized by different lengths, colors and surface textures and  $E = \{\text{blakish, dark brown, yellowish, reddish, large, small, very small, average, rough, very large, coarse, moderate, fine, smooth, extra fine}\}$  be the set of parameters [19]. Assume that  $E_1 = \{\text{very large, small, average}\}$ ,  $E_2 = \{\text{reddish, yellowish, blakish}\}$ ,  $E_3 = \{\text{smooth, rough, moderate}\}$  are three subsets of  $E$ . Let the NSSs  $(\Phi_1, E_1)$ ,  $(\Phi_2, E_2)$ ,  $(\Phi_3, E_3)$  represent the items ‘having diverse lengths’, ‘having diverse colours’, ‘surface structure features’ respectively and they are computed by the three DMs namely Mr. X, Mr. Y, and Mr. Z, respectively. The criterion decision matrix of Mr. X, Mr. Y, and Mr. Z are presented respectively in tabular forms (see Table 2, Table 3, Table 4).

**Table 2:** Tabular form of NSS  $(\Phi_1, E_1)$

U	$\alpha_1 = \text{very large}$	$\alpha_2 = \text{small}$	$\alpha_3 = \text{average large}$
$g_1$	(0.5, 0.6, 0.8)	(0.7, 0.3, 0.5)	(0.6, 0.7, 0.3)
$g_2$	(0.6, 0.8, 0.7)	(0.3, 0.6, 0.4)	(0.8, 0.3, 0.5)
$g_3$	(0.3, 0.5, 0.8)	(0.8, 0.3, 0.2)	(0.3, 0.2, 0.6)
$g_4$	(0.8, 0.3, 0.5)	(0.3, 0.5, 0.3)	(0.6, 0.7, 0.3)
$g_5$	(0.7, 0.3, 0.6)	(0.4, 0.6, 0.8)	(0.8, 0.3, 0.8)

**Table 3:** Tabular form of NSS  $(\Phi_2, E_2)$

U	$\beta_1 = \text{reddish}$	$\beta_2 = \text{yellowish}$	$\beta_3 = \text{blackish}$
$g_1$	(0.5, 0.7, 0.3)	(0.7, 0.8, 0.6)	(0.8, 0.3, 0.4)
$g_2$	(0.6, 0.7, 0.3)	(0.8, 0.5, 0.7)	(0.6, 0.7, 0.3)
$g_3$	(0.8, 0.5, 0.6)	(0.7, 0.3, 0.6)	(0.8, 0.3, 0.5)
$g_4$	(0.7, 0.2, 0.6)	(0.8, 0.6, 0.5)	(0.6, 0.7, 0.3)
$g_5$	(0.8, 0.4, 0.7)	(0.6, 0.5, 0.8)	(0.7, 0.4, 0.2)

**Table 4:** Tabular form of NSS  $(\Phi_3, E_3)$

U	$\lambda_1 = \text{smooth}$	$\lambda_2 = \text{rough}$	$\lambda_3 = \text{moderate}$
$g_1$	(0.8, 0.5, 0.6)	(0.8, 0.7, 0.3)	(0.8, 0.6, 0.4)
$g_2$	(0.7, 0.6, 0.7)	(0.7, 0.5, 0.6)	(0.7, 0.5, 0.6)
$g_3$	(0.8, 0.7, 0.6)	(0.6, 0.3, 0.7)	(0.8, 0.2, 0.4)
$g_4$	(0.7, 0.5, 0.7)	(0.8, 0.7, 0.4)	(0.7, 0.8, 0.7)
$g_5$	(0.8, 0.7, 0.4)	(0.7, 0.4, 0.8)	(0.8, 0.6, 0.5)

The proposed procedure is presented in the following steps.



**Step 1:** If the evaluator desires to perform the operation ‘ $(\Phi_1, E_1)$  AND  $(\Phi_2, E_2)$ ’ then we will get  $3 \times 3$  parameters of the form  $\epsilon_{ij}$ , where  $\epsilon_{ij} = \alpha_i \wedge \beta_j$ , for  $i = 1, 2, 3; j = 1, 2, 3$ . Let  $S = \{\epsilon_{11}, \epsilon_{21}, \epsilon_{22}, \epsilon_{31}, \epsilon_{32}\}$  be the set of choice parameters of the evaluator, where  $\epsilon_{11}$  = (very large, reddish),  $\epsilon_{21}$  = (small, reddish),  $\epsilon_{22}$  = (small, yellowish), etc, (see Table 5).

**Table 5:** Tabular form of NSSs ‘ $(\Phi_1, E_1)$  AND  $(\Phi_2, E_2)$ ’

U	$\epsilon_{11}$	$\epsilon_{21}$	$\epsilon_{22}$	$\epsilon_{31}$	$\epsilon_{32}$
$g_1$	(0.5, 0.65, 0.8)	(0.5, 0.5, 0.5)	(0.7, 0.55, 0.6)	(0.5, 0.7, 0.3)	(0.6, 0.75, 0.6)
$g_2$	(0.6, 0.75, 0.7)	(0.3, 0.65, 0.4)	(0.3, 0.55, 0.7)	(0.6, 0.5, 0.5)	(0.8, 0.4, 0.7)
$g_3$	(0.3, 0.5, 0.8)	(0.8, 0.4, 0.6)	(0.7, 0.3, 0.6)	(0.3, 0.35, 0.6)	(0.3, 0.25, 0.6)
$g_4$	(0.7, 0.25, 0.6)	(0.3, 0.35, 0.6)	(0.3, 0.55, 0.5)	(0.6, 0.45, 0.6)	(0.6, 0.65, 0.5)
$g_5$	(0.7, 0.35, 0.7)	(0.4, 0.5, 0.8)	(0.4, 0.55, 0.8)	(0.8, 0.35, 0.8)	(0.6, 0.4, 0.8)

Now the evaluator wants to compute  $(\Phi_5, T)$  from  $(\Phi_4, S)$  AND  $(\Phi_3, E_3)$  for the specified parameters  $T = \{\epsilon_{11} \wedge \lambda_1, \epsilon_{21} \wedge \lambda_2, \epsilon_{21} \wedge \lambda_3, \epsilon_{31} \wedge \lambda_1\}$ , where  $\epsilon_{11} \wedge \lambda_1$  represents (very large, reddish, smooth),  $\epsilon_{21} \wedge \lambda_3$  represents (small, reddish, moderate), etc, (see Table 6).

**Table 6:** Tabular form of NSS ‘ $(\Phi_5, T)$ ’

U	$\epsilon_{11} \wedge \lambda_1$	$\epsilon_{21} \wedge \lambda_2$	$\epsilon_{21} \wedge \lambda_3$	$\epsilon_{31} \wedge \lambda_1$
$g_1$	(0.5, 0.575, 0.8)	(0.5, 0.6, 0.5)	(0.5, 0.55, 0.5)	(0.5, 0.6, 0.6)
$g_2$	(0.6, 0.675, 0.7)	(0.3, 0.575, 0.6)	(0.3, 0.575, 0.6)	(0.6, 0.55, 0.7)
$g_3$	(0.3, 0.6, 0.8)	(0.6, 0.35, 0.7)	(0.8, 0.3, 0.6)	(0.3, 0.525, 0.6)
$g_4$	(0.7, 0.375, 0.7)	(0.3, 0.525, 0.6)	(0.3, 0.575, 0.7)	(0.6, 0.475, 0.7)
$g_5$	(0.7, 0.525, 0.7)	(0.4, 0.45, 0.8)	(0.4, 0.55, 0.8)	(0.8, 0.525, 0.8)

**Step 2.** Computation of the weights of the choice parameters

Entropy value  $G_j$  ( $j = 1, 2, \dots, 5$ ) of the  $j$ -th choice parameter can be obtained from the Eq. 3.2 as follows:

$$G_1 = 0.6932, G_2 = 0.7555, G_3 = 0.7338, G_4 = 0.865.$$

Then the associated entropy weights are obtained with the help of Eq. 3.3 as follows:

$$w_1 = 0.3297, w_2 = 0.2391, w_3 = 0.2861, w_4 = 0.1451.$$

**Step 3.** Determination of INERS and INEURS

The INERS ( $R_N^+$ ) and INEURS ( $R_N^-$ ) from the decision matrix are presented as follows:

$$R_N^+ = \langle (0.7, 0.375, 0.7); (0.6, 0.35, 0.5); (0.8, 0.3, 0.5); (0.8, 0.475, 0.6) \rangle$$

$$R_N^- = \langle (0.3, 0.675, 0.8); (0.3, 0.6, 0.8); (0.3, 0.575, 0.8); (0.3, 0.6, 0.8) \rangle$$

**Step 4.** Determination the grey relational coefficient of each alternative from INERS and INEURS

Using Eq. 3.4, the grey relational coefficient of each alternative from INERS ( $R_N^+$ ) can be obtained as follows:

$$\sigma_{ij}^+ = \begin{bmatrix} 0.167 & 0.117 & 0.183 & 0.142 \\ 0.133 & 0.208 & 0.292 & 0.125 \\ 0.242 & 0.067 & 0.033 & 0.183 \\ 0.000 & 0.192 & 0.325 & 0.100 \\ 0.067 & 0.200 & 0.317 & 0.083 \end{bmatrix}$$

Similarly, the grey relational coefficient of each alternative from INEURS ( $R_N^-$ ) by using Eq. 3.5 is presented as follows:

$$\sigma_{ij}^- = \begin{bmatrix} 0.100 & 0.167 & 0.175 & 0.133 \\ 0.133 & 0.075 & 0.066 & 0.150 \\ 0.025 & 0.217 & 0.325 & 0.092 \\ 0.267 & 0.092 & 0.033 & 0.175 \\ 0.217 & 0.083 & 0.042 & 0.192 \end{bmatrix}$$

**Step 5.** Calculation of the degree of grey relational coefficient

Computation of the degree of grey relational coefficient of each alternative from INERS and INEURS can be determined from the Eq. 3.6 and 3.7 respectively as follows:

$$\eta_1^+ = 0.5134, \eta_2^+ = 0.4705, \eta_3^+ = 0.6078, \eta_4^+ = 0.6243, \eta_5^+ = 0.5336, \\ \eta_1^- = 0.6225, \eta_2^- = 0.7193, \eta_3^- = 0.6649, \eta_4^- = 0.675, \eta_5^- = 0.6846$$

**Step 6.** Calculate the relative relational degree

We compute the relative relational degree of each alternative by using Eq. 3.8 and obtain values are as follows:

$$\eta_1 = 0.452, \eta_2 = 0.3954, \eta_3 = 0.4776, \eta_4 = 0.4805, \eta_5 = 0.438.$$

**Step 7.** Ranking order of the objects

The ranking order of the objects can be obtained according to the value of grey relative relational degree. We observe that  $\eta_4 > \eta_3 > \eta_1 > \eta_5 > \eta_2$  and so the biggest value of grey relative relational degree is  $\eta_4$ . Therefore, the object  $g_4$  is the most desirable object for the evaluator.

## 5. Conclusion

In the paper, we have presented a GRA method for solving MAGDM problem under neutrosophic soft environment. The problem comprises of multiple alternatives, several DMs, a set of parameters and our objective is to identify the best alternative based on the neutrosophic information provided by the DMs. The rating of performance values of the alternatives with respect to the parameters are specified by the multiple DMs and are expressed in NSSs. We use AND operator of NSSs to aggregate opinions of the DMs based on the choice parameters of the evaluator. We apply information entropy method to obtain

weights of the choice parameters. Then GRA method is employed to rank the alternatives and select the best one. We hope that the proposed concept will be helpful in dealing with different MAGDM problems such as pattern recognition, medical diagnosis, manufacturing systems, project evaluation and various practical decision making problems.

## Acknowledgements

The authors would like to acknowledge the constructive comments and suggestions of the anonymous referees.

## References

- [1] K. Alhazaymeh, N. Hassan, *Possibility vague soft set and its application in decision making*, International Journal of Pure and Applied Mathematics 77(4) (2012) 549-563.
- [2] S. Alkhazaleh, A.R. Salleh, N. Hassan, *Possibility fuzzy soft sets*, Advances in Decision Sciences (2011), DOI:10.1155/2011/479756.
- [3] K.T. Atanassov, *Intuitionistic fuzzy sets*, Fuzzy Sets and Systems 20 (1986) 87-96.
- [4] K.V. Babitha, J.J. Sunil, *Generalized intuitionistic fuzzy soft sets and its applications*, Gen. Math. Notes 7(2) (2011) 1-14.
- [5] M. Bashir, A.R. Salleh, S. Alkhazaleh, *Possibility intuitionistic fuzzy soft Sets*, Advances in Decision Sciences (2012), DOI:10.1155/2012/404325.
- [6] P. Biswas, S. Pramanik, B.C. Giri, *A new methodology for neutrosophic multi-attribute decision making with unknown weight information*, Neutrosophic Sets and Systems 3 (2014) 42-50.
- [7] P. Biswas, S. Pramanik, B.C. Giri, *Entropy based grey relational analysis method for multi-attribute decision making under single valued neutrosophic assessment*, Neutrosophic Sets and Systems 2 (2014) 102-110.
- [8] N. Çağman, I. Deli, *Intuitionistic fuzzy parameterized soft set theory and its decision making*, Applied Soft Computing 28 (2015) 109-113.
- [9] N. Çağman, S. Karataş, *Intuitionistic fuzzy soft set theory and its decision making*, Journal of Intelligent and Fuzzy System (2013), DOI:10.3233/IFS-2012-0601.
- [10] N. Çağman, S. Enginoğlu, F. Çıtak, *Fuzzy soft sets theory and its applications*, Iranian Journal of Fuzzy System 8(3) (2011) 137-147.
- [11] N. Çağman, F. Çıtak S. Enginoğlu, *Fuzzy parameterized fuzzy soft set theory and its applications*, Turkish Journal of Fuzzy System 1(1) (2010) 21-35.
- [12] Y. Cenglin, *Application of grey relational analysis in comprehensive evaluation on the customer satisfaction of automobile 4S enterprises*, Physics Procedia 33 (2012) 1184-1189.
- [13] J.L. Deng, *Introduction to grey system theory*, The Journal of Grey System 1 (1989) 1-24.
- [14] C. Fu, J. Zhang, J. Zhao, W. Xu, *Application of grey relational analysis for corrosion failure of oil tubes*, Corrosion Science 43(5) (2001) 881-889.
- [15] S. Goyal, S. Grover, *Applying fuzzy grey relational analysis for ranking the advanced manufacturing systems*, Grey Systems: Theory and Application 2(2) (2012) 284-298.
- [16] C.L. Hwang, K. Yoon, *Multiple attribute decision making: methods and applications: a state-of-the-art survey*, Springer, London, 1981.

- [17] M.S. Kuto, G.S. Liang, *Combining VIKOR with GRA techniques to evaluate service quality of airports under fuzzy environment*, Expert Systems with Applications 38(3) (2011) 1304-1312.
- [18] S.T. Lin, S.J. Horng, B.H. Lee, P. Fan, Y. Pan, J.L. Lai, R.J. Chen, M.K. Khan, *Application of grey-relational analysis to find the most suitable watermarking scheme*, International Journal of Innovative Computing, Information and Control 7(9) (2011) 5389-5401.
- [19] P.K. Maji, *Weighted neutrosophic soft sets approach in a multi-criteria decision making problem*, Journal of New Theory 5 (2015) 1-12.
- [20] P.K. Maji, *Weighted neutrosophic soft sets*, Neutrosophic Sets and Systems 6 (2014) 6-12.
- [21] P.K. Maji, *Neutrosophic soft set*, Annals of Fuzzy Mathematics and Informatics 5(1) (2013) 157-168.
- [22] P.K. Maji, R. Biswas, A.R. Roy, *Soft set theory*, Computers and Mathematics with Applications 45 (2003) 555-562.
- [23] P.K. Maji, R. Biswas, A.R. Roy, *Intuitionistic fuzzy soft sets*, The Journal of Fuzzy Mathematics 9(3) (2001) 677-692.
- [24] P.K. Maji, R. Biswas, A.R. Roy, *Fuzzy soft sets*, The Journal of Fuzzy Mathematics 9 (2001) 589-602.
- [25] P.K. Maji, A.R. Roy, R. Biswas, *An application in soft sets in a decision making problem*, Computers and Mathematics with Applications 44 (2002) 1077-1083.
- [26] P. Majumder, S.K. Samanta, *On similarity and entropy of neutrosophic sets*, Journal of Intelligent and Fuzzy Systems (2013), DOI:10.3233/IFS-130810.
- [27] P. Majumdar, S.K. Samanta, *Generalized fuzzy soft sets*, Computers and Mathematics with Applications 59 (2010) 1425-1432.
- [28] D. Molodtsov, *Soft set theory – first results*, Computers and Mathematics with Applications 37 (1999) 19-31.
- [29] K. Mondal, S. Pramanik, *Neutrosophic decision making model of school choice*, Neutrosophic Sets and Systems 7 (2015) 62-68.
- [30] K. Mondal, S. Pramanik, *Rough neutrosophic multi-attribute decision – making based on grey relational analysis*, Neutrosophic Sets and Systems 7 (2015) 8-17.
- [31] Z. Pawlak, *Rough sets: Theoretical aspects of reasoning about data*, Kluwer Academic, Boston, MA, 1991.
- [32] S. Pramanik, D. Mukhopadhyaya, *Grey relational analysis based intuitionistic fuzzy multi criteria group decisionmaking approach for teacher selection in higher education*, International Journal of Computer Applications 34(10) (2011) 21-29.
- [33] K.S. Prasad, S.R. Chalamalasetti, N.R. Damera, *Application of grey relational analysis for optimizing weld bead geometry parameters of pulsed current micro plasma arc welded inconel 625 sheets*, The International Journal of Advanced Manufacturing Technology 78(1) (2015) 625-632.
- [34] F. Smarandache, *A unifying field of logics. Neutrosophy: Neutrosophic probability, set and logic*, American Research Press, Rehoboth, 1998.
- [35] F. Smarandache. *A unifying field in logics: neutrosophic logics. Multiple valued logic*, 8(3) (2002), 385-438.
- [36] F. Smarandache, *Neutrosophic set – a generalization of intuitionistic fuzzy sets*, International Journal of Pure and Applied Mathematics 24(3) (2005) 287-297.
- [37] F. Smarandache, *Neutrosophic set – a generalization of intuitionistic fuzzy set*, Journal of Defence Resources Management 1(1) (2010) 107-116.

- [38] C.H. Tsai, C.L. Chang, L. Chen, *Applying grey relational analysis to the vendor evaluation model*, International Journal of The Computer, The Internet and Management 11(3) (2003) 45-53.
- [39] H. Wang, F. Smarandache, Y. Q. Zhang, R. Sunderraman, *Single valued neutrosophic sets*, Multispace and Multistructure 4 (2010) 410-413.
- [40] J.Q. Wang, Z.H. Zhang, *Multi-criteria decisionmaking method with incomplete certain information based on intuitionistic fuzzy number*, Control and decision 24 (2009) 226-230.
- [41] G.W. Wei, *Grey relational analysis method for intuitionistic fuzzy multiple attribute decision making*, Expert Systems with Applications 38(9) (2011) 11671-11677.
- [42] G.W. Wei, *GRA method for multiple attribute decision making with incomplete weight information in intuitionistic fuzzy setting*, Knowledge Based Systems 23(3) (2010) 243-247.
- [43] W. Xu, J. Ma, S. Wang, G. Hao, *Vague soft sets and their properties*, Computers and Mathematics with Applications 59 (2010) 787-794.
- [44] H.L. Yang, *Notes On Generalized Fuzzy Soft Sets*, Journal of Mathematical Research and Exposition 31(3) (2011) 567-570.
- [45] L.A. Zadeh, *Fuzzy sets*, Information and Control 8 (1965) 338-353.