

Null Space-based Kernel Fisher Discriminant Analysis for Face Recognition

Wei Liu¹, Yunhong Wang¹, Stan Z. Li², Tieniu Tan¹

¹ National Laboratory of Pattern Recognition,
Institute of Automation, Chinese Academy of Sciences, Beijing, P. R. China, 100080

E-mails: {wliu, wangyh, tnt}@nlpr.ia.ac.cn

² Microsoft Research Asia, Beijing Sigma Center, Beijing, P. R. China, 100080

E-mail: szli@microsoft.com

Abstract

The null space-based LDA takes full advantage of the null space while the other methods remove the null space. It proves to be optimal in performance. From the theoretical analysis, we present the NLDA algorithm and the most suitable situation for NLDA. Our method is simpler than all other null space approaches, it saves the computational cost and maintains the performance simultaneously. Furthermore, kernel technique is incorporated into our null space method. Firstly, all samples are mapped to the kernel space through an efficient kernel function, called Cosine kernel, which have been demonstrated to increase the discriminating capability of the original polynomial kernel function. Secondly, a truncated NLDA is employed. The novel approach only requires one eigenvalue analysis and is also applicable to the large sample size problem. Experiments are carried out on different face data sets to demonstrate the effectiveness of the proposed method.

1. Introduction

Linear Discriminant Analysis (LDA or Fisherface) has been successfully applied to face recognition. The objective of LDA is to seek a linear projection from the image space onto a low dimensional space by maximizing the between-class scatter and minimizing the within-class scatter simultaneously. Belhumeur [1] compared Fisherface with Eigenface on the *HARVARD* and *YALE* face databases, and showed that LDA was better than PCA, especially under illumination variation. LDA was also evaluated favorably under the *FERET* testing framework [2].

In many practical face recognition tasks, there are not enough samples to make the within-class scatter matrix S_w nonsingular, this is called a small sample size problem (SSSP). Different solutions have been proposed to deal with it in using LDA for face recognition [1]-[6].

The most widely used methods (Fisherface) [1, 2, 3] applies PCA firstly to reduce the dimension of the samples to an intermediate dimension, which must be

guaranteed not more than the rank of S_w so as to obtain a full-rank within-class scatter matrix. Then standard LDA is used to extract and represent facial features. All these methods above do not consider the importance of null space of the within-class scatter matrix, and remove the null space to make the resulting within-class scatter full-rank.

Yu et al. [4] proposed a new algorithm which incorporates the concept of null space. It first removes the null space of the between-class scatter matrix S_b and seeks a projection to minimize the within-class scatter (called Direct LDA / DLDA). Because the rank of S_b is smaller than that of S_w , removing the null space of S_b may lose part of or the entire null space of S_w , which is very likely to be full-rank after the removing operation.

Chen et al. [5] proposed a more straightforward method that makes use of the null space of S_w . The basic idea is to project all the samples onto the null space of S_w , where the resulting within-class scatter is zero, and then maximize the between-class scatter. This method involves computing eigenvalues in a very large dimension since S_w is an $n \times n$ matrix. To avoid the great computational cost, pixel grouping method is used in advance to artificially extract features and to reduce the dimension of the original samples.

Huang et al. [6] introduced a more efficient null space approach. The basic notion behind the algorithm is that the null space of S_w is particularly useful in discriminating ability, whereas, that of S_b is useless. They proved that the null space of the total scatter matrix S_t is the common null space of both S_w and S_b . Hence the algorithm firstly removes the null space of S_t and projects the samples onto the null space of S_w . Then it removes the null space of the between-class scatter in the subspace to get the optimal discriminant vectors.

Although null space-based methods seem to be more efficient than other linear subspace analysis methods for face recognition, it is still a linear technique in nature. Hence it is inadequate to describe the complexity of real face images because of illumination, facial expression and pose variations. The kernel technique has been extensively demonstrated to be capable of efficiently representing complex nonlinear relations of the input data. Kernel Fisher Discriminant Analysis [7, 8, 9] (KFDA) is

an efficient nonlinear subspace analysis method, which combines the kernel technique with LDA.

In this paper, we concentrate on the advantages of both the null space approach and the kernel technique. A kernel mapping based on an efficient kernel function, called Cosine kernel, is performed on all the samples firstly. In kernel space, we can find that the total scatter matrix is full-rank, so the procedure of the null space approach is greatly simplified and more stable in numerical computation.

The remainder of this paper is organized as follows. The related work on LDA-based algorithms is described in Section 2. Our null space method (NLDA) is presented in Section 3, and null space-based KFDA (NKFDA) is presented in Section 4. Experiments are reported in Section 5 and finally some conclusions are drawn in Section 6.

2. LDA-based methods

Some assumptions and definitions in mathematics are provided at first. Let n denotes the dimension of the original sample space, and c is the number of classes. The between-class scatter matrix S_b and the within-class scatter S_w are defined as below:

$$S_b = \sum_{i=1}^c N_i (m_i - m)(m_i - m)^T = \Phi_b \Phi_b^T, \quad (1)$$

$$S_w = \sum_{i=1}^c \sum_{k \in C_i} (x_k - m_i)(x_k - m_i)^T = \Phi_w \Phi_w^T, \quad (2)$$

where N_i is the number of samples in class C_i ($i=1,2,\dots,c$), N is the number of all the samples, m_i is the mean of the samples in the class C_i , and m is the mean of all the samples. The total scatter matrix i.e. the covariance matrix of all the samples is defined as:

$$S_t = S_b + S_w = \sum_{i=1}^N (x_i - m)(x_i - m)^T = \Phi_t \Phi_t^T. \quad (3)$$

LDA tries to find an optimal projection:

$W = [w_1, w_2, w_3, \dots, w_{c-1}]$, which satisfies

$$J(W) = \arg \max_w \frac{|W^T S_b W|}{|W^T S_w W|}. \quad (4)$$

2.1. Standard LDA

As well known, W can be constructed by the eigenvectors of $S_w^{-1} S_b$. But this method is numerically unstable because it involves the direct inversion of a likely high-dimensional matrix. The most frequently used LDA algorithm in practice is based on simultaneous diagonalization. The basic idea of the algorithm is to find a matrix W that can simultaneously diagonalize both S_w

and S_b , i.e.,

$$W^T S_w W = I, W^T S_b W = \Lambda. \quad (5)$$

Most algorithms require that S_w be non-singular, because the algorithm diagonalize S_w first. The above procedure will break down when S_w is singular. It surely happens when the number of training samples is smaller than the dimension of the sample vector, i.e. SSSP.

An available solution to the singularity problem is to perform PCA before LDA, which greatly reduces the dimension of both S_w and S_b . Yet the PCA step essentially removes null space from both S_w and S_b . Therefore, this step potentially loses useful information.

2.2. Direct LDA (DLDA)

In fact, the null space of S_w contains the most discriminative information especially when the projection of S_b is not zero in that direction. The Direct LDA (DLDA) algorithm [4] is presented to keep the null space of S_w .

DLDA removes the null space of S_b firstly by performing eigen-analysis on S_b , then a simultaneous procedure is used to seek the optimal discriminant vectors in the subspace of S_b , i.e.

$$W^T S_b W = I, W^T S_w W = D_w. \quad (6)$$

Because the rank of S_b is smaller than that of S_w in majority, removing the null space of S_b may lose part of or the entire null space of S_w , which is very likely to be full-rank after the removing operation. So, DLDA does not make full use of the null space.

2.3. Null Space-based LDA

Compared with above LDA approaches, a more reasonable method (Chen [5]), we called Null Space-based LDA, has been presented. In Chen's theory, the optimal projection W should satisfy

$$W^T S_w W = 0, W^T S_b W = \Lambda, \quad (7)$$

i.e. the optimal discriminant vectors must exist in the null space of S_w .

Because the computational complexity of extracting the null space of S_w is very high because of the high dimension of S_w . So in [5] a pixel grouping operation is used in advance to extract geometric features and to reduce the dimension of the samples, and then the Null Space-based LDA is used in the feature space but not the original sample space. The pixel grouping preprocess is irresponsible and may arouse a loss of useful facial features.

3. Our Null Space Method (NLDA)

3.1. Most Suitable Situation

For the small sample size problem (SSSP) in which

$n > N$, the dimension of null space of S_w is very large, and not all null space contributes to the discriminative power. Since both S_b and S_w are symmetric and semi-positive, we can prove, as mentioned in [6], that

$$N(S_t) = N(S_b) \cap N(S_w). \quad (8)$$

From the statistical perspective, the null space of S_b is of no use in its contribution to discriminative ability. Therefore, the useful subspace of null space of S_w is

$$\hat{N}(S_w) = N(S_w) - N(S_t) = N(S_w) \cap \overline{N(S_t)}. \quad (9)$$

The sufficient and necessary condition so that null space methods work is

$$\hat{N}(S_w) \neq \Phi \Rightarrow N(S_w) \supset N(S_t) \Rightarrow \dim N(S_w) > \dim N(S_t) \Rightarrow \text{rank}(S_t) > \text{rank}(S_w). \quad (10)$$

In many cases,

$$\begin{aligned} \text{rank}(S_t) &= \min\{n, N-1\}, \\ \text{rank}(S_w) &= \min\{n, N-c\}, \end{aligned} \quad (11)$$

the dimension of discriminative null space of S_w can be evaluated from (9):

$$\dim \hat{N}(S_w) = \text{rank}(S_t) - \text{rank}(S_w). \quad (12)$$

When $n \geq N-1$, from (11) it follows that

$$\text{rank}(S_t) = N-1 > \text{rank}(S_w) = N-c,$$

we derive $\dim \hat{N}(S_w) = c-1$. The dimension of extracted null space is just $c-1$, which coincides with the number of ideal features for classification [1]. Therefore, we can conclude that null space methods are always applicable to any small sample size problem (SSSP).

Especially when n is equal to $N-1$, S_t is full-rank and $N(S_t)$ is null. By (9) we have $\hat{N}(S_w) = N(S_w)$, it follows all null space of S_w contributes to the discriminative power. Hence, we conclude the most suitable situation for null space-based methods:

$$n = N-1. \quad (13)$$

3.2. NLDA

Combining (7)-(12), we propose our null space method.

NLDA algorithm:

1. Remove the null space of S_t .

Perform eigen-analysis on S_t , the dimension of the extracted subspace is usually $N-1$. The projection P , whose columns are all the eigenvectors of S_t corresponding to the nonzero eigenvalues, are calculated firstly, and then the within-class scatter in the resulting subspace are obtained.

$$P^T S_t P = D_t, P^T S_w P = S_w'. \quad (14)$$

2. Extract the null space of S_w' .

Diagonalize S_w' , we have

$$V^T S_w' V = D_w, \quad (15)$$

where $V^T V = I$, D_w is diagonal matrix sorted in increasing order. Discard those with eigenvalues sufficiently far from 0, keep $c-1$ eigenvectors of S_w' in most cases. Let Y be the first $c-1$ columns of V , which is the null space of S_w' , we have

$$Y^T S_w' Y = 0. \quad (16)$$

The final NLDA projection matrix is:

$$W = PY, \quad (17)$$

PY is the discriminative subspace of the whole null space of S_w and is really useful for discrimination. The number of the optimal discriminant vectors is usually $c-1$, which just coincides with the number of ideal discriminant vectors [1].

In the null subspace, the between-class scatter is

$$\begin{aligned} S_b'' &= W^T S_b W = Y^T P^T S_b P Y = Y^T P^T S_b P Y + Y^T S_w' Y \\ &= Y^T (P^T S_b P + P^T S_w P) Y = Y^T P^T S_t P Y \\ &= Y^T D_t Y \end{aligned}, \quad (18)$$

by step1 we know D_t is full-rank, so we are able to prove that S_b'' is a positive matrix which is of course full-rank.

It is notable that the third step of Huang [6]' algorithm is used to remove the null space of S_b'' . In fact, that is needless since S_b'' is full-rank once through the previous two steps.

The null space LDA method in Chen [5] maximizes the between-class scatter in the null subspace, which appears to achieve best discriminative ability but may incur overfitting. Because projecting all samples onto the useful null subspace of S_w is powerful enough in its clustering ability to achieve good generalization performance, the step of diagonalizing S_b'' should be eliminated in order to avoid possible overfitting.

Under situation (13), S_t is full-rank and step1 of the NLDA algorithm is skipped. The NLDA projection can be extracted by performing eigen-analysis on S_w directly. The procedure of NLDA under this situation is most straightforward and only requires one eigen-analysis. We can discover that NLDA will save much computational cost under the most suitable situation it is applicable to.

4. Null Space-based KFDA (NKFDA)

The key idea of Kernel Fisher Discriminant Analysis (KFDA) [7, 8, 9] is to solve the problem of LDA in an implicit feature space F , which is constructed by the kernel trick:

$$\phi: x \in R^n \rightarrow \phi(x) \in F. \quad (19)$$

The important feature of kernel techniques is that the implicit feature vector ϕ needn't be computed explicitly, while the inner product of any two vectors in F need to

be computed based a kernel function.

In this section, we will present a novel method (NKFDA, shown in Fig. 1) in which kernel technique is incorporated into discriminant analysis in the null space.

4.1. KFDA

The between-class scatter S_b and the within-class scatter S_w in F are computed as (1) and (2). But at this time, we replace x_j by $\phi(x_j)$ as samples in F . Consider performing LDA in the implicit feature space F .

Because any solution $w \in F$ must lie in the span of all the samples in F , there exist coefficients $\alpha_i, i=1,2,\dots,N$, such that

$$w = \sum_{i=1}^N \alpha_i \phi_i. \quad (20)$$

Substitute w in (4), the solution of (4) can be obtained by solve a new Fisher problem:

$$J(\alpha) = \arg \max_{\alpha} \frac{|\alpha^T K_b \alpha|}{|\alpha^T K_w \alpha|}, \quad (21)$$

where K_b and K_w (Liu [7]) are based on new samples:

$$\zeta_i = (k(x_1, x_i), k(x_2, x_i), \dots, k(x_N, x_i))^T, 1 \leq i \leq N. \quad (22)$$

As for the kernel function, Liu [12] proposed a novel kernel function called Cosine kernel, which is based on the original polynomial kernel, has been demonstrated to improve the performance of KFDA. It is defined as below:

$$k(x, y) = (\phi(x) \cdot \phi(y)) = (a(x \cdot y) + b)^d, \quad (23)$$

$$\tilde{k}(x, y) = \frac{k(x, y)}{\sqrt{k(x, x)k(y, y)}}. \quad (24)$$

In our experiments, Cosine kernel ($a=10^{-3}/\text{sizeof}(\text{image}), b=0, d=2$) is adopted and shows good performance in face recognition. Cosine measurement should be more reliable than inner production measurement due to a better similarity representation in the implicit feature space.

4.2. NKFDA

Here we define a kernel sample set (corresponding to the kernel space in N dimensions) $\{\zeta_i\}_{1 \leq i \leq N}$. The optimal solution of (4) is equivalent to that of (21), so the original problem can be entirely converted to the problem of LDA on the kernel sample set.

In section 3, we know that NLDA will save much computational cost under the most suitable situation. Our objective is just to transform the dimension of all the

samples from n to $N-1$ through the kernel mapping, so that NLDA can work under the most suitable situation. Any method that can transform raw samples to $(N-1)$ -dimensional data without adding or losing main information, can exploit the merit of NLDA.

In (20), all the training samples in F , $\{\phi_i\}_{1 \leq i \leq N}$, are used to represent w . Define the kernel matrix M ,

$$M = (k(x_i, x_j))_{1 \leq i, j \leq N} = (k_{i,j})_{1 \leq i, j \leq N}, \quad (25)$$

Let $\Phi = (\phi_1, \phi_2, \dots, \phi_N)$, then $M = \Phi^T \Phi$. In mathematics,

$$\text{rank}(\Phi) = \text{rank}(M), \quad (26)$$

and $\text{rank}(M) < N$ holds, especially when the training data set is very large, $\text{rank}(M) \ll N$ [10][11]. We may assume ϕ_N is not a basis vector of $\{\phi_i\}_{1 \leq i \leq N}$ without loss of generality, hence, we can rewrite (20) as follows:

$$w = \sum_{i=1}^{N-1} \alpha_i \phi_i, \quad (27)$$

subsequently, K_b and K_w are recomputed, we derive :

$$\zeta_i = (k(x_1, x_i), k(x_2, x_i), \dots, k(x_{N-1}, x_i))^T. \quad (28)$$

Now the dimension of our defined kernel space is $N-1$. My objective is just to enable NLDA work on the $(N-1)$ -dimensional kernel sample set.

As shown in Fig. 1, NKFDA algorithm outputs the mapping Ψ which is a nonlinear dimensionality reduction mapping (n dimensions reduce to $c-1$).

Input: 1) training samples $\{x_i\}_{1 \leq i \leq N}$ and label set $\{C_j\}_{1 \leq j \leq c}$
2) the kernel function and its parameters: $k(x,y)$

Algorithm:

1. For $i = 1, 2, \dots, N$
do kernel mapping on each training sample:
 $K(x_i) = (k(x_1, x_i), k(x_2, x_i), \dots, k(x_{N-1}, x_i))^T$
2. Calculate class mean and within-class scatter:
 $m_j = \sum_{i \in C_j} K(x_i) / N_j,$
 $K_w = \sum_{j=1}^c \sum_{i \in C_j} (K(x_i) - m_j)(K(x_i) - m_j)^T.$
3. Extract the null space Y of K_w ($(N-1) \times (N-1)$) such that $Y^T K_w Y = 0$, Y is usually in $(N-1) \times (c-1)$.

Output: The resulting mapping on the sample set:
 $\Psi(x) = (Y^T K) \cdot (x) = Y^T \cdot K(x).$

Figure 1. NKFDA algorithm

For the large sample size problem ($n \ll N$), S_w is full-rank so that we can not extract any null space. That means any null space-based method does not work in the large sample size case. However, after the kernel mapping, NLDA can work on the kernel sample set. Hence the kernel mapping extends the ability of null space

approaches to the large sample size problem.

5. Experiments

To demonstrate the efficiency of our method, extensive experiments are done on the *ORL* face database, the *FERET* database and the mixture database. All LDA methods were compared on the same training sets and testing sets, including Fisherface proposed in [1, 2, 3], Direct LDA proposed in [4], KFDA proposed in [7] and our methods: NLDA and NKFDA.

5.1. ORL Database

There are 10 different images for each subject in the *ORL* face database composed of 40 distinct subjects. All the subjects are in up-right, frontal position. The size of each face image is 92×112 . The first line of Fig. 2 shows 6 images of the same subject.

We listed the recognition rates with different number of training samples. The number of training samples per subject, k , increases from 2 to 9. In each round, k images are randomly selected from the database for training and the remaining images of the same subject for testing. For each k , 20 tests were performed and these results were averaged. Table 1 shows the average recognition rates (%). Without any pre-processing, we choose 39 (i.e. $c-1$) as the final dimensions. Our methods NLDA, NKFDA show an encouraging performance.

Table 1. Recognition rates on the ORL database

k	LDA	DLDA	NLDA	NKFDA
2	76.65	80.10	85.47	82.89
3	87.09	87.54	90.91	89.13
4	91.68	91.50	93.86	93.15
5	93.17	94.65	95.45	95.13
6	95.79	96.50	97.13	96.72
7	96.85	97.12	97.54	97.21
8	98.25	99.15	98.95	98.95
9	99.00	99.95	99.15	99.38

5.2. FERET Database

We have to test our method on more complex and challenging datasets such as the *FERET* database. We selected 70 subjects from the *FERET* database with 6 up-right, frontal-view images of each subject. The face images involve much more variations in lighting, facial expressions and facial details. The second line of Fig. 2 shows one subject from the selected data set.

The eye locations are fixed by geometric normalization. The size of face images is normalized to 92×112 , and 69 features (i.e. $c-1$) are extracted. Training and test process are similar to those on the *ORL* database. Similar comparisons between those methods are

performed. This time k changes between 2 to 5, and the corresponding averaging recognition rates (%) are shown in table 2.

Table 2. Recognition rates on the FERET database

k	LDA	DLDA	NLDA	NKFDA
2	56.04	63.25	75.20	72.21
3	76.95	76.71	85.64	83.60
4	87.23	88.30	92.79	93.85
5	94.80	94.71	97.34	98.29

5.3. Mixture Database

To test NLDA and NKFDA on large datasets, we construct a mixture database of 125 persons and 985 images, which is a collection of three databases: (a). The *ORL* database (10×40). (b). The *YALE* database (11×15 , the third line of Fig. 2 shows one subject). (c). The *FERET* database (6×70). All the images are resized to 92×112 . There are facial expression, illumination and pose variations.



Figure 2. Samples from the mixture database

The mixture database is divided into two non-overlapping set for training and testing. The training dataset consists of 500 images: 5 images, 6 images and 3 images per person are randomly selected from the *ORL*, the *YALE* database and the *FERET* subset respectively. The remaining 485 images are used for testing. In order to reduce the influence of some extreme illumination, histogram equalization is applied to the images as pre-processing. We compare the proposed method with Fisherface and Kernel Fisherface (KFDA), and the experimental results are shown in Fig. 3. It can be seen that NKFDA largely outperforms the other three when over 100 features are used, and a recognition rate of 91.65% can be achieved at the feature dimension of 124 (i.e. $c-1$).

5.4. Discussions

From the above three experiments, we can find that NKFDA is better than NLDA for large number of training samples (such as larger than 300), while worse than NLDA in the case of small training sample size (such as

smaller than 200), and superior to DLDA in most situations. So NKFDA is more efficient in larger sample size, for the greater the sample size, the more accurately kernels can describe the nonlinear relations of samples.

As to computational cost, the most time-consuming procedure, eigen-analysis, is performed on three matrices (one of $N \times N$, and two of $(N-c) \times (N-c)$) in Fisherface method, on two matrices ($c \times c$ and $(c-1) \times (c-1)$) in DLDA, on two matrices ($N \times N$, $(N-1) \times (N-1)$) in NLDA, and on one matrix ($(N-1) \times (N-1)$) in NKFDA. Our method NKFDA only performs one eigen-analysis to achieve efficiency and good performance.




Figure 3. Comparison of four methods

6. Conclusions

In this paper, we present two new subspace methods (NLDA, NKFDA) based on the null space approach and the kernel technique. Both of them effectively solve the small sample size problem and eliminate the possibility of losing discriminative information.

The main contributions of this paper are summarized as follows: (a) The essence of null space-based LDA in the SSSP is revealed, and the most suitable situation of null space method is discovered. (b) Propose the NLDA algorithm, which is simpler than all other null space methods and saves the computational cost and maintains the performance simultaneously. (c) A more efficient Cosine kernel function is adopted to enhance the capability of the original polynomial kernel. (d) Present the NKFDA algorithm, which performs only one eigen-analysis and is superior to NLDA when the sample size is very large.

Acknowledgements

This work is supported by research funds from the *Natural Science Foundation of China* (Grant No. 60332010). The authors thank Qingshan Liu, Zhouyu Fu for their constructive suggestions. And great appreciations to Yilin Dong for her encourage. Appreciations especially

to the *FERET* program (USA), the *Olivetti Research Laboratory* in Cambridge (UK) and the *YALE* University for their devotion of face databases.

References

- [1] P.N.Belhumeur, J.P.Hespanha and D.J.Kriegman, "Eigenfaces vs. Fisherfaces: Recognition Using Class Specific Linear Projection", *IEEE Trans. Pattern Analysis and Machine Intelligence*, vol. 19, no. 7, pp. 711-720, 1997.
- [2] W.Zhao, R.Chellappa and P.J.Phillips, "Subspace Linear Discriminant Analysis for Face Recognition", *Tech Report CAR-TR-914*, Center for Automation Research, University of Maryland, 1999.
- [3] D.L.Swets and J.Weng, "Using Discriminant Eigenfeatures for Image Retrieval" *IEEE Trans. Pattern Analysis and Machine Intelligence*, Vol. 18, No. 8, 1996.
- [4] H.Yu and J.Yang, "A Direct LDA Algorithm for High-Dimensional Data -- with Application to Face Recognition", *Pattern Recognition*, vol. 34, no. 10, pp. 2067-2070, 2001.
- [5] L.F.Chen, H.Y.M.Liao, J.C.Lin, M.T.Ko, and G.J.Yu, "A New LDA-based Face Recognition System Which Can Solve the Small Sample Size Problem", *Pattern Recognition*, Vol. 33, No. 10, 2000.
- [6] R.Huang, Q.S.Liu, H.Q.Lu and S.D.Ma, "Solving the Small Sample Size Problem of LDA", *In the proc. of Int. Conf. Pattern Recognition*, vol. 3, pp 29-32, Quebec, Canada, August, 2002.
- [7] Q.S.Liu, R.Huang, H.Q.Lu and S.D.Ma, "Face Recognition Using Kernel Based Fisher Discriminant Analysis", *In the Proc. of Int. Conf. Automatic Face and Gesture Recognition*, pp. 197-201, Washington DC, USA, May, 2002.
- [8] G.Baudat and F.Anouar, "Generalized Discriminant Analysis Using a Kernel Approach", *Neural Computation*, vol. 12, no. 10, pp. 2385-2404, 2000.
- [9] S.Mika, G.Ratsch, J.Weston, "Fisher Discriminant Analysis with Kernels", *In the Proc. of Neural Networks for Signal Processing Workshop*, pp. 41-48, Madison, USA, August, 1999.
- [10] Y.Wu, T.S.Huang and K.Toyama, "Self-Supervised Learning for Object based on Kernel Discriminant-EM Algorithm", *In the proc. of Int. Conf. Computer Vision*, vol. 1, pp. 275-280, Vancouver, B.C., Canada, 2001.
- [11] G.Baudat and F.Anouar, "Kernel-based Methods and Function Approximation", *In the proc. Int'l Conf. Neural Networks*, pp. 1244 -1249, Washington DC, USA, July, 2001.
- [12] Q.S.Liu, H.Q.Lu and S.D.Ma, "Improving Kernel Fisher Discriminant Analysis for Face Recognition", *IEEE Trans. Circuits and Systems for Video Technology*, vol. 14, no. 1, pp. 42-49, 2004.