

On some matrix Diophantine equations

Aleksander Grytczuk and Izabela Kurzydło

University of Zielona Góra, Poland

Abstract

A lecture concerns the following matrix Diophantine equations

$$A^x + A^y + A^z = A^w, \quad (1)$$

$$A^x + A^y = A^z, \quad (2)$$

where $x, y, z, w \in N$.

In our paper *On some matrix Diophantine equations* we give necessary conditions for solvability of the equation (1) in some positive integers x, y, z, w under some restrictions for $A \in M_n(C)$, $n \geq 2$ concerning eigenvalues of the matrix A .

Let $A \in M_n(C)$, $n \geq 2$ is the matrix A which has at least one real eigenvalue $\alpha \in (0, 1)$. If the matrix equation (1) is satisfied in positive integers x, y, z, w , then $\max\{x - w, y - w, z - w\} \geq 1$. If the matrix A has at least one real eigenvalue $\alpha > \sqrt{2}$ and the equation (1) is satisfied in positive integers x, y, z and w , then $\max\{x - w, y - w, z - w\} = -1$.

Moreover, we investigate the solvability of the matrix equations (1) and (2) for the non-negative real $n \times n$ matrices, where $|\det A| > 1$, in positive integers x, y, z, w for (1) and (2). Using the well-known theorems: Schur's theorem and Peron-Frobenius' theorem we obtain further results concerning solvability these equations.

Keywords

The matrix equations, Schur's theorem, Fermat's type Diophantine equation on matrices.

References

- Bellmann, R. (1976). *Wedenie v teoriju matric*. Moscva: Publishing House Science
Cao, Z. and A. Grytczuk (1998). Fermat's type equations in the set of 2×2 integral
matrices. *Tsukuba J. Math.* 22, 637–643.
Cao, Z. and A. Grytczuk (2000). Some remarks on Fermat's equation in the set of
matrices. *Acta Acad. Paed. Agriensis, Sectio Math.* 27, 39–46.
Domiaty, R.Z. (1966). Solutions of $x^4 + y^4 = z^4$ in 2×2 integral matrices. *Amer.
Math. Monthly* 73, 631.

- Grytczuk, A. (1997). Fermat's equation in the set of matrices and special functions. *Stud. Univ. Babes-Bolyai Math.* 4, 49–55.
- Grytczuk, A. (1997). Note on Fermat's type equation in the set $n \times n$ matrices. *Dissertationes Math.* 17, 19–23.
- Grytczuk, A. (1998). On a conjecture about the equation $A^{mx} + A^{my} = A^{mz}$. *Acta Acad. Paed. Agrieusis, Sectio Math.* 25, 61–70.
- Grytczuk, A. (1995). On Fermat's equation in the set of integral 2×2 matrices. *Period. Math. Hungar.* 30, 67-7-2.
- Grytczuk, A. and J. Grytczuk (2002). Ljunggren's trinomials and matrix equation $A^x + A^y = A^z$. *Tsukuba J. Math.* 2, 229–235.
- Grytczuk, A. and I. Kurzył (2007). On some matrix Diophantine equations. Submitted.
- Grytczuk, A. and M. Szalkowski (1991). Spectral properties of some matrices. *Acta Acad. Pead. Agriensis, Sectio Math.* 20, 43–50.
- Khazanov, A. (1995). Fermat's equation in matrices. *Serdica Math. J.* 21, 19–40.
- Le, M. and C. Li (1995). On Fermat's equation in integral 2×2 matrices. *Period. Math. Hungar.* 31, 219–222.
- Patay, Z. and A. Szakacs (2002). On Fermat's problem in matrix rings and groups. *Publ. Math. Debrecen* 61, 487–494.
- Qin, H. (1996). Fermat's problem and Goldbach problem over $M_n(Z)$. *Linear Algebra Appl.* 236, 131–135.
- Ribenboim, P. (1979). *13 lectures on Fermat's last theorem*. New York: Springer-Verlag.
- Serre, D. (2002). *Matrices theory and applications*. New York: Springer-Verlag.
- Taylor, R. and A. Wiles (1995). Ring-theoretic properties of certain Hecke algebras. *Ann. of Math.* 141, 553–572.
- Vaserstein, N. (1989). Non-commutative Number Theory. *Contemp. Math.* 83, 445–449.
- Wiles, A. (1995). Modular elliptic curves and Fermat's Last Theorem. *Ann. of Math.* 141, 443–551.