

Open-design: A state of the art review

Étienne Boisseau¹, Jean-François Omhover¹ and Carole Bouchard¹

¹ *Product Design and Innovation Laboratory, Arts et Métiers ParisTech, 75013 Paris, France*

Abstract

The 'open approach' is rooted in the open-source and free-software movements. Its application has spread to more fields than computer engineering. Product design is impacted as well: we observe new stakeholders and practices challenging current structured design processes and leading to industrial successes. Open-design appears to be promising yet disruptive. Moreover, its distinctive features remain unclear.

This paper aims to popularize this new concept, as well as to give both researchers and practitioners an overview of current research on open-design, and its consequences on design. For this, we conducted a systematic quantitative bibliometric analysis of 624 entries corresponding to the keyword 'open-design' in the *Scopus* database. This supports a qualitative synthesis of scientific literature, enabling us to summarize practices falling under the umbrella term 'open-design'. As such, this paper traces the evolution of product design and the open approach. It also analyzes the impact of open-design on the design process as presented in the scientific literature. Finally, this paper develops a typology of open-design of tangible artifacts that distinguishes among three currently reported varieties of practice: *do-it-yourself*, *meta-design*, and *industrial ecosystems*. As the major contribution of this paper, this typology is developed as a final discussion.

Key words: open-design, open source, product design, typology, systematic literature review

1. Introduction

The benefits of free/libre open-source software (F/LOSS) have been acknowledged for a long time in the industry. This type of software is characterized by permission being granted to anyone to use, study, modify, and distribute the source code for any purpose. These liberties enable the following benefits: flexibility and freedom (open standards are used for easier integration in or with other systems; easy customization), auditability and reliability (anyone can detect and correct a bug or a malicious feature), support and accountability (development of upgrades is supported by the whole community; contributions are tracked and monitored), stability and maintenance (software development can continue even if original editor closes down). These benefits have led to great industrial successes: e.g., GNU/Linux is an operating system on which two thirds of web servers were run in 2017 (W3Techs 2017). It is sold by Red Hat (among others) – a company that generated more than USD 2bn of revenue in 2016 (Business Wire 2016). Further, the Apache HTTP Server powers one half of web servers worldwide; Docker Inc. has been valued at USD 1bn in 2015; etc. These features of F/LOSS have also brought about new practices: iterated and decentralized development,

Received 5 October 2016
Revised 6 October 2017
Accepted 18 October 2017

Corresponding author

É. Boisseau
etienne.boisseau@ensam.eu

Published by Cambridge
University Press
© The Author(s) 2018
Distributed as Open Access under
a CC-BY 4.0 license
(<http://creativecommons.org/licenses/by/4.0/>)

Des. Sci., vol. 4, e3
journals.cambridge.org/dsj
DOI: 10.1017/dsj.2017.25



asynchronous bottom-up contributions, flat-hierarchy and meritocratic project structuring, active involvement of end user in the development, etc.

This phenomenon has long been limited to the software industry. However, due to global digitization and the spread of efficient and low-cost Internet access, it has spread to other industrial fields. One can cite open data, open education, open hardware, among others. Design is no longer an exception: the term open-design has been used since the late 1990s. Van Abel, Evers & Klaassen (2011) define open-design as 'design whose makers allowed its free distribution and permitted modification and derivations of it'. Open-design uses two levers: the power of the crowds (summing of single contributions leads to great progress) and 'standing on the shoulders of giants' (effort is only spent on improving existing solutions, and not reinventing the wheel). Noteworthy examples of open-design include the following. RepRap, an amateur-designed 3D printing machine whose documentation is freely available on the Internet (CAD files, assembly instructions, version records). This has served as a basis for 400+ customized derivatives (Gilloz 2014). Arduino, an open-source micro-controller, and related integrated development environment, which makes it easy for the user to build and control electronic systems and has interfaces for external 'shields' (sub-modules that enable a specific function, e.g., a RFID reader). Also in the solar photovoltaic sector, several companies have shared their intellectual property (IP) in order to boost the development of new techniques (Buitenhuis & Pearce 2012).

Open-design appears to be promising, yet disruptive. Moreover, this phenomenon has been little studied in the scientific literature. Although some use cases have been reported, no global overview or analysis of open-design exists yet. Furthermore, intrinsic differences between software and hardware (zero versus non-null marginal cost; non-rival versus rival goods) make direct transposition of knowledge about F/LOSS into the design of tangible artifacts difficult (Abdelkafi, Blecker & Raasch 2009). Yet, understanding and taking stock of existing knowledge is the first step of design science, which then allows for process modeling and the development of prescriptive methods or tools that would increase industrial interest in these processes. A review of current practices and findings about open-design is thus crucial to enable its propagation in both practitioner and scientific design communities, and thus unlock its full potential.

Our objective in this paper is to provide a global and up-to-date review of the state of the art of the open-design approach, notably via a typology of current practices. It is intended for both researchers and practitioners coming from the design sector who want to better grasp the open phenomenon, as well as for those familiar with openness in the software industry who want to understand the specific features of openness in the design of tangible goods. Therefore, we have provided an extended systematic state of the art review on open-design, backing up a typology of current practices. This paper aims to be a cornerstone for future research on open-design, as well as to enable both researchers and practitioners to better grasp this recent and growing phenomenon.

Section 2 discusses how the meeting of product design and the open approach led to the concept of open-design. It recalls the context in which open-design arose, and makes it intelligible to the widest possible base. Section 3 presents the results of our systematic analysis, conducted on entries matching the keyword 'open-design' within the *Scopus* bibliographic database. This review embraces the largest possible scope in order to report on all accounts of open-design, even if

it has a restricted distribution. We first give a quantitative insight into the literature about open-design (Section 3.1). Then, we summarize these papers in a qualitative synthesis (Section 3.2). Lastly, a typology based on this synthesis is detailed in Section 4. It distinguishes three main families gathered under the umbrella term ‘open-design’: *do-it-yourself*, *meta-design*, and *industrial ecosystem*. This typology is the main contribution of this paper. The consequences on design of the different families of open-design we distinguish are presented and developed as a final discussion.

2. Scientific literature review

The first objective of this paper is to present an exhaustive literature review on open-design in order to popularize it. It does so by making this concept more intelligible. This review gathers papers from multiple disciplines, but our analysis falls within the design science framework.

Open-design occurs where democratized product design and the open approach meet. Therefore, Section 2.1 defines ‘design’ and details how it has become more accessible. Then, Section 2.2 analyzes the emergence of the open approach. Lastly, Section 2.3 retraces findings on open-design.

2.1. Design and its democratization

The first reason why open-design occurs is the democratization of design. That is to say that nowadays it is technically, knowledgeably, practically, and legally easier than before for the man in the street to gain access to the act of designing – i.e., to design. This is due to three main factors: the spread of digital manufacturing, the digitization of the design process, and the rise of new structures for design.

2.1.1. What is design? What is the science of design?

By definition, product design is about products, or functional artifacts – i.e., man-made products serving a purpose. We distinguish material objects (including both physical, or tangible, objects and digital ones such as software) from intangible goods (e.g., services). The design of the latter has become a growing and major topic (Meroni & Sangiorgi 2011), notably with the rise of product–service systems. However, it is not covered by the scope of this paper, which focuses on the open-design of tangible objects only.

We consider product design to be a sub-process of product development. The latter is ‘the transformation of a market opportunity into a product available for sale’ (Krishnan & Ulrich 2001, p. 1). As depicted in Figure 1, product development is made up of two sub-processes (Ulrich 2011).

Product design: The first process is the formulation of the idea of a solution (that is, the so-called *plan*) that meets users’ needs (the *gap* between expectations and current reality) in terms of features and constraints. The science of design focuses on this step.

Product manufacturing: Then, there is the manufacturing, that is, the realization (i.e., making real) of the *plan*. This step can have an influence on the previous one: how an object will be produced impacts its definition (Boothroyd 1994). We note that, for a given artifact, the *design* happens




Figure 1. Product development and its two sub-processes: product design and product manufacturing; adapted from Ulrich (2011, Exhibit 1–9, p. 6).

only once, while the *manufacturing* is repeated as many times as produced objects.

Product design is thus a process that has a *gap* as input and aims to produce an unequivocal representation of the object (a *plan*) that meets identified needs (Cross 2001). In other words ‘design is conceiving and giving form to artifacts that solve problems’ (Ulrich 2011, p. 2), or aims ‘[to change] existing situation into preferred ones’ (Simon 1996, p. 111).

Starting in the second half on the 20th century, a specific field of science took an interest in product design (Matthias 2005), completing other disciplines such as management science and business economics (Hatchuel 2012), or history of techniques. It aimed to rationalize product design with a view to optimizing industrial processes and leading researchers and practitioners to use a scientific approach in order to study and improve design processes. Its focus was, however, fuzzy (Horváth 2004), and several approaches to combining science and design remain (Cross 2001, 2007).

In summary, the science dealing with design focuses (i.e., studies and improves) on *design theories and methodologies* (DTM), which Tomiyama *et al.* define as ‘a rich collection of findings and understandings resulting from studies on how we design (rather than what we design). In other words, DTM is about design processes and activities, rather than about products’ (Tomiyama *et al.* 2009, p. 544). Design science is not an exact science for several reasons: the design process is contingent and not reproducible; most variables are subject to the observer effect; and its result is a compromise (Matthews, Blessing & Wallace 2002) because it must answer contradictory needs (Jansen 1990). Design problems are also noteworthy examples of ‘wicked problems’ (Rittel & Webber 1973; Buchanan 1992). Moreover, design science is an applied science where the value of a theory corresponds to its successful implementation in practice. Thus, the goal of the science of design is to analyze existing practices in order to understand them, as well as to offer and promote better ones (in a prescriptive way or by highlighting best practice).

The design process has been widely studied since the 1950s. Nevertheless, due to the nature of product design, there is ‘no “silver bullet” method which can be universally applied to achieve process improvement’ (Wynn & Clarkson 2005, p. 35). However, regardless the approach used, we can still highlight some general observations made via science on product design and its features, which are largely

accepted within design communities. We will succinctly call them to mind in order to outline features of the traditional product design process.

We have seen that the problem that designers have to address is to provide a *plan* based on a *gap*. This calls for the development of a solution that takes into account an identified (even if not fully defined) need. The design problem (that is, the *gap*) is an ill-defined and wicked problem that requires a co-developing resolution: looking for the solution helps to better understand the design problem. Better understanding the problem makes it easier to look for the right solution, etc. Myriad models exist to describe the design process (Tomiyama *et al.* 2009). They differ in terms of intent (prescriptive, descriptive, etc.), form (linear, iterative, sequential, parallel, etc.), and scope (chosen boundaries, industrial-sector-specific, etc.). Wynn & Clarkson (2005) proposed a classification of DTM based on their elements (stage and/or activities of the design process), their strategy (improvement of an initial solution, or refinement of the given problem), as well as their level of abstraction. The latter is either procedural (concrete and easy to implement), abstract (more general, but less directly linked to the practice), or analytical (specific to design instances). One element to describe the product design process is thus the phases and activities that constitute its make-up. Another element is boundary objects which constitute information formalized and carried from one phase to another. These are used for sharing a common understanding of the solution aimed for among the participants (Carlile 2002; Eckert & Boujut 2003; Subrahmanian, Reich & Krishnan 2013). (We can note that the *plan* is the final boundary object, or output, of the design process.) The last element for describing the product design process is precisely the participants (or stakeholders) taking part in one or more activities of the design process, and their skills that are involved (Ullman 2010).

We can observe that three main elements are needed to describe product design: first, the input of the process (that is, the *gap*); then, the process itself (described through the phases and activities it consists of, the boundary objects used, and the stakeholders involved); and, lastly, the output of this process (that is, the *plan*).

2.1.2. Design democratization

Design having been defined, we will now detail factors influencing its democratization, and thus having led to the emergence of open-design. These factors are digital manufacturing, the digitization of the product design process, and new structures for designing. We then highlight the impact of this democratization on the product design process itself, as summed up in Table 1.

2.1.2.1. Digital manufacturing

At first sight, it might appear surprising that the democratization of product design occurred via a change in product manufacturing. However, we have noted above that manufacturing impacts the design of a product: a mechanical part will not have the same design if it is made by sand-casting, by machining, or by forging. Therefore, the democratization of manufacturing (via its digitization) boosted the democratization of design.

Manufacturing is becoming more and more democratized (Bull & Groves 2009), notably via the rise of digital manufacturing (Anderson 2014). This is due to the emergence of low-cost manufacturing solutions (additive manufacturing or

Table 1. Major features of the design process and its democratization

<i>Descriptive elements of design</i>	Process			Plan	
	Gap Input	Phases, activities	Stakeholders, skills	Output	
<i>Main observations</i>	<ul style="list-style-type: none"> - ill-defined and wicked - co-developing with the plan 	<ul style="list-style-type: none"> - myriads of models exist - iterative and fractal process 	<ul style="list-style-type: none"> - multidisciplinary stakeholders having various roles - multiple skills are needed, and thus collaboration is required 	<ul style="list-style-type: none"> - information materialized in various formats - communication medium among professionals 	<ul style="list-style-type: none"> - multiple satisfactory solutions - unequivocal representation of the to-be-produced good
<i>Impact of democratization</i>	<ul style="list-style-type: none"> - can be identified and tackled by the end user 	<ul style="list-style-type: none"> - digitization of tools - new structures appear with peer-to-peer collaboration 	<ul style="list-style-type: none"> - new stakeholders (end users) play an active role - non-professional stakeholders can take part in the design process 	<ul style="list-style-type: none"> - standardization and digitization of representations - use of common languages 	<ul style="list-style-type: none"> - standardization of digital representation of the product - direct machine-to-machine interface

‘3D printing’ (Gibson, Rosen & Stucker 2015b), but also laser cutting, etc.¹). These reduce the cost obstacle, just like new facilities for local manufacturing (e.g., Fab Labs, makerspaces, etc. – see below) and ‘manufacturing-as-a-service’ companies² which enable the production of single prototypes or limited series artifacts for private individuals.

Digital manufacturing impacts the design process in several ways. First, it is no longer necessary to master craftsmanship skills to produce things. The correct definition of an object makes it manufacturable by any machine. (This is especially true with additive manufacturing, where the *a priori* knowledge of specific rules is not required: not angle of draft as in molding, most geometries are ‘printable’, entire functional units with moving parts can be produced in one go, etc. (Gibson, Rosen & Stucker 2015a).) It is then not necessary to be a craftsman anymore to design and produce new objects by oneself. Then, the use of CNC machining also enables outsourcing of the manufacturing. One can just focus on the design of an object, and send the numeric file to be produced. Therefore, objects can be produced without tinkering out, because high-precision tools can be used to this intent. Lastly, the use of digital files and at-home machining (e.g., laser cutting, additive manufacturing) enables both a low-cost and a try-and-fail approach, such as adapting already existing designs. This makes the gap to cross over for adapting already existing solutions smaller. These changes in the manufacturing process lead to new forms of production, as listed by Yip *et al.* (2011): ‘open manufacturing’ (Heyer & Seliger 2012), ‘open production’ (Wulfsberg, Redlich & Bruhns 2011), ‘crowd manufacturing’ (Send, Friesike & Zuch 2014), and ‘peer-production’ (Benkler & Nissenbaum 2006; Kostakis & Papachristou 2014), as well as manufacturing as a service (MaaS).

2.1.2.2. Digitization of the product design process

The second factor facilitating the democratization of design is the digitization of almost all steps of the design process, via computer-aided design (CAD), manufacturing (CAM), engineering (CAE), and also via product life-cycle management (PLM). It makes it easy to exchange boundary objects at various stages of the development, and thus to outsource one or more steps of this process. This digitization occurred upstream, starting from manufacturing (see above), and then reaching early phases of the design process.

Manufacturing tools have been automatized for a long time, starting in 1725 with a loom using a punched ribbon (Ligonnière 1987), preceding automatized machines with computerized numerical control. However, only the machining sequence was automatized.

Through progress in complex geometry modeling (notably via Bézier’s curves), CAD³ appeared, shifting from drawing board to digital parametrized volumes. It was then possible to define the to-be-produced objects, which enabled inference checking, automatic generation of the bill of materials, etc. However, the greatest advantage was the consequent development of CAM, i.e., digitally connecting product definition with its manufacturing. Later improvement of CAD no longer

¹ See, for example, the Open-Source Ecology project that provides open-source plans for a 3D printer, a laser cutter, a CNC torch, a trencher, etc. (OSE 2016).

² Such as Shapeways (www.shapeways.com) and i.materialise (i.materialise.com).

³ It should be noted that in the context of CAD, the word *design* should be understood in a narrower meaning that the definition coined above, i.e., as the ‘plan’ that is the unequivocal representation of the product.




Figure 2. The alternative structures for design; *adapted from Troxler (2011, p. 92).*

focused only on 3D definition of the to-be-produced object, but also included decision-making tools (integrating stress analysis, structural calculation, strength of materials, kinematics, etc.). This global digitization is also referred to as CAE (Lee 1999).

This automation focused on the late phases of the design process, that is, detailed design. However, recent studies have addressed the automation of its early phases; for example, the project TRENDS (Bouchard *et al.* 2008) aimed to compute the inspirational phase (Bouchard *et al.* 2010) and developed creativity support tools for designers (Kim *et al.* 2012). At the same time, the project GENIUS aimed to help designers with automatic shape generation (Omhover *et al.* 2010).

The digitization of all steps of the product design process enables the spread of computing tools for design. These tools enable the computation of some steps of the design process, and thus lessen the need for specialized skills. As a consequence, this favors design democratization.

2.1.2.3. New structures for designing

Lastly, design democratization also puts down roots into alternative structures for designing: Fab Labs, makerspaces, hackerspaces, and techshops (Cavalcanti 2013). Even though Fab Labs (Gershenfeld 2005) and hackerspaces emerged from the open movement and the movement of the makers (Anderson 2014), all of these initiatives are not fully new. Indeed, makerspaces and collaborative development stemmed from industrial collaborative ecosystems in the 19th century.

Fab Labs (for ‘Fabrication Laboratories’), techshops, and hackerspaces are workshops dedicated to personal digital fabrication. They differ in terms of subject of production (low- versus high-tech products) and focus (how people spend their time in these structures); see Figure 2. Their origins are also different: Fab Labs was coined at MIT in the early 2000s, originally for developing ICT in a network, with

personal manufacturing machines and at an affordable price (Mikhak *et al.* 2002). It then grew into a network that nowadays represents more than 650 different laboratories⁴ sharing four common principles.⁵

Techshops follow the same purpose as Fab Labs – Cavalcanti (2013) argues that both are ‘makerspaces franchises’. They enable personal (digital) manufacturing in an open and collective workshop. However, even if *techshop* is now used as a generic noun, it comes from the TechShop company that started in 2006 in Menlo Park, CA. This company is a chain of for-profit open-access public workshops, which include facilities and design services. While Fab Labs have no, or limited, fees for participating but require personal implication and/or open-source project documentation, techshops are personal manufacturing providers as a service, and thus have higher fees.

100k garages share the same principles as techshops, but rather focus on the making. Like a subcontractor’s workshop for digital fabrication, they are, however, dedicated to amateurs.

At the same time, hackerspaces (originally underground networks) have grown in popularity – cf. NYC Resistor and Noisebridge, two famous US hackerspaces, respectively created in 2007 and 2008, or the Berliner one c-Base that opened in 1997 which is considered as the first hackerspace. They were originally defined as ‘a collection of programmers (i.e., the traditional use of the term *hacker*) sharing a physical space’ (Cavalcanti 2013). Focused on computers, they then expanded to electronics and mechatronics. They are rooted in and influenced by the free-software movement.

However, these places for collaborative design and development are not totally new. Nuvolari & Rullani (2007) highlighted how ‘collective inventions’ (Allen 1983) have existed since the industrial revolution. See Hunter (1949), Nuvolari (2004), and Foray & Perez (2006) for case studies on this topic. Makerspaces and other manufacturing spaces with pooled means are very similar to what we have previously presented, as they share the same purpose. However, even though they have been recently created, they look like older structures such as artists workshops and studios of the 19th century, where knowledge, know-how, and tools were put in common. These new structures enabled open access to the making process, which in turn led to design democratization by making the design phase closer to the consumer, but also by changing the general perception of industry and making it closer to end users (Rumpala 2014).

We observe through the semantics of this phenomenon (‘movement of the *makers*’, ‘*Fabrication Laboratories*’) that this new approach to design occurred upstream, i.e., is correlated to a change in the manufacturing of objects. Moreover, this approach is very much product or outcome oriented. It means that design is taken on relative to the manufacturing and not *per se*.

It is in this context of the product design realm that open-design emerged when product design met the open approach.

⁴ The Fab Foundation (www.fablabs.io/labs) listed 679 Fab Labs in 87 different countries on 07/07/2016.

⁵ As listed by the Fab Foundation (2016), these principles are public access, subscription to the Fab Lab charter (CBA 2012), sharing tools and processes, and taking part in the Fab Lab network.

2.2. The *open* approach

The second field in which open-design is rooted is the open approach. This approach comes from the free-software movement which became widespread in its pragmatic approach, that is, the open (source) movement. Thus, if free software was a movement originally limited to computer engineering, its underlying pragmatic consequences – the so-called *open-x* (with *x* as a variable, just like *DfX* gathers design for manufacturing, design for assembly, etc.) – spread over numerous industrial fields within a decade: open data, open science, open governance, open innovation. . . .

2.2.1. From free software to *open-x*

The origin of the open approach is the political movement initiated notably by Stallman through the ‘GNU Project’, which appeared in the computer engineering milieu at the beginning of the 1970s in reaction to proprietarization of software source code. Focusing on pragmatic implications of this approach, the open movement spread out of the free-software sector and has now reached most industrial sectors.

2.2.1.1. Origins of free software

At the beginning of information technology (IT), sharing of source code⁶ of software among programmers was common (even from companies to researchers or end users) (Lerner & Tirole 2002; Stallman & Sam 2010). In the 1970s–1980s, the structure of the IT market evolved, notably due to changes in the US anti-trust legislation.⁷ It shifted from a vertically structured industry (the same company was selling hard- and software), to a modular, horizontally structured one (e.g., a company selling software for various types of hardware) (Ong 2004). Moreover, some companies claimed intellectual properties on software (and thus did not allow sharing of source code anymore); a noteworthy example is AT&T claiming rights on Unix. To protect software intellectual property (i.e., restraining software copying, keeping secret a competitive advantage, etc.) and *de facto* to retain users, the release of only a binary version of the source code of purchased software became the norm (Stallman 2010).

Reacting against this ‘liberty privation’ (as it was not – legally or technically – possible anymore for users to modify software and to adapt it to their needs), the free-software⁸ movement appeared, notably boosted by Stallman’s *GNU manifesto* (Stallman 1985). This political movement (Stallman 2008) is now structured within the *Free Software Foundation* (FSF). Its outcomes mainly rely on the GNU project and the *General Public License* (GPL – Free Software Foundation (2007)). This movement promotes four liberties for the user of a piece of software (Weber 2004; Free Software Foundation 2014):

- (1) to run the software without any restriction;

⁶ The source code is a text file containing all instructions to be performed by the computer executing it. It is like the ‘recipe’ that the computer has to follow, and thus where all the value of the software lies. This file can be a binary code (i.e., in machine language, which is not understandable by the programmer) or written in a programming language (i.e., human understandable, e.g., in C++, Java, etc.).

⁷ See, for example, the ‘US versus IBM’ case, judged by the United State District Court of the South New York district on January 17, 1969.

⁸ The word *free* is equivocal (meaning both ‘with freedom’ and ‘at no cost’), as well as the context (numerous pieces of free software are distributed at no cost) of its use. The following sentence is broadly used as disambiguation: ‘free as in *free speech*, and not as in *free beer*’ (Free Software Foundation 2014).

- (2) to be able to study and modify its functioning;
- (3) to have the right to redistribute original copies of the software;
- (4) to have the right to redistribute modified copies of the software.

2.2.1.2. From a political to a pragmatic approach

Practical consequences of the FSF's political programs spread as a more pragmatic approach.

The free-software movement is now widely spread within the IT sector: the GNU/Linux OS, as well as PHP, or Apache software, on which most web servers in the world run (Warger 2002), have been developed based on this approach. However, the whole software community does not share the same vision about how to spread this model. This is the reason why a pragmatic version of the free-software movement appeared in 1998 with the *Open-Source Initiative* (OSI). It focuses on the practical consequences of the open-source principles, rather than on related values (OSI 2006).

Free-software (responding to the four previously enumerated liberties) can thus be considered as a subset of *open-source software* (meeting the 10 criteria of OSI's definition (OSI 2015)) that is itself a subset of software with an open source code. Warger thus defines open-source software as 'an approach to software development and intellectual property in which program code is available to all participants and can be modified by any of them' (Warger 2002, p. 18).

2.2.1.3. Open-x: open beyond software

Looking at the previous definition, we note that what is open is the process ('software development') and rights ('intellectual property'), and not the software itself. This enables us to consider this approach outside of the field of IT.

Since the beginning of the 1990s, the concept of 'open' has spread over various sectors. This trend is correlated to their digitization, the development of digital techniques (Berry 2008; Atzori, Iera & Antonio 2010), as well as the democratization of affordable and high-speed Internet (OECD 2012; ITU 2013). This digitization is the context enabling the spread of the open approach. However, these necessary conditions are not sufficient. Two motivations can be distinguished in order to explain how stakeholders get involved in open projects: ideology and opportunity. Raymond (2001) highlights the ideological motivation (even 'zealotry') of some participants. However, Lakhani & von Hippel (2003) have shown that this is not the only motivation, since the direct or indirect benefits earned by participants are also important. This is reinforced by Lerner & Tirole (2002) in their neo-classical micro-economical analysis of open source.

Benefiting from a favorable context, and with various motivations, the open models spread over numerous sectors. The so-called 'open-x' notion (Avital 2011; Omhover 2015), or open approach, is the 'openized' version of this sector, i.e., the implementation of open principles of open in this sector (Benyayer 2014). Beyond software, this approach gathers the following together.

Open data: where data of all types (but mostly raw data) are put at everyone's disposal by companies⁹ or public entities¹⁰ (Bonnet & Lalanne 2014).

⁹ Such as the Parisian railway service (data.ratp.fr) or Google (via the API developers.google.com/maps).

¹⁰ Cf. data.gov or etalab.gouv.fr for the US, respectively French, government.

Open art & culture: where the outcome of an artist or an author is in open access, while being protected (notably via, e.g., Creative Commons licensing) (Maurel 2014).

Open education: with Massive Open Online Courses (MOOCs) and peer-to-peer knowledge sharing.

Open science: an equivocal notion, referring to the modern way of practicing science (Merton 1973; Dasgupta & David 1994), as well as renewal of its practice in a more ethical way (open peer-reviewing, pre-publication of protocols, open-access journals, etc.) (Gruson-Daniel 2014).

Open licenses: for protecting both intellectual property and the open nature of someone's work – see, for example, the GNU-GPL (Free Software Foundation 2007), the Creative Commons licenses¹¹, etc.

These heterogeneous realities have a common denominator: the open model or open approach. Under *open*, we refer to open-source principles (and not only the technical feature of an open source code) with an apolitical approach. The *Open Knowledge Foundation* coined the following definition: 'Open means anyone can freely access, use, modify, and share for any purpose (subject, at most, to requirements that preserve provenance and openness)' (OKF 2015). Fundamental principles of open are thus:

- (1) the free¹² access (technically and legally) to anyone, without any discrimination;
- (2) the free use (and then the right to modify and redistribute – even commercially);
- (3) a potential limitation, in order to preserve the original work, and its open characteristics.

These principles induce the following two aspects of open-x.

- (1) The digital form of contents: to ensure the free access in practice, content must not be physically localized somewhere. It must thus be *somehow* digital. If hardware cannot be digital, its blueprint, electrical diagram, etc. can be.
- (2) Peer-to-peer collaboration: since every one can access and (re-)use the content, a fostered consequence is that people (who are now peers) tend to join their efforts.

2.2.2. When open meets products: open-source hardware

Open-source hardware (OSH) – or open hardware – is the open approach applied to products, or, in other words, 'the sharing [of] the original design files for an object in a way that allows it to be modified or reproduced by others, including for commercial use' (Mellis & Buechley 2012, p. 1175). We consider it as a preliminary form of open-design.

2.2.2.1. Design data sharing

Open-source hardware means that the design files of developed products are openly accessible. However, a fundamental difference remains between open-source software and hardware: the matter (i.e., shifting from bits to atoms), which implies a non-zero marginal cost for duplicating an object. In the case of OSH,

¹¹ Cf. creativecommons.org/licenses.

¹² Free referring to freedom, and not necessarily at no cost.

sources are not source code – that is, to some extent, directly runnable on a computer – there are plans (technical drawings), digital files (such as a 3D model file, e.g., the .stl files, or a vector graphic enabling laser cutting), or mounting instructions (Tincq & Benichou 2014; Macul & Rozenfeld 2015) for an object that still needs to be actually manufactured.

Lapeyre (2014) showed that sharing of design information is not completely new, using the example of the industrial cooperation within the silk industrial community in Lyon (France) in the 18th century. However, only the current context of openness, as well as the democratization of design and production (cf. *supra*), enabled the rise of open hardware (Atkinson 2011).

Open-source hardware now represents a wide variety of products: micro-controllers (Arduino^{†13}), manufacturing machine tools (RepRap (Jones *et al.* 2011), Open Source Ecology[†]), cars (Tabby[†], Wikispeed[†]), smartphones (OpenMoko[†]), satellites (Ardusat[†]), as well as furniture[†], knickknacks, non-technical objects[†], etc.

2.2.2.2. Fixing, improving, re-designing

Products becoming open tend to see their design process also ‘openized’.

As noticed with open-source software, the attribute of being open enables anyone to influence the design process: bug reporting or debugging, feature request, add-on development, etc. We can then observe that users colonize and take action in the design process upstream. As the source of a product is open, it becomes easier to repair it along the same lines as DIY (do-it-yourself) (Stikker 2011). New organizations can facilitate this, such as ‘Repair Cafés’.

Thus, empowered users can now ‘hack’ their objects by changing their original purpose, or by improving them via the development of ‘tangible add-ons’. If this phenomenon is not new, or directly related to OSH, opening object sources stimulates this behavior, as well as recently created digital platforms for sharing DIY projects.¹⁴

The principles of open stem from free software, but have been applied in broader contexts, as recapitulated in Table 2. Finally, opening of sources enables a re-design of products by ‘forking’ them, which is the first step into open-design.

2.3. Toward a definition of open-design

Open-design lies where the *open approach* meets *product design*. However, this unique term is more or less closely related to multiple already existing practices. Therefore, to coin a definition of open-design, we must first be able to assess the openness of a design project. This will enable us to define this notion relative to existing concepts.

2.3.1. Assessing openness

If we refer to the previously accepted definition of open, almost no real cases fully meet this definition. There are always some parts of a project that are open, some others not – deliberately or not (e.g., lacking documentation about intermediary

¹³ The websites of projects indicated with a dagger (†) are respectively www.arduino.cc, opensourceecology.org, osvehicle.com, wikispeed.org, wiki.openmoko.org, ardusat.com, opendesk.cc, and thingiverse.com.

¹⁴ See, e.g., www.instructables.com.

Table 2. Principle of open, and its impact on software and hardware

<i>Principles of open</i>	Free access	Free (re)use	Potential limitation
<i>Consequences on software</i>	<ul style="list-style-type: none"> – sources available online – new business models (the value is not in the software itself) 	<ul style="list-style-type: none"> – sources released in human-readable language – spread of forks and hacked versions (sometimes more used than the original one) – taking part of end user in the development process 	<ul style="list-style-type: none"> – use of specific licenses (Apache, GPL, etc.)
<i>Consequences on open-x</i>	<ul style="list-style-type: none"> – digitization of the sources (sometimes, redefinition of the sources of an object) 	<ul style="list-style-type: none"> – development of derivative works – end users as benevolent designers – new development processes 	<ul style="list-style-type: none"> – appearance of new legal frameworks (e.g., Creative Commons licenses)

stages of the design process). Thus, openness appears as a continuum, rather than a discrete or binary criterion. It means that a project is not *open* or *not open* (closed), but rather ‘*more or less open*’.

Product design has, from an outside point of view, three elements: the gap, the process itself, and the plan (Figure 1). However, the gap is contingent, and independent of the design project: actors of the design process have no influence on it (i.e., on the difference between user’s expectations and current reality). Thus, the two controllable parts of a design project are its process and the plan. Therefore, to assess the global openness level of a project, we should distinguish two independent axes, as coined by Huizingh (2011): the process and the plan.

Openness of product design will thus be assessed using two continuous scales (from *not open* to *open*¹⁵) over two axes (*process* and *plan*).

2.3.2. Concepts related to open-design

Referred to as open-design or related concepts, a myriad of realities, which are in some part open, exists. We found it necessary to define them and to disambiguate their link with the open-design. Figure 3 sums up these notions and maps them according to previously identified axes. *Traditional* (or conventional) *design* is when neither the process nor the plan is open.

A design project might have an open process, but without impacting the openness of its plan (see *crowdsourcing*); and at the opposite end of the scale, an open plan might be the result of a close (or traditional) process (see *downloadable design*). *Open-design* can in a first approach be considered as a design project in which both variables are open.

Considering the first variable, that is, the process, various shades of openness can be observed. We will now present concepts that do not necessarily have an open plan, from the least to the most open regarding their process.

¹⁵ We chose to use *not open* as the opposite of *open*, because ‘openizing’ of the process or the plan is a deliberate choice, while not opening it can be due either to a voluntary move (that is, *closed design*) or simply to a passive lack of broadcast.




Figure 3. Open-design and related concepts.

2.3.2.1. User-centered design

This approach, popularized by Norman & Draper (1986), tends to focus on the end user’s needs and context at each phase of the design process; that is, to design *for* the end user. Even if a wide range of methods and practices implements this approach (Abrás, Maloney-Krichmar & Preece 2004), we will limit this definition to its narrow and original form (see the formalization in norm ISO 9241-210 for interactive systems), since more evolved forms fall within the scope of following concepts. This approach differs from open-design because, despite taking the user into consideration, it does not fully integrate them into the design process.

2.3.2.2. Participatory design

Participatory design is an adaptation of the product design process ‘in which people destined to *use* the [product]¹⁶ play a critical role in *designing it*’ (Schuler & Namioka 1993, p. xi). This approach was pioneered during the 1970s in order to assist in the implementation of computer-based systems into workplaces – notably in Scandinavia where it was supported by cultural leanings for equality and democratic collaboration, such as a homogeneous and highly educated workforce (Ehn 1993). We can refer to Kensing & Blomberg (1998) for details on the reasons for deploying participatory design, the nature of end-user participation, as well as the methods and tools used. This approach differs from *user-centered design* because it explicitly involves the participation of end users as peers. It is still different from open-design as users cannot fully impact the process.

2.3.2.3. Open innovation

Coined by Chesbrough (2003), this form of innovation promotes information exchange across enterprise boundaries. Open innovation does not belong to the open approach, since knowledge transfers are usually limited to a contractual

¹⁶ This approach was originally coined for computer system designs. We extended this definition to our context by replacing the word *system* in the original citation.

framework and subject to non-disclosure agreements (Marais & Schutte 2009), and not freely opened.

2.3.2.4. User innovation

This model, coined by von Hippel (2005, 2014), considers users as a source of innovation (Füller, Jawecki & Mühlbacher 2007; Bogers & West 2010). User innovation is defined as ‘open, voluntary, and collaborative efforts of users’ (Shah 2005, p. 1). However, if innovation comes from users, sharing and open access are not granted in user innovation.

Within the same concept, we include the related notion of *co-design* or *co-creation*, which refers – beyond the literal meaning of design or creating in a group – to ‘the creativity of designers and people not trained in design working together in the design development process’ (Sanders & Stappers 2008, p. 6).

2.3.2.5. Crowdsourcing

Crowdsourcing (or crowdsourced design) is using ‘the crowd’ – often end users, but also ordinary persons not specifically related to the project – in order to solve design problems (Brabham 2008; Nickerson, Sakamoto & Yu 2011). We use the following definition. ‘Crowdsourcing represents the act of a company or institution taking a function once performed by employees and outsourcing it to an undefined (and generally large) network of people in the form of an open call. This can take the form of peer-production (when the job is performed collaboratively), but is also often undertaken by sole individuals. The crucial prerequisite is the use of the open call format and the large network of potential laborers’ (Howe 2006). How close to open-design the crowdsourcing is relies on the publicness of crowdsourced results and the influence that participants have on the design. Crowdsourcing can thus be used in both open and non-open designing processes (Nickerson *et al.* 2011). The openness level of crowdsourcing then varies, and in some cases might be less open than as depicted in Figure 3.

We have seen how the design process can have various levels of openness without necessarily implying an open plan. Now, we present concepts leading to open plans, starting with those having the least open process.

2.3.2.6. Downloadable design

This notion refers to a product for which the sources can be downloaded (Atkinson 2011). Although the sources might be open, the design process is, however, not necessary open: 2D models of furniture are, for example, freely downloadable on Opendsk¹⁷ under a Creative Commons license, but design of this furniture occurred traditionally (i.e., without collaboration with end users). It thus differs from open-design.

2.3.2.7. Open-Source innovation (or open-source model)

The concept of an open-source model might be the closest one to open-design. It refers to a collective development process (Gläser 2007) used in the free-software context (i.e., via dematerialized contributions). The question is to know whether this model can be extended outside of the software industry (Raasch *et al.* 2008; Raasch, Herstatt & Balka 2009). According to Raasch *et al.* (2009), open-design is an instance of open-source innovation applied to physical objects. We

¹⁷ www.opendsk.cc.

consider open-source innovation and open-design as close, yet different. Indeed, as ‘a collective innovation process and model’ (Blanc 2011, p. 3) open-source innovation appears as a more general concept that goes beyond the scope of product design.

2.4. Definition proposal

Based on previous considerations and related concepts, we can define open-design as ‘*the state of a design project where both the process and the sources of its output are accessible and (re)usable, by anyone and for any purpose*’.

This definition covers the following aspects.

- (1) Open-design is about both the process and the outputs.
- (2) Pure open-design is an abstraction, since we do not think that full openness could be achieved in practice. It is thus a direction to pursue.
- (3) Openness in open-design can be summarized as ‘accessible and (re)usable, by anyone and for any purpose’. It has to be understood as a simple rephrasing of the open definition.
- (4) ‘The sources of its output’: what matters is not ‘the cake’, which cannot be accessible or shared by anyone, but ‘its recipe’ (that is, the source of the output).
- (5) The definition applies to a design project (i.e., an instance of the product design process), because a process cannot be open *per se*. Similarly, if two processes follow the same steps, one can be open while the other is not.
- (6) ‘A process that is usable by anyone’ means that anyone could have an input to it (even if not necessary considered by the design team).

Considering this definition, we will now analyze the scientific literature on open-design.

3. Systematic analysis of literature related to open-design

In order to better grasp the current state of the art in open-design, we present in Section 3.1 our systematic quantitative analysis of scientific works referring to the keyword ‘open-design’, according to the type of work, product, and open-design they refer to. Then, we provide in Section 3.2 a qualitative synthesis of these works in the case of the development of tangible artifacts’. This will be the basis for our typology of open-design that we present in Section 4.

3.1. Quantitative bibliometric analysis of scientific literature related to open-design

3.1.1. Method

We have listed all references matching with the research term ‘open-design’ using the *Scopus*¹⁸ database integrated research tool. We looked for this keyword in the fields title, abstract, and keywords (author and journal ones). We did not set boundaries for subject areas. However, in order to make our research reproducible, we limited the results to the most exhaustive but complete corpus

¹⁸ www.scopus.com.

at the date of writing, that is, publication prior to 2016. Therefore, our query was TITLE-ABS-KEY('open-design') AND PUBYEAR < 2016. We accepted all document types except patents. We chose the *Scopus* database since it is one of the largest ones, and because it covers the majority of journals in engineering and design. The fact that the reference lists are only indexed consistently from 1996 onwards is not a major bias since open-design is a recent notion (cf. *infra*).

Then, we manually grouped the listed references into homogeneous categories according to the meaning of 'open-design' in them. Therefore, we used information contained in the title, abstract, and keywords of the paper. When we were not sure, we read the entire paper to resolve the ambiguity.

We used categories to group entries sharing the same significance for open-design. They emerged during the processing: if a paper did not fit into one of the existing categories, we created a new one. At the end of the processing, some categories containing only a few papers were merged with other ones, in order to form larger, but still homogeneous, clusters.

We were interested in entries fitting our previously coined definition of open-design. These entries are the so-called *true positives*, i.e., entries matching the query and to some extent our definition. (Among potential *true positives* we neglected seven papers that were not categorizable because of the language – five entries in Chinese and one in Italian. Another entry, written in 1990, was not accessible by the authors.) In order to minimize bias due to clustering, papers were assigned to the *true positive* category by default: that category contains all papers that are not radically different from the previously coined definition – that is, all entries for which no information would make them belong to another (or a new) category.

Then, the remaining 'true positive' entries were tagged according to three criteria.

Type of the entry: We categorized entries according to the type of scientific paper it was: does it report the development of a particular system (*development report*), does it analyze a system and/or its development (*case study*), does it report an original research survey where the author had an influence on the development context (*experimental study*), or is it made up of author's analysis (*position paper*)?

Type of product: Entries refer to one or more products. Are they *digital*, *electrical*, *mechatronical*, or *mechanical* systems? We also considered the case where *multiple* types of systems were mentioned, and when the type of product was *not specified*.

Type of open-design: All entries are 'true positives', so they refer to some extent to our definition of open-design. We tagged entries according to the part of the design openized in the paper: the *process*, the *plan*, or *both*.

Next, we ran descriptive statistics using R (R Core Team 2015) to determine whether any correlations were present in the gathered data and produce trend analysis. Correlations were also tested using the *Apriori* algorithm (Hahsler, Gruen & Hornik 2005). This algorithm tests every directed association between two or more characteristics of an entry (e.g., *development.report* \Rightarrow *digital*) and weights them according to their veracity and representativeness (Agrawal *et al.* 1994).




Figure 4. Number of relevant entries per year.

Table 3. Number of entries per category

methodology	240
topology	136
true positive	106
problem	51
structure	36
n/a	21
duplication	17
irrelevant	17
	624

After having quantitatively analyzed the *true positive* corpus, we read and analyzed listed entries in order to synthesize their content. This synthesis enabled us to create a typology of open-design families. Both of these steps were executed with numerous iterations via discussions between authors, in order to reach a common agreement on the synthesis and the typology derived from it.

3.1.2. Results

References were searched on April 19, 2016; 624 entries matched the search criteria. We have clustered them into eight categories: three for noise (*irrelevant*, *n/a*, and *duplication*) and five for different meanings of ‘open-design’ – one is *true positive*, the others are *methodology*, *topology*, *problem*, and *structure*. Table 3 shows the spread of entries per category; 106 match the category corresponding to our concept of open-design. (These categories and their meanings are further detailed within the appendix, in Table 11.)

IMPORTANT: From now on, we will be considering entries in the true positive category only.

The number of entries per year depicts open-design as a topic that has expanded in the past decade (Figure 4). It should be noted that the decrease in the last two years is likely to be due to a partial referencing by *Scopus* (i.e., all publications from 2014 and 2015), since a similar drop is observed in the global database.

Among the 292 single authors referenced, only seven wrote more than three papers (Table 7, in appendix). It should be noted that most of these author wrote articles together (e.g., Raasch, Herstatt, and Balka, as well as Baurley, Phillips, and




Figure 5. Count of entries, according to their type, the type of product they mention, and the subject of openness. (Top: the criteria used to spread entries into columns – see the label of each column at the bottom of the graph. Left: the criteria used to spread entries, within a single column, using a color chart – see the color chart at the end of the row.)

Silve). Similarly, only two journals among the 91 listed (*Design Journal* and *Lecture Notes in Computer Science*) published more than five referenced entries (Table 8). We also analyzed keywords given by authors (Table 10) and journals (Table 9).

The count of entries tagged according to their type, the type of product they refer to, as well as the type of open-design is found in Figure 5. We observe that most entries (71) are applied results (*case study* and *development report*), while only 22 are theory oriented. Similarly, most of the projects include a digital part, and process-only open-designs are rare.

The proportion of design projects including an open process increases as the product becomes less digital and more mechanical. Full open-design (process and plan) is mostly reported in case and experimental studies: they deal with real system development, but within the framework of research. They affect mostly

Table 4. Association results of the *Apriori* algorithm

premise	⇒ conclusion	support	confidence
Type.of.entry=development.report	⇒ Type.of.openness=plan.only	0.340	0.857
Type.of.openness=plan.only	⇒ Type.of.entry=development.report	0.340	0.837
Type.of.entry=development.report, & Product.type=digital	⇒ Type.of.openness=plan.only	0.179	0.826
Product.type=not.specified	⇒ Type.of.openness=process.and.plan	0.104	0.846
Product.type=multiple	⇒ Type.of.openness=process.and.plan	0.085	0.900
Type.of.entry=case.study, & Product.type=mechanical	⇒ Type.of.openness=process.and.plan	0.085	1.000

mechanical products or are reported in overview studies (multiple or not specified studies).

These results are confirmed by the output of the *Apriori* algorithm (see Table 4). The support is the number of entries that satisfy the premise, divided by the total number of entries (or, in other words, the breadth of the association – 1, meaning that it concerns every single entry; 0, meaning none). The confidence is the number of entries satisfying the premise that also satisfy the conclusion, divided by the number of entries satisfying the premise (or, in other words, how correct the association is – 1, meaning that the association is always true; 0, never).

The results of the qualitative analysis are detailed in Section 3.2. The resulting typology of open-design families is then presented in Section 4.

3.1.3. Discussion

3.1.3.1. Analysis of meta-data

The timeline illustrates that open-design is a recent but growing phenomenon. The main rise of the concept started in the early 2000s (fewer than 15% of the references were published prior to 2000), which corroborates our findings on the origin and the reasons for the rise of open-design. The number of published papers remains, however, limited. This advocates for a still restricted concept that has not spread over traditional design communities. The large distribution of authors referenced, as well as of journals, shows that, except for a few research groups, there is no global community researching on this topic.¹⁹

3.1.3.2. Entry content analysis

After analysis of the entries listed, we observe that the typical entry in our database is the development report of a digital system in which only the plan is open. These results are close to the situation of free software in its early stages. A reason is that some funding agencies (e.g., in the European *Horizon 2020*

¹⁹ It should be noted that, because of our methodology, we considered only the entries referenced by *Scopus*. Since the archiving is not immediate nor fully exhaustive, some contributions might be missing. Thus, to nuance our analysis, we must make a reference to *Open Source Innovation*, a collective book edited by Herstatt & Ehls (2015). It is not listed in our database, but gathers first results on ‘open-source innovation’, that is, (cf. *supra*) a concept closely related to our definition of open-design. The same phenomenon occurred for Tooze *et al.* (2014).

framework program for research funding) explicitly ask for release of research results in open access (European Commission 2016). Research groups tend thus to release their digital results with an open license, but without intrinsically aiming for collaboration.

Regarding mechanical products, most entries listed are case studies, in which an open process and plan had been adopted. This might be due to the fact that open hardware is less common than open (source) software. This implies that those who open their plans are 'open advocates' and thus more disposed to also adopt new practices during the development process.

Within entries referring to full-open-design (i.e., where both the process and its output are open), various industrial sectors are represented. The sectors can be grouped into families, according to the reasons explaining the penetration of open-design in them.

In first place comes software. Of course, it is the most represented sector, as open source has a stronger background in software. Software dedicated to private individuals is as much represented as industrial software.

Objects that are used in a everyday life are the first to be impacted. This corresponds to 'hacking' of their objects by end users. However, we noted that these objects are only low-tech products (wearable craftwork, beehives). This can be explained by the fact that, in order to be hacked or reproduced by end users, these objects must be manufacturable at home and at low cost. The reason for this re-design is either lowering the cost of niche objects (beehives) or customization (clothing, furniture).

Technical products are also mentioned in the literature. Open source appears here to be an asset in order to democratize complicated systems, such as electronics. The use of platform systems (micro-processing boards, such as, e.g., Arduino) makes it easy for the largest possible number of users to create their own system at lower cost. Opening of sources also favors the spread of best practice and peer-to-peer learning (via online documentation). It thus softens the learning curve and democratizes these complex systems.

In medium- to high-tech products, open source has other advantages, enabling the development of tailored niche-need products, such as notably in the medical sector. Joining effort and taking stock of existing systems reduces the investment (time, effort, money) needed to develop new specific systems.

However, everyday life objects are not the only ones impacted by open-design. The literature also refers to basic and generic systems that are 'openized'. These systems are mostly dedicated to energy production (wind turbines, solar cells). The motivations behind this are diverse. A notable one is the ideological framework of appropriate technologies. The point is to empower the end user and develop decentralized and locally controlled energy production units. Open source is then an asset enabling decentralization of systems manufacture, as well as their appropriation by end users. Another motivation is to join efforts in order to tackle a generic issue on a global level. This phenomenon can be seen, e.g., in the photovoltaic industry.

We also aimed to carry out an exhaustive review of open-design projects from an industrial perspective. This, was in order to weight the influence of industrial sectors in open-design and to assess the relative penetration rate of openness too. However, we did not find a satisfactory corpus of projects that would permit a robust analysis. The databases we found were either too small or too specific

regarding a single sector, which would not have enabled robust statistics. However, the reader can find a description and a categorization of typical open-design projects in Tooze *et al.* (2014).

3.1.3.3. Limitations

An issue we faced during the tagging of entries in our database was the following: how to distinguish between *open* as a true positive and *open* as in the case of a system that allows inputs and outputs or interaction with the external environment. For example, one abstract states the following. ‘Archangel98 uses the latest software design concepts allowing a very open-design process, working with virtually all other applications’ (Bilbija & Biezad 1998). ‘Open design process’ here refers – as made explicit by the context of the paper – to a broad interoperability of the system with other ones. We could have said that it matches our previously coined definition of open, since this ability of the software enables others to use or implement this system with low technological barriers. However, this level of openness of the plan remains low since there is no legal guarantee that this is allowed, and the development process of the cited software is standard. Similarly, Barrett *et al.* (2005) states the following. ‘The database has a flexible and open design that allows the submission, storage and retrieval of many data types.’ We thus tagged papers according to the context, notably considering whether the openness of the structure was a sought asset of the developed system or not. However, we do agree that this categorization is somehow subjective, even if its impact on previous results is limited, since only nine papers of the *true positive* category are in this situation. We consider journal and author keyword homogeneity (cf. 9 and Table 10) as a validation of our manual tagging.

Despite the contingent nature of the evidence gleaned from the qualitative analysis of the literature, we did our best to provide an unbiased synthesis approved by a collegial consensus among authors. Similarly, the typology we have created is contingent on entries referenced as a result of our query to the *Scopus* database. One must note that we considered the design of tangible goods only, as detailed above. This does not allow us to generalize our results to product–service systems. We also acknowledge that this typology is subjective, because it has been created based on our synthesis results. However, we checked that we were able to assign each entry to a type we defined. This argues in favor of the relevance of our typology.

This literature review aimed to be exhaustive. We used the largest database available for this purpose. Of course, it cannot be fully exhaustive, and since referencing of new papers is not immediate, some recent major papers on open-design were not found by our query. In our opinion, these results give, however, a valid and robust global snapshot of the current state of the art. This snapshot is intended to serve as a keystone for future research on open-design, but will have to be updated in the future, as the research field is maturing.

3.1.3.4. Intermediary synthesis

All of this argues for open-design to be a still circumscribed and not yet a mature topic, which has been only studied on a small scale and not directly or globally. Its adoption in the industry remains limited. We have dug into our database and highlighted major features of articles it includes. We will now draw

a full synthesis of open-design in the case of product development by summarizing these papers.

3.2. Qualitative synthesis of scientific literature on open-design

After a quantitative analysis of the corpus, we summarized current findings on open-design found in the scientific literature. Our synthesis is based on ‘true positive’ entries that we previously identified. The following analysis is summed up in Table 5.

3.2.1. What is new and what is not

First, we must contextualize open-design and recall that this approach is incorporated within the framework of established practices. Sharing of knowledge and know-how, as well as collaboration during the design process, are not prerogatives of open-design. Open-design is just an implementation of these practices, which have been developed independently. Moreover, despite noteworthy differences (physical production, IP protection, etc.) between the development of hardware and of software, ‘open-design processes can be organized to resemble open-source software development processes to a considerable degree’ (Raasch 2011, p. 573). However, issues remain, mainly because of the physical and rival nature of tangible goods.

Thus, we especially focused on entries reporting the development of mechanical systems where both process and plan were open. Indeed, as noted by Balka *et al.* (2009), even if the field of open-source software has been widely studied, there are only a few studies on ‘open source development of tangible objects, so-called open-design.’ The lack of successful empirical examples was a reason for this. However, this statement was made eight years ago and might not be valid anymore.

We previously listed the three components of a design project: the input, the process, and the plan. Therefore, we divided our analysis based on these three parts, as well as a fourth one on motivations, benefits, and global consequences of open-design.

3.2.2. Input: the open-design problem

The nature of design problems that open-design deals with is not specifically mentioned in the literature. The cause could be that open-design problems do not differ from traditional design problems – which Balka, Raasch & Herstatt (2010) report, saying that ‘open-design projects tackle both incremental improvements and radically new designs.’ However, as presented by Bouchez (2012), the needs of some users are not to *have* a product anymore, but rather to *make* it. Because the designer should not only design an artifact, but also the process of the user making it, the need to be addressed by the output of the design process is thus changed.

Open-design is also sometimes presented as a bottom-up approach. We noticed that in most case reports mentioned in the literature, those who took part in the solving of the design problem were the same as those for whom the need or gap was addressed. In other words, people who take part in the design process are also the users of the solution: they are designing for themselves. This leads to the following open-ended question: how can unexpressed or unconscious needs be taken into consideration by users–designers?

Table 5. Synthesis of openness impact on design

Descriptive elements of design	Gap		Process		Plan	
	Input	Phases, activities	Stakeholders, skills	Boundary objects, structure	Output	
<i>What does not change</i>	<ul style="list-style-type: none"> - open-design problems do not radically differ from traditional design problems 	<ul style="list-style-type: none"> - 'no formally distinguishable patterns' (in open versus traditional design process steps) found by Balka, Raasch & Herstatt (2009) 	<ul style="list-style-type: none"> - no stakeholders disappear, even if their role evolves - compatible with professional product development 	<ul style="list-style-type: none"> - no basic change (still use of hand drawings and sketches) - very high significance of boundary objects for asynchronous and decentralized collaboration 	<ul style="list-style-type: none"> - embrace a wide variety of sectors 	
<i>What changes with open-design</i>	<ul style="list-style-type: none"> - new needs appear: making the product and not only having it - bottom-up approach: needs identified (and sometimes tackled) by end users themselves 	<ul style="list-style-type: none"> - highly iterative development with release of intermediate-state products - sequencing of online and offline activities 	<ul style="list-style-type: none"> - role hybridization and organization as a community - 'bazaar' organization - benevolent user involvement, 'moving progressively toward the front end of designing', even if several levels of involvement exist - new skills are needed (team management, communication, meta-design) and a new role appears (facilitator/conductor) - meritocratic hierarchy of benevolent stakeholders 	<ul style="list-style-type: none"> - use of digitalized boundary objects only - interface between members of the community via exchange platforms - new issues on intellectual property 	<ul style="list-style-type: none"> - new outcome needed (mounting and assembly instructions) - focus on customization and adaptation of the plan - a new type of output: meta-design 	

3.2.3. The open-design process

The process of designing is the second and main part of a design project. Here, we analyzed the impact of openness in this process. This part is divided into the three components of the process: the phases and activities making up the process, the stakeholders contributing to the process and their skills that are involved, and the boundary objects used and the infrastructures used to manage them.

3.2.3.1. Phases, activities

In the current literature, it is hard to distinguish specific features of an open-design process, since most initiatives do not have sufficient perspectives for a reflexive study. In their quantitative study, Balka *et al.* (2009) 'observe[d] different groups of actors being responsible for the creation of a product concept, the actual development work, and the final production, but [found] no formally distinguishable patterns'. This might also be due to numerous and heterogeneous production models, as explained by Troxler (2011). Indeed, we know that the chosen manufacturing process influences the design plan (*cf. supra*) and its process as well.

However, we can point out that new models for designing have appeared in the software industry: some designers have switched from a 'cathedral' (vertical and hierarchical) to a 'bazaar' (with horizontal organization, bottom-up streams, beta-versions, etc.) (Raymond 2001). The benefits of this new organization have been validated scientifically (Feller & Fitzgerald 2002; Fitzgerald 2006) and industrially in the software industry. In these cases, 'product development is organized as an evolutionary learning process that is driven by criticism and error correction and institutionalized as peer review' (Raasch 2011, p. 559). However, when it comes to hardware, corrections, updates, patches, improvements, etc., it cannot be implemented 'online': a circuit board cannot simply be 'updated' and a silicon joint cannot be patched. Thus, a key point is the sequencing of online and offline activities (Raasch 2011).

3.2.3.2. Stakeholders, skills

In the open-design process, we observe a hybridization of roles, where the same stakeholder can wear many hats (Figure 6). Traditionally, a user buys a product, i.e., trades money for an object (s)he will use and live with. On the other hand, the designer receives a brief that describes the general and strategic positioning of the to-be-developed object, and produces the plan of a product that meets defined criteria. In between lies the product provider, who handles the whole product development process and takes care of the manufacturing of the artifact. Of course, this linear representation is simplistic and does not reflect all current practices, but it illustrates that their relationships are standardized, well defined, and there is no direct interaction between designers and users, with the exception of design activities in which the designer decides to and defines how to interact with one or several users. In this case, the interaction is unidirectional and does not expect reciprocity.

Open-design, however, reveals new forms of interactions between these stakeholders, and 'user involvement is progressively moving toward the front end of designing' (Stappers, Visser & Kistemaker 2011, p. 145). The user is considered to be an expert of his own experience; the interaction between the product provider and the user goes deeper and beyond a simple object-for-money trade




Figure 6. Blurring the roles of stakeholders; adapted from Stappers *et al.* (2011).

(Stevens & Watson 2008), and inputs for the design process are from many levels, such as design contributions.

To drive open-design projects, new skills are needed; Phillips *et al.* (2013) highlight the role of *facilitators* between end users and designers. This new role adds to the triad of designer/user/fabricator (or client) highlighted by (Stappers *et al.* 2011). However, in distributed co-development, having numerous users and contributors is a key point. Yet ‘only a few open-design projects manage to attract a sufficiently high number of active contributors, both from private and commercial backgrounds, to build a developer community and to achieve progress in terms of project advancement’ (Balka *et al.* 2009). The role of designer could also evolve as creator of design generators, i.e., meta-designer (Filson & Rohrbacher 2011).

Thus, open-design implies changes in the profession of designer (Atkinson 2011): even if the consequences and implications are not clear, the role of designer will evolve (de Mul 2011) from creator to conductor.

However, even if new stakeholders appear in the design process, they do not have the same importance. For open-source software, Raasch (2011) distinguishes two categories of stakeholder: the *core* development team and the *periphery*. The former drives the development, while the latter provides ‘patches’ and/or tests development versions (Rullani 2006). Access to the core team is meritocratic (according to inputs given to the project and acknowledged skills) (Roberts, Hann & Slaughter 2006). Some teams also have a designated ‘benevolent dictator’, often a project founder with a major contribution in the project.

Moreover, as previously mentioned, openness has to be assessed on a continuous scale (and not a binary one). Thus, various degree of openness can be observed – which is the case with end-user involvement in the design process. Aitamurto, Holland & Hussain (2013) distinguished three steps in opening the design process to the user: layer 1 – ‘listen into’ the user; layer 2 – ‘interact and create with’ him/her; layer 3 – ‘share with’ him/her. Thus, we can observe that open-design implies a special attention to the user, and suggests its integration during the design process. The role of users in open-design is also underlined by

Stappers *et al.* (2011) and Stikker (2011), especially the role of novices (Rijken 2011).

In order to make horizontal user innovation work, three conditions are required according to von Hippel (2007). The first one is that at least some users innovate in the field. The second is that these users need to have incentives to freely reveal their innovation. The last is that they can self-manufacture their innovations ‘cheaply’. However, these conditions focusing on end users are not enough. Indeed, De Couvreur *et al.* (2013) underline how the role of the user’s ecosystem impacts innovation.

3.2.3.3. Boundary objects, data, infrastructures

Boundary objects are critical in a collaborative design process, since they are used as a means to share a common understanding of the aimed for solution among the participants (Subrahmanian *et al.* 2013). This issue is also identified by stakeholders in open-design projects. However, as in immature and/or non-professional organizations their efficient use and management is limited. Indeed, Affonso & Amaral (2015) report that hand drawn sketches and prototypes are the only boundary objects used in the Open Source Ecology community. One reason is the skills required to master (create and/or exploit) more complex boundary objects (such as 3D modeling files, CAD/CAE systems, etc.).

To enable free sharing of information in practice (access without time or geographical restriction), boundary objects must be digitized. However, in practice, verbal communication is identified as a key component of successful projects (Filson & Rohrbacher 2011; Phillips, Baurley & Silve 2014), which underlines the need for alternating on- and offline phases (see *supra*).

To achieve this, Bonvoisin & Boujut (2015) claim that online collaborative platforms are needed to further foster the rise of open-design. These platforms must provide the following features: community management (building and keeping the community active); convergence of the development process; knowledge and quality; and supporting co-creation. However, no existing tools currently offer such opportunities. Open standards appear as a solution for developing a shared language – a key issue elicited by Filson & Rohrbacher (2011) and Phillips *et al.* (2014) – among stakeholders, especially in industry (Carballo 2005).

Another issue, frequently raised when dealing with open source, is intellectual property, which is closely bound to boundary objects. Its fair valuation along the value chain is a key point in successful and healthy industrial ecosystems (Carballo 2005). Indeed, one common fear when dealing with open-design is ‘how can I be paid for my work if everyone is allowed to use and copy it for free?’. Various business models have been successfully developed in the software industry, even if intellectual property remains a crucial issue (Bertrand *et al.* 2014). Similar models can also be developed in the hardware industry (Buitenhuis & Pearce 2012), which can be integrated into the traditional value chain (Without Model 2014).

In the case of tangible artifacts, designers can benefit from open licensing (Katz 2011). Thus, a fair valuation of intellectual property would help stakeholders to participate in an open-design process while ensuring that they captured enough value (Carballo 2005). Regarding the licensing, ‘open-design projects generally tend to make use of an open license, but licensing is less straightforward than for OSS’ (Balka *et al.* 2009). Lastly, we can observe that this new form of designing

will change the infrastructures of the product development process. Due to the democratization of the production means (Pettis 2011), phenomena of micro-industrialization and distributed manufacturing will appear (Avital 2011).

3.2.4. Outcome of the open-design process

Open-design in mechanical products embraces a wide variety of sectors: energy production units, furniture, wearable craftwork, etc.

Considering the do-it-yourself approach, new types of outcome might be expected from the designer: these are product kits (with related manufacturing/mounting/assembly instructions) but also design generators (or meta-designs). With the example of a line of furniture, Filson & Rohrbacher (2011) showed that the outcome of the open-design process can be a platform that generates the design of an object based on input data given by the end user (material thickness, desired dimensions, number of shelves, etc.). This is close to parametric or generative design (Avital 2011), but the emphasis is here on how to open most variables to user choice and creativity.

When it comes to outcomes in openness, modularity is a crucial issue. This enables sub-modules to be developed independently, and thus eases the customization/adaptation of one part of the design. Regarding the kinds of outcomes of an open-design process, Balka *et al.* (2009) noted that different levels of complexity are reachable. Distinctive features are the modularity and the digitization of the object.

Since openness promotes more frequent interaction between the product and the user(s), a key factor is that (more than in current industry) the outcome of the design process has to be considered over all of the product life cycle (Gürtler, Kain & Lindemann 2013).

3.2.5. Motivations, benefits, and consequences of open-design

People open their design processes or plans because they have incentives to do so. There are many reasons for this.

The first one is adaptivity, i.e., adapting to subjective needs, tailoring to specific users or environments (production means, resource). However, adaptivity is not an objective *per se*. Indeed, 'local solutions are frequently more effective as they reflect the physical, emotional and cognitive needs of specific [users]' (De Couvreur & Goossens 2011, p. 107). Open-design also helps to address niche needs (Phillips *et al.* 2014). Other strategic reasons exist, as listed by Buitenhuis & Pearce (2012): increasing development speed and thus decreasing development cost, faster adoption of technology, and increasing the efficiency of design activities.

Open-design appears thus as a major change in design projects. It is driven by sociotechnical changes of our environment. For some, '[openness] is a matter of survival' (Thackara 2011, p. 43). It is thus the responsibility of designers to consider openness and its impact. The first step is thus to rethink the way in which design is taught and learned (Hummels 2011; Zer-Aviv 2011).

However, the added value of open-design is not limited to design itself (Laitio 2011; Ratto 2011): concepts involved in it, such as common goods (Hardin 1968; Ostrom 2008) will impact the whole society by changing our relationship with goods and the status of the latter (Smiers 2011). This can be related to a larger motivation for participants in open-design.

Table 6. Families of open-design for physical artifacts, and their characteristics

<i>Open-design family</i>	Do-it-yourself	Meta-design	Industrial ecosystem
<i>Used by</i>	private individuals	companies	companies
<i>Dedicated to</i>	private individuals	private individuals	companies
<i>Description</i>	bottom-up initiative, which joins efforts of user in order to develop products	designers help end users to design their own products by creating a favorable environment and providing designed units for it (via platform, modules, parametric design, etc.)	private or corporate entities open up their product designs and processes in order to develop an efficient and fair ecosystem
<i>Motivations</i>	answer niche needs, tailor a product to specific constraints, lower product costs	increase potential customer base, product tailoring	share development costs and risks, increase process speed, transform solution into standard, reduce dependence on monopoly supplier
<i>Related to</i>	DIY, user innovation, co-design	mass customization, decentralized manufacturing	open standards, open (source) innovation
<i>Examples</i>	RepRap	Arduino	Thin Film Partnership Program, funded by the US National Renewable Energy Lab ²⁰

4. Contribution: a typology, or the three families of open-design

The previous results might appear to be heterogeneous, and do not make it easy to grasp what open-design concretely is. We thus tried to define homogeneous *families* of open-designs, i.e., practices of the open-design approach that share similar distinctive features. Table 6 recapitulates these families.

4.1. Do-it-yourself

The first and maybe most intuitive family is *do-it-yourself* (DIY) open-design. It is an evolution and structuring of initiatives from private individuals. These users share their design, either because they want to share their achievements or because it enables joint work with peers. As noted above, digitization of the design process enables experts to connect and work together on a shared project while enabling decentralization and asynchronous contributions. This approach is also encouraged in Fab Labs and other makerspaces networks. In this case, documenting and sharing projects enables one to stack one's work, and thus ease the achievement of more complex systems. As made plain in the term *do-it-yourself*, this approach is more oriented from private individuals toward private individuals.

²⁰ See Buitenhuis & Pearce (2012).

The motivations are diverse. Some users open and document their projects only to share with others (cf. hobby blogging) and establish new connections with peers.

For some others, the purpose is to join the efforts of field experts and/or look for collaboration with others who have complementary skills, in order to develop products answering very specific needs. Another motivation is the cost reduction of products, i.e., replicating functions of products that are already available on the market, but at a lower cost (because they are home-made).

User-generated product success over designer generated products has been proved in the industry (Nishikawa, Schreier & Ogawa 2013). Yet, this mostly concerns products of everyday life, i.e., products that the end user has an expertise in.

However, DIY design is different from inclusive forms of design processes where end users can take part. Indeed, in the latter, users are mostly present during the idea generation phase only. The detailed design of the product is then carried out by expert designers, supporting Ulrich, who claims that firms' experts 'have acquired skills and capabilities that allow them to perform most design tasks more effectively and at a higher level of quality' (Ulrich 2011, p. 57). There is no expert designer in DIY design – the end user designs and broadcasts the product by him/herself, possibly helped by peers. Do-it-yourself design is also different from 'user-design' (Ulrich 2011) or from odd jobs, because the broadcast of the formalization of the source enables the manufacture of multiple artifacts.

4.2. Meta-design

The second family is so-called *meta-design*.²¹ Along the same lines as mass customization, users want to tailor the products they have, either to better address their personal needs or simply to personalize them. One option to tackle this issue is the open-design approach. Designers can thus develop systems that enable the user to set a certain number of parameters and generate adequate plans. This approach also enables a better integration of user inputs. However, their inputs are restricted to the fixed framework of the meta-system formerly defined by designers.

This approach is not restricted to open-design and can also be related to mass customization (Khalid & Helander 2003). However, within the framework of open-design, this approach is used with a greater degree of freedom in user inputs (instead of simply selecting among a finite list of options). Parametric design that generates a new design according to a set of parameters (Monedero 2000) is also related to meta-design, but, again, if the choice can be infinite, the end user cannot go outside possibilities enabled by parameters. It thus cannot create new functions.

Meta-design also includes systems that encourage and facilitate the user to produce their own systems (designs), e.g., the Arduino micro-controller. According to this point of view, modules for modular systems or creation platforms, even if they can be considered as regular products *per se*, can be

²¹ The term *meta-design* is also notably used in the design community by G. Fischer. He defines it as 'a conceptual framework defining and creating social and technical infrastructures in which new forms of collaborative design can take place' (Fischer & Giaccardi 2006, p. 428). If some consequences of Fischer's meta-design are also found in our 'meta-design' family (e.g., users becoming co-developers or co-designers), we do not refer here to this author's definition.

gathered under this family. Even if these modular systems can be considered as platforms for design, they do not fall within the framework of platform design (Simpson 2004) which is rather related to customization.

Finally, this family also includes building kits. Indeed, kits are developed by designers for users, giving the latter a broad degree of freedom in the making of the product. We thus chose to include this approach in the meta-design family, rather than in DIY open-design. Even if this approach is not new (Resnick & Silverman 2005), open-design toolkits focus on avoiding black boxes and empowering the user as much as possible by increasing the standardization, the compatibilities, and the possibilities of doable objects.

We can summarize that the specific feature of meta-design is enabling the end user to somehow design by him/herself. That is, to support him/her and give degrees of freedom in the purpose and the form of the designed artifact.

4.3. Industrial ecosystem

The last family of open-design we identified is the open *industrial ecosystem*.²² In this approach, various stakeholders along the value chain and in the development process agree to open their processes and products. Because it concerns companies (most of them for-profit ones), this approach – at first glance counter-intuitive – is underpinned by rational strategic considerations. Indeed, opening of the sources increases development speed. It also fosters the adoption of technology, which benefits the whole ecosystem.

We here recognize the principles of open innovation. In practice, however, the latter can be one-directional (e.g., inbound, when a company acquires knowledge from the outside) and non-reciprocal. It can also be limited to cooperation between two companies and regulated by non-disclosure agreements – which makes it incompatible with open-design, as outlined by Chesbrough in his seminal work (2003). However, he later acknowledged this approach as the ‘purest form’ of open innovation (Chesbrough & Appleyard 2007, p. 60). We can, however, compare the open industrial ecosystem with what Allen (1983) calls ‘collective invention’, encouraging a broad group of agents (mostly companies) to share information. This organization of innovation has proved to be able to generate rapid technical advances. In the case of tangible products, it is mostly limited to a co-localized group of agents, as the distance plays a critical role in the success of such collaborations (Cowan & Jonard 2003).

We can also compare the open industrial ecosystem with the framework of free innovation, as defined by von Hippel. In this case, ‘innovations [are] developed and given away by consumers as a ‘free good’, with resulting improvements in social welfare’ (von Hippel 2017, p. 1). In this context, developed products are *given away*, where they are rather *put at disposal* or *shared* in industrial ecosystems. The difference lies in the implicit expectation of synergies, where the designer benefits from their work – even if in a non-pecuniary or regulated way. Moreover, free innovation is an evolution of user innovation, which puts aside initiatives carried out by companies.

²² One sometimes refers to the expression *industrial ecosystem* in the context of industrial ecology (Jelinski *et al.* 1992; Korhonen 2001). If we fall within the same metaphor of natural systems, we here do not consider the ecological sustainability of the (eco)system, but rather its economical sustainability through sensible relationships and mutual dependence of economic agents.

The two previous types of open-design are more dedicated to household sectors, because they involve end users who are ‘experts of their own life’, while the industrial ecosystem is dedicated to B2B exchanges in the context of technology development.

5. Conclusions

Product design is the process that produces an unequivocal representation of an object that meets an identified need. This process became democratized in previous decades notably because of its digitalization. It also became closer to end users due to the democratization of production means. This led end users to colonize the product design process upstream. At the same time, the *open* approach spread over multiple sectors. This approach (i.e., *open-x*) is rooted in the free-software movement. It aims to grant anyone the right to freely access, use, modify, and share *x* for any purpose (OKF 2015).

Open-design lies where product design and open-*x* meet. We defined it as ‘*the state of a design project where both the process and the sources of its outputs are accessible and (re)usable, by anyone and for any purpose*’ (see Section 2.4). This approach is, however, recent and little reported in the scientific literature. We find it necessary to propose to researchers and practitioners an overview of the current state of the art in order to offer a basis for future work on the topic. This will enable researchers to target homogeneous sets of practices in order to develop relevant tools and methods for practitioners.

This paper details the quantitative and qualitative analyses of the scientific literature on open-design that we led. These analyses are based on a systematic review of works prior to 2016 referenced under the term ‘open-design’ in the *Scopus* database. It appears that the openness of a design project can be assessed over two continuous and independent axes representing the process of design itself and its output. This enables us to highlight that, even if open-design is related to several existing topics – such as open-source innovation, user innovation, open innovation, or participatory design – none of them ‘openize’ both the design process and its output as much as open-design. Based on this observation, we were able to coin the previous definition of *open-design*.

Looking at the scientific literature, this notion appears to be a recent but growing topic. However, published studies dealing with open-design especially focus on the design of digital systems. Only a few works study the open-design of tangible artifacts. However, we were able to distinguish three main types of open-design in the case of physical products: do-it-yourself, meta-design, and industrial ecosystem. These types correspond to C2C, B2C, and B2B relationships, respectively. They differ in terms of audience (who is doing and who is benefiting) and purpose. However, they also share similar features: unleashing innovation and benefiting from crowdsourcing, reduced development cycles, etc.

This typology – detailed in Section 4 and summarized in Table 6 – is the main contribution of this paper. It is intended for both researchers and practitioners. The former would use it as a basis for future research. A more detailed definition of open-design(s) and its stakes would enable them to adopt a more accurate stance and sharpen the focus of methods they develop. The latter would benefit from this typology by better identifying critical issues that they should be aware of to structure open-design projects (e.g., knowing who to involve and for what purpose).

6. Picture credits

Figure 1 is adapted from Ulrich (2011, Exhibit 1–9, p. 6), courtesy of Karl Ulrich. The picture derives from ‘Sun’ and ‘Gear’ icons by Jean-Philippe Cabaroc, from thenounproject.com, the ‘Vector’ icon by Desbenoit, from thenounproject.com, and from icons by Freepik, from www.flaticon.com, all licensed with a Creative Commons Attribution License.

Figure 2 is found in Troxler (2011), on page 92. It is licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 3.0 Unported License.

Figure 6 is found in Stappers *et al.* (2011), on pages 142 and 143. It is licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 3.0 Unported License.

Financial support

This work was supported by heSam Université (E. B., Contrat doctoral Paris Nouveau Monde, laureate 2014).

Appendix

Table 7. Number of entries per author

Entries per author	Number of authors	Author names
4	1	Raasch C.
3	6	Balka K.; Baurley S.; Herstatt C.; Pearce J.M.; Phillips R.; Silve S.
2	10	Barber P.R.; Cangiano S.; Edgar R.; Fornari D.; Goossens R.; Lash A.E.; Rowley M.I.; Scholz A.; Tullis I.D.C.; Vojnovic B.
1	275	...
	292	

Table 8. Number of entries per journal

Entries per journal	Number of journals	Journal names
6	1	Design Journal
4	1	Lecture Notes in Computer Science
2	7	Advanced Material Research; Nucleic Acids Research; Proc. - IEEE Military Communications Conf. MILCOM; Proc. of the Asia and South Pacific Design Automation Conf., ASP-DAC; Proc. of the ASME Design Eng. Tech. Conf.; Proc. of the Int. Workshop on Rapid System Prototyping; NULL
1	82	...
	91	

Table 9. Number of entries per journal keyword

Entries per journal keywords	Number of keywords	Keywords
20	1	design
14	1	computer software
12	1	open systems
11	1	open source software
10	2	computer aided design; computer simulation
8	2	manufacture; open sources
7	2	hardware; product design
6	3	article; computer architecture; computer operating systems
5	5	database systems; design platform; embedded systems; open-source hardwares; technology
<5	878	...
	896	

Table 10. Number of entries per author keyword

Entries per author keywords	Number of keywords	Keywords
31	1	open-design
7	1	open source
6	1	open innovation
4	2	co-design; open source software
3	3	assistive technology; collaboration; open hardware
2	18	android; appropriate technology; beekeeping; citizen science; co-creation; collaborative design; components; crowdsourcing; cubesat; design; design education; methodology; open source hardware; participatory design; performance; software framework; sustainable development; wiki
1	265	...
	291	

Table 11. Categories used in bibliometrics of open-design

Type	Tag	Number of papers	Meaning	Remark
meaning	methodology	240	Open-design refers here to the method used to lead a study. An open-design study is a survey where neither the experimenter nor the participants are aware whether the latter belong to the control group or not. For example, <i>'METHODS: The study was of randomized open-design and was conducted at multiple centers in Europe.'</i>	Most of these papers belong to medicine studies.
	topology	136	Design refers here to the shape of a product. Open-design is thus a product, the form of which is open (as in 'the door is open'). For example, <i>'The open-design of most aquaculture systems allows the transmission of pathogens from the environment or from wild fish to the farmed fish.'</i> <i>'The semi-open-design of the domes moderates the problems of strong wind, humidity, and temperature gradients associated with OTCs.'</i>	Sixteen of these papers refer to the same system, that is a magnetic resonance imaging scanner.
	true positive	106	Open-design matching previously coined definition. For example, <i>'They discard the 10-year-old IBM AT architecture in favor of more flexible, open-designs.'</i> <i>'Single design tools have to be integrated into an open-design system ('Framework'), together with an integrated design data base and a common and comfortable user interface.'</i>	Papers belong to this category « by default », i.e., if no information would make them belong to another (or a new) category.
	problem	51	Open refers here to an issue or a question that has no solution yet, or that might accept multiple solutions – and when this issue/question is about design For example, <i>'As a work in progress, the new algorithm is presented with open-design decisions.'</i> <i>'Considering as the input design space the open-design variables associated to the subsystem descriptions'</i>	–
	structure	36	Open refers here to a system that has connection with the outside of a system. So a system that is not closed or isolated from the external environment. For example, <i>'Security through obscurity has always been ineffective. Some open-designs have also been proposed.'</i> <i>'Advanced metering infrastructure, open-design and renewable energy connection and so on in distribution grid.'</i>	–

Table 11. (continued)

Type	Tag	Number of papers	Meaning	Remark
noise	n/a	21	(1) When the result does not refer to a single work, (2) when the paper is in a language not spoken by authors, or (3) when the entry could not be accessed by authors.	–
			(1) For example, proceedings of a conference, referenced as one single paper. (2) Five papers written in Chinese and one in Italian. (3) One entry written in 1990.	
	duplication	17	When the result refers to a publication that has already been referenced.	The identification of duplication has been done manually.
	irrelevant	17	When the word <i>design</i> follows open by chance. For example, ‘two methods of endotracheal suctioning: closed versus open. Design: A prospective, randomized, controlled study.’	Often the case for two following keywords.

References

- Abdelkafi, N., Blecker, T. & Raasch, C. 2009 From open source in the digital to the physical world: A smooth transfer? *Management Decision* **14** (10), 1610–1632.
- Abras, C., Maloney-Krichmar, D. & Preece, J. 2004 User-centered design. In *Encyclopedia of Human–Computer Interaction* (ed. W. Bainbridge), vol. 37.4, pp. 445–456. Sage Publications.
- Affonso, C. A. C. & Amaral, D. C. 2015 Boundary objects in open source design: Experiences from OSE community. In *Proceedings of ICED 2015 (July 27–30, 2015)* (ed. C. Weber et al.), vol. 3, pp. 447–456. ITA.
- Agrawal, R. & Srikant, R. et al. 1994 Fast algorithms for mining association rules. In *Proceedings 20th International Conference Very Large Data Bases, VLDB*, vol. 1215, pp. 487–499. Morgan Kaufmann.
- Aitamurto, T., Holland, D. & Hussain, S. 2013 Three layers of openness in design: Examining the open paradigm in design research. In *Proceedings of ICED 2013 (August 19–22, 2013)* (ed. U. Lindemann et al.), vol. 1, pp. 179–190. KOR.
- Allen, R. C. 1983 Collective invention. *Journal of Economic Behavior & Organization* **4** (1), 1–24.
- Anderson, C. 2014 *Makers: The New Industrial Revolution*, 1st ed. Crown Business.
- Atkinson, P. 2011 Orchestral manoeuvres in design. In *Open Design Now* (ed. B. Van Abel et al.), pp. 24–31. BIS Publishers.
- Atzori, L., Iera, A. & Morabito, G. 2010 The internet of things: A survey. *Computer Networks* **54** (15), 2787–2805.
- Avital, M. 2011 The generative bedrock of open design. In *Open Design Now* (ed. B. Van Abel et al.), pp. 48–58. BIS Publishers.
- Balka, K., Raasch, C. & Herstatt, C. 2009 Open source enters the world of atoms: A statistical analysis of open design. *First Monday* **14** (11), doi:10.5210/fm.v14i11.2670.
- Balka, K., Raasch, C. & Herstatt, C. 2010 How open is open source? – software and beyond. *Creativity and Innovation Management* **19** (3), 248–256.

- Barrett, T. & Suzek, T. O.** et al. 2005 NCBI GEO: Mining millions of expression profiles – database and tools. *Nucleic acids research* **33** (Suppl 1), D562–D566.
- Benkler, Y. & Nissenbaum, H.** 2006 Commons-based peer production and virtue. *Journal of Political Philosophy* **14** (4), 394–419.
- Benyayer, L.-D.** 2014 Les open-models sont en train de tout changer, êtes-vous prêt? In *Open Models* (Ed. by Without Model), pp. 12–27.
- Berry, G.** 2008 *Pourquoi et comment le monde devient numérique*. Fayard.
- Bertrand, P., Juliot, E., Fermigier, S., Soroko, M. & Viné, O.** 2014 *Modèles économiques*. Les livrets bleus du logiciel libre.
- Bilbija, D. B. & Biezd, D. J.** 1998 Dynamic analysis of aircraft designs using archangel 98. In *ASEE 1998 Annual Conference (June 28–July 1, 1998)*, vol. 3 ASEE, pp. 3.226.1–3.226.5.
- Blanc, M. F. H.** 2011 Open source innovation in physical products: Advantages and disadvantages, a corporate perspective. MA thesis, QUT.
- Bogers, M. & West, J.** 2010 *Contrasting Innovation Creation and Commercialization within Open, User and Cumulative Innovation*. Working Paper (Working paper, to be presented at the Academy of Management conference, Technology and Innovation Management division, Montréal, August 10, 2010).
- Bonnet, C. & Lalanne, R.** 2014 Open Data: De la killer-app à l' économie des plates-formes. In *Open Models* (Ed. by Without Model), pp. 68–73.
- Bonvoisin, J. & Boujut, J.-F.** 2015 Open design platform for open source product development: Current state and requirements. In *Proceedings ICED 2015 (July 27–30, 2015)* (ed. C. Weber et al.), vol. 8, pp. 11–20. ITA.
- Boothroyd, G.** 1994 Product design for manufacture and assembly. *Computer-Aided Design* **26** (7), 505–520.
- Bouchard, C., Kim, J. E., Omhover, J. F. & Aoussat, A.** 2010 Cognitive designers activity study, formalization, modelling, and computation in the inspirational phase. *CIRP Journal of Manufacturing Science and Technology* **3** (3), 218–226.
- Bouchard, C., Omhover, J.-F., Mougénot, C., Aoussat, A. & Westerman, S. J.** 2008 TRENDS: A content-based information retrieval system for designers. In *Design Computing and Cognition '08*, pp. 593–611. Springer.
- Bouchez, H.** 2012 Pimp your home: Or why design caperspective exclusive – from a consumer perspective. *The Design Journal* **15** (4), 461–477.
- Brabham, D. C.** 2008 Crowdsourcing as a model for problem solving. An introduction and cases. *Convergence* **14** (1), 75–90.
- Buchanan, R.** 1992 Wicked problems in design thinking. *Design Issues* **8** (2), 5–21.
- Buitenhuis, A. J. & Pearce, J. M.** 2012 Open-source development of solar photovoltaic technology. *Energy for Sustainable Development* **16**, 379–388.
- Bull, G. & Groves, J.** 2009 The democratization of production. *Learning & Leading with Technology* **37** (3), 36–37.
- Business Wire**, 2016. *Red Hat Reports Fourth Quarter and Fiscal Year 2016 Results*, <http://www.businesswire.com/news/home/20160322006480/en/Red-Hat-Reports-Fourth-Quarter-Fiscal-Year>.
- Carballo, J.-A.** 2005 Open HW, open design SW, and the VC ecosystem dilemma. In *Proceedings of 5th International Workshop on System-on-Chip for Real-Time Applications (July 20–24, 2005)*, pp. 3–6. IEEE.
- Carlile, P. R.** 2002 A pragmatic view of knowledge and boundaries: Boundary objects in new product development. *Organization Science* **13** (4), 442–455.

- Cavalcanti, G.** 2013 Is it a hackerspace, makerspace, techshop, or fablab? *Make* 22, <http://makezine.com/2013/05/22/the-difference-between-hackerspaces-makerspaces-techshops-and-fablabs/>.
- Chesbrough, H. W.** 2003 *Open Innovation: The New Imperative for Creating and Profiting from Technology*. Harvard Business Press.
- Chesbrough, H. W. & Appleyard, M. M.** 2007 Open innovation and strategy. *California Management Review* 50 (1), 57–76.
- Cowan, R. & Jonard, N.** 2003 The dynamics of collective invention. *Journal of Economic Behavior & Organization* 52 (4), 513–532.
- Cross, N.** 2001 Designerly ways of knowing: Design discipline versus design science. *Design Issues* 17 (3), 49–55.
- Cross, N.** 2007 Forty years of design research. *Design Studies* 28 (1), 1–4.
- Dasgupta, P. & David, P. A.** 1994 Toward a new economics of science. *Research Policy* 23 (5), 487–521, Special Issue in Honor of Nathan Rosenberg.
- De Couvreur, L., Dejonghe, W., Detand, J. & Goossens, R.** 2013 The role of subjective well-being in co-designing open-design assistive devices. *International Journal of Design* 7 (3), 57–70.
- De Couvreur, L. & Goossens, R.** 2011 Design for (every)one: Co-creation as a bridge between universal design and rehabilitation engineering. *CoDesign* 7 (2), 107–121.
- Eckert, C. & Boujut, J.-F.** 2003 The role of objects in design co-operation: Communication through physical or virtual objects. *Computer Supported Cooperative Work* 12, 145–151.
- Ehn, P.** 1993 Scandinavian design: On participation and skills. In *Participatory Design* (ed. D. Schuler & A. Namioka), pp. 41–78. Lawrence Erlbaum Associates.
- Ergonomics of human–system interaction – Part 210**, Human-centred design for interactive systems 2010. Standard. Version 2010. Geneva, CHE: International Organization for Standardization.
- European Commission**, 2016 Guidelines on open access to scientific publications and research data in Horizon 2020. Tech. Rep. DG for Research & Innovation.
- Fab Foundation**, 2016 *Who/What qualifies as a Fab Lab?* <http://web.archive.org/web/20160117180458/http://www.fabfoundation.org/fab-labs/fab-lab-criteria>
- Feller, J. & Fitzgerald, B.** 2002 *Understanding Open Source Software Development*. Addison-Wesley.
- Filson, A. & Rohrbacher, G.** 2011 Design offered up: Control and open outcomes in a digitally enabled design process. In *Proceedings of CDVE 2011* (ed. Y. Luo), pp. 7–13. HKG.
- Fischer, G. & Giaccardi, E.** 2006 Meta-design: A framework for the future of end-user development. In *End User Development* (ed. H. Lieberman et al.), chap. 19, pp. 427–457. Springer.
- Fitzgerald, B.** 2006 The transformation of open source software. In *Mis Quarterly*, pp. 587–598. JSTOR.
- Foray, D. & Perez, L. H.** 2006 The economics of open technology: Collective organization and individual claims in the ‘Fabrique Lyonnaise’ during the old regime. In *New Frontiers in the Economics of Innovation and New Technology: Essays in Honour of Paul A. David*, pp. 239–254. Edward Elgar Publishing.
- Free Software Foundation**, ed 2014. What is free software? The Free Software Definition. <https://www.gnu.org/philosophy/free-sw.en.html> (visited on 01/12/2015).
- Free Software Foundation, Inc.**, ed 2007 GNU General Public License. Version 3. <http://www.gnu.org/licenses/gpl-3.0.en.html> (visited on 07/03/2015).

- Füller, J., Jaweck, G. & Mühlbacher, H. 2007 Innovation creation by online basketball communities. *Journal of Business Research* **60**, 60–71.
- Gershenfeld, N. 2005 *Fab: The Coming Revolution on Your Desktop – from Personal Computers to Personal Fabrication*. Basic Books.
- Gibson, I., Rosen, D. & Stucker, B. 2015a Design for additive manufacturing. In *Additive Manufacturing Technologies*, 2nd ed. chap. 17, pp. 399–435. Springer.
- Gibson, I., Rosen, D. & Stucker, B. 2015b The impact of low-cost AM systems. In *Additive Manufacturing Technologies*, 2nd ed. chap. 12, pp. 293–302. Springer.
- Gilloz, E. 2014 RepRap Family Tree. http://reprap.org/wiki/File:RFT_timeline2006-2012.png.
- Gläser, J. 2007 The social order of open source software production. In *Handbook of Research on Open Source Software: Technological, Economic, and Social Perspectives* (ed. K. St. Amant & B. Still), pp. 168–182. Information Science Reference.
- Gruson-Daniel, C. 2014 Une cartographie de l'open science. In *Open Models* (Ed. by Without Model), pp. 182–186.
- Gürtler, M. R., Kain, A. & Lindemann, U. 2013 Bridging the gap: From open innovation to an open product-life-cycle by using open-x methodologies. In *ICoRD'13: Global Product Development* (ed. A. Chakrabarti & V. Raghu Prakash), pp. 1331–1343. Springer.
- Hahsler, M., Gruen, B. & Hornik, K. 2005 Arules – a computational environment for mining association rules and frequent item sets. *Journal of Statistical Software* **14** (15), 1–25.
- Hardin, G. 1968 The tragedy of the commons. *Science* **162** (3859), 1243–1248.
- Hatchuel, A. 2012 Quel horizon pour les science de gestion? Vers une théorie de l'action collective. In *Les Nouvelles Fondations des sciences de gestion*, 3rd ed (ed. A. David et al.), pp. 21–43, coll. Economie et Gestion. Presses des MINES.
- Herstatt, C. & Ehls, D. (Eds) 2015 *Open Source Innovation. The Phenomenon, Participant's Behavior, Business Implications*, Routledge.
- Heyer, S. & Seliger, G. 2012 Open manufacturing for value creation cycles. In *Design for Innovative Value Towards a Sustainable Society*, pp. 110–115. Springer.
- von Hippel, E. 2005 *Democratizing Innovation*. The MIT Press.
- von Hippel, E. 2007 Horizontal innovation networks – by and for users. *Industrial and Corporate Change* **16** (2), 293–315.
- von Hippel, E. 2014 Open user innovation. In *The Encyclopedia of Human–Computer Interaction*, 2nd ed. (ed. M. Soegaard & R. Friis Dam). The Interaction Design Foundation.
- von Hippel, E. 2017 *Free Innovation*. MIT Press.
- Horváth, I. 2004 A treatise on order in engineering design research. *Research in Engineering Design* **15** (3), 155–181.
- Howe, J. 2006 *Crowdsourcing: A Definition* (ed. J. Howe), *Crowdsourcing: Tracking the Rise of the Amateur*. http://crowdsourcing.typepad.com/cs/2006/06/crowdsourcing_a.html (visited on 07/03/2015).
- Huizingh, E. K. R. E. 2011 Open innovation: State of the art and future perspectives. *Technovation* **31** (1), 2–9.
- Hummels, C. 2011 Teaching attitudes, skills, approaches, structure and tools. In *Open Design Now* (ed. B. Van Abel et al.), pp. 162–167. BIS Publishers.
- Hunter, L. C. 1949 *Steamboats on the Western Rivers: An Economic and Technological History*. Harvard University Press.

- Jansen, P.** 1990 Aide à la conception: Une approche basée sur la satisfaction de contraintes. PhD thesis, Université de Montpellier.
- Jelinski, L. W., Graedel, T. E., Laudise, R. A., McCall, D. W. & Patel, C. K.** 1992 Industrial ecology: Concepts and approaches. *Proceedings of the National Academy of Sciences* **89** (3), 793–797.
- Jones, R. & Haufe, P.** et al. 2011 RepRap – the replicating rapid prototyper. *Robotica* **29** (1), 177–191.
- Katz, A.** 2011 Authors and owners. In *Open Design Now* (ed. **B. Van Abel et al.**), pp. 62–72. BIS Publishers.
- Kensing, F. & Blomberg, J.** 1998 Participatory design: Issues and concerns. *Computer Supported Cooperative Work* **7**, 167–185.
- Khalid, H. M. & Helander, M. G.** 2003 Web-based do-it-yourself product design. In *The Customer Centric Enterprise: Advances in Mass Customization and Personalization* (ed. **M. M. Tseng & F. T. Piller**), pp. 247–266. Springer.
- Kim, J., Bouchard, C., Omhover, J.-F. & Aoussat, A.** 2012 Designing a graphical interface for creativity support tools for designers: A case study. *International Journal of Web Engineering and Technology* **7** (2), 173–199.
- Korhonen, J.** 2001 Four ecosystem principles for an industrial ecosystem. *Journal of Cleaner Production* **9**, 253–259.
- Kostakis, V. & Papachristou, M.** 2014 Commons-based peer production and digital fabrication: The case of a RepRap-based, Lego-built 3d printing–milling machine. *Telematics and Informatics* **31** (3), 434–443.
- Krishnan, V. & Ulrich, K. T.** 2001 Product development decisions: A review of the literature. *Management Science* **47** (1), 1–21.
- Laitio, T.** 2011 From best design, to just design. In *Open Design Now* (ed. **B. Van Abel et al.**), pp. 190–198. BIS Publishers.
- Lakhani, K. R. & von Hippel, E.** 2003 How open source software works: ‘Free’ user-to-user assistance. *Research Policy* **32** (6), 923–943.
- Lapeyre, M.** 2014 Poppy: Open source 3d printed nd modular humanoid robot for Science, Art and Education. PhD thesis, Inria.
- Lee, K.** 1999 *Principles of CAD/CAM/CAE Systems*. Addison-Wesley Longman Publishing Co., Inc.
- Lerner, J. & Tirole, J.** 2002 Some simple economics of open source. *The Journal of Industrial Economics* **50** (2), 197–234.
- Ligonnière, R.** 1987 *Préhistoire et histoire des ordinateurs*. R. Laffont.
- Macul, V. & Rozenfeld, H.** 2015 How an open source design community works: The case of Open Source Ecology. In *Proceedings of ICED 2015 ICED15 (July 27–30, 2015)* (ed. **C. Weber et al.**), vol. 3, pp. 359–368. ITA.
- Marais, S. J. & Schutte, C. S. L.** 2009 The development of open innovation models to assist the innovation process. In *SAIIE 2009 (October 28–30, 2009)*, pp. 96–116.
- Matthews, P. C., Blessing, L. T. M. & Wallace, K. M.** 2002 The introduction of a design heuristics extraction method. *Advanced Engineering Informatics* **16** (1), 3–19.
- Matthias, H.** 2005 *Kunst und Wissenschaft in der Technik des 20. Jahrhunderts: Zur Geschichte der Konstruktionswissenschaft*. Chronos.
- Maurel, L.** 2014 7 modèles économiques pour l’open dans l’art et la culture. In *Open Models* (Ed. by Without Model), pp. 106–114.
- Measuring the Information Society**, 2013 Geneva, CHE. ITU. http://www.itu.int/en/ITU-D/Statistics/documents/publications/mis2013/MIS2013_without_Annex_4.pdf.

- Mellis, D. A. & Buechley, L.** 2012 Collaboration in open-source hardware: Third-party variations on the arduino duemilanove. In *Proceedings of CSCW'12 (February 11–15, 2012)*, pp. 1175–1178. ACM.
- Meroni, A. & Sangiorgi, D.** 2011 *Design for Services. Design for Social Responsibilities*. Gower Publishing, Ltd.
- Merton, R. K.** 1973 The normative structure of science. In *The Sociology of Science* (ed. N. W. Storer), pp. 267–278. University of Chicago Press.
- Mikhak, B. & Lyon, C.** et al. 2002 Fab Lab: an alternate model of ICT for development. In *2nd International Conference on Open Collaborative Design for Sustainable Innovation*, ThinkCycle.
- MIT – Center for Bits and Atoms**, (Ed.) 2012. The Fab Charter.
- Monedero, J.** 2000 Parametric design: A review and some experiences. *Automation in Construction* 9 (4), 369–377.
- de Mul, J.** 2011 Redesigning design. In *Open Design Now* (ed. Bas Van Abel et al.), pp. 34–39. BIS Publishers.
- Nickerson, J. V., Sakamoto, Y. & Yu, L.** 2011 Structures for Creativity: The crowdsourcing of design. *Workshop on Crowdsourcing and Human Computation: Systems, Studies, and Platforms. CHI 2011 (May 8, 2011)*. Vancouver.
- Nishikawa, H., Schreier, M. & Ogawa, S.** 2013 User-generated versus designer-generated products: A performance assessment at Muji. *International Journal of Research in Marketing* 30 (2), 160–167.
- Norman, D. A. & Draper, S. W.** 1986 *User Centered System Design. New Perspectives on Human-Computer Interaction*. CRC Press.
- Nuvolari, A.** 2004 Collective invention during the British Industrial Revolution: The case of the Cornish pumping engine. *Cambridge Journal of Economics* 28 (3), 347–363.
- Nuvolari, A. & Rullani, F.** 2007 Curious exceptions? Open source software and ‘open’ technology. In *Technological, Economic, and Social Perspective* (ed. K. St. Amant & B. Still), pp. 227–239. Information Science Reference.
- OECD Internet Economy Outlook**, 2012. OECD Publishing, <http://www.oecd.org/sti/ieconomy/ieoutlook.htm>.
- Omhover, J.-F.** 2015 Open Source Innovation – Origine et expansion de l’Open-X.
- Omhover, J.-F., Bouchard, C., Kim, J. & Aoussat, A.** 2010 Computational methods for shape manipulation in generation: A literature review. In *Proceedings of the International Conference on Kansei Engineering and Emotion Research 2010 KEER2010 (March 2–4, 2010)*. FRA.
- Ong, C.-A.** 2004 (Re-)Integration Dynamics of the PC Platform. MA thesis, MIT.
- Open Source Ecology**, 2016 Machine: Index, <http://web.archive.org/web/20160224154441/http://opensourceecology.org/gvcs/gvcs-machine-index/>.
- Open Source Initiative**, ed 2006 Frequently Asked Questions. How is ‘open source’ related to ‘free software’? <http://web.archive.org/web/20060423094434/http://www.opensource.org/advocacy/faq.html> (visited on 01/19/2015).
- Open Source Initiative**, ed 2015 Open Source Definition. Version 1.9. <http://opensource.org/osd> (visited on 01/19/2015).
- Ostrom, E.** 2008 Tragedy of the commons. In *The New Palgrave Dictionary of Economics*, 2nd ed (ed. S. N. Durlauf & L. E. Blume). Palgrave.
- Pettis, B.** 2011 Made in my backyard. In *Open Design Now* (ed. B. Van Abel et al.), pp. 74–83. BIS Publishers.
- Phillips, R., Baurley, S. & Silve, S.** 2014 Citizen science and open design: Workshop findings. *Design Issues* 30 (4), 52–66.

- Phillips, R., Ford, Y., Sadler, K., Silve, S. & Baurley, S.** 2013 Open design: Non-professional user-designers creating products for citizen science: A case study of beekeepers. In *Design, User Experience, and Usability. Web, Mobile, and Product Design*, vol. 8015.3, pp. 424–431. Springer.
- R Core Team,** 2015 *R: A Language and Environment for Statistical Computing*. R Foundation for Statistical Computing.
- Raasch, C.** 2011 Product development in open design communities: A process perspective. *International Journal of Innovation and Technology Management* **8** (4), 557–575.
- Raasch, C., Herstatt, C. & Balka, K.** 2009 On the open design of tangible goods. *R&D Management* **39** (4), 382–393.
- Raasch, C., Herstatt, C., Blecker, T. & Abdelkafi, N.** 2008 Open source innovation – out of software? *Proceedings of the EIASM IPDM Conference. Hamburg, GER.*
- Ratto, M.** 2011 Critical making. In *Open Design Now* (ed. **B. Van Abel et al.**), pp. 202–209. BIS Publishers.
- Raymond, E. S.** 2001 *The Cathedral & the Bazaar. Musings on Linux and Open Source by an Accidental Revolutionary*. O'Reilly Media.
- Resnick, M. & Silverman, B.** 2005 Some reflections on designing construction kits for kids. In *Proceedings of the 2005 Conference on Interaction Design and Children. IDC'05*, pp. 117–122. ACM.
- Rijken, D.** 2011 Design literacy: Organizing self-organization. In *Open Design Now* (ed. **B. Van Abel et al.**), pp. 152–158. BIS Publishers.
- Rittel, H. J. W. & Webber, M. M.** 1973 Dilemmas in a general theory of planning. *Policy Sciences* **4**, 155–169.
- Roberts, J. A., Hann, I.-H. & Slaughter, S. A.** 2006 Understanding the motivations, participation, and performance of open source software developers: A longitudinal study of the Apache projects. *Management Science* **52** (7), 984–999.
- Rullani, F.** 2006 Dragging developers towards the core: How the Free/Libre/Open Source Software Community enhance developers' contribution. Version 6. In: Working paper.
- Rumpala, Y.** 2014 « Fab labs », « makerspaces »: entre innovation et émancipation ? *Revue internationale de l'économie sociale : Recma* **334**, 85–97.
- Sanders, E. B.-N. & Stappers, P. J.** 2008 Co-creation and the new landscapes of design. *CoDesign* **4** (1), 5–18.
- Schuler, D. & Namioka, A.** (Eds) 1993 *Participatory Design: Principles and Practices*, Lawrence Erlbaum Associates.
- Send, H., Friesike, S. & Zuch, A. N.** 2014 Participation in on-line co-creation: Assessment and review of motivations. HIIG Discussion Paper Series Discussion Paper 2014-01.
- Shah, S. K.** 2005 Open beyond software. In *Open Sources 2* (ed. **D. Cooper et al.**). O'Reilly Media.
- Simon, H. A.** 1996 *The Sciences of the Artificial*, 3rd ed. MIT Press.
- Simpson, T. W.** 2004 Product platform design and customization: Status and promise. *Artificial Intelligence for Engineering Design, Analysis and Manufacturing* **18**, 3–20.
- Smiers, J.** 2011 No more bestsellers. In *Open Design Now* (ed. **B. Van Abel et al.**), pp. 98–105. BIS Publishers.
- Stallman, R. M.** 1985 The GNU Manifesto. *Dr. Dobbs' Journal of Software Tools* **10** (3), p. 30 sqq.
- Stallman, R. M.** 2008 *Re: MAINTAINERS file*. Ed. by emacs-devel mailing list. <http://lists.5CTextsc%7Bgnu%7D.org/archive/html/emacs-devel/200803/msg00635.html> (visited on 01/13/2015).

- Stallman, R. M.** 2010 *Free Software, Free Society: Selected Essays of Richard M. Stallman*, 2nd ed (ed. **J. Gay**). GNU Press.
- Stallman, R. M. & Sam, W.** 2010 *Free as in Freedom (2.0): Richard Stallman and the Free Software Revolution*. Free Software Foundation.
- Stappers, P. J., Visser, F. S. & Kistemaker, S.** 2011 Creation & Co: User participation in design. In *Open Design Now* (ed. **B. Van Abel et al.**), pp. 140–148. BIS Publishers.
- Stevens, M. & Watson, M.** 2008 *Dashboard User Guide*. Ed. by Institute Without Boundaries.
- Stikker, M. et al.** 2011 Introduction. In *Open Design Now* (ed. **B. Van Abel**), pp. 14–19. BIS Publishers.
- Subrahmanian, E., Reich, Y. & Krishnan, S.** 2013 Context, collaboration and complexity in designing: The pivotal role of cognitive artifacts. In *Proceedings of the International Conference on Engineering Design 2013 (August 19–22, 2013), Seoul, South Korea*, vol. 7, pp. 99–108. Design Society.
- Thackara, J. et al.** 2011 Into the open. In *Open Design Now* (ed. **B. Van Abel**), pp. 42–45. BIS Publishers.
- The Open Knowledge Foundation, (Ed.)** 2015. The Open Definition. Version 2.0. <http://opendefinition.org/> (visited on 01/29/2015).
- Tincq, B. & Benichou, L.** 2014 Modèles économiques de l'open hardware. *Open Models* (Ed. by Without Model) 124–134.
- Tomiyama, T. & Gu, P. et al.** 2009 Design methodologies: Industrial and educational applications. *CIRP Annals – Manufacturing Technology* **58** (2), 543–565.
- Tooze, J. & Baurley, S. et al.** 2014 Open design: Contributions, solutions, processes and projects. *The Design Journal* **17** (4), 538–559.
- Troxler, P.** 2011 Libraries of the peer production era. In *Open Design Now* (ed. **B. Van Abel et al.**), pp. 86–95. BIS Publishers.
- Ullman, D. G.** 2010 Designers and design teams. In *The Mechanical Design Process*, 4th ed. pp. 47–80. McGraw-Hill.
- Ulrich, K. T.** 2011 *Design: Creation of Artifacts in Society*, 1st ed. University of Pennsylvania.
- Van Abel, B., Evers, L. & Klaassen, R.** 2011 Preface. In *Open Design Now* (ed. **B. Van Abel et al.**), pp. 10–13. BIS Publishers.
- Van Abel, B., Evers, L., Klaassen, R. & Troxler, P. (Eds)** 2011 *Open Design Now*.
- W3Techs 2017**, Usage of operating systems for websites. Ed. by Q-Success.
- Warger, T.** 2002 The Open-Source Movement. The Edutech Rep. 18.2.
- Weber, S.** 2004 *The Success of Open Source*. Harvard University Press.
- Without Model, (Ed.)** 2014. *Open Models*. Louis-David Benyayer.
- Wulfsberg, J. P., Redlich, T. & Bruhns, F.-L.** 2011 Open production: Scientific foundation for co-creative product realization. *Production Engineering* **5** (2), 127–139.
- Wynn, D. & Clarkson, J.** 2005 Models of designing. A review of current practice. In *Design Process Improvement* (ed. **J. Clarkson & C. Eckert**), pp. 34–59. Springer.
- Yip, A. L. K., Jagadeesan, A. P., Corney, J., Qin, Y. & Rauschecker, U.** 2011 A front-end system to support cloud-based manufacturing of customized products. In *Proceedings of the 9th ICMR (September 6–8, 2011)* (ed. **D. K. Harrison et al.**). Glasgow Caledonian University.
- Zer-Aviv, M.** 2011 Learning by doing. In *Open Design Now* (ed. **B. Van Abel et al.**), pp. 170–175. BIS Publishers.