

Purdue University

**Purdue e-Pubs**

---

Department of Computer Science Technical  
Reports

Department of Computer Science

---

1992

## **Optimally Computing the Shortest Weakly Visible Subedge for a Simple Polygon**

Danny Z. Chen

Report Number:  
92-028

---

Chen, Danny Z., "Optimally Computing the Shortest Weakly Visible Subedge for a Simple Polygon" (1992).  
*Department of Computer Science Technical Reports*. Paper 950.  
<https://docs.lib.purdue.edu/cstech/950>

This document has been made available through Purdue e-Pubs, a service of the Purdue University Libraries.  
Please contact [epubs@purdue.edu](mailto:epubs@purdue.edu) for additional information.

**OPTIMALLY COMPUTING THE SHORTEST WEAKLY  
VISIBLE SUBEDGE OF A SIMPLE POLYGON**

**Danny Z. Chen**

**CSD-TR-92-028  
May 1992**

# Optimally Computing the Shortest Weakly Visible Subedge of a Simple Polygon\*

Danny Z. Chen  
Department of Computer Science and Engineering  
University of Notre Dame  
Notre Dame, IN 46556  
chen@cse.nd.edu

## Abstract

Given an  $n$ -vertex simple polygon  $P$ , the problem of computing the shortest weakly visible subedge of  $P$  is that of finding a shortest line segment  $s$  on the boundary of  $P$  such that  $P$  is weakly visible from  $s$  (if  $s$  exists). In this paper, we present new geometric observations that are useful for solving this problem. Based on these geometric observations, we obtain optimal sequential and parallel algorithms for solving this problem. Our sequential algorithm runs in  $O(n)$  time, and our parallel algorithm runs in  $O(\log n)$  time using  $O(n/\log n)$  processors in the CREW PRAM computational model. Using the previously best known sequential algorithms to solve this problem would take  $O(n^2)$  time. We also give geometric observations that lead to extremely simple and optimal algorithms for solving, both sequentially and in parallel, the case of this problem where the polygons are rectilinear.

---

\*This research was partially done when the author was with the Department of Computer Sciences, Purdue University, West Lafayette, Indiana, and was supported in part by the Office of Naval Research under Grants N00014-84-K-0502 and N00014-86-K-0689, the National Science Foundation under Grant DCR-8451393, and the National Library of Medicine under Grant R01-LM05118.

# 1 Introduction

Given a set of “opaque” geometric objects, two points  $p$  and  $q$  are said to be *visible* from each other iff the interior of the line segment  $\overline{pq}$  does not intersect any of these opaque objects. Visibility is one of the most fundamental topics in computational geometry. Visibility problems find applications in many areas, such as computer graphics, computer vision, VLSI design, and robotics. Visibility problems also appear as subproblems in other geometric problems (like finding the shortest obstacle-avoiding paths and computing intersections between geometric figures). Numerous efficient algorithms have been designed for solving various visibility problems, in both sequential and parallel computational models.

In this paper, we consider a *weak visibility* problem. Weak visibility deals with visibility problems in which the “observers” are of the shape of line segments. An important class of weak visibility problems studies the case where the opaque objects are the boundaries of simple polygons. For a point  $p$  in a polygon  $P$  and a line segment  $s$ ,  $p$  is said to be *weakly visible* from  $s$  iff  $p$  is visible from some point on  $s$  (depending on  $p$ ). Polygon  $P$  is said to be *weakly visible* from a line segment  $s$  iff every point  $p \in P$  is weakly visible from  $s$ . Many sequential algorithms [1, 2, 3, 4, 7, 8, 9, 10, 12, 13, 15, 18, 19, 20, 21, 22, 23] and parallel algorithms [5, 6, 11, 14] for solving various weak visibility problems on simple polygons have been discovered.

We consider the problem of computing the shortest weakly visible subedge of a simple polygon (called it the SWVS problem). That is, given an  $n$ -vertex simple polygon  $P$ , we would like to find a line segment  $s$  on the boundary of  $P$  such that (i)  $P$  is weakly visible from  $s$  (if  $s$  exists), and (ii) the length of  $s$  is the shortest among all such line segments on the boundary of  $P$  (it is possible that  $s$  is a single point on the boundary of  $P$ ). Intuitively, if  $P$  represents a house whose interior is that of a simple polygon, then  $s$  is the shortest portion of any wall of  $P$  by which a guard has to patrol back and forth in order to keep the inside of  $P$  completely under surveillance.

There is related work on the SWVS problem. Avis and Toussaint [1] considered the problem of detecting the weak visibility of a simple polygon (that is, deciding whether a polygon  $P$  is weakly visible from an edge  $e$  of  $P$ , and reporting all such edges  $e$  for  $P$ ); they presented a sequential linear time algorithm for the case of checking whether  $P$  is weakly visible from a *specified* edge  $e$  of  $P$ . Another sequential linear time algorithm for this case was given in [10]. Sack and Suri [20] and Shin [21] independently gave optimal linear time algorithms for solving the problem of detecting the weak visibility of a simple polygon. Chen [5] came up with an optimal parallel algorithm for this problem; Chen’s algorithm runs in  $O(\log n)$  time using  $O(n/\log n)$  CREW PRAM processors.

Several problems on computing weakly visible line segments with respect to a simple polygon have been studied. Ke [15] and Doh and Chwa [8] gave  $O(n \log n)$  time algorithms for computing a

line segment in a polygon from which the polygon is weakly visible (such a segment can be in the interior of the polygon); in particular, Ke's algorithm finds such a line segment of shortest length. Lee and Chwa [19] designed a linear time algorithm for computing all the maximal convex chains or all the maximal reflex chains on the boundary of a polygon from which the polygon is weakly visible. Bhattacharya *et al.* [3] presented a linear time algorithm for computing a shortest line segment (not in the interior of a polygon) from which the boundary of the polygon is weakly visible (or *externally visible*). Ching *et al.* [7] showed that, if a polygon is weakly visible from a *specified* edge  $e$ , then the shortest weakly visible subedge on  $e$  can be computed in linear time by using the algorithm in [1]. The problem of computing in parallel the shortest weakly visible subedge *on a specified polygon edge* was solved optimally by Chen [6], in  $O(\log n)$  time using  $O(n/\log n)$  CREW PRAM processors.

The SWVS problem, obviously, is a natural generalization of the weak visibility problem first studied by Avis and Toussaint [1] and then by Sack and Suri [20] and Shin [21]. A straightforward sequential solution to the SWVS problem based on these known algorithms would consist of the following steps: (1) Compute all the edges of  $P$  from each of which  $P$  is weakly visible, by using [20, 21]. (2) For every edge so obtained, compute the shortest weakly visible subedge on that edge, by using [1, 7]. (3) Among all the weakly visible subedges computed in step (2), find the one with the shortest length. Such an algorithm certainly solves the SWVS problem correctly. However, because a simple polygon can have  $O(n)$  edges from each of which the polygon is weakly visible, and because computing the shortest weakly visible subedge on a specified edge in general requires  $O(n)$  time [1, 7], the above algorithm takes  $O(n^2)$  time.

In this paper, we present new geometric observations that are useful for solving the SWVS problem. Based on these geometric observations, we obtain efficient sequential and parallel algorithms for solving the SWVS problem. Our sequential algorithm runs in  $O(n)$  time, and our parallel algorithm runs in  $O(\log n)$  time using  $O(n/\log n)$  CREW PRAM processors. These algorithms are obviously optimal. We also give geometric observations that lead to extremely simple and optimal algorithms for solving, both sequentially and in parallel, the case of the SWVS problem where the polygons are rectilinear (i.e., the edges of the polygons are either vertical or horizontal).

The parallel computational model we use is the CREW PRAM; this is the synchronous shared-memory model where multiple processors can simultaneously read from the same memory location but at most one processor is allowed to write to a memory location at each time unit. We also use the EREW PRAM model, in which no simultaneous accesses to the same memory location are allowed.

The rest of this paper consists of 5 sections. Section 2 gives some notation and preliminary results needed in the paper. Section 3 presents the crucial geometric observations used by our algo-

Figure 1: The weakly visible edges of  $P$  are  $e_1$ ,  $e_2$ , and  $e_4$ .

gorithms. Section 4 describes the sequential and parallel algorithms for solving the SWVS problem. Section 5 gives the simple algorithms for the case of the SWVS problem on rectilinear polygons. Section 6 concludes the paper.

## 2 Preliminaries

The input to the SWVS problem consists of an  $n$ -vertex simple polygon  $P$ , and the output is  $s$ , the shortest weakly visible subedge of  $P$  (if  $s$  exists). Polygon  $P$  is specified by a sequence  $(v_1, v_2, \dots, v_n)$  of its vertices, in the order in which they are visited by a *counterclockwise* walk along the boundary of  $P$ , starting from vertex  $v_1$ . Without loss of generality (WLOG), we assume that no three vertices of  $P$  are collinear.

The edge of  $P$  joining  $v_i$  and  $v_{i+1}$  is denoted by  $e_i = \overline{v_i v_{i+1}}$  ( $= \overline{v_{i+1} v_i}$ ), with the convention that  $v_{n+1} = v_1$ . The boundary of  $P$  is denoted by  $bd(P)$ , and the polygonal chain from  $v_i$  counterclockwise to  $v_j$  along  $bd(P)$  is denoted by  $C(i, j)$ . The size of a chain  $C$  is the number of line segments on  $C$ , denoted by  $|C|$ .

An edge  $e$  of  $P$  from which  $P$  is weakly visible is called a *weakly visible edge* of  $P$ . We denote the set of all the weakly visible edges of  $P$  by  $WVE$ . In Figure 1, for example,  $WVE = \{e_1, e_2, e_4\}$ . Note that, for an arbitrary simple polygon of  $n$  vertices, the set of its weakly visible edges can be computed optimally, in  $O(n)$  time sequentially [20, 21], and in  $O(\log n)$  time using  $O(n/\log n)$  CREW PRAM processors in parallel [5]. WLOG, we assume that  $WVE \neq \emptyset$  (because if  $WVE = \emptyset$ , then  $P$  is not weakly visible from any of its edges and hence the shortest weakly visible subedge  $s$  on  $bd(P)$  does not exist). For each edge  $e \in WVE$ , we denote the shortest weakly visible subedge of  $P$  on  $e$  by  $s(e)$ .

Let  $WVE = \{we_1, we_2, \dots, we_m\}$ , where  $m = |WVE|$ . Note that  $m$  can be  $O(n)$ . WLOG, we assume that  $m > c$  for some constant integer  $c \geq 1$  ( $c$  will be decided in Section 3). This is because if  $m \leq c$ , then  $s$  is one of the  $m = O(1)$   $s(e)$ 's, where  $e \in WVE$ . The  $O(1)$   $s(e)$ 's can be

computed optimally, both sequentially and in parallel, by respectively applying the algorithms in [1, 6] to every edge  $e \in WVE$ .

We label the  $we_i$ 's of  $WVE$  in such a way that  $we_1 = e_1$  and that, when walking along  $bd(P)$  counterclockwise by starting at  $v_1$ , we visit the  $we_i$ 's in increasing order of their indices. In the rest of this paper, we use the following convention for the indices of the  $we_i$ 's: For every integer  $i = 1, 2, \dots, m$ ,  $we_{i+m} = we_i$ , and for every integer  $j = 0, 1, \dots, m-1$ ,  $we_{-j} = we_{m-j}$ .

For an edge  $we_i = e_j \in WVE$ , we call  $v_j$  (resp.,  $v_{j+1}$ ) the *first vertex* (resp., *last vertex*) of  $we_i$ , and denote it by  $fv(we_i)$  (resp.,  $lv(we_i)$ ). For two consecutive edges  $we_i$  and  $we_{i+1}$  of  $WVE$ , where  $we_i = e_j$  and  $we_{i+1} = e_k$ , we denote by  $C_i$  the chain on  $bd(P)$  from  $lv(we_i)$  counterclockwise to  $fv(we_{i+1})$  excluding  $lv(we_i)$  and  $fv(we_{i+1})$ . Note that  $C_i = (e_{j+1}, e_{j+2}, \dots, e_{k-1}) - \{v_{j+1}, v_k\}$ , and that  $C_i$  contains no edge in  $WVE$ .  $C_i$  can be  $\emptyset$  for some  $i$  (when  $lv(we_i) = fv(we_{i+1})$ ). Obviously, the  $we_i$ 's and  $C_i$ 's together form a partition of  $bd(P)$ .

A point  $p$  in the plane is represented by its  $x$ -coordinate and  $y$ -coordinate, denoted by  $x(p)$  and  $y(p)$ , respectively. For three non-collinear points  $p, q$ , and  $r$ , we say that the directed chain from  $p$  to  $q$  to  $r$  makes a *left* (resp., *right*) turn iff  $x(r)(y(p) - y(q)) + y(r)(x(q) - x(p)) + x(p)y(q) - x(q)y(p) > 0$  (resp.,  $< 0$ ). For a directed simple chain  $C = (p_1, p_2, \dots, p_k)$ ,  $k \geq 3$ ,  $C$  is said to make only left (resp., right) turns iff every subchain of the form  $(p_{i-1}, p_i, p_{i+1})$  makes a left (resp., right) turn,  $1 < i < k$ .

A vertex  $v_i$  is *convex* if the interior angle of  $P$  at  $v_i$  is  $< \pi$ . An edge  $e_i$  is *convex* if both  $v_i$  and  $v_{i+1}$  are convex. For any edge  $we_i \in WVE$ , if  $we_i$  is convex, then for any subchain  $C(j, k)$  of  $C(lv(we_i), fv(we_i))$ , the (directed) shortest path from  $v_j$  to  $v_k$  inside  $P$  goes through only the vertices on  $C(j, k)$ , and the shortest path makes only right turns (this fact is shown in [1, 10]). Hence, we call such a shortest path the *internal convex path* between  $v_j$  and  $v_k$  along  $C(j, k)$ .

### 3 Useful Geometric Observations

In this section, we present useful geometric observations for solving the SWVS problem. The observations that we give here are new. It is these geometric observations that enable us to achieve the optimal algorithms to be given in the next section.

The idea of our algorithms is to compute the shortest weakly visible subedge  $s(we_i)$  on every edge  $we_i \in WVE$ . Because  $|WVE|$  can be  $O(n)$  and because computing each  $s(we_i)$  in general requires  $O(n)$  operations, the algorithms based on this idea appear to take  $O(n^2)$  operations. The following lemmas are crucial to the optimality of our algorithms.

**Lemma 1** *Suppose that  $|WVE| \geq 7$ . Then for every edge  $we_i \in WVE$ , the following are true:*

(1) *The vertex  $fv(we_i)$  is visible from every point on the chain along  $bd(P)$  from vertex  $u'$  clockwise*

Figure 2: The view between  $fv(we_i)$  and  $p$  cannot be blocked: **Case (i)**.

Figure 3: The view between  $fv(we_i)$  and  $p$  cannot be blocked: **Case (ii)**.

to vertex  $v'$ , where  $u' = fv(we_{i-2})$  if  $C_{i-2} \neq \emptyset$  and  $u' = fv(we_{i-3})$  otherwise, and  $v' = lv(we_{i+1})$  if  $C_i \neq \emptyset$  and  $v' = lv(we_{i+2})$  otherwise.

- (2) The vertex  $lv(we_i)$  is visible from every point on the chain along  $bd(P)$  from vertex  $u''$  counterclockwise to vertex  $v''$ , where  $u'' = lv(we_{i+2})$  if  $C_{i+1} \neq \emptyset$  and  $u'' = lv(we_{i+3})$  otherwise, and  $v'' = fv(we_{i-1})$  if  $C_{i-1} \neq \emptyset$  and  $v'' = fv(we_{i-2})$  otherwise.

**Proof.** Note that, because  $|WVE| \geq 7$ , the chains defined in (1) and (2) both do not contain  $we_i$ . We only prove (1) (the proof for (2) is symmetric).

We first prove the case where  $C_{i-2}$  and  $C_i$  are both nonempty. Let  $p$  be an arbitrary point on the chain along  $bd(P)$  from  $fv(we_{i-2})$  clockwise to  $lv(we_{i+1})$ . To prove that  $p$  is visible from  $fv(we_i)$ , we need to show that the following are true: (i) The chain along  $bd(P)$  from  $fv(we_i)$  clockwise to  $p$  does not block the view between  $fv(we_i)$  and  $p$ , and (ii) the chain along  $bd(P)$  from  $fv(we_i)$  counterclockwise to  $p$  does not block the view between  $fv(we_i)$  and  $p$ .

**Case (i)** Let  $q$  be a point on  $C_{i-2}$ . If the view between  $fv(we_i)$  and  $p$  were blocked by the chain along  $bd(P)$  from  $q$  counterclockwise to  $fv(we_i)$ , then  $fv(we_i)$  would have not been weakly



Figure 4: The view between  $fv(we_i)$  and  $lv(we_{i+2})$  cannot be blocked: When  $C_i = \emptyset$ .

visible from  $we_{i-2}$  (see Figure 2 (a)), a contradiction. If the view between  $fv(we_i)$  and  $p$  were blocked by the chain along  $bd(P)$  from  $p$  counterclockwise to  $q$ , then  $p$  would have not been weakly visible from  $we_{i-1}$  (see Figure 2 (b)), again a contradiction.

**Case (ii)** Let  $q$  be a point on  $C_i$ . If the view between  $fv(we_i)$  and  $p$  were blocked by the chain along  $bd(P)$  from  $fv(we_i)$  counterclockwise to  $q$ , then  $fv(we_i)$  would have not been weakly visible from  $we_{i+1}$  (see Figure 3 (a)), a contradiction. If the view between  $fv(we_i)$  and  $p$  were blocked by the chain along  $bd(P)$  from  $q$  counterclockwise to  $p$ , then  $p$  would have not been weakly visible from  $we_i$  (see Figure 3 (b)), again a contradiction.

Suppose that  $C_i = \emptyset$ . We need to show that the chain along  $bd(P)$  from  $fv(we_i)$  counterclockwise to  $lv(we_{i+2})$  does not block the view between  $fv(we_i)$  and  $lv(we_{i+2})$ . If the view were blocked by the chain along  $bd(P)$  from  $fv(we_i)$  counterclockwise to  $fv(we_{i+2})$  excluding  $fv(we_{i+2})$ , then  $fv(we_i)$  would have not been weakly visible from  $we_{i+2}$  (see Figure 4 (a)), a contradiction. If the view were blocked by  $we_{i+2}$  itself, then  $lv(we_{i+2})$  would have not been weakly visible from  $we_i$  (see Figure 4 (b)), again a contradiction. The proof for other points on the chain along  $bd(P)$  from  $fv(we_{i-2})$  clockwise to  $lv(we_{i+2})$  is similar to the proof of Cases (i) and (ii) above (with edge  $we_{i+1}$  playing the role of  $C_i$ ).

The case where  $C_{i-2} = \emptyset$  is also proved similarly to Cases (i) and (ii). This is because the chain along  $bd(P)$  from  $lv(we_{i-3})$  counterclockwise to  $fv(we_{i-1})$  is nonempty, and hence it can play the role of  $C_{i-2}$  in the above proof. For an example of  $fv(we_{i-2})$  not visible from  $fv(we_i)$  when  $C_{i-2} = \emptyset$ , see Figure 5. □

**Lemma 2** *Suppose that  $|WVE| \geq 7$ . Then for each edge  $we_i \in WVE$ ,  $we_i$  is completely visible from every point on the chain along  $bd(P)$  from vertex  $u$  clockwise to vertex  $v$ , where  $u = fv(we_{i-2})$  if  $C_{i-2} \neq \emptyset$  and  $u = fv(we_{i-3})$  otherwise, and  $v = lv(we_{i+2})$  if  $C_{i+1} \neq \emptyset$  and  $v = lv(we_{i+3})$  otherwise.*

Figure 5: Illustrating the situation where  $fv(we_{i-2})$  is not visible from  $fv(we_i)$ .

Figure 6: Illustrating the proof of Lemma 2.

**Proof.** Let  $C_{vu}^i$  be the chain along  $bd(P)$  from  $u$  clockwise to  $v$ . Because  $|WVE| \geq 7$ ,  $C_{vu}^i$  does not contain  $we_i$ . By Lemma 1, every point  $p$  on  $C_{vu}^i$  is visible from both endpoints  $fv(we_i)$  and  $lv(we_i)$  of  $we_i$ . Hence it is easy to see that  $p$  is visible from every point on  $we_i$  (see Figure 6).  $\square$

For every  $we_i \in WVE$ , let  $C_{vu}^i$  denote the chain along  $bd(P)$  from vertex  $u$  clockwise to vertex  $v$  as defined in Lemma 2. The computational consequence of Lemma 2 is that, when computing  $s(we_i)$  on every edge  $we_i \in WVE$ , we can simply ignore the effect of all the points on  $C_{vu}^i$ . This is because, by Lemma 2, edge  $we_i$  is completely visible from every point on  $C_{vu}^i$ . The points in  $P$  that we need to consider when computing  $s(we_i)$ , therefore, are all on the following two disjoint subchains of  $bd(P)$ :

- (a) The chain from  $u$  counterclockwise to  $fv(we_i)$ , denoted by  $LC_i$ , and
- (b) the chain from  $v$  clockwise to  $lv(we_i)$ , denoted by  $RC_i$ .

In summary, for every  $we_i \in WVE$ , the computation of  $s(we_i)$  is based only on chains  $LC_i$  and  $RC_i$ .

Figure 7: Illustrating the proof of Lemma 3.

Note that chain  $LC_i$  contains at most two nonempty chains  $C_j$ , where  $j \in \{i-1, i-2, i-3\}$ , and that  $RC_i$  contains at most two nonempty chains  $C_k$ , where  $k \in \{i, i+1, i+2\}$ . We only discuss the computation of  $s(we_i)$  with respect to the points on  $RC_i$  (the computation of  $s(we_i)$  with respect to  $LC_i$  is similar).

WLOG, we assume for the rest of this section that  $|WVE| \geq 7$ . Note that, based on the lemmas in this section, the integer parameter  $c$  of our algorithms ( $c$  was introduced in Section 2) is chosen to be 7.

The next lemma greatly reduces our effort in computing  $s(we_i)$  with respect to the points on chain  $RC_i$ : It enables us to “localize” the computation to  $RC_i$ .

**Lemma 3** *For every point  $p$  on  $RC_i$  and every point  $q$  on  $we_i$ , the chain along  $bd(P)$  from  $p$  counterclockwise to  $q$  does not block the view between  $p$  and  $q$ .*

**Proof.** Suppose that the chain  $C_{pq}$  along  $bd(P)$  from  $p$  counterclockwise to  $q$  did block the view between  $p$  and  $q$ . Let  $ICP(C_{pq})$  be the internal convex path between  $p$  and  $q$  that passes *only* the vertices of  $C_{pq}$ , and let  $\overline{pq'}$  be the line segment on  $ICP(C_{pq})$  that is adjacent to  $p$  (see Figure 7). Since  $|WVE| \geq 7$ , there must be at least one edge  $we_j \in WVE$  such that (1)  $we_j$  is not adjacent to  $q'$ , and (2)  $we_j$  is either on the subchain of  $C_{pq}$  from  $p$  counterclockwise to  $q'$  or on the subchain of  $C_{pq}$  from  $q'$  counterclockwise to  $q$ . If  $we_j$  is on the subchain of  $C_{pq}$  from  $p$  counterclockwise to  $q'$ , then  $q$  would have not been weakly visible from  $we_j$ , a contradiction. If  $we_j$  is on the subchain of  $C_{pq}$  from  $q'$  counterclockwise to  $q$ , then  $p$  would have not been weakly visible from  $we_j$ , again a contradiction.  $\square$

By Lemma 3, for every point  $p$  on  $RC_i$  and every point  $q$  on  $we_i$ , the view between  $p$  and  $q$  can be blocked only by the chain along  $bd(P)$  from  $q$  counterclockwise to  $p$ .

We now consider the computation of  $s(we_i)$  with respect to the points on  $RC_i$ . We further partition  $RC_i$  into two subchains: (a) The chain from the endpoint  $v$  of  $RC_i$  (as defined in Lemma 2) clockwise to  $lv(we_{i+1})$  excluding  $lv(we_{i+1})$ , denoted by  $RC_i^r$ , and (b) the chain from  $lv(we_{i+1})$  clockwise to  $lv(we_i)$ , denoted by  $RC_i^l$ . The following lemmas are useful in computing  $s(we_i)$ .

Figure 8: Illustrating Lemma 5 (with  $we_j = we_{i+1}$ ).

**Lemma 4** *For every point  $p$  on  $RC_i$ , if  $fv(we_i)$  is not visible from  $p$ , then  $lv(we_i)$  must be visible from  $p$ .*

**Proof.** By Lemma 3, the view between  $p$  and  $fv(we_i)$  cannot be blocked by the chain along  $bd(P)$  from  $p$  counterclockwise to  $fv(we_i)$ . So if  $fv(we_i)$  is not visible from  $p$ , the view must be blocked by the chain  $C'$  along  $bd(P)$  from  $p$  clockwise to  $fv(we_i)$ . But if the view between  $p$  and  $lv(we_i)$  were also blocked by  $C'$ , then  $p$  would have not been weakly visible from  $we_i$ , a contradiction.  $\square$

**Corollary 1** *For every point  $p$  on  $RC_i$ , if  $lv(we_i)$  is not visible from  $p$ , then  $fv(we_i)$  is visible from  $p$ .*

**Proof.** An immediate consequence of Lemma 4.  $\square$

**Corollary 2** *Let  $p$  be a point on  $RC_i^!$ . If  $p$  is not visible from  $lv(we_i)$ , then the subchain of  $RC_i^!$  from  $p$  clockwise to  $lv(we_i)$  defines a point  $p'$  on  $we_i$  such that the segment  $\overline{lv(we_i)p'}$  is the maximal segment on  $we_i$  that is not visible from  $p$ .*

**Proof.** An immediate consequence of Lemma 3 and Corollary 1.  $\square$

**Lemma 5** *Let  $p$  be a point on  $RC_i^!$ , and let  $we_j$  be the edge of  $WVE$  such that  $we_j$  does not contain  $p$  and that  $we_j$  is the first edge encountered among the edges of  $WVE$  when walking along  $RC_i^!$  from  $p$  clockwise to  $lv(we_{i+1})$ . Then if  $p$  is not visible from  $lv(we_i)$ , then a vertex of  $we_j$  must define a point  $p'$  on  $we_i$  such that the segment  $\overline{lv(we_i)p'}$  is the maximal segment on  $we_i$  that is not visible from  $p$  (see Figure 8).*

**Proof.** Let  $p'$  be the point on  $we_i$  such that segment  $\overline{lv(we_i)p'}$  is the maximal segment on  $we_i$  that is not visible from  $p$ . Note that  $p'$  can be  $lv(we_i)$  because  $lv(we_i)$  is not visible from  $p$ . By Lemma 3, the view between  $p$  and every point  $q$  on  $\overline{lv(we_i)p'}$  can be blocked only by the chain along  $RC_i$  from  $p$  clockwise to  $q$ . If  $p'$  were defined by a point on the chain along  $RC_i$  from  $p$  clockwise to

$lv(we_j)$  excluding  $lv(we_j)$ , then  $p$  would have not been weakly visible from  $we_j$ , a contradiction. If  $p'$  were defined by a point on the chain along  $RC_i$  from  $fv(we_j)$  clockwise to  $p'$  excluding  $fv(we_j)$ , then  $lv(we_i)$  would have not been weakly visible from  $we_j$ , again a contradiction. Hence only the vertices of  $we_j$  can define  $p'$  on  $we_i$  for  $p$ .  $\square$

Note that in Corollary 2 and Lemma 5, point  $p \in RC_i$  is visible from every point on the segment  $\overline{fv(we_i)p'} \subset we_i$  (this follows from Corollary 1). For every point  $p$  on  $RC_i^r$ , by Lemma 5, point  $p'$  on  $we_i$  can be easily computed. For every point  $p$  on  $RC_i^l$ , by Corollary 2, point  $p'$  on  $we_i$  can be found out if the line segment that is on the internal convex path from  $lv(we_i)$  to  $p$  along  $RC_i^l$  and that is adjacent to  $p$  is known.

We define a total order on the points of  $we_i$ , as follows: For every two points  $q'$  and  $q''$  on  $we_i$ ,  $q' \leq q''$  iff segment  $\overline{fv(we_i)q'}$  is contained by segment  $\overline{fv(we_i)q''}$ . Let edge  $we_i$  correspond to the interval  $[fv(we_i), lv(we_i)]$ . For every vertex  $v_k$  of  $RC_i$ , let  $[lp_k, rp_k]$  be the interval on  $we_i$  such that segment  $\overline{lp_k rp_k}$  is the maximal segment on  $we_i$  that is visible from  $v_k$ . We denote  $[lp_k, rp_k]$  by  $I_k$ . Note that it is possible that  $lp_k = rp_k$ . For example, if the only point on  $we_i$  from which  $v_k$  is visible is  $lv(we_i)$ , then  $I_k = [lv(we_i), lv(we_i)]$ . The intervals  $I_k$  have the following property:

**Lemma 6** For every pair of consecutive vertices  $v_k$  and  $v_{k+1}$  of  $RC_i$ ,  $I_k \cap I_{k+1} \neq \emptyset$ .

**Proof.** There are three cases. If  $I_{k+1}$  is equal to  $[lv(we_i), lv(we_i)]$ , then  $I_k$  is also equal to  $[lv(we_i), lv(we_i)]$ , by Lemma 3 (otherwise,  $v_k$  would have not been weakly visible from  $we_i$ ). If  $I_k$  is equal to  $[lv(we_i), lv(we_i)]$  but  $I_{k+1}$  is not, then  $I_{k+1}$  must be equal to  $[fv(we_i), lv(we_i)]$  (this also follows from Lemma 3). If both  $I_k$  and  $I_{k+1}$  are not equal to  $[lv(we_i), lv(we_i)]$ , then they must both contain  $fv(we_i)$ .  $\square$

From the intervals  $I_k$  of the vertices  $v_k$  on  $RC_i$ , we define a set of intervals on  $we_i$ , called the *characteristic intervals*, as follows: For every edge  $e_j$  on  $RC_i$ , let

$$CI_j = I_j \cap I_{j+1},$$

and call  $CI_j$  the *characteristic interval* of  $e_j$ . The next lemma illustrates the relation between  $s(we_i)$  and the characteristic intervals for the edges of  $RC_i$ .

**Lemma 7** The shortest weakly visible subedge  $s(we_i)$  on  $we_i$  must contain at least one point on interval  $CI_j$ , for every edge  $e_j$  on  $RC_i$ .

**Proof.** This follows from the fact that edge  $e_j$  is completely visible from every point on interval  $CI_j$  (see Figure 9).  $\square$

The next section gives the sequential and parallel algorithms for computing the shortest weakly visible subedge  $s$  of  $P$ .

Figure 9: Edge  $e_j$  is completely visible from every point on  $CI_j$ .

## 4 Algorithms for the SWVS Problem

We are now ready to present the algorithms for computing the shortest weakly visible subedge  $s$  of  $P$ . The correctness of these algorithms is based on the observations made in Section 3. Conceptually, these algorithms are quite simple.

We need some simple notation (we only give that with respect to the chain  $RC_i$ ). If vertex  $lv(we_i)$  is nonconvex, then let  $r_i$  be the ray originating from  $fv(we_i)$  and passing  $lv(we_i)$ , and let  $r_i$  first hit  $bd(P) - we_i$  at point  $h_i$ . Denote the chain along  $bd(P)$  from  $lv(we_i)$  counterclockwise to  $h_i$  by  $RP_i$  (called the *right pocket* of  $we_i$ ). The following properties of  $RP_i$  are easily seen to be true:

- The chain  $RP_i - \{lv(we_i), h_i\}$  can intersect at most two edges of  $WVE$  (i.e.,  $we_{i+1}$  and  $we_{i+2}$ ), and if this is the case, then  $C_i = \emptyset$ .
- Point  $h_i$  is contained in chain  $RC_i$ , and  $h_i$  is the first point on  $RP_i$  that intersects the ray  $r_i$ , where  $r_i$  is viewed as a half-line (otherwise, some point on  $RP_i$  would have not been weakly visible from  $we_i$ ).
- The only point on  $we_i$  from which every point on  $RP_i - \{lv(we_i), h_i\}$  is visible is  $lv(we_i)$ .

For every vertex  $v_k$  of  $RC_i - lv(we_i)$ , let  $ICP_i^k$  be the internal convex path connecting  $lv(we_i)$  and  $v_k$ , and let  $w_k$  be the line segment on  $ICP_i^k$  such that  $w_k$  is adjacent to  $v_k$ . Let  $r_i^k$  be the ray originating from  $v_k$  and containing  $w_k$ . Note that  $r_i^k$  must intersect  $we_i$ . Let the intersection point of  $r_i^k$  and  $we_i$  be  $ip_i^k$ .

The general procedure for solving the SWVS problem is as follows.

### Algorithm SWVS.

**Input.** A simple polygon  $P$  of  $n$  vertices.

**Output.** The shortest weakly visible subedge  $s$  of  $P$ .

- (1) Compute  $WVE$  for  $P$ . If  $|WVE| < 7$ , then compute  $s(we_i)$  on every edge  $we_i \in WVE$ , find  $s$  from these  $s(we_i)$ 's, and stop.
- (2) For every  $we_i \in WVE$ , perform the following computation on chain  $RC_i$ :
  - (2.1) Vertex  $lv(we_i)$  is convex. For every vertex  $v_k$  on  $RC_i^l$ , compute the segment  $w_k$  on  $ICP_i^k$  (by Corollary 2) and the intersection point  $ip_i^k$  between  $r_i^k$  and  $we_i$ ; let interval  $I_k$  be  $[fv(we_i), ip_i^k]$ . For every vertex  $v_k$  on  $RC_i^r$ , compute  $ip_i^k$  by Lemma 5, and let  $I_k$  be  $[fv(we_i), ip_i^k]$ .
  - (2.2) Vertex  $lv(we_i)$  is nonconvex. For every vertex  $v_k$  on  $RP_i - lv(we_i)$ , let interval  $I_k$  be  $[lv(we_i), lv(we_i)]$ . For every vertex  $v_k$  on  $RC_i^l - RP_i$  (resp.,  $RC_i^r - RP_i$ ), compute  $I_k$  as in Step (2.1), by using Corollary 2 (resp., Lemma 5).
  - (2.3) Compute the characteristic interval  $CI_j$  for every edge  $e_j$  on  $RC_i$ . Let the set of characteristic intervals so obtained be  $I_i^R$ .
- (3) For every  $we_i \in WVE$ , perform computation similar to Step (2) on chain  $LC_i$ . Let the set of characteristic intervals so obtained be  $I_i^L$ .
- (4) For every  $we_i \in WVE$ , compute  $s(we_i)$  as follows: Let

$$\alpha_i = \max\{lp_k \mid [lp_k, rp_k] \in I_i^R \cup I_i^L\},$$

and

$$\beta_i = \min\{rp_k \mid [lp_k, rp_k] \in I_i^R \cup I_i^L\}.$$

If  $\alpha_i \leq \beta_i$ , then let  $s(we_i)$  be *any point* on interval  $[\alpha_i, \beta_i]$ ; otherwise, let  $s(we_i) = [\beta_i, \alpha_i]$ .

- (5) Let  $s = s(we_j)$ , where

$$|s(we_j)| = \min\{|s(we_i)| \mid we_i \in WVE\}.$$

**Lemma 8** Algorithm SWVS can be implemented in  $O(n)$  time sequentially, and in  $O(\log n)$  time using  $O(n/\log n)$  CREW PRAM processors in parallel.

**Proof.** The sequential implementation of Algorithm SWVS is as follows. Step (1) is performed by first using [20, 21] and then using [1, 7], in  $O(n)$  time. Steps (2) and (3) are implemented by using [1, 7]. That these steps take  $O(n)$  time follows from the fact that each chain  $C_j$  involves in the computation for at most six edges  $we_i \in WVE$ . Steps (4) and (5) can be easily implemented in  $O(n)$  time. Therefore, the overall time complexity is  $O(n)$ .

The parallel implementation does the following. Step (1) is done by first using [5] and then using [6], in  $O(\log n)$  time using  $O(n/\log n)$  CREW PRAM processors. Steps (2) and (3) are performed by using [5] and parallel prefix [16, 17]. Steps (4) and (5) are easily handled by using parallel prefix [16, 17]. Therefore, the parallel algorithm runs in  $O(\log n)$  time using  $O(n/\log n)$  CREW PRAM processors.  $\square$

## 5 The Rectilinear Case

In this section, we study the special case of the SWVS problem where the polygons are rectilinear (i.e., each edge of the polygons is either vertical or horizontal). We present very simple and optimal solutions to solve this case, both sequentially and in parallel. As for the general SWVS problem, we also give interesting geometric observations for solving the rectilinear case. These geometric observations enable us to design extremely simple algorithms for this case. The parallel model we use in this section is the EREW PRAM.

In the rest of this section, we let  $P$  be a rectilinear simple polygon of  $n$  vertices. For a subchain  $C(i, i+3) = (e_i, e_{i+1}, e_{i+2})$  of  $bd(P)$ , we call  $C(i, i+3)$  a *concave chain* of  $P$  iff edge  $e_{i+1}$  is nonconvex (i.e., the interior angles of  $P$  at  $v_{i+1}$  and  $v_{i+2}$  are both greater than  $\pi$ ), and call edge  $e_{i+1}$  the *center edge* of  $C(i, i+3)$ . Let the line containing an edge  $e_j$  be  $l(e_j)$ . We say that a concave chain  $C(i, i+3)$  is *upward* (resp., *downward*, *leftward*, *rightward*) if  $e_{i+1}$  is horizontal (resp., horizontal, vertical, vertical) and if no point on  $C(i, i+3)$  is strictly above (resp., below, to the left of, to the right of) line  $l(e_{i+1})$ .

For every vertex  $v_i$  of  $P$ , if  $v_{i+1}$  (resp.,  $v_{i-1}$ ) is nonconvex, then let  $r_i^+$  (resp.,  $r_i^-$ ) be the ray starting at  $v_i$  and containing  $e_i$  (resp.,  $e_{i-1}$ ). If ray  $r_i^+$  (resp.,  $r_i^-$ ) is associated with  $v_i$ , then let  $h(r_i^+)$  (resp.,  $h(r_i^-)$ ) be the point on  $bd(P) - e_i$  (resp.,  $bd(P) - e_{i-1}$ ) that is first hit by  $r_i^+$  (resp.,  $r_i^-$ ).

A subchain  $C$  of  $bd(P)$  is said to be *x-monotone* (resp., *y-monotone*) iff the intersection between  $C$  and every vertical (resp., horizontal) line is a single connected component. A subchain  $C'$  of  $bd(P)$  is said to be a *staircase* iff  $C'$  is both *x-monotone* and *y-monotone*. Polygon  $P$  is said to be *x-monotone* (resp., *y-monotone*) iff  $bd(P)$  can be partitioned into two *x-monotone* (resp., *y-monotone*) chains.

Let  $C(i, i+3)$  be an upward concave chain (the other cases are similar). Then the following properties of  $C(i, i+3)$  can be easily seen to hold (see Figure 10).

- The only possible weakly visible edge of  $P$  on  $C(i, i+3)$  is the center edge  $e_{i+1}$  of  $C(i, i+3)$ .
- If  $e_{i+1} \in WVE$ , then the following are true:
  1. The subchain of  $bd(P)$  from  $h(r_{i+3}^-)$  counterclockwise to  $h(r_i^+)$  is *x-monotone*.



Figure 10: Illustrating some properties of  $C(i, i + 3)$ .

2. Both  $v_i$  and  $v_{i+3}$  are convex.
3. The subchain of  $bd(P)$  from  $v_i$  (resp.,  $v_{i+3}$ ) clockwise (resp., counterclockwise) to  $h(r_{i+2}^-)$  (resp.,  $h(r_{i+1}^+)$ ) is a staircase, and the subchain of  $bd(P)$  from  $h(r_{i+2}^-)$  (resp.,  $h(r_{i+1}^+)$ ) clockwise (resp., counterclockwise) to  $h(r_i^+)$  (resp.,  $h(r_{i+3}^-)$ ) is a staircase, as shown in Figure 10.
4.  $s(e_{i+1}) = e_{i+1}$ .

The following lemmas are useful for our algorithms.

**Lemma 9** *If polygon  $P$  has two concave chains  $C(i, i + 3)$  and  $C(j, j + 3)$ , where  $C(i, i + 3)$  is either upward or downward and  $C(j, j + 3)$  is either leftward or rightward, then  $P$  is not weakly visible from any of its edges.*

**Proof.** For any vertical edge  $e'$  of  $P$ , there must be some points on either  $e_i$  or  $e_{i+2}$  (both are vertical) that are not weakly visible from  $e'$ . For any horizontal edge  $e''$  of  $P$ , there must be some points on either  $e_j$  or  $e_{j+2}$  (both are horizontal) that are not weakly visible from  $e''$ . Hence the lemma follows.  $\square$

**Corollary 3** *If polygon  $P$  is neither  $x$ -monotone nor  $y$ -monotone, then  $P$  is not weakly visible from any of its edges.*

**Proof.** If  $P$  is not  $x$ -monotone, then it must have a leftward or rightward concave chain. If  $P$  is not  $y$ -monotone, then it must have an upward or downward concave chain. That  $P$  is not weakly visible follows immediately from Lemma 9.  $\square$

**Lemma 10** *Suppose that polygon  $P$  has only upward and downward (resp., leftward and rightward) concave chains. Let  $C(i, i + 3)$  be such a concave chain. Then WVE consists of at most two edges of  $P$ : (i) the center edge  $e_{i+1}$  of  $C(i, i + 3)$ , and (ii) the edge  $e_j$  such that  $e_j$  contains both the points  $h(r_i^+)$  and  $h(r_{i+3}^-)$  (if such an edge  $e_j$  exists).*

**Proof.** Observe that the segments  $\overline{v_{i+1}h(r_i^+)}$  and  $\overline{v_{i+2}h(r_{i+3}^-)}$  together partition  $P$  into three subpolygons. Because of edges  $e_i$  and  $e_{i+2}$ , only those edges of  $P$  that intersect all these three subpolygons can possibly be weakly visible edges of  $P$ . The only edges of  $P$  that intersect the three subpolygons are  $e_{i+1}$  and  $e_j$  (if such an  $e_j$  exists).  $\square$

**Lemma 11** *Suppose that polygon  $P$  is  $x$ -monotone and has two distinct upward (resp., downward) concave chains  $C(i, i+3)$  and  $C(j, j+3)$ . Then  $P$  can possibly be weakly visible from at most one edge  $e_k$ , such that  $e_k$  contains all the points  $h(r_i^+)$ ,  $h(r_{i+3}^-)$ ,  $h(r_j^+)$ , and  $h(r_{j+3}^-)$ , if such an edge  $e_k$  exists.*

**Proof.** The segments  $\overline{v_{i+1}h(r_i^+)}$ ,  $\overline{v_{i+2}h(r_{i+3}^-)}$ ,  $\overline{v_{j+1}h(r_j^+)}$ , and  $\overline{v_{j+2}h(r_{j+3}^-)}$  together partition  $P$  into five subpolygons. Any weakly visible edge of  $P$  must intersect all these five subpolygons, and edge  $e_k$  is the only such candidate (if it exists).  $\square$

**Lemma 12** *Let  $C$  be a staircase chain on  $bd(P)$ . Then if  $C$  has more than four edges, then no edge on  $C$  can be in  $WVE$ .*

**Proof.** Such a staircase  $C$  must have at least two nonconvex vertices  $u$  and  $v$ . Let  $e$  be an arbitrary edge of  $C$ . then  $e$  can be adjacent to at most one of  $u$  and  $v$  (say,  $v$ ). For  $e$ , there must be some point  $p$  on the edges of  $P$  adjacent to  $u$  such that  $p$  is not weakly visible from  $e$ . Hence  $e \notin WVE$ .  $\square$

Let  $e_j$  be an edge in  $WVE$  such that  $e_j$  is on a staircase of  $bd(P)$  and that  $e_j$  is not the center edge of any concave chain of  $P$ . There are two possible cases for  $e_j$ : Either both vertices of  $e_j$  are convex or exactly one vertex of  $e_j$  is convex. We consider first the case where exactly one vertex of  $e_j$  is convex. WLOG, let  $v_j$  be convex and  $v_{j+1}$  be nonconvex (the case where  $v_j$  is nonconvex and  $v_{j+1}$  is convex is symmetric). It is easy to see that the following properties of  $e_j$  hold:

- Vertices  $v_{j-1}$  and  $v_{j+2}$  are both be convex. Therefore,  $e_j$  must be adjacent to an ending edge of a maximal staircase of  $bd(P)$ .
- Suppose that line  $l(e_j)$  is horizontal (the other case is similar). Then the subchain of  $bd(P)$  from  $h(r_{j+2}^-)$  counterclockwise to  $v_{j-1}$  is  $x$ -monotone.
- The subchain of  $bd(P)$  from  $v_{j+2}$  counterclockwise to  $h(r_j^+)$  is a staircase, and the subchain of  $bd(P)$  from  $h(r_j^+)$  counterclockwise to  $h(r_{j+2}^-)$  is a staircase.
- Let  $H_j = \{h(r_k^-) \mid v_k \text{ is on the subchain of } bd(P) \text{ from } h(r_{j+2}^-) \text{ counterclockwise to } v_{j-1} \text{ and } v_{k-1} \text{ is nonconvex}\}$ . If  $H_j = \emptyset$ , then  $s(e_j) = v_{j+1}$ . Otherwise, let  $\alpha_j$  be the point in  $H_j$  that is closest to  $v_j$  among all the points in  $H_j$ ; then  $s(e_j) = \overline{\alpha_j v_{j+1}}$ .

The case where both vertices of  $e_j \in WVE$  are convex has the following properties:

- Vertices  $v_{j-1}$  and  $v_{j+2}$  are both convex. Hence  $e_j$  is an ending edge of a maximal staircase on  $bd(P)$ .
- The subchain of  $bd(P)$  from  $v_{j+2}$  counterclockwise to  $v_{j-1}$  (i.e.,  $C(j+2, j-1)$ ) is monotone with respect to line  $l(e_j)$ .
- Let  $RH_j = \{h(\tau_k^-) \mid v_k \text{ is on } C(j+2, j-1) \text{ and } v_{k-1} \text{ is nonconvex}\}$ , and  $LH_j = \{h(\tau_k^+) \mid v_k \text{ is on } C(j+2, j-1) \text{ and } v_{k+1} \text{ is nonconvex}\}$ . Let  $\alpha_j$  (resp.,  $\beta_j$ ) be the point in  $RH_j$  (resp.,  $LH_j$ ) that is closest to  $v_j$  (resp.,  $v_{j+1}$ ) among all the points in  $RH_j$  (resp.,  $LH_j$ ). If both  $\alpha_j$  and  $\beta_j$  do not exist, then  $s(e_j)$  can be any point on  $e_j$ . If exactly  $\beta_j$  (resp.,  $\alpha_j$ ) does not exist, then  $s(e_j)$  can be any point on the segment  $\overline{\alpha_j v_j}$  (resp.,  $\overline{\beta_j v_{j+1}}$ ). If both  $\alpha_j$  and  $\beta_j$  exist, then  $s(e_j) = \overline{\alpha_j \beta_j}$ .

**Lemma 13** *If  $WVE \neq \emptyset$ , then  $|WVE| = O(1)$ .*

**Proof.** There are two cases. If  $P$  is  $x$ -monotone or  $y$ -monotone but not both, then by Lemmas 10 and 11,  $|WVE|$  can be at most 2. If  $P$  is both  $x$ -monotone and  $y$ -monotone, then  $bd(P)$  has at most four maximal subchains such that each subchain is a staircase. There are totally 4 ending edges on these four maximal staircases and there are at most 8 edges that are adjacent to the ending edges of these four staircases. Hence in this case, the lemma follows from the properties of the edges in  $WVE$  that are on a staircase of  $bd(P)$ .  $\square$

Our results on solving the rectilinear case of the SWVS problem are summarized in the following lemma.

**Lemma 14** *Given a rectilinear polygon  $P$ , there are extremely simple and optimal algorithms for computing, both sequentially and in parallel, (i)  $WVE$ , and (ii) the shortest weakly visible subedge  $s$  of  $P$ . The sequential algorithm runs in  $O(n)$  time, and the parallel algorithm runs in  $O(\log n)$  time using  $O(n/\log n)$  EREW PRAM processors.*

**Proof.** The sequential algorithm easily follows from the above observations. It only needs to do the following: (1) Check the monotonicity of  $P$  with respect to the  $x$  and  $y$  axes, (2) identify the  $O(1)$  edges of  $WVE$ , and (3) find  $s(e)$  on each edge  $e \in WVE$ . The parallel algorithm is also very straightforward and makes use of only simple EREW PRAM operations such as parallel prefix [16, 17]. The details of these algorithms are left to the reader as an exercise.  $\square$

## 6 Conclusion

We continue the study of the weak visibility problems on simple polygons that were first considered by Avis and Toussaint [1] and then by many others [5, 6, 7, 10, 20, 21]. We present new geometric

observations on the weak visibility of simple polygons. We show that, by using these geometric observations and the previously known algorithms in [1, 5, 6, 7, 20, 21], the problem of computing the shortest weakly visible subedge of a simple polygon can be solved optimally, both sequentially and in parallel. Our sequential algorithm for this problem runs in  $O(n)$  time, and our parallel algorithm runs in  $O(\log n)$  time using  $O(n/\log n)$  CREW PRAM processors. We also give geometric observations that lead to extremely simple and optimal solutions to the case of this problem where the polygons are rectilinear. We expect the observations that we present to be useful in solving other visibility problems.

## References

- [1] D. Ayis and G. T. Toussaint. "An optimal algorithm for determining the visibility polygon from an edge," *IEEE Trans. Comput.*, C-30 (12) (1981), pp. 910-914.
- [2] B. K. Bhattacharya, D. G. Kirkpatrick, and G. T. Toussaint. "Determining sector visibility of a polygon," *Proc. 5-th Annual ACM Symp. Computational Geometry*, 1989, pp. 247-254.
- [3] B. K. Bhattacharya, A. Mukhopadhyay, and G. T. Toussaint. "A linear time algorithm for computing the shortest line segment from which a polygon is weakly externally visible," *Proc. Workshop on Algorithms and Data Structures (WADS'91)*, 1991, Ottawa, Canada, pp. 412-424.
- [4] B. Chazelle and L. J. Guibas. "Visibility and intersection problems in plane geometry," *Discrete and Computational Geometry*, 4 (1989), pp. 551-581.
- [5] D. Z. Chen. "An optimal parallel algorithm for detecting weak visibility of a simple polygon," *Proc. of the Eighth Annual ACM Symp. on Computational Geometry*, 1992, pp. 63-72.
- [6] D. Z. Chen. "Parallel techniques for paths, visibility, and related problems," Ph.D. thesis, Technical Report No. 92-051, Dept. of Computer Sciences, Purdue University, July 1992.
- [7] Y. T. Ching, M. T. Ko, and H. Y. Tu. "On the cruising guard problems," Technical Report, 1989, Institute of Information Science, Academia Sinica, Taipei, Taiwan.
- [8] J. I. Doh and K. Y. Chwa. "An algorithm for determining visibility of a simple polygon from an internal line segment," *Journal of Algorithms*, 14 (1993), pp. 139-168.
- [9] H. ElGindy. "Hierarchical decomposition of polygon with applications," Ph.D. thesis, McGill University, 1985.
- [10] S. K. Ghosh, A. Maheshwari, S. P. Pal, S. Saluja, and C. E. V. Madhavan. "Characterizing weak visibility polygons and related problems," Technical Report No. IISc-CSA-90-1, 1990, Dept. Computer Science and Automation, Indian Institute of Science.
- [11] M. T. Goodrich, S. B. Shauck, and S. Guha. "Parallel methods for visibility and shortest path problems in simple polygons (Preliminary version)," *Proc. 6-th Annual ACM Symp. Computational Geometry*, 1990, pp. 73-82.
- [12] L. J. Guibas, J. Hershberger, D. Leven, M. Sharir, and R. E. Tarjan. "Linear time algorithms for visibility and shortest paths problems inside triangulated simple polygons," *Algorithmica*, 2 (1987), pp. 209-233.
- [13] P. J. Heffernan and J. S. B. Mitchell. "Structured visibility profiles with applications to problems in simple polygons," *Proc. 6-th Annual ACM Symp. Computational Geometry*, 1990, pp. 53-62.
- [14] J. Hershberger. "Optimal parallel algorithms for triangulated simple polygons," *Proc. 8-th Annual ACM Symp. Computational Geometry*, 1992, pp. 33-42.
- [15] Y. Ke. "Detecting the weak visibility of a simple polygon and related problems," manuscript, Dept. of Computer Science, The Johns Hopkins University, 1988.
- [16] C. P. Kruskal, L. Rudolph, and M. Snir. "The power of parallel prefix," *IEEE Trans. Comput.*, C-34 (1985), pp. 965-968.

- [17] R. E. Ladner and M. J. Fischer. "Parallel prefix computation," *Journal of the ACM*, 27 (4) (1980), pp. 831-838.
- [18] D. T. Lee and A. K. Lin. "Computing the visibility polygon from an edge," *Computer Vision, Graphics, and Image Processing*, 34 (1986), pp. 1-19.
- [19] S. H. Lee and K. Y. Chwa. "Some chain visibility problems in a simple polygon," *Algorithmica*, 5 (1990), pp. 485-507.
- [20] J.-R. Sack and S. Suri. "An optimal algorithm for detecting weak visibility of a polygon," *IEEE Trans. Comput.*, C-39 (10) (1990), pp. 1213-1219.
- [21] S. Y. Shin. "Visibility in the plane and its related problems," Ph.D. thesis, University of Michigan, 1986.
- [22] G. T. Toussaint. "A linear-time algorithm for solving the strong hidden-line problem in a simple polygon," *Pattern Recognition letters*, 4 (1986), pp. 449-451.
- [23] G. T. Toussaint and D. Avis. "On a convex hull algorithm for polygons and its applications to triangulation problems," *Pattern Recognition*, 15 (1) (1982), pp. 23-29.




fig.1




fig.2




fig.3






fig.4




fig.5




fig.6




fig.7




fig.8






fig.10