

Overview of the BlockNormal event trigger generator

**J W C McNabb, M Ashley, L S Finn, E Rotthoff, A Stuver,
T Summerscales, P Sutton¹, M Tibbits, K Thorne and K Zaleski**

Center for Gravitational Wave Physics, The Pennsylvania State University, University Park,
PA 16802, USA

E-mail: mcnabb@gravity.psu.edu

Received 16 April 2004, in final form 12 August 2004

Published 28 September 2004

Online at stacks.iop.org/CQG/21/S1705

doi:10.1088/0264-9381/21/20/013

Abstract

In the search for unmodelled gravitational wave bursts, there are a variety of methods that have been proposed to generate candidate events from time series data. BlockNormal is a method of identifying candidate events by searching for places in the data stream where the characteristic statistics of the data change. These change points divide the data into blocks in which the characteristics of the block are stationary. Blocks in which these characteristics are inconsistent with the long term characteristic statistics are marked as event triggers, which can then be investigated by a more computationally demanding multi-detector analysis.

PACS numbers: 04.80.Nn, 95.55.Ym

1. Finding unmodelled gravitational waves

The ongoing search for the direct detection of gravitational waves using earth-based experiments involves the analysis of observations made at a variety of different detectors. These observations are time series samples of the detector state that are then processed by various means to identify gravitational wave candidates. Broadly speaking, the searches for gravitational waves may be broken up into two categories, those searches that are based upon a model, such as the search for gravitational waves from inspiralling binaries, and those searches that endeavour to find gravitational waves without using a model. The latter category of searches are often referred to as ‘burst’ searches. These searches typically seek to identify portions of data that are, for a short period, anomalously ‘loud’ in comparison with the surrounding data.

Identifying a gravitational wave burst in the absence of a source model is an involved and potentially computationally expensive process. This is especially true when the ratio of

¹ Present address: LIGO Laboratory, California Institute of Technology, Pasadena CA 91125, USA.

signal power to noise power is low. A convenient and natural approach to mitigating the computational expense of identifying such bursts divides the problem of detection into two parts. In the first part, an inexpensive procedure is used to identify candidate sections of data that trigger the second part of the analysis. The second part of the analysis focuses on the subintervals of data identified by the first. It is a more computationally complex and expensive analysis that either discards the candidate or identifies it as a gravitational wave burst. In this way the first part of the analysis carried out by a so-called ‘event-trigger generator’, performs triage on the data that must be analysed by the more complex second stage of the analysis.

In this paper, we describe a procedure for identifying triggers based upon a change-point analysis in the time domain. It is expected that this method will complement other methods currently in use [1–4]. We describe this method in the context of a complete data-processing pipeline in which the details are given in terms that are not dependent upon features of a particular instrument but may be applied to data from any detector. As appropriate, different methods of data conditioning, parameter tuning or coincidence may be used within this pipeline.

2. The BlockNormal pipeline

BlockNormal is an event trigger generator that analyses data in the time domain and searches for moments in time where the statistical character of the time series data changes. In particular, BlockNormal characterizes the time series between change points by the mean (μ) and variance (ν) of the samples.

Change points are thus demarcation points, separating ‘blocks’ of data that are consistent with a distribution having a given mean and variance, which differs from the mean and/or variance that best characterizes the data in an adjacent block. The onset of a signal in the data will, because it is uncorrelated with the detector noise, increase the variance of the time series for as long as the signal is present with significant power. In this way blocks with variance greater than a ‘background’ variance mark candidate gravitational wave bursts.

2.1. Data conditioning

Since candidate gravitational wave bursts are identified with changes in the detector noise character, it is best if the detector noise is itself stationary and white. The raw data are first split into a set of frequency bands whose lower band edge is heterodyned to zero frequency. This base-banding allows for a crude determination of the frequency of any identified triggers and avoids any frequency bands with excessive non-stationary noise features. Remaining lines and other spectral features are removed, either by Kalman filtering or by regression against diagnostic channels, and the final data are whitened with a linear filter.

The BlockNormal analysis continues by identifying long segments of data within each chosen band, called epochs, which are relatively stationary. This process involves comparing adjacent stretches of data of a fixed duration that is long relative to the expected duration of a gravitational wave burst and asking whether adjacent stretches have consistent means and variances. In order to avoid any bias that might come from analysing outliers in the tails of the distribution (where one might expect any true signal to be located), the mean and variance are computed on only those samples that are within the 2.5th and 97.5th percentiles of the sample values. If two consecutive stretches are inconsistent at the 95% confidence level, the beginning of the first stretch is used to define a new stationary segment.

2.2. Finding change points

Once the data have undergone the base-banding and whitening process, the search for change points begins in earnest. The method employed is similar to that described in [5] and relies on a Bayesian analysis of the relative probability of two different hypotheses:

- M_1 , that the time series segment X_N is drawn from a distribution characterized by a single mean and variance; and
- M_2 , that the time series segment X_N consists of two continuous and adjacent subsegments each drawn from a distribution characterized by a different mean and/or variance.

Given the time series segment X_N , consisting of N samples, we write the probability of hypothesis M_1 as $P(M_1|X_N)$ and the probability of hypothesis M_2 as $P(M_2|X_N)$. The odds of M_2 compared to M_1 are thus:

$$\rho_2 = \frac{P(M_2|X_N)}{P(M_1|X_N)}. \tag{1}$$

Applying Bayes theorem and simplifying this becomes

$$\rho_2 = \frac{P(X_N|M_2) P(M_2)}{P(X_N|M_1) P(M_1)} = \frac{P(X_N|M_2)}{P(X_N|M_1)} \gamma_2 \tag{2}$$

where $\gamma_2 = \frac{P(M_2)}{P(M_1)}$ is independent of the data X_N itself, although it does depend on the number of samples N .

If M_2 is true, then M_1 will be a good hypothesis for two subsets of the data, one from sample 1 to $j + 1$, denoted as X_j and another from j to N , X_{N-j} . Then we can write

$$\rho_{2,j} = \gamma_2 \frac{P(X_j|M_1)P(X_{N-j}|M_1)}{P(X_N|M_1)} \tag{3}$$

$$\rho_2 = \sum_{j=2}^{N-2} \rho_{2,j}. \tag{4}$$

To calculate ρ_2 we thus need only to be able to calculate $P(X_N|M_1)$ for arbitrary time series X_N . The probability that a given data set is drawn from a normal distribution with unknown mean and variance is equal to

$$P(X_N|M_1) = \int d\sigma \int d\mu (2\pi\sigma^2)^{-\frac{N}{2}} P(\mu, \sigma) \prod_{k=0}^{N-1} e^{-\frac{(x[k]-\mu)^2}{2\sigma^2}} \tag{5}$$

where $P(\mu, \sigma)$ is the *a priori* probability that the mean takes on a value μ and the variance a value σ^2 . With the usual uninformative priors for μ and σ ($P(\mu) \propto \alpha$ and $P(\sigma) \propto \beta\sigma^{-1}$) the integral for $P(X_N|M_1)$ can be evaluated in closed form:

$$P(X_N|M_1) = \frac{\alpha\beta}{\sqrt{N}} [2\pi N(\overline{x^2} - \bar{x}^2)]^{-\frac{(N-1)}{2}} I_{N-2} \tag{6}$$

$$I_N \equiv (N - 1)!! \begin{cases} 1 & N \text{ odd} \\ \sqrt{\frac{\pi}{2}} & N \text{ even} \end{cases} \tag{7}$$

where $\alpha \equiv P(\mu)$ and $\beta \equiv \sigma P(\sigma)$.

The value of ρ_2 is therefore the odds that there is a change point in X_n to there not being any change points, and the value $\rho_{2,j}$ is related to the odds that there is a change point at




Figure 1. (top) A sample of simulated data consisting of blocks of white noise with a mean of two between two and three seconds and zero elsewhere. (bottom) The associated figure of merit, $\rho_{2,j}$ as a function of the hypothetical change-point time.

sample j to there not being one anywhere in X_N . The calculated value of ρ_2 is compared to a threshold, ρ_T , and if greater than this threshold, a change point is considered to be at the sample with the largest value of $\rho_{2,j}$. The parameters α and β need not be chosen since, given any tuning strategy, the ratio of ρ_2 to ρ_T will be independent of these parameters.

Figure 1 shows some simulated data along with $\rho_{2,j}$ for that data. The two peaks in the value of $\rho_{2,j}$ correspond to where the mean of the simulated noise changes.

This process either leaves X_N free of change points, or it divides the data into two subsets. In the latter case, the BlockNormal pipeline repeats the change-point analysis on these subsets and all subsequent subsets, until either no more change points are found, or the subset is less than four data points long. By this iteration method BlockNormal breaks the data at these change points into a set of blocks, each of which is free of any change point. A final refinement step is taken where successive pairs of blocks are analysed to check that the change point would still be considered significant over the subset of the data that is contained within the two blocks.

2.3. Blocks, events and clusters

BlockNormal identifies blocks—time series segments between successive change points—that are well characterized by a mean, a variance, a frequency band, a start time and a duration. To identify unusual blocks, the means and variances are compared with the mean and variance μ_0 , and σ_0^2 of all the data in their band from the epoch in which they were found. BlockNormal defines ‘events’ to be blocks in which the following condition holds true for a




Figure 2. An illustration of how coincidence between different LIGO detectors and different frequency bands is used to create individual triggers.

value, $C \equiv \max(\sigma^2, (\mu - \mu_0)^2)$, that is used to characterize the block:

$$C > E_T \sigma_0^2. \quad (8)$$

Here, E_T is called the event threshold and is a free parameter in the algorithm, which adjusts the sensitivity in defining what ‘unusual’ means. There are a limited number of reasonable other possible threshold requirements based on the three characteristics of a block, the mean, μ , variance, σ^2 , and duration, D , however, at this time these have not been explored.

Once events have been identified, immediately adjacent events in the same frequency band are clustered together, with a peak time for the cluster defined by the central time of the block with the largest value of C . A cluster ‘energy’ is a sum over the i blocks that comprise it:

$$\text{energy} = \sum_i D_i \delta t \left[(\mu_i^2 - \mu_0^2) + \frac{D_i - 1}{D_i} (\sigma_i^2 - \sigma_0^2) \right] \quad (9)$$

where D_i is the duration in samples. This quantity, when calibrated, can be used for comparison of the energy in events detected in different instruments.

2.4. Defining triggers

A key factor in building confidence in any identification of gravitational waves is the presence of a signal in different detectors. Using this ‘coincidence’ as the basis for further reducing the number of periods of interest, BlockNormal requires that there be coincidence in time between events in the same band but different detectors before a ‘trigger’ is formed. Triggers from different bands are merged if they overlap in time into a single trigger. Figure 2 illustrates how this coincidence and merging step works using the three LIGO interferometers.

3. Conclusion

The BlockNormal event trigger generator is a time domain analysis that identifies blocks in time which are well characterized by a mean and variance. Blocks with means and variances

that are unusually large compared with the mean and variance of the much longer data segment containing them are marked for consideration as being unusual events. Several coincident events in different detectors together form a trigger which can be used to define periods of interest that a more computationally intense analysis can use to reduce the total computing time needed to search for unmodelled gravitational wave events.

Acknowledgments

This work was supported by the Center for Gravitational Wave Physics, the International Virtual Data Grid Laboratory and the National Science Foundation under award PHY 00-99559. The International Virtual Data Grid Laboratory is supported by the National Science Foundation under cooperative agreement PHY-0122557; the Center for Gravitational Wave Physics is supported by the National Science Foundation under cooperative agreement PHY 01-14375.

References

- [1] Anderson W, Brady P, Creighton J and Flanagan E 2001 *Phys. Rev. D* **63** 0402003
- [2] Klimenko S and Mitselmakher G 2004 *Class. Quantum Grav.* **21** S1819
- [3] Pradier T *et al* 2002 *Phys Rev. D* **63** 1042002
- [4] Sylvestre J 2002 *Phys Rev. D* **66** 102004
- [5] Smith A F M 1975 *Biometrika* **62** 407–6