

ED 353 503

CG 024 721

AUTHOR Conway, Terry L.; And Others  
 TITLE Personality, Health Locus of Control, and Health Behavior.  
 PUB DATE Aug 92  
 NOTE 9p.; Poster presented at the Annual Convention of the American Psychological Association (100th, Washington, DC, August 14-18, 1992).  
 PUB TYPE Reports - Research/Technical (143) -- Speeches/Conference Papers (150)  
 EDRS PRICE MF01/PC01 Plus Postage.  
 DESCRIPTORS \*Health Activities; \*Locus of Control; \*Military Personnel; \*Personality Traits; \*Physical Health

ABSTRACT

Identifying correlates of health behavior is an important step both for understanding and modifying health behavior. This study examined five personality factors (Neuroticism, Extraversion, Openness to Experience, Agreeableness, Conscientiousness) and three dimensions of health locus of control (Internal, Powerful Others, Chance) as correlates of four dimensions of health behavior (Wellness Behaviors, Accident Control, Traffic Risk Taking, Substance Risk). Data from three independent samples (n's=1,303; 2,235; and 1,126) of randomly selected Navy personnel were analyzed. Findings indicated that Internal and Chance (but not Powerful Others) control beliefs were correlated with the personality factors. However, both personality and health locus of control beliefs were independently associated with the health behavior scales, with personality the stronger overall predictor. Findings indicated that Conscientiousness and Agreeableness were two of the most important elements of personality in predicting health behavior. These findings challenge health professionals to develop programs which use personality and control beliefs constructively so they are sources of assistance rather than resistance to change.  
 (Author/NB)

\*\*\*\*\*  
 \* Reproductions supplied by EDRS are the best that can be made \*  
 \* from the original document. \*  
 \*\*\*\*\*

ED353503

CG024721

# Personality, Health Locus of Control, and Health Behavior

Terry L. Conway<sup>1</sup>

Ross R. Vickers, Jr.<sup>1</sup>

Kenneth A. Wallston<sup>2</sup>

Paul T. Costa, Jr.<sup>3</sup>

U.S. DEPARTMENT OF EDUCATION  
Office of Educational Research and Improvement  
EDUCATIONAL RESOURCES INFORMATION  
CENTER (ERIC)

✓ This document has been reproduced as  
received from the person or organization  
originating it.

Minor changes have been made to improve  
reproduction quality.

• Points of view or opinions stated in this docu-  
ment do not necessarily represent those of  
ERIC or its position or policy.

PERMISSION TO REPRODUCE THIS  
MATERIAL HAS BEEN GRANTED BY

*Terry L. Conway*

TO THE EDUCATIONAL RESOURCES  
INFORMATION CENTER (ERIC)

Poster presentation at the 1992 Annual Convention of the American Psychological Association, Washington, DC, August 14-18, 1992.

<sup>1</sup> Naval Health Research Center, P.O. Box 85122, San Diego, CA 92186-5122.

<sup>2</sup> School of Nursing, Vanderbilt University, Nashville, TN.

<sup>3</sup> Gerontology Research Center, National Institute on Aging, Baltimore, MD.

## Personality, Health Locus of Control, and Health Behavior

### Abstract

Identifying correlates of health behavior is an important step both for understanding and modifying health behavior. This study examined five personality factors and three dimensions of health locus of control as correlates of four dimensions of health behavior. Data from three independent samples ( $n$ 's=1,303, 2,235, and 1,126) of randomly selected Navy personnel were analyzed. Findings indicated that Internal and Chance (but not Powerful Others) control beliefs were correlated with the personality factors. However, both personality and HLOC beliefs were independently associated with the health behavior scales, with personality the stronger overall predictor. These findings challenge health professionals to develop programs which use personality and control beliefs constructively so they are sources of assistance rather than resistance to change.

### Personality, Health Locus of Control, and Health Behavior

Previous research has demonstrated repeatedly that health behaviors tend to co-occur. Empirical results consistently indicate that a wide variety of health behaviors can be grouped into between two and five dimensions or clusters. An important implication of this finding is that health behaviors which cluster into the same general category may have common causes and consequences (Vickers, Conway, & Hervig, 1990). Identifying factors that have a common influence on a variety of health behaviors is an important step both for understanding causal influences on health behaviors and for developing interventions to modify these behaviors.

This study investigated the associations between several clusters of health behaviors and two sets of psychological variables that theoretically should influence health behavior: personality and health locus of control (HLOC). Recent research (Booth-Kewley & Vickers, 1991) has indicated that the "Big 5" personality factors--Neuroticism, Extraversion, Openness to Experience, Agreeableness, and Conscientiousness (cf., Costa & McCrae, 1985; McCrae & Costa, 1987)--are related to health behaviors. A wide variety of previous research has indicated that beliefs regarding HLOC are related to some health behaviors, although the magnitude of association typically has been small (Wallston & Wallston, 1981). To our knowledge, however, no previous research has examined the associations between the "Big 5" personality factors and multidimensional HLOC beliefs, nor their independent associations with health behaviors.

#### *Method*

##### Sample

Three independent samples of randomly selected Navy personnel completed a "life-style" questionnaire as part of a longitudinal study of health and physical fitness conducted during 1986 through 1989 (see Conway, Trent, & Conway, 1989). Sample sizes were 1,303, 2,235, and 1,126 for samples 1, 2, and 3, respectively. The demographic composition of all three samples was very similar; thus, averages across the three samples are reported here. Participants were predominantly male (87%) with an average age of 29 years; nearly all had a high school diploma (93%) or Graduate Equivalency Diploma (5%), and almost half (47%) had some college education. Almost two-thirds were married (62%); 30% were single, never married. Primary ethnic groups included 76% Caucasians, 13% Blacks, and 4% Hispanics.

### Personality Measures

Measures of the five-factor model of personality (cf., Costa & McCrae, 1985; McCrae & Costa, 1987) were constructed from a 38-item adjective checklist designed originally to measure Type-A Behavior (Blumenthal, J. A., et al. 1985) and from 12 adjectives designed to assess mood. One of the authors (PTC) assigned items to create rational marker scales of the five factors from the pool of 50 available items. Scale scores were constructed by averaging responses to the subgroup of adjectives representing a given factor. Participants used a 7-point response format from "never or almost never true" (scored 1) to "always or almost always true" (scored 7) to indicate how characteristic each adjective was of them. Cronbach alphas for the five scales were .88 for Neuroticism, .88 for Extraversion, .40 for Openness to Experience, .73 for Agreeableness, and .54 for Conscientiousness.

### Health Locus of Control Beliefs

Multidimensional HLOC beliefs were assessed using the instrument (Form B) developed by Wallston, Wallston, and DeVellis (1978) to measure Internal, Powerful Others, and Chance beliefs about control over one's health. These scales were computed by averaging responses to six items comprising each scale. Participants used a 6-point response format from "disagree strongly" (scored 1) to "strongly agree" (scored 6). Cronbach alphas were .70 for Internal, .73 for Powerful Others, and .69 for Chance control.

### Health Behavior Checklist

Participants completed a 40-item health behavior checklist as part of the life-style survey. Previous research using this checklist (Vickers, Conway, & Hervig, 1990) has indicated that these behaviors comprise four dimensions of health behavior: *Wellness Behaviors* (e.g., "I exercise to stay healthy," "I limit my intake of food like coffee, sugar, fats, etc."), *Accident Control* (e.g., "I fix broken things around my home," "I have a first aid kit"), *Traffic Risk Taking* (e.g., "I speed while driving," "I cross busy streets in the middle of the block"), and *Substance Risk Taking* (e.g., "I drink alcohol," "I smoke or use smokeless tobacco"). Respondents indicated how well each specific health behavior described his or her typical behavior using a 5-point response scale from "Not at all like me" (scored 1) to "Very much like me" (scored 5). Scale scores were constructed by averaging responses to the items comprising each of the four dimensions.

Cronbach alphas for the four scales were .80 for Wellness Behaviors, .70 for Accident Control, .76 for Traffic Risk Taking, and .25 for Substance Risk Taking.

**Results**

Highly consistent findings were found across all three samples; thus, results presented here represent averages of findings across the samples. Considering only correlations with a magnitude of  $r = .15$  or greater (i.e., accounting for at least 2% of the variance), significant associations were found between Internal control and all five personality factors and between Chance control and four of the five personality factors: Powerful Others control was not correlated (average  $r < .15$ ) with any of the personality factors (see Table 1).

**Table 1**  
Significant\* Correlations between Personality and Health Locus of Control

	Internal	Powerful Others	Chance
Neuroticism	-.17	---	.31
Extraversion	.22	---	-.17
Openness to Experience	.15	---	---
Agreeableness	.19	---	-.27
Conscientiousness	.21	---	-.17

\* Because sample sizes were so large, a correlation had to be  $r \geq .15$  (i.e., accounting for at least 2% of the variance) to be considered significant.

To assess whether the personality factors and the HLOC beliefs were associated with the health behavior scales, three sets of stepwise multiple regression analyses were computed. The three sets regressed the health behavior scales, respectively, on the personality factors, on the HLOC scales, and on both the personality and HLOC scales. The results of the first two sets of regressions indicate the relative strength of association between the health behavior scales and personality versus HLOC. The final set of regressions indicate whether personality and HLOC are independently associated with health behavior.

Three of the four health behavior scales were related more strongly to personality than to HLOC (see Table 2 for multiple R's averaged across the three samples). The Wellness Behaviors scale was predicted comparably by personality and HLOC. Although HLOC was a weaker predictor of three of the four dimensions of health behavior, the final set of regressions indicated that the HLOC scales accounted for a significant amount of variance in the health

**Table 2**  
Final Multiple R's\* from Regressions Predicting Health Behavior Scales

Predictor Sets	Dependent Measures			
	Wellness Behavior	Accident Control	Traffic Risk	Substance Risk
Health Locus of Control (3 scales)	.33	.24	.19	.16
Personality (5 scales)	.36	.40	.39	.21
Both HLOC and Personality Scales	.43	.43	.42	.24

\* Tabled value is the average of the multiple R's across the three independent samples.

behavior scales which was independent of personality. Powerful Others and Chance control were significant predictors of all four health behavior scales. The personality factors most strongly and consistently correlated with the health behavior scales were Agreeableness, Conscientiousness, and Extraversion (see Table 3).

**Table 3**  
Consistent\* HLOC and Personality Predictors of the Health Behavior Scales

Predictors	Wellness Behavior	Accident Control	Traffic Risk	Substance Risk
	Average Betas			
<b>Health Locus of Control</b>				
Internal	.137	.056	----	----
Powerful Others	.173	.137	-.137	-.087
Chance	-.141	-.098	.091	.101
<b>Personality</b>				
Neuroticism	----	----	---	----
Extraversion	.158	.128	.207	.096
Openness to Experience	----	-.074	.093	----
Agreeableness	.136	.214	-.292	-.149
Conscientiousness	.097	.177	-.218	-.126
<b>Average Multiple R's:</b>	.43	.43	.42	.24

\* Predictors had to be significantly related to the health behavior scales in at least 2 of the 3 independent samples to be considered "consistent" predictors. Value entered in table is the average of the significant betas across the samples.

### *Discussion*

This study examined associations between a five-factor personality model and multidimensional HLOC as well as their association with four dimensions of health behavior. Overall findings indicated that Internal and Chance (but not Powerful Others) beliefs about control over health were correlated with the personality factors. However, both personality and HLOC beliefs were independently associated with the four dimensions of health behaviors, with personality being a somewhat stronger overall predictor than HLOC. The health behavior and personality findings presented here replicate prior work by Booth-Kewley and Vickers (1991), indicating that Conscientiousness and Agreeableness are two of the most important elements of personality in predicting health behavior. This replication and the consistency in the pattern of findings across samples is particularly impressive considering the limitations of the present personality scales constructed post hoc from an adjective checklist. These findings, coupled with those of Booth-Kewley and Vickers, suggest that Conscientiousness, Agreeableness, and Extraversion merit more attention in future research on health behavior.

Although HLOC was a weaker correlate than personality, the finding that HLOC was independently related to health behavior is of particular interest when considering possible interventions to modify health behavior. To the extent that HLOC (theoretically a product of social learning) can be targeted in behavior modification programs to change health behaviors, the present findings suggest that such programs might be effective. However, the effectiveness of modifying health behavior by changing HLOC would likely be limited in that the range of adjustments a person could make may be restricted by personality, which is relatively stable over adulthood (Costa & McCrae, 1985, 1988) and appears to be a stronger influence on health behavior. Findings such as those presented here challenge health professionals to develop programs which use personality constructively so that personality is a source of assistance rather than resistance to change.



## References

- Blumenthal, J. A., Herman, S., O'Toole, L. C., Haney, T. L., Williams, R. B., Jr., and Barefoot, J. C. (1985). Development of a brief self-report measure of the Type A (coronary prone) behavior pattern. Journal of Psychosomatic Research, 29(3), 265-274.
- Booth-Kewley, S. & Vickers, R. R., Jr. (1991). Associations between major domains of personality and health behavior. Submitted for publication. (Based on Naval Health Research Center Report No. 91-34.)
- Conway, T. L., Trent, L. K., and Conway, S. W. (1989). Physical readiness and lifestyle habits among U. S. Navy personnel during 1986, 1987, and 1988. Report No. 89-24, Naval Health Research Center, San Diego, CA.
- Costa, P. T., Jr. & McCrae, R. R. (1985). The NEO Personality Inventory Manual. Odessa, FL: Psychological Assessment Resources.
- Costa, P. T., Jr. & McCrae, R. R. (1985). Concurrent validation after 20 years: Implications of personality stability for its assessment. In J.N. Butcher & C.D. Spielberger (Eds.), Advances in Personality Assessment, Vol. 4., Hillsdale, NJ: Lawrence Erlbaum & Associates.
- Costa, P. T., Jr. & McCrae, R. R. (1988). Personality in adulthood: A six-year longitudinal study of self-reports and spouse ratings on the NEO Personality Inventory. Journal of Personality and Social Psychology, 54, 853-863.
- McCrae, R. R. & Costa, P. T., Jr. (1987). Validation of the five-factor model of personality across instruments and observers. Journal of Personality and Social Psychology, 52, 81-90.
- Vickers, R. R., Jr., Conway, T. L. & Hervig, L. K. (1990). Demonstration of replicable dimensions of health behaviors. Preventive Medicine, 19, 377-401. (Based on NHRC Report No. 88-41.)
- Wallston, K. A., Wallston, B. S., & DeVellis, R. (1978). Development of the Multidimensional Health Locus of Control (MHLOC) Scales. Health Education Monographs, 6, 161-170.
- Wallston, K. A., & Wallston, B. S. (1981). Health locus of control scales. In H. M. Lefcourt, (Ed.), Research with the locus of control construct. Volume 1: Assessment methods. New York: Academic Press.