

Article Navigation

RESEARCH ARTICLE | APRIL 01, 2013

Pervasive aeolian activity along rover Curiosity's traverse in Gale Crater, Mars

Simone Silvestro; D.A. Vaz; R.C. Ewing; A.P. Rossi; L.K. Fenton; T.I. Michaels; J. Flahaut; P.E. Geissler
Geology (2013) 41 (4): 483-486.

<https://doi.org/10.1130/G34162.1> Article history 

 Cite Share  Tools 

Abstract

The NASA Mars Science Laboratory (MSL) rover, Curiosity, has safely landed near a 35-km-long dark dune field in Gale Crater on Mars. This dune field crosses the landing site from the northeast to the southwest and lies along Curiosity's traverse to Aeolis Mons. Here we present the first evidence of recent aeolian activity in the form of ripple and dune migration, and further estimate wind directions within the dune field through analysis of ripple and dune morphologies and the Mars Regional Atmospheric Modeling System (MRAMS). We measured a minimum ripple migration rate of 0.66 m per Earth year, and dune migration rate of 0.4 m per Earth year, in the southwest portion of the field. A strongly bidirectional ripple crestline orientation, nearly orthogonal dune slipfaces, and linear seif or oblique dunes indicate a bidirectional wind regime with winds mainly coming from the ENE and from the northwest; however, MRAMS results indicate primary winds from the ENE. Our constraints on the wind regime provide the unique opportunity to use ground measurements from MSL to test the accuracy of winds predicted from orbital data.

You do not currently have access to this article.

[GSA Member Sign In](#)[Shibboleth Sign In](#)[OpenAthens Sign In](#)[Institutional Sign In](#)[GSW Registered User Sign In](#)[Librarian Administrator Sign In](#)[Buy This Article](#)

Email alerts

[New issue alert](#)[Early publications alert](#)[Article activity alert](#)

Index Terms/Descriptors

[barchans](#)[bedding plane irregularities](#)[dunes eolian features](#)[Gale Crater geomorphology](#)[landforms Mars migration](#)[planets rates ripple marks](#)[sedimentary structures](#)

[View Full GeoRef Record](#)POWERED BY 

Citing articles via

[Web Of Science \(57\)](#)[Google Scholar](#)[CrossRef](#)

Related Articles

[Gravel-mantled megaripples of the Argentinean Puna: A model for their origin and growth with implications for Mars](#)

GSA Bulletin

[The largest wind ripples on Earth: COMMENT](#)

Geology

[The largest wind ripples on earth: REPLY](#)

Geology

[Planet-wide sand motion on Mars](#)

Geology

[View More](#)

Related Book Content

[Techniques for interpretation of windflow characteristics from eolian landforms](#)

[Interpretation of Windflow Characteristics from Eolian Landforms](#)

[Structures in the moist, cold-climate sand dunes of southwestern Wyoming](#)

[Interpretation of Windflow Characteristics from Eolian Landforms](#)

[Predicting the surface wind characteristics of southern Wyoming from remote sensing and eolian geomorphology](#)

[Interpretation of Windflow Characteristics from Eolian Landforms](#)

[Utah's geologic and geomorphic analogs to Mars—An overview for planetary exploration](#)

[Analogs for Planetary Exploration](#)

[View More](#)[Archive](#)[Early Publication](#)[About the Journal](#)[Geology Science Editors](#)[Instructions for Authors](#)[Permissions](#)[About the Society](#)[Events](#)[Join the Society](#)[Publisher Bookstore](#)[Publisher Homepage](#)[Contact the Society](#)[Open Access Policy](#)

Online ISSN 1943-2682 Print ISSN 0091-7613
Copyright © 2018 Geological Society of America

Explore

[Journals](#)[Books](#)[GeoRef](#)[OpenGeoSci](#)

[Skip to Main Content](#)
[Connect](#)

[Facebook](#)

[Twitter](#)[YouTube](#)

Resources

[Information for Librarians](#)[Information for Publishers](#)[Manage Account](#)[Manage Email Alerts](#)[Help](#)[Get Adobe Reader](#)

About

[Contact Us](#)[GeoScienceWorld](#)[Journals](#)[eBook Collections](#)[GeoRef](#)[Subscribe](#)

1750 Tysons Boulevard, Suite 1500

McLean, Va 22102

Telephone: 1-800-341-1851

Copyright © 2018 GeoScienceWorld