Minireview

# Photosynthesis research in India: transition from yield physiology into molecular biology\*

Agepati S. Raghavendra<sup>1,\*\*</sup>, Prafullachandra Vishnu Sane<sup>2</sup> & Prasanna Mohanty<sup>3</sup>

<sup>1</sup>Department of Plant Sciences, School of Life Sciences, University of Hyderabad, Hyderabad 500046, India; <sup>2</sup>National Botanical Research Institute, Rana Pratap Marg, Lucknow 226001, India; <sup>3</sup>Regional Plant Resource Center, Nayapalle, Bhubaneshwar 751015, India, and School of Life Sciences, Jawaharlal Nehru University, New Delhi 110067, India; \*\*Author for correspondence (e-mail: asrsl@uohyd.ernet.in; as\_raghavendra@yahoo.com; fax: +91-40-23010145)

Received 14 September 2002; accepted in revised form 14 February 2003

Key words: R.D. Asana, Sir J.C. Bose, Crop physiology, V.S.R. Das, R.H. Dastur, A. Gnanam, P. Mohanty, A.S. Raghavendra, S. Ranjan, P.V. Sane, B.N. Singh, R. Singh, G.S. Singhal, S.K. Sinha

#### **Abstract**

Photosynthesis research in India can be traced back several thousand years, with the mention of the Sun energizing the plants, which form food for all living creatures on the earth (from the Mahabharata, the great epic, ca. 2600 B.C.) and the report of Sage Parasara (ca. 100 B.C.) on the ability of plants to make their own food, due to their pigments. With the pioneering studies by Sir Jagdish Chandra Bose, work on photosynthesis proceeded steadily during the first half of the 20th century. Some of the classic reports during this period are: malate metabolism in *Hydrilla*, spectrophotometric estimation of chlorophylls, importance of spectral quality for photosynthesis – an indication of two photosystems, photoinactivation of photosynthesis, and importance of flag leaf photosynthesis to grain yield. After the 1960s, there was a burst of research in the areas of physiology and biochemistry of carbon assimilation and photochemistry. A significant transition occurred, before the beginning of new millennium, into the area of molecular biology of chloroplasts, regulation of photosynthesis and stress tolerance. Future research work in India is geared to focus on the following aspects of photosynthesis: elucidation/analysis of genes, molecular biology/evolution of enzymes, development/use of transgenics and modeling.

Abbreviations: CAM – crassulacean acid metabolism; Chl – chlorophyll; LHC – light harvesting complex; ME – malic enzyme; OEC – oxygen-evolving complex; PEPC – phosphoenolpyruvate carboxylase; PS – photosystem; Rubisco – ribulose-1,5-bisphosphate carboxylase oxygenase; TL – thermoluminescence

'If the photosynthetic process takes place in more than one photochemical stage it is probable that for one stage a particular wave-length of light is more efficient than for the other.' – R.H. Dastur and R.J. Mehta (Annals of Botany, Vol. XLIX, No. CXCVI. October, 1935)

# Introduction

References to plants are abundant in ancient Indian Sanskrit scriptures: Vedas, Epics, Charaka Samhita

and Susruta Samhita (D.M. Bose et al. 1971). A reference to the photosynthetic process is found in 'The Mahabharata', an epic more than 4600 years old (Figure 1). The report by Sage Parasara (ca. 100 BC), on plant pigments and their ability to make food, is noteworthy (Majumdar and Banerji 1960). Sage Parasara

 $<sup>^{\</sup>ast}$  Dedicated to the memory of Professor Suresh Kumar Sinha (1934–2002).

#### Shloka From:

#### The Mahabharata Vana Parva, Section 3

# In Devanagari Script

निषिक्तश्चन्द्रतेजोभिः सूयते जगतो रविः। ओषध्यः षड्रसा मेध्यास्तदन्नं प्राणिनां भुवि।। एवं भानुमयं ह्यन्नं भूतानां प्राणधारणम्। नाथोय्यं सर्वभूतानां तस्मात्तं शरणं व्रज।।

#### In Roman Script

Nişiktascandratējōbhih Sūyatē Jagatō Ravih. Ōṣadhyaḥ Ṣaḍrasā Mēdhyāstadannaṃ Prāṇināṃ Bhuvi. Ēvaṃ Bhānumayaṃ Hyannaṃ Bhūtānāṃ Prāṇadhāraṇam. Nāthöyyaṃ Sarvabhūtānāṃ Tasmāttaṃ Śaraṇaṃ Vraja.

#### Transliteration

Nişiktaścandratējōbhiḥ = Infused with/by light of the Moon; Sūyatē = Produced; Jagatō = the World; Raviḥ = the Sun; Ōṣadhyaḥ = The herbs (Plants); Ṣaḍrasā = Six tastes; Mēdhyāstadannaṃ = Vigorous food; Prāṇināṃ = Living beings; Bhuvi = the Earth.
Ēvaṃ = Thus; Bhānumayaṃ = Filled with the Sun; Hyannaṃ = The food; Bhūtānāṃ = Creatures; Prāṇadhāraṇam = Support for Ilfe; Nathōyyaṃ = This Lord (the Sun); Sarvabhūtānāṃ = All Living things; Tasmāttaṃ = Therefore the Sun; Śaraṇaṃ = Protection; Vraja = Seek.

#### Translation

With the Moon, Infused by its light, the Sun energizes the plants with six tastes, which constitute the food for all living beings on the earth.

Thus, the food that supports the lives of creatures is filled with solar energy and the Sun Is the father of all living things. Therefore, seek protection from the Sun God.

Figure 1. A shloka (poem) in Sanskrit from 'The Mahabharata,' one of the ancient Indian epics (dating back to ca. 2600 BC), describing the role of plants in harnessing the solar energy into food, and being the source of energy for other living beings on the earth. The physiology of plants ('Vriksh-Ayurveda') is discussed in Rig-Veda, one of the four Indian Vedas, more than 5000 years back.

is called 'the father of Botany,' because he classified flowering plants into various families, nearly 2000 years before Linnaeus. Parasara also described plant cells (the outer/inner walls and sap coloring matter), which were rediscovered by Robert Hooke, with the help of microscope. Photosynthesis research in India has been reviewed by S. Bose and Rao (1988), Bhagwat (1990) and R. Singh (1990).

The earliest studies during the modern period were by Sir J.C. Bose and others, at Calcutta (now called Kolkata), Banaras (Varanasi) in Uttar Pradesh, and New Delhi. These are described below. Studies on photosynthesis intensified with the return of young Indian scientists trained abroad (see the section on 'Photochemical reactions'). Soon, international level research progressed at Bhabha Atomic Research Center in Bombay (now called Mumbai) in Maharashtra,

Jawaharlal Nehru University (JNU) and Indian Agricultural Research Institute (IARI) (both at New Delhi), Madurai Kamaraj University (Madurai, Tamilnadu), Sri Venkateswara University (Tirupati, Andhra Pradesh) and Haryana Agricultural University (Hisar, Haryana). Their success led to additional centers at National Botanical Research Institute (Lucknow, Uttar Pradesh), University of Delhi (Delhi), Sambalpur University (Sambalpur, Orissa), University of Hyderabad (Hyderabad, Andhra Pradesh), and a few other places. The locations of the current centers are indicated in Figure 2, where research on a variety of aspects of photosynthesis (from primary photochemistry to ecology and global environment), is being carried out.

Although several Indians have contributed significantly to photosynthesis research while working abroad, this article describes only their work done in



Figure 2. Some of the active centers of photosynthesis research in India (in alphabetical order): Bangalore (University of Agricultural Sciences), Bhubaneshwar (Regional Plant Resource Centre, Utkal University, Institute of Life Sciences), Delhi (Indian Agricultural Research Institute, Jawaharlal Nehru University, University of Delhi, International Centre for Genetic Engineering and Biotechnology), Goa (University of Goa), Hisar (Haryana Agricultural University), Hyderabad (University of Hyderabad), Indore (University of Indore), Jodhpur (Jodhpur University), Kolkata/Calcutta/Kalyani (Bose Institute, University of Kalyani), Lucknow (National Botanical Research Institute), Madurai (Madurai Kamaraj University), Mumbai/Bombay (Bhabha Atomic Research Centre), Pondicherry (Pondicherry University), Tirupati (Sri Venkateswara University) and Varanasi (Banaras Hindu University).

India. Among those of Indian origin, and who work abroad, we list P.N. (Dan) Avadhani, Parag Chitnis, Henry Daniell, Govindjee, Arun Goyal, Autar Mattoo, Himadri Pakrasi, Krishna Rao, Sabeeha Merchant, Krishna Niyogi, Bijay K. Singh, A.R. Subramanian, Krishna K. Tiwari and Vittal Yachandra.

In view of the overwhelming literature, references are made to selected publications that originated in work done in India. However, we mention some collaborative research wherever pertinent.

# Classic work during the pre-1960 era

Sir Jagdish Chandra<sup>1</sup> Bose, a pioneer in photosynthesis (as well as plant physiology) research in India (Figure 3A) demonstrated, early in 1924,<sup>2</sup> that the rate of photosynthesis versus light intensity followed a cur-




Figure 3. Some of the pioneers of photosynthesis research in India during the pre-1960 period. A. Sir J.C. Bose (1858–1937); B. Bhola Nath Singh (1898–1984); C. R.H. Dastur (1896–1961); D. R.D. Asana (1908–1999).

vilinear pattern. He recorded action spectra, as well as quantum yields (using an ingenious CS<sub>2</sub> prism), and malate metabolism in summer grown *Hydrilla* (J.C. Bose 1923, 1924). These findings are amazing, as simple instruments were fabricated and used to record novel responses.

Ghosh and Sen-Gupta (1931) analyzed the absorbance of chlorophyll (Chl) in acetone and developed formulae to determine the content of Chl a as well as Chl b, based on their absorption at 650 and 460 nm. It was not until 1941 and 1949 that G. Mackinney and Daniel Arnon developed the formulae for Chl determination (for a minireview, see Porra 2002). Rustom Hormusji Dastur and co-workers (K.M. Samant, R.Y. Mehta, and S. Solomon), of the Botany Department of the Royal Institute of Science, Bombay, studied the effect of monochromatic red and blue-violet, obtained by filtering lights with carmine and copper sulphate solutions; they concluded that photosynthesis was dependent not only on the intensity, but also had cooperative and specific effects of different colors on photosynthesis (see Dastur and Mehta 1935; Figure

3C). This seems to be one of the earliest indications of the two light effect in photosynthesis (see quotation at the beginning of this paper). Although Eugene Rabinowitch (1951, p. 1167) had raised concerns based on the use of optically dense tissues, and it is not clear if the light intensities were in the linear range of the 'light curves', the observations were clear, and, perhaps, much ahead of the time. B.N. Singh and Kumar (1935) observed inactivation of carbon assimilation in leaves at high light, obviously an indication of the phenomenon of photoinhibition (see Adir et al., this issue). (See Figure 3B for a photograph of B.N. Singh.)

Other classic contributions during the pre-1960 period are: a sigmoidal type curve of photosynthetic response to light, suggesting a saturation kinetic rather than the Blackman's break (B.N. Singh and Lal 1935), and the importance of flag leaf photosynthesis to grain yield (Rustom Darasha Asana and Mani 1949, see Figure 3D).

The studies of Shri Ranjan (University of Allahabad), on the importance of mineral nutrition to photosynthesis and modulation of respiration in light, were of great vision (Ranjan 1940; Ranjan et al. 1962). In 1940, he also worked on the temperature coefficient of photosynthesis in *Eugenia jambolana* (cited by Rabinowitch 1956). He was instrumental in encouraging and molding the career of the editor of this special issue, Govindjee (University of Illinois, Urbana, USA), a pioneer of photosynthesis research.

# Research during the post-1960 period

Most of the work in early 1960s was related to the physiology of photosynthesis, mineral nutrition and crop yields (Asana et al. 1969) and later diversified into biochemistry, photochemistry and molecular biology. The consolidation of photosynthesis research was facilitated by the interaction of Indian Scientists with others in India as well as from abroad (Figures 4A–G).

# Carbon metabolism: physiology and biochemistry

The physiology and biochemistry of carbon fixation have been studied by several groups led by (in alphabetical order): Yash P. Abrol (Indian Agricultural Research Institute, New Delhi), Anil S. Bhagwat (Bhabha Atomic Research Centre, Mumbai), V.S.

Rama Das (Sri Venkateswara University, Tirupati and later University of Hyderabad, Hyderabad; both in Andhra Pradesh), Arumugham Gnanam (Madurai Kamaraj University, Madurai, Tamilnadu), late G.V. Joshi (Shivaji University, Kolhapur, Maharashtra), Renu Khanna-Chopra (Indian Agricultural Research Institute, New Delhi), Aditya N. Purohit (Garhwal University, Garhwal, Uttar Pradesh), Agepati S. Raghavendra (Ragha to his friends; see Figures 4E and 4F) (University of Hyderabad, Hyderabad), Prafullachandra Vishnu Sane (Raj to his friends; see Figures 4B and 4C) (Bhabha Atomic Research Centre, Mumbai, Maharashtra), Randhir Singh (Haryana Agricultural University, Hisar, Haryana), late Suresh K. Sinha (Indian Agricultural Research Institute, New Delhi) and M. Udaya Kumar (University of Agricultural Sciences, Bangalore, Karnataka) These studies focused on C<sub>3</sub>-, C<sub>4</sub>-, and Crassulacean Acid Metabolism (CAM) photosyntheses as well as C<sub>3</sub>-C<sub>4</sub> intermediates (see C.C. Black and B. Osmond, this issue, for a history of CAM).

# C<sub>3</sub>-, C<sub>4</sub>- and CAM plants

Despite being a C<sub>3</sub> plant, the leaves of rice incorporate CO<sub>2</sub> into C<sub>4</sub> acids under blue light (V.S.R. Das and Raju 1965) or during leaf development. Photosynthetically active mesophyll cells were isolated from leaves of several C<sub>3</sub> plants (Gnanam and Kulandaivelu 1969; Kulandaivelu and Gnanam 1974). Carbon fixation in autotrophic cultures of C<sub>3</sub> (*Arachis hypogaea*), C<sub>4</sub> (*Gisekia pharnacoides*) and CAM (*Chamaecereus sylvestrii*) species was studied by Seeni and Gnanam (1980, 1982).

Several C<sub>4</sub> plants were discovered among the Indian flora (V.S.R. Das and Raghavendra 1973; Sankhla et al. 1975; Raghavendra and Das 1976). A check-list of C<sub>4</sub> plants, based on these reports (Raghavendra and Das 1978a) is highly cited. The PhD thesis of Agepati Raghavendra (advisor: V.S. Rama Das) presented a comprehensive study of carbon assimilation in a selected range of C<sub>3</sub> and C<sub>4</sub> plants, chosen from Indian flora.

The carbon assimilation during C<sub>4</sub> pathway was elucidated in detail in millet crops, such as *Eleusine coracana*, *Pennisetum typhoides* and *Setaria italica* (Rathnam and Das 1975; Raghavendra and Das 1978b). A shift from C<sub>4</sub> to C<sub>3</sub> type photosynthesis after anthesis was discovered in leaves of sorghum (Khanna and Sinha 1973). The activities of photosynthetic enzymes in both C<sub>3</sub> and C<sub>4</sub> plants were shown





Figure 4. The authors of this review, photographed with the other photosynthesis scientists from India and abroad. (A) Prasanna Mohanty (sitting in the center). Standing (from left to right): George Papageorgiou, Alan Stemler, Eugene Rabinowitch, Pat Breen and Govindjee. Photograph taken in Urbana, Illinois, USA (1968); (B) P.V. Sane (left) with V.G. Tatake (center) and Gunther Hauska (right). Photograph taken in Lucknow, India (1989); (C) P.V. Sane (second from left) is flanked by A. Gnanam (first from left), Shikha Roy (third from left), and Govindjee (extreme right). Photograph taken in Stockholm, Sweden (1989); (D) From left to right: George Papageorgiou, Christa Chritchley, Danny Blubaugh, William Coleman, Jack van Rensen, Tom Wydrzynski, Prasanna Mohanty and Alan Stemler. Photograph taken in Montpellier, France (1993); (E) Agepati Raghavendra (left) with Gerry Edwards (center) and Carlos Andreo (right). Photograph taken in Rosario, Argentina (1999); (F) Agepati Raghavendra (right) with Hans Heldt (left). Photograph taken in Hyderabad, India (2002). (G) A recent photograph of T.S. Desai, courtesy of Samar Desai.

to be influenced by altitude and growth temperatures (Pandey et al. 1980).

C<sub>3</sub>–C<sub>4</sub> intermediates, discovered in the genera of *Mollugo* and *Alternanthera* (Raghavendra et al. 1978; Rajendrudu et al. 1986), provided a model system to study the mechanism of reduced photorespiration (Raghavendra 1980). The C<sub>3</sub>–C<sub>4</sub> intermediates have imperfect Kranz anatomy, low activities of photorespiratory enzymes and predominant localization of enzymes such as glycine decarboxylase in bundle sheath cells (Devi et al. 1995). Further studies on these C<sub>3</sub>–C<sub>4</sub> intermediates are crucial and are promising for the understanding of the mechanism and evolution of not only C<sub>3</sub>–C<sub>4</sub> intermediacy but also C<sub>4</sub> photosynthesis.

Studies on CAM date back to 1924, with the reports of acidification and malate accumulation in leaves of *Hydrilla*, particularly at warm temperatures (J.C. Bose 1924). The phenomenon of CAM was detected in several plants, including some nonsucculents (Rao et al. 1979).

The properties of selected  $C_3$ - or  $C_4$ -enzymes, e.g., ribulose 1,5-bisphosphate carboxylase/oxygenase (Rubisco), phosphoenolpyruvate carboxylase (PEPC) and NADP malic enzyme (ME), were studied and the enzymes purified (Bhagwat and Sane 1975; Bhagwat 1981; Jawali and Bhagwat 1987; Rajagopalan et al. 1994). Fluorescence probes indicated the importance of tryptophan and histidine residues in the active site of spinach Rubisco (N.C. Verma and Bhagwat 1985). Protein phosphorylation mediates the light activation of C<sub>4</sub>-PEPC (Rajagopalan et al. 1994; Parvathi et al. 2000) and regulates small subunit of Rubisco (Kaul et al. 1986). Some of the Calvin-Benson cycle enzymes can exist as multienzyme complexes (Sainis et al. 2003), a phenomenon which warrants further attention. During ageing, marked changes occur in the activities of rubisco and PEPC in even the submerged aquatic angiosperms (Jana and Chaudhuri 1982).

# Carbon metabolism in tissues other than leaves

It may be surprising, but the fruiting structures contribute significantly to the crop yield, as they are capable of photosynthetic CO<sub>2</sub> fixation (Sinha and Sane 1976) and can also reassimilate respiratory CO<sub>2</sub>. The reproductive parts of wheat, chickpea (*Cicer arientinum*) and rapeseed (*Brassica campestris*) contain high activities of C<sub>4</sub>-enzymes, but exhibit intermediate status between C<sub>3</sub>-, and C<sub>4</sub>/CAM photosynthesis (Singal et al. 1987; R. Singh 1993). Key enzymes of carbon metabolism in these pods, such as

PEPC and NADP-ME were purified and characterized by S. Das et al. (1986) and Singal and Singh (1986).

Alternative pathways of CO<sub>2</sub> fixation were reported. The chloroplasts of greening potatoes fixed carbon into formate (through CO<sub>2</sub> reductase) and channeled it into mevalonate (Ramaswamy et al. 1976; Arora et al. 1985). This phenomenon is highly interesting and needs to be studied further.

Interaction of carbon assimilation with other metabolic processes

Mesophyll protoplasts from pea leaves provided a model system to demonstrate the dependence of photosynthetic carbon assimilation on mitochondrial metabolism. Mitochondrial oxidative electron transport helps to dissipate excess reductants from chloroplasts (Raghavendra et al. 1994), optimizes photosynthesis (Padmasree et al. 2002) and protects chloroplasts against photoinhibition (Saradadevi and Raghavendra 1992). This work attracted considerable attention and the phenomenon of mitochondrial influence on photosynthesis is now widely accepted (Gardeström et al. 2002).

Carbon metabolism is essential for fatty acid biosynthesis, particularly in plastids of oilseeds (Gupta and Singh 1996). Glycolate also supports secondary metabolism, by enhanced rubber (polyisoprene) formation in guayule (*Parthenium argentatum*) (A.R. Reddy et al. 1987).

The availability and mode of nitrogen has a profound influence on photosynthesis and photorespiration (Kumar et al. 1993). Besides nitrogen, sulphur also modulates photosynthesis, as in *Brassica* (Ahmad and Abdin 2000). There has been renewed interest in the interaction between photosynthesis and nitrogen metabolism and the relevant literature has been reviewed recently (Kumar et al. 2002).

### Crop productivity and stress responses

Photosynthesis by flag leaf is crucial for grain yield (Asana and Mani 1949). The photosynthetic efficiency varies among cultivars. However, high rates of photosynthesis alone would not increase crop yields. Heterotic hybrids of sorghum or wheat produce high biomass, despite their low photosynthesis (Khanna-Chopra 2000). Conventional breeding for water use efficiency could not improve crop performance, because stomatal closure limits photosynthetic carbon assimilation too (Udayakumar et al. 1998).

Accumulation of proline, induced by heat or salt stress, protects thylakoids against membrane peroxidation by scavenging singlet oxygen species (Alia et al. 1997). Proline also seems to promote the dissociation of the small subunits of rubisco and suppress its activity (Sivakumar et al. 2001) suggesting that proline accumulation during stress may have multiple functions

The effects of water stress, heavy metals and elevated CO<sub>2</sub> on carbon fixation and related enzymes were studied by several groups. These stress factors (e.g., water, heat and light) interact while modulating photosynthesis (Jagtap et al. 1998). Differential degradation of rubisco has been observed, in heatsensitive and heat-tolerant rice varieties, on exposure to thermal stress (A. Bose et al. 1999). Heavy metals, such as Cd<sup>2+</sup> and Ni<sup>2+</sup>, affect the enzymes of Calvin– Benson cycle in chickpea leaves (Sheoran et al. 1990). Exposure to elevated CO<sub>2</sub> reduces photorespiration and increases photosynthesis in Brassica (Uprety and Mahalakshmi 2000). Further research on these aspects is essential to understand the adaptive mechanisms and to evolve a strategy of exploiting plants for alleviating the effects of heavy metals and elevated CO<sub>2</sub>.

#### **Photochemical reactions**

As in the case of carbon assimilation, several research groups in India studied the photochemical reactions of photosynthesis, that involved light emission, excitation energy distribution, state changes, electron transport, photoinhibition and stress responses of photosystems. Sane (1977) suggested the most likely locations of electron transport components along and across the thylakoid membranes resulting in vectorial electron transport, based on his earlier studies and from several other research groups.

One of the strengths of several Indian scientists has been the training received in laboratories abroad. The excellent training received from abroad was then complemented with ingenious adaptation to local environment. Prasanna Mohanty, one of the authors of this review, received his PhD degree from the University of Illinois at Urbana, USA (advisor: Govindjee). His PhD thesis was one of the first studies on the regulation of excitation energy distribution and redistribution in intact algal cells through the use of Chl fluorescence. A major contribution of Mohanty was the first observation of the 'O-I-D-P' Chl fluorescence (Kautsky) curve in cyanobacteria, and the analysis of the non-

Q<sub>A</sub>-related chlorophyll fluorescence changes through the use of various uncouplers, electron carriers, and inhibitors of electron transfer, also in cyanobacteria (P. Mohanty and Govindjee 1973a, b; see P. Mohanty et al., 1971, for the site of hydroxylamine action in red algae).

P.V. Sane obtained his PhD from the University of Alberta, Edmonton, Canada (advisor: Saul Zalik). Sane's work for PhD was a detailed biochemical analysis of carbon assimilation and reactions of Chl biosynthesis in a mutant of Gateway barley, in comparison with those of wild type (Sane and Zalik 1970). Later, working with Roderick Park, Sane analyzed the ultrastructure and biochemistry of the chloroplast membranes, employing a novel method of isolating PS I and PS II without detergents (Sane et al. 1970). On the basis of these studies, they proposed a model for the distribution of two photosystems in the chloroplast lamellar structure, in an article of *Annual Reviews of Plant Physiology* (Park and Sane 1971), which has become a citation classic.

#### Thermoluminescence (TL)

Using a novel homemade setup, P.V. Sane, V.G. Tatake and their co-workers, particularly T.S. Desai (Figure 4G), at Bhabha Atomic Research Centre (Mumbai), discovered 7 distinct TL-glow peaks from oxygenic photosynthetic membranes, originating from PS II (Desai et al 1975, 1983; Sane et al. 1977; Tatake et al. 1980). Thermoluminescence was discovered by the late William Arnold, and some fundamental work was already known (for a historical minireview on TL, see Imre Vass, this issue). Using inhibitors, artificial electron donors/acceptors and excitation of PS II/PS I, the origin of TL-peaks in the back reactions of electron transport was identified: the one at -20 °C (due to  $Z^+Q_A^-$ ),  $0 \,^{\circ}C \, (S_2/S_3Q_A^-)$ ,  $10 \,^{\circ}C \, (S_3Q_B^-)$ ,  $25\,^{\circ}\text{C}$  (S<sub>2</sub>Q<sub>B</sub><sup>-</sup>) and  $50\,^{\circ}\text{C}$  (PS I). The report of light emission from PS I at high temperature (Sane et al. 1980) was interesting and stimulated further work in other laboratories around the world. A major spin off of the activation energy calculations of the TL peaks by Tatake et al. (1980), that led to unusual numbers, was the theory for TL proposed by Don DeVault et al. (1983). Anoxygenic bacterium Rhodopseudomonas also exhibits interesting TL peaks (Govindjee et al. 1977). The research on TL was reviewed by Sane and Rutherford (1986). Sane's interest in TL work continues (see, e.g., Sane et al. 2002).

The thermoluminescence technique has provided a very useful tool in understanding the mechanism of delayed light emission. Further work on thermoluminescence was initiated in India by Pandit Vidyasagar and his colleagues at the University of Pune, Pune (Maharashtra), using a setup similar to that developed by Tatake et al. (1971). Vidyasagar et al. (1993) developed mathematical models, based on the general order kinetics of thermoluminescence peaks, to provide acceptable values of activation energy and frequency factor. They suggested that the events of retrapping of electrons during TL peak formation are important while considering the acceptor side but not so dominant on the donor side (Thomas et al. 1996).

Photosystems: structure, function and responses to stress

Several research groups in India are interested in the function and regulation of photosystems, electron transport, and their responses to abiotic or biotic stresses. The group of P.V. Sane discovered heatinduced state changes (Sane et al. 1984). The development of state I was dependent on phosphorylation, whereas the state II development was associated with the redox levels of electron transport components located between the two pigment systems of photosynthesis (Sane et al. 1982). In a recent report, P. Mohanty et al. (2002) provided the final evidence demonstrating that elevated temperature treatment enhances the phosphorylation of light-harvesting complex IIb (LHC IIb) and physically increases the transfer of LHC IIb from PS II region to PS I region. (For a historical account of the discovery of such changes, see Allen 2002.)

The research groups of Prasanna Mohanty and Gauri Singhal at Jawaharlal Nehru University (JNU, New Delhi) studied several aspects of electron transport, energy transfer and transduction processes of PS II/PS I under a variety of stresses. Among the findings of Mohanty's group are: non-circadian out-of-phase oscillations in electron transport activities of PS II and PS I and the association of these oscillations with phosphorylation (Sayeed and Mohanty 1987), in vivo multiphasic dark relaxation kinetics of Chl a fluorescence, related to Q<sup>-</sup>oxidation (Bukhov et al. 1992), elevated temperature induced alterations in PS II acceptor side (Bukhov et al. 1990), subsequent recovery of this phenomenon (N. Mohanty et al. 1987), and use of crown ethers as PS II inhibitors and the site of their action (Sabat et al. 1991).

The group of Gauri S. Singhal studied extensively the synergistic responses of photosynthesis in wheat leaves to stresses, such as high light and low temperature. On exposure to high light, there was not only an increase in lipid peroxidation but also *de novo* synthesis of protective antioxidant enzymes (R.K. Mishra and Singhal 1992; N.P. Mishra et al. 1993; Sharma and Singhal 1992). They observed also that high temperature or water stress alters the membrane organization and the absorbance/fluorescence properties of chloroplasts (Bharadwaj and Singhal 1981; B.R. Singh and Singhal 1984).

Udaya Biswal (Sambalpur University) studied the oxygen evolving complex (OEC) of PS II and proposed one of the earliest models for the Mn-cluster (Raval and Biswal 1985). Salil Bose (Madurai Kamaraj University, MKU) studied changes in photochemical reactions due to cation induced stacking and energy distribution between PS II and PS I (Ramanujam and Bose 1983). Like inorganic cations, anions were shown, at the University of Indore, India, to induce state changes in spinach thylakoids (Jajoo et al. 1998). Lack of usual cation effects on the electron transport activity in thylakoids of *Hydrilla verticillata* has been reported (S.R. Mishra and Sabat 1998). This could be due to altered stacking characteristics of chloroplasts in *Hydrilla*.

Because of the threats of heavy metal pollution to agriculture, several workers in India studied the mode of action and sensitivity to heavy metals of photosynthesis *in vivo* as well as *in vitro*. In higher plant chloroplasts, Zn<sup>2+</sup> affected reversibly the donor side (OEC) of PS II, while Ni<sup>2+</sup> affected light-harvesting antennae irreversibly (Tripathy and Mohanty 1980; Tripathy et al. 1981). These authors elucidated three types of heavy metal ion specific changes in chloroplast structure and function. Subsequent work elucidated the effects of Hg<sup>2+</sup>, Al<sup>3+</sup> and Na<sup>+</sup> on the electron transport (Tripathy et al. 1983; Wavare and Mohanty 1985; Murthy et al. 1989). Similar inhibition of photosynthetic reactions by heavy metals has been observed in algae and cyanobacteria (D.P. Singh and Singh 1987).

G. Kulandaivelu (MKU) observed that UV-B radiation affected the PS II reaction center of *Phase-olus* leaves (Noorudeeen and Kulandaivelu 1982) and changed the pattern of PS II polypeptides (Nedunchezian and Kulaindaivelu 1991). UV-B changed levels of D1 protein and *psbA* transcripts in wheat leaves (Chaturvedi et al. 1998).

#### Changes during leaf senescence

Another area of studies initiated by Mohanty's lab in JNU is photosynthesis during senescence, using chloroplasts as well as leaves of barley, wheat and *Cucumis*. The OEC was damaged and the activities of key enzymes, such as rubisco were affected during senescence (U.C. Biswal and Mohanty 1976, 1978). Further, senescence induces not only loss of Chl-protein complexes, with differential sensitivity of various forms of Chl a (A. Grover et al. 1986), but also causes the migration (due to phosphorylation) of LHC II to PS I in stromal region (Prakash et al. 2001). The group of Udaya Biswal continued to study leaf senescence and the chloroplast stability *in vitro* (Panigrahi and Biswal 1979; U.C. Biswal and Biswal 1988; B. Biswal 1997a).

Several groups in India have contributed towards our understanding of changes in chloroplast structure function relationships by a variety of stresses, such as light, UV-B, temperature and drought (e.g., B. Biswal 1997b). These studies have now been extended to several crop species.

# Protein synthesis and chlorophyll development

The group of A. Gnanam (MKU) reconstituted an *in vitro* translation system using isolated mesophyll chloroplasts of sorghum (Geetha and Gnanam 1980). The isolated chloroplasts were able to synthesize proteins using ATP generated by photophosphorylation; thus, a very unique protein synthesizing machinery was demonstrated. They studied the synthesis of heat-shock proteins by isolated chloroplasts (Krishnasamy et al. 1988).

Baishnab Tripathy (JNU) studied the Chl biosynthesis and its regulation. The biosynthesis of Chl was regulated by chloroplast envelope (Manohara and Tripathy 2000) and was impaired during temperature stress or senescence (Tewari and Tripathy 1998). The regulation of Chl biosynthesis by intraplastidic distribution is interesting and has recently been further validated by the distribution of biosynthetic intermediates (Mohapatra and Tripathy 2003). A novel protochlorophyllide oxidoreductase C (porC) gene, cloned from Arabidopsis, mediates chlorophyll biosynthesis (Pattanayak and Tripathy 2002).

5-Aminolevulinic acid acts as a photodynamic herbicide by accumulating tetrapyrroles and hypersensitizing the plant tissue to light due to the over-production of singlet oxygen (Tripathy and Chakraborthy 1991). Prolonged exposure to sub-lethal doses of Sandoz 9785 (a herbicide, decreasing membrane fatty acids) affects the energy distribution process but makes wheat seedlings heat-tolerant (Mannan and Bose 1986).

#### Molecular biology of chloroplasts

The molecular biology of the chloroplast, including photosynthetic genes, is studied by three groups: Akhilesh K. Tyagi (University of Delhi), P.V. Sane (National Botanical Research Institute, Lucknow) and the team at *International Centre for Genetic Engineering and Biotechnology* (ICGEB, New Delhi, earlier led by Krishna Tewari, and now by Sudhir Sopory). A historical account on the molecular biology of chloroplasts is provided by L. Bogorad, this issue, and of the chloroplast genome by M. Sugiura (also in this issue).

The research group of Tyagi has characterized the chloroplast genome of indica rice, *Vigna* and *Arabidopsis*; they have cloned and sequenced nuclear genes encoding the precursors of 33, 23 and 16 kDa polypeptides of OEC from *Arabidopsis thaliana* (Kochhar et al. 1996; Jain et al. 1998). They have studied the promoters of spinach *psaF* and *petH* (Tyagi et al. 1999), developmental control (Kapoor et al. 1994) and the role of secondary messengers in the plastidic gene expression (M. Grover et al. 1998). In a recent study, Tyagi's group has achieved salt tolerance in indica rice by introducing the gene of choline oxidase, which produces glycine betaine (A. Mohanty et al. 2002).

The group of P.V. Sane has sequenced about 80% of the chloroplast genome, including several PS II/PS I and house keeping genes, from *Populus deltoides*. They have studied several *psb* operons (B to F, L, J) (Naithani et al. 1997; Dixit et al. 1999), as well as seasonal and diurnal changes in the expression of PS II genes (Trivedi et al. 2000).

Among the findings by the group at ICGEB are: the presence of two cis-elements, in the light regulated promoter of *psaF*, chloroplast replication *in vitro*, stimulation of DNA polymerase activity by a glycoprotein, cloning of genes encoding topoisomerases I/II and their promoters (Mukherjee et al. 1994; M.K. Reddy et al. 2001; for further details, see Sopory and Maheswari 2001).



Figure 5. Participants at the International Satellite Conference on Chloroplasts, held in Indian National Science Academy, New Delhi during August 13–15, 2001. This conference was organized in conjunction with the International Photosynthesis Congress held at Brisbane, Australia during August 18–23, 2001. There were 87 participants from India and 26 from abroad, including scientists from Canada, Finland, Germany, Japan, Sweden, Switzerland, UK and USA. Many Indian scientists referred in this article are indicated with numbers: Sitting (from left to right): [1] B. C. Tripathy, [2] V. S. Rama Das, [3] S. K. Sopory, [4] P. V. Sane, [5] A. Gnanam, [6] A. S. Raghavendra, [7] K. C. Bansal, [8] P. Mohanty. Standing (from left to right and bottom to top): [9] S. K. Mukherjee, [10] B. Biswal, [11] J. K. Sainis, [12] G. Kulandaivelu, [13] V. Jagtap, [14] U.C. Biswal, [15] A. S. Bhagwat, [16] R. Khanna-Chopra, [17] A. N. Misra, [18] N. K. Ramaswamy, [19] A. R. Reddy, [20] M. Z. Abdin, [21] H. S. Misra. The readers may also recognize several photosynthesis experts from countries other than India. Photograph taken in New Delhi, India (2001).

# Tree photosynthesis

Photosynthesis in trees was studied, e.g., in mango (Shivashankara and Mathai 2000), rubber (Devakumar et al. 1999), tea (Joshi and Palni 1998), and *Populus* (Pathre et al. 1998). Sucrose phosphate synthase in the leaves of *Prosopis juliflora* was activated on illumination, due to protein dephosphorylation (Pathre et al. 2000). (The work on chloroplast genome in *Populus* has already been mentioned in the previous section on 'Molecular biology of chloroplasts.')

# Cyanobacterial photosynthesis

Joseph Thomas (while at BARC, Mumbai) provided the first evidence that heterocysts of cyanobacteria lack PS II and maintain the anaerobic milieu essential for their nitrogen fixation (Thomas 1970). He also measured the absorption spectrum of a single cyanobacterial cell. Several groups studied the characteristics of phycobilisomes and photosystems and their responses to a variety of stresses in cyanobacteria. (For a historical account on phycobilisomes, see N. Tandeau de Marsac, this issue.) One of the important findings is the existence of variable long wavelength 77K fluorescence emission originating from PS I, the yield of which was linked to the reduced state of P700, the primary electron donor of PS I (Shubin et al. 1991). Excitation energy transfer from phycobilisomes to photosystems was an important link during the temporal separation of photosynthesis and nitrogen fixation in *Plectonema boryanum* (Misra and Mahajan 2000). (For a historical account on energy transfer in plants and algae, see M. Mimuro 2002.) In a recent and very interesting report, Misra et al. (2003) observed an alternate photosynthetic donor system for PS I supported light dependent nitrogen fixation in *P. boryanum*.

High light causes photooxidative damage due to rise in lipid peroxidation (D.P. Singh et al. 1995). PS II was found to be susceptible to NaCl stress (K. Verma and Mohanty 2000), UV-B (Pandey et al. 1997; Rajagopal et al. 1998) or heavy metals (Murthy et al. 1989; D.P. Singh and Singh 1987). Cobalt ions enhanced the light tolerance and altered the energy distribution in *Synechocystis* (Tiwari and Mohanty 1993). Besides quinones, phycobilisomes serve as the primary targets of UV-B triggered dissociation of PS II in intact cyanobacteria (Rajagopal et al. 1998).

Mutants have been found which are tolerant to high light and other stresses (D.P. Singh and Singh 1997; D.P. Singh and Verma 1995). These mutants would be very useful to further examine the mechanism of tolerance of photosynthesis to different stresses.

# **Concluding remarks**

Besides several original significant and interesting contributions, the Indian researchers have edited and authored several books, conference proceedings and special issues of journals, which serve as excellent additions to the international photosynthesis literature (see Appendix). Despite being from a developing country, Indian Scientists have thrived hard to excel in research. A major part of the research in Indian laboratories is carried out by the PhD students. For example, the doctoral students, from several Indian laboratories, have contributed immensely to the progress of photosynthesis research in India. As an example, we list here the past PhD students<sup>3</sup> of the authors of this paper.

Most of the early research was on the physiology and biochemistry of photosynthesis. During recent years, focus has shifted onto the molecular biology of chloroplasts (Sopory and Maheswari 2001) and this was evident at an International Conference held in New Delhi (Figure 5). Such approach is appropriate to strengthen research in plant biotechnology, including areas such as chloroplast transformation and genomics/proteomics of photosynthesis (Raghuram 2002).

India is an agriculturally important country and photosynthesis research in India has always found support from the people and the government. We envisage that the research on this unique aspect of plant science would make further progress.

### Acknowledgments

We acknowledge with thanks the reprints from several colleagues. We thank and appreciate Govindjee for his advice and help in several ways. Photosynthesis research in India is supported by generous funding from several agencies, particularly Council of Scientific and Industrial Research (CSIR), Department of Atomic Energy (DAE), Department of Biotechnology (DBT), Department of Non-conventional Energy Sources (DNES), Department of Environment (DOEN), Department of Science and Technology (DST), Indian Council of Agricultural Research (ICAR), Indian National Science Academy (INSA), University Grants Commission (UGC), US Department of Agriculture (USDA), and Rockefeller Foundation. Professor M. Siddiqi, Director, Bose Institute, Kolkata, has kindly provided photographs of Sir J.C. Bose. We thank Professor C. Kannan and Dr. K. Subrahmanyam, University of Hyderabad, for help in transliterating the shloka from Sanskrit into English. The preparation of this review is supported by a grant to ASR (No. SP/SO/A22/98) from DST, New Delhi. This manuscript was edited by Govindjee.

#### **Notes**

<sup>1</sup>In the 1924 book, the first and the middle names of J. C. Bose are listed as Jagdis and Chunder instead of Jagdish and Chandra.

<sup>2</sup>At about the same time as J.C. Bose, Dastur (1924) studied the importance of water content in aging leaves. This work was followed by Dastur in 1925, and, then with N.A. Buhariwalla in 1928. Several scientists from the Indian subcontinent, however, studied respiration under the English plant physiologist F. F. Blackman (1866–1947), known since 1905 for the 'law of limiting factors' in photosynthesis. These included T. Ekambaram, R.S. Inamdar, Rafique Ahmad Khan, P. Parija, Shri Ranjan and S.B. Singh (see Blackman 1954, pp. 230–231). This book was actually produced by G.E. Briggs after Blackman's death, and shows the extensive contributions of Parija to Blackman's research.

<sup>3</sup>A partial list of PhD (graduate) students of the authors of this article: Students of A.S. Raghavendra: Thurumella Vani, Rita Ghosh, Madhumanchi T. Devi, A.V. Rajagopalan, Kanakagiri Saradadevi, Jagannath Gayathri, Kota Parvathi and Kollipara Padmasree. Students of P.V. Sane: Jayashree K. Sainis, Anuj K. Singh, Munna Singh, Jaspreet Arora, Vidhu Bijola, Prabodh K. Trivedi, Pankaj Jaiswal, Purnima Seth, Rekha Sharma, M.S.S. Reddy, Aashish Srivastava, Puneet Dhawan, Sangeeta Saxena, Vipin Hallan, Nidhi Agarwal, Alok K. Sinha and Promod A. Shirke. Students of P. Mohanty: Baishnab C. Tripathy, Sabeer A. Sayeed, Ramakrishna A. Wavare, Narendra Mohanty, S.D. Srinivasa Murthy, Bagawatula Vani, Jogadhenu S.S. Prakash, Manoj Joshi, Madhulika Srivastava, Swati Tiwari, Neelima Atal, Sangeeta Dawar and Jerome F. Sah.

#### **Appendix**

Books, conference proceedings and special issues of scientific journals on photosynthesis edited by Indian scientists (in chronological order)

Books

Biswal UC and Britton G (eds) (1989) Trends in Photosynthesis Research. Agrobotanical Publishers, Bikaner, India

Abrol YP, Mohanty P and Govindjee (eds) (1993) Photosynthesis: Photoreactions to Plant Productivity. IBH Publishing Co. Pvt. Ltd, New Delhi, India / Kluwer Academic Publishers, Dordrecht, The Netherlands

Raghavendra AS (ed) (1998) Photosynthesis: a Comprehensive Treatise. Cambridge University Press, Cambridge, UK

Singhal GS, Renger G, Sopory SK, Irrgang K-D and Govindjee (eds) (1999) Concepts in Photobiology: Photosynthesis and Photomorphogenesis. Narosa Publishing House, New Delhi, India / Kluwer Academic Publishers, Dordrecht, The Netherlands

Yunus M, Pathre U and Mohanty P (eds) (2000) Probing Photosynthesis: Mechanisms, Regulation and Adaptation. Taylor & Francis, London

Conference proceedings and special issues of journals

Mohanty P (ed) (1987) Indo-USSR Symposium on Photosynthesis under Environmental Stress. Proc Indian National Sci Acad B53: 369–574

Singhal GS, Barber J, Dilley RA, Govindjee, Haselkorn R and Mohanty P (eds) (1989) Photosynthesis: Molecular Biology

- and Bioenergetics. Proceedings of International Workshop on Application of Molecular Biology and Bioenergetics of Photosynthesis. Narosa Publishing House, New Delhi, India
- Singhal GS and Bhagwat AS (eds) (1993) Proceedings of DAE Symposium on Photosynthesis and Plant Molecular Biology. Department of Atomic Energy, Bombay & Jawarharlal Nehru University, New Delhi
- Chitnis PR and Mohanty P (eds) (2000) Photosynthesis Research in the Post-Genomic Era. Indian J Biochem Biophys 37: 351–520
- Mohanty P and Raghavendra AS (eds) (2003) Special Issue on Chloroplast Function. J Plant Physiol 160: 1–96

#### References

- Ahmad A and Abdin MZ (2000) Photosynthesis and its related physiological variables in the leaves of *Brassica* genotypes as influenced by sulphur fertilization. Physiol Plant 110: 144–149
- Adir N, Zer H, Shochat S and Ohad I (2003) Photoinhibition a historical perspective. Photosynth Res 76: 343–370 (this issue)
- Alia, Saradhi PP and Mohanty P (1997) Involvement of proline in protecting thylakoid membranes against free radical-induced photodamage. J Photochem Photobiol 38: 253–257
- Allen JF (2002) Plastoquinone redox control of chloroplast thylakoid protein phosphorylation and distribution of excitation energy between photosystems: discovery, background, implications. Photosynth Res 73: 139–148
- Arora S, Ramaswamy NK and Nair PM (1985) Partial purification and some properties of a latent CO<sub>2</sub> reductase from green potato tuber chloroplasts. Eur J Biochem 153: 509–514.
- Asana RD and Mani VS (1949) Photosynthesis in the ears of five varieties of wheat. Nature (London)163: 450-451
- Asana RD, Parvatikar SR and Saxena NP (1969) Studies on physiological analysis of yield. IX. Effect of light intensity on the development of the wheat grain. Physiol Plant 22: 915–929
- Bhagwat AS (1981) Activation of spinach ribulose-1,5-bisphosphate carboxylase by 2-phosphoglycolate. Plant Sci Lett 23: 196–206
- Bhagwat AS (1990) Biochemistry of photosynthetic CO<sub>2</sub> assimilation in higher plants. In: Singh R (ed) Plant Biochemistry Research in India, pp 11–23. The Society for Plant Physiology and Biochemistry, New Delhi
- Bhagwat AS and Sane PV (1975) Studies on enzymes of C<sub>4</sub> pathway. Partial purification and kinetic properties of maize phosphoenolpyruvate carboxylase. Indian J Exp Biol 14: 155–158
- Bharadwaj R and Singhal G (1981) Effect of water stress on photochemical activity and membrane organization of chloroplasts during greening of barley seedlings. Plant Cell Physiol 22: 155-162
- Biswal B (1997a) Chloroplast metabolism during leaf greening and degreening. In: Pessarakli M (ed) Handbook of Photosynthesis, pp 71–81. Marcel Dekker, New York
- Biswal B (1997b) Chloroplasts, pigments and molecular responses of photosynthesis under stess. In: Pessarakli M (ed) Handbook of Photosynthesis, pp 877–885. Marcel Dekker, New York
- Biswal UC and Biswal B (1988) Ultrastructural modifications and biochemical changes during senescence of chloroplasts. Int Rev Cytol 113: 270–321
- Biswal UC and Mohanty P (1976) Aging induced changes in photosynthetic electron transport of detached barley leaves. Plant Cell Physiol 17: 323–331
- Biswal UC and Mohanty P (1978) Changes in the ability of photophosphorylations and activity of surface bound adenosine

- triphosphatase and ribulose diphosphate carboxylase of chloroplasts isolated from barley leaves senescing in darkness. Physiol Plant 44: 127–133
- Black CC and Osmond CB (2003) Crassulacean acid metabolism photosynthesis: 'working the night shift.' Photosynth Res 76: 329–341 (this issue)
- Blackman FF (1954) Analytic Studies in Plant Respiration. Cambridge University Press, Cambridge, UK
- Bogorad L (2003) Photosynthesis research: advances through molecular biology – the beginnings, 1975–1980s and on.... Photosynth Res 76: 13–33 (this issue)
- Bose A, Tiwari BS, Chattopadhyay MK, Gupta S and Ghosh B (1999) Thermal stress induces differential degradation of rubisco in heat sensitive and heat tolerant rice. Physiol Plant 105: 89–94
- Bose DM, Sen SN and Subbarayappa BV (1971) (eds) A Concise History of Science in India. Indian National Science Academy, New Delhi
- Bose JC (1923) Photosynthetic activity of *Hydrilla verticillata*. Nature (London) 112: 95–96
- Bose JC (1924) The Physiology of Photosynthesis. Longmans, Green & Co., London
- Bose S and Rao PK (1988) History of photosynthesis research in India. In: Sen SP (ed) Plant Physiological Research in India, pp 43–74. Society for Plant Physiology and Biochemistry, New Delhi
- Bukhov NG, Sabat SC and Mohanty P (1990) Analysis of chlorophyll a fluorescence changes in weak light in heat treated Amaranthus chloroplasts. Photosynth Res 23: 2382–2387
- Bukhov NG, Mohanty P, Rakhimberdeva NG and Karapetyan NY (1992) Analysis of dark relaxation kinetics of variable fluorescence in intact leaves. Planta 182: 122–127
- Chaturvedi R, Shyam R and Sane PV (1998) Steady state levels of D1 protein and psbA transcript during UV-B inactivation of Photosystem II in wheat. Biochem Mol Biol Int 44: 925–932
- Das S, Sawhney SK, Sood DR and Singh R (1986) Properties of NADP-malic enzyme from pod-walls of chickpea. Physiol Plant 68: 308–314
- Das VSR and Raghavendra AS (1973) A screening of the dicotyledonous weed flora for the occurrence of C<sub>4</sub> dicarboxylic acid pathway of photosynthesis. Proc Indian Acad Sci 77B: 93–100
- Das VSR and Raju PV (1965) Photosynthetic <sup>14</sup>CO<sub>2</sub> assimilation by rice leaves under the influence of blue light. Indian J Plant Physiol 8: 1–4
- Dastur RH (1924) Water content, a factor of photosynthesis. Ann Bot 38: 779–788
- Dastur RH and RJ Mehta (1935) The study of the effect of blueviolet rays on photosynthesis. Ann Bot 49: 809–821
- Desai TS, Sane PV and Tatake VG (1975) Thermoluminescence studies on spinach leaves and Euglena. Photochem Photobiol 21: 345–350
- Desai TS, Rane, SS, Tatake VG and Sane PV (1983) Identification of far-red induced relative increase in the decay of delayed light emission from photosynthetic membranes with thermoluminescence peak-V appearing at 321K. Biochim Biophys Acta 724: 485–489
- Devakumar AS, Prakash PG, Sathik MBM, and Jacob J (1999) Drought alters the canopy architecture and micro-climate of *Hevea brasiliensis* trees. Trees 13: 161–167
- DeVault D, Govindjee, and Arnold W (1983) Energetics of photosynthetic glow peaks. Proc Natl Acad Sci USA 80: 983–987
- Devi MT, Rajagopalan AV and AS Raghavendra (1995) Predominant localization of mitochondria enriched with glycine decarboxylating enzymes in bundle sheath cells of *Alternanthera tenella*, a C<sub>3</sub>–C<sub>4</sub> intermediate species. Plant Cell Environ 18: 589–594

- Dixit R, Trivedi PK, Nath P and Sane PV (1999) Organization and post-transcriptional process of the psbB operon from chloroplasts of *Populus deltoides*. Curr Genet 36: 165–172
- Gardeström P, Igamberdiev AU and Raghavendra AS (2002) Mitochondrial functions in the light and significance to carbon-nitrogen interactions. In: Foyer CH and Noctor G (eds) Photosynthetic Nitrogen Assimilation and Associated Carbon and Respiratory Metabolism, pp 151–172. Kluwer Academic Publishers, Dordrecht, The Netherlands
- Geetha V and Gnanam A (1980) An in vitro protein-synthesizing system with isolated chloroplasts of Sorghum vulgare. An alternative assay system for exogenous template RNA. J Biol Chem 255: 492–497
- Ghosh JC and Sen-Gupta SB (1931) Studies in the optical properties of chlorophyll. Part I. Absorption of light by solutions and suspensions of chlorophyll  $\alpha$  and chlorophyll  $\beta$  and their mixtures. J Indian Chem Soc 8: 581–589
- Gnanam A and G Kulandaivelu (1969) Photosynthetic studies with leaf cell suspensions from higher plants. Plant Physiol 44: 1451–1456
- Govindjee, Desai TS, Tatake VG and Sane (1977) A new glow peak in *Rhodopseudomonas sphaeroides*. Photochem Photobiol 25: 119–122
- Grover A, Sabat SC and Mohanty P (1986) Relative sensitivity of various spectral forms of photosynthetic pigments to leaf senescence in wheat (*Triticum aestivum*). Photosynth Res 10: 223–229
- Grover M, Sharma AK, Dhingra A, Maheshwari S C and Tyagi A K (1998) Regulation of plastid gene expression in rice involves calcium and protein phosphatases/kinases for signal transduction. Plant Sci 137: 185–190
- Gupta R and Singh R (1996) Fatty acid synthesis by isolated leucoplasts from developing *Brassica* seeds: role of nucleoside triphosphate and DHAP-shuttle as the source of energy. J Biosci 21: 819–826
- Jagtap V, Bhargava S, Streub P and Feierabend J (1998) Comparative effect of water, heat and light stresses on photosynthetic reactions in *Sorghum bicolor* (L.) Moench. J Exp Bot 49: 1715–1721
- Jain PK, Kochhar A, Khurana JP and Tyagi AK (1998) The psbO gene for 33 kDa precursor polypeptide of the oxygen evolving complex in *Arabidopsis thaliana* – nucleotide sequence and control of its expression. DNA Res 5: 21–228
- Jajoo A, Bharti S and Govindjee (1998) Inorganic anions induce state changes in spinach thylakoid membranes. FEBS Lett 434: 193–196
- Jana S and Chaudhuri MA (1982) Changes in the activities of ribulose 1,5-bisphosphate and phosphoenolpyruvate carboxylases in submerged aquatic angiosperms during ageing. Plant Physiol 70: 1125–1127
- Jawali N and Bhagwat AS (1987) Inhibition of phosphoenolpyruvate carboxylase from maize by 2-phosphoglycollate. Photosynth Res 11: 153–160
- Joshi SC and Palni LMS (1998) Clonal variation in temperature response of photosynthesis in tea. Plant Sci 137:225–232
- Kapoor S, Maheswari SC and Tyagi AK (1994) Developmental and light-dependent cues interact to establish steady-state levels of transcripts for photosynthesis-related genes (*psbA psbD, psaA*, and *rbc*L) in rice (*Oryza sativa* L.). Curr Genet 25: 362–366
- Kaul R, Saluja D and Sachar R (1986) Phosphorylation of small subunit plays a crucial role in the regulation of RuBPcase in moss and spinach. FEBS Lett 209: 63–67
- Khanna R and Sinha SK (1973) Changes in the predominance from C<sub>4</sub> to C<sub>3</sub> pathway in sorghum after anthesis. Biochem Biophys Res Commun 52: 121–124

- Khanna-Chopra R (2000) Photosynthesis in relation to crop productivity. In: Yunus M, Pathre U and Mohanty P (eds) Probing Photosynthesis: Mechanisms, Regulation and Adaptations, pp 263–280. Taylor & Francis, London
- Kochhar A, Khurana JP and Tyagi AK (1996) Nucleotide sequence of the psbP gene encoding precursor of 23 kDa polypeptide oxygen-evolving complex in Arabidopsis thaliana and its expression in the wild-type and a constitutively photomorphogenic mutant. DNA Res 3: 277–285
- Krishnaswamy S, Mannan RM, Krishnan M and Gnanam A (1988) Heat shock response of the chloroplast genome in *Vigna sinensis*. J Biol Chem 263: 5104–5109
- Kulandaivelu G and Gnanam A (1974) Physiological studies with isolated leaf cells. Early products of photosynthesis and their metabolic interconversions. Plant Physiol 54: 569–574
- Kumar PA, Polisetty R and Abrol YP (1993) Interaction between carbon and nitrogen metabolism. In: Abrol YP, Mohanty P and Govindjee (eds) Photosynthesis: Photoreactions to Plant Productivity, pp 151–172. Oxford & IBH Publishing, New Delhi/Kluwer Academic Publishers, Dordrecht, The Netherlands
- Kumar PA, Parry MAJ, Mitchell RAC, Ahmad A and Abrol YP (2002) Photosynthesis and nitrogen use efficiency. In: Foyer CH and Noctor G (eds) Photosynthetic Nitrogen Assimilation and Associated Carbon and Respiratory Metabolism, pp 23–24. Kluwer Academic Publishers. Dordrecht. The Netherlands
- Majumdar GP and Banerji SP (1960) Parasara-Krsi-Parasara. Asiatic Society, Calcutta
- Mannan RM and Bose S (1986) Temperature dependence of photosynthetic activities in wheat seedlings grown in the presence of BASF13.338 (4-chloro 5-dimethylamine-2-phenyl-3(2H) pyridazinone). Plant Physiol 80: 264–268
- Manohara MS and Tripathy BC (2000) Regulation of protoporphyrin IX biosynthesis by intraplastidic compartmentalization and adenosine triphosphate. Planta 212: 52–59
- Mimuro M (2002) Visualization of excitation energy transfer processes in plants and algae. Photosynth Res 73: 133–138
- Mishra NP, Mishra RK and Singhal GS (1993) Changes in the activities of anti-oxidant enzymes during exposure of intact wheat leaves to strong visible light at different temperatures in the presence of protein synthesis inhibitors. Plant Physiol 102: 903–910
- Mishra RK and Singhal GS (1992) Function of photosynthetic apparatus of intact wheat leaves under high light and heat stress and its relationship with peroxidation of lipids. Plant Physiol 98: 1–6
- Mishra SR and Sabat SC (1998) Calcium and magnesium effect on divalent cation deficient *Hydrilla verticillata* thylakoid electron transport activity. J Biosci 23: 201–207
- Misra HS and Mahajan SK (2000) Excitation energy transfer from phycobilisomes to photosystems: a phenomenon associated with the temporal separation of photosynthesis and nitrogen fixation in a cyanobacterium, *Plectonema boryanum*. Biochim Biophys Acta Bioenerg 1459: 139–147
- Misra HS, Khairnar NP and Mahajan SK (2003) An alternate photosynthetic electron donor system for PS I supports light dependent nitrogen fixation in a non-heterocystous cyanobacterium, *Plectonema boryanum*. J Plant Physiol 160: 33–39
- Mohanty A, Kathuria H, Ferjani A, Sakamoto A, Mohanthy P, Murata N and Tyagi AK (2002) Transgenics of an elite *indica* variety Pusa Basmati 1 harbouring *codA* gene and highly tolerant to salt stress. Theor Appl Genet 106: 51–57
- Mohanty N, Murthy SDS and Mohanty P (1987) Reversal of heat induced alterations in photochemical activities of wheat primary leaves. Photosynth Res 14: 259–267
- Mohanty P and Govindjee (1973a) Light-induced changes in the fluorescence yield of chlorophyll a in *Anacystis nidulans*. I. Re-

- lationships of slow fluorescence changes with structural changes. Biochim Biophys Acta 305: 95–104
- Mohanty P and Govindjee (1973b) Light induced changes in the fluorescence yield of chlorophyll a in *Anacystis nidulans*. II. The fast changes and the effect of photosynthetic inhibitors on both the fast and slow fluorescence induction. Plant Cell Physiol 14: 611–629
- Mohanty P, Mar T and Govindjee (1971) Action of hydroxylamine in the red alga *Porphyridium cruentum*. Biochim Biophys Acta 253: 213–221
- Mohanty P, Vani B and Prakash SS (2002) Elevated temperature treatment induced alteration in thylakoid membrane organization and energy distribution between the two photosystems in *Pisum sativum*. Z Naturforsch 57c: 836–842
- Mohapatra A and Tripathy BC (2003) Developmental changes in sub-plastidic distribution of chlorophyll biosynthetic intermediates in cucumber (*Cucumis sativus* L.). J Plant Physiol 160: 9–15
- Mukherjee SK, Reddy MK, Kumar D and Tewari KK (1994) Purification and characterization of a eukaryotic type 1 isomerase from pea chloroplast. J Biol Chem 269: 3793–3801
- Murthy SDS, Sabat SC and Mohanty P (1989) Mercury induced inhibition of PS II activity and changes in emission of fluorescence from phycobilisomes in intact cells of the cyanobacterium, *Spirulina plantensis*. Plant Cell Physiol 30: 1153–1157
- Naithani S, Trivedi PK, Tuli R and Sane PV (1997) The psb E-F-L-J operon from chloroplast genome of *Populus deltoides*: cloning, nucleotide sequence and transcript analysis. J Genet 76: 61–72
- Nedunchezhian N and Kulandaivelu G (1991) Evidence for the ultraviolet-B (280-320nm) radiation induced structural reorganization and damage of Photosystem II polypeptides in isolated chloroplasts. Physiol Plant 81: 558–562
- Noorudeen MA and Kulandaivelu G (1982) On the possible site of inhibition of photosynthetic electron transport by ultraviolet-B (UV-B) radiation. Physiol Plant 55: 161–166
- Padmasree K, Padmavathi L and Raghavendra AS (2002) Importance of mitochondrial oxidative metabolism in the optimization of photosynthesis and protection against photoinhibition. Crit Rev Biochem Mol Biol 37: 71–119
- Pandey OP, Saxena PK, Todaria NP and Purohit AN (1980) Activity of PEP carboxylase and some photorespiratory enzymes in C<sub>3</sub> and C<sub>4</sub> plants grown at two temperatures. Plant Sci Lett 19: 121–127
- Pandey R, Chauhan S and Singhal GS (1997) UVB-induced photodamage to phycobilisomes of *Synechococcus* sp. PCC 7942. J Photochem Photobiol 40: 228–232
- Panigrahi PK and Biswal UC (1979) Chloroplast aging *in vitro*. 2. Changes in absorption spectra and DCPIP Hill reaction. Plant Cell Physiol 20: 781–787
- Parija P (1928) The respiration of apples in nitrogen and its relation to respiration in air. Proc R Soc London Ser B 103: 446–471
- Park RB and Sane PV (1971) Distribution of function and structure in chloroplast lamellae. Annu Rev Plant Physiol 22: 395–430
- Parvathi K, Bhagwat AS, Ueno Y, Izui K and Raghavendra AS (2000) Illumination increases the affinity of phosphoenolpyruvate carboxylase to bicarbonate in leaves of a C<sub>4</sub> plant, Amaranthus hypochondriacus. Plant Cell Physiol. 41: 905–910
- Pathre U, Sinha AK, Shirke PA and Sane PV (1998) Factors determining the midday depression of photosynthesis in trees under monsoon climate. Trees 12: 472–481
- Pathre U, Sinha AK, Ranade SA and Shirke PA (2000) Activation of sucrose-phosphate synthase from *Prosopis juliflora* in light: effects of protein kinase and protein phosphatase inhibitors. Physiol Plant 108: 249–254

- Pattanayak GK and Tripathy BC (2002) Catalytic function of a novel protein protochlorophyllide oxidoreductase C of *Arabidopsis thaliana*. Biochem Biophys Res Commun 291: 921–924
- Prakash JSS, Baig MA and Mohanty P (2001) Senescence induced structural reorganization in thylakoid membranes in *Cucumis* sativus cotyledons: LHC II involvement in reorganization of thylakoid membranes. Photosynth Res 68: 153–161
- Porra RJ (2002) The chequered history of the development and use of simultaneous equations for the accurate determination of chlorophylls a and b. Photosynth Res 73: 149–156
- Rabinowitch E (1951) Photosynthesis. Volume II, Part 1. Interscience Publishers, New York
- Rabinowitch E (1956) Photosynthesis. Volume II, Part 2. Interscience Publishers, New York
- Raghavendra AS (1980) Plant species intermediate between C<sub>3</sub> and C<sub>4</sub> pathways of photosynthesis: their focus on mechanism and evolution of C<sub>4</sub> syndrome. Photosynthetica 14: 271–283
- Raghavendra AS and Das VSR (1976) Distribution of C<sub>4</sub> dicarboxylic acid pathway of photosynthesis in local monocotyledonous plants and its taxonomic significance. New Phytol 76: 301–305
- Raghavendra AS and Das VSR (1978a) Occurrence of C<sub>4</sub> photosynthesis: a supplementary list of C<sub>4</sub> plants reported during late 1974–mid 1977. Photosynthetica 12: 200–208
- Raghavendra AS and Das VSR (1978b) Photosynthetic carbon metabolism in leaves of C<sub>4</sub>- and C<sub>3</sub>-plants: a detailed comparative study. Z Pflanzenphysiol 87: 297–311
- Raghavendra AS, Rajendrudu G and Das VSR (1978) Simultaneous occurrence of C<sub>3</sub>- and C<sub>4</sub>-photosynthesis in relation to leaf position in *Mollugo nudicaulis*. Nature (London) 273: 143–144
- Raghavendra AS, Padmasree K and Saradadevi K (1994) interdependence of photosynthesis and respiration in plant cells: interactions between chloroplasts and mitochondria. Plant Sci 97: 1–14
- Raghuram N (2002) Indian plant biology enters the biotechnology era. Trends Plant Sci 7: 92–94
- Rajagopal S, Jha IB, Murthy SD and Mohanty P (1998). Ultraviolet-B effects on Spirulina platensis cells: modification of chromophore-protein interaction and energy transfer characteristics of phycobilisomes. Biochem Biophys Res Commun 249: 172–177
- Rajagopalan AV, Devi MT and Raghavendra AS (1994) Molecular biology of C<sub>4</sub> phospho*enol*pyruvate carboxylase: structure, regulation and genetic engineering. Photosynth Res 39: 115–135
- Rajendrudu G, Prasad JSR and Das VSR (1986) C<sub>3</sub>–C<sub>4</sub> intermediate species in *Alternanthera* (Amaranthaceae). Leaf anatomy, CO<sub>2</sub> compensation point, net CO<sub>2</sub> exchange and activities of photosynthetic enzymes. Plant Physiol 80: 409–414
- Ramanujam P and Bose S (1983) Correlation between thylakoid stacking and action induced decrease in Photosystem I. Electron transport at saturating light intensity. Arch Biochem Biophys 221: 238–242
- Ramaswamy NK, Behre AG and Nair PM (1976) A novel pathway for the synthesis of solanidine in the isolated chloroplasts from greening potatoes. Eur J Biochem 67: 275–282
- Ranjan S (1940) Studies on the photochemical actions of the plants.
   I. The respiration of entire *Pistia* plants in light. J Indian Bot Soc 19: 19–31
- Ranjan S, Pandey RM, Shrivastava RK and Laloraya MM (1962) Effect of phosphorus deficiency on the metabolic changes in free amino acids in certain leguminous crop plants. Nature (London) 193: 997–998
- Rao IM, Swamy PM and Das VSR (1979) Some characteristics of crassulacean acid metabolism in five non-succulent scrub species

- under natural semi-arid conditions. Z Pflanzenphysiol 94: 201–210
- Rathnam CKM and Das VSR (1975) Aspartate-type C<sub>4</sub>-photosynthesis in leaves of *Eleusine coracana*. Z Pflanzen-physiol 74: 377–393
- Raval MK and Biswal UC (1985) A model for water splitting system of thylakoid membranes. J Theor Biol 115: 137–161
- Reddy AR, Suhasini M and Das VSR (1987) Impairment of photorespiratory carbon flow into rubber by the inhibition of the glycolate pathway in guayule (*Parthenium argentatum* Gray). Plant Physiol 84: 1447–1450
- Reddy MK, Nair S, Singh BN, Mudgil Y, Tewari KK and Sopory SK (2001) Cloning and expression of a nuclear encoded plastid specific 33 kDa ribonucleoprotein gene (33 RNP) from pea that is light stimulated. Gene 263: 179–187
- Sabat SC, Vijayavergiya V, Triapthy BC and Mohanty P (1991) Inhibitory effect of crown compounds on photoelectron transport activity of beet spinach thylakoid membranes. Z Naturforsch 46c: 73–78
- Sainis JK, Dani DN and Dey GK (2003) Involvement of thylakoid membranes in supramolcular organization of Calvin cycle enzymes in *Anacystis nidulans*. J Plant Physiol 160: 23–32
- Sane PV (1977) The topography of the thylakoid membrane of the chloroplast. In: Trebst A and Avron M (eds) Encyclopedia of Plant Physiology, New Series, Vol 5, pp 522–540. Springer-Verlag, Berlin
- Sane PV and Rutherford AW (1986) Thermoluminescence from photosynthetic membranes. In: Govindjee, Amesz J and Fork DC (eds) Light Emission by Plants and Bacteria, pp 329–360. Academic Press, London
- Sane PV and Zalik S (1970) Metabolism of acetate- $2^{-14}$ C, glycine- $2^{-14}$ C, leucine-U- $^{14}$ C and effect of  $\delta$ -aminolevulinic acid on chlorophyll synthesis in Gateway barley and its mutant. Can J Bot 48: 1171–1178
- Sane PV, Goodchild DJ and Park RB (1970) Characterization of chloroplast Photosystem 1 and 2 separated by a non-detergent method. Biochim Biophys Acta 216: 162–178
- Sane PV, Desai TS, Tatake VG and Govindjee (1977) On the origin of glow peaks in *Euglena* cells, spinach chloroplasts and sub-chloroplast fragments enriched in system I or II. Photochem Photobiol 26: 33–39
- Sane PV, Desai TS and Tatake VG (1980) Luminescence from Photosystem I at high temperature. Z Naturforsch 35c: 289–292
- Sane PV, Furtado D, Desai TS and Tatake VT (1982) A study of state change in *Chlorella*. The effect of uncoupler and energy transfer inhibitors. Z Naturforsch 37c: 458–463
- Sane PV, Desai TS, Tatake VTG and Govindjee (1984) Heat induced reversible increase in Photosystem I emission in algae, leaves and chloroplasts: Spectra, activities and relation to state changes. Photosynthetica 18: 439–444
- Sane PV, Ivanov AG, Sveshnikov D, Huner NPA and Oquist G (2002) A transient exchange of the Photosystem II reaction center protein D1:1 with D1:2 during low temperature stress of *Synechococcus* sp. PCC 7942 in the light lowers the redox potential of Q(B). J Biol Chem 277: 32739–32745
- Sankhla N, Ziegler H, Vyas OP, Stichler W and Trimborn P (1975) Ecophysiological studies on Indian arid zone plants. V. A screening of some species for the C<sub>4</sub>-pathway of photosynthetic carbon assimilation. Oecologia 21: 123–129
- Saradadevi K and AS Raghavendra (1992) Dark respiration protects photosynthesis against photoinhibition in mesophyll protoplasts of pea (*Pisum sativum*). Plant Physiol 99: 1232–1237
- Sayeed S and Mohanty P (1987) Oscillations in wheat chloroplast photochemical activity. Effect of uncouplers. In: Wirtz KWA (ed) Membrane Receptor, Dynamics and Energetics. NATO Adv Sci

- Inst Series (Life Sci), Vol 133, pp 311–318. Plenum Publishing, New York
- Seeni A and Gnanam A (1980) Photosynthesis in cell suspension cultures of the CAM plant *Chamaecereus sylvestrii* (Cactacae). Physiol Plant 49: 465–472
- Seeni S and Gnanam A (1982) Carbon assimilation of photoheterotrophic cells of peanut (*Arachis hypogaea* L.) grown in still nutrient medium. Plant Physiol 70: 823–826
- Sharma PK and Singhal GS (1992) Influence of photoinhibition of photosynthesis on lipid peroxidation. J Photochem Photobiol 13: 83–94
- Sheoran IS, Singal HR and Singh R (1990) Effect of cadmium and nickel on photosynthesis and the enzymes of photosynthetic carbon reduction cycle in pigeon pea. Photosynth Res 23: 345–351
- Shivashankara KS and Mathai CK (2000) Inhibition of photosynthesis by flowering in mango (*Mangifera indica* L.). A study by gas exchange methods. Sci Hort 83: 205–212
- Shubin V, Murthy SDS, Karapetyan NV and Mohanty P (1991) Origin of the 77K fluorescence at 758 nm in the cyanobacterium, Spirulina platensis. Biochim Biophys Acta 1060: 28–36
- Singal HR and Singh R (1986) Purification and properties of PEP carboxylase from immature pods of chickpea. Plant Physiol 80: 369–373
- Singal HR, Sheoran IS and Singh R (1987) Photosynthetic carbon fixation characteristics of fruiting structures of *Brassica campestris* L. Plant Physiol 83: 1043–1047
- Singh BN and Kumar K (1935) Reactions of assimilatory system to alterations in light intensity. Proc Indian Sci Acad 1: 754–762
- Singh BN and Lal KN (1935) Limitations of Blackman's law of limiting factors and Harder's concept of relative minimum as applied to photosynthesis. Plant Physiol 10: 245–268
- Singh BR and Singhal GS (1984) Effect of aliphatic alcohols on the temperature induced absorption changes in barley chloroplasts. Photobiochem Photobiophys 8: 73–84
- Singh DP and Singh SP (1987) Action of heavy metals on Hill activity and O<sub>2</sub> evolution in *Anacystis nidulans*. Plant Physiol 83: 12–14
- Singh DP and Singh N (1997) Isolation and characterization of metronidazole tolerant mutant of the cyanobacterium *Spirulina* platensis exhibiting multiple stress tolerance. World J Microbiol Biotechnol 13: 179–183
- Singh DP and Verma K (1995) Response of the wild-type and high light-tolerance mutant of *Anacystis nidulans* against photooxidative damage: differential mechanism of high light tolerance. Photochem Photobiol 62: 314–319
- Singh DP, Singh N and Verma K (1995) Photooxidative damage to the cyanobacterium Spirulina platensis mediated by singlet oxygen, Curr Microbiol 31: 44–48
- Singh R (1990) Carbon assimilation in non-leaf tissues of higher plants. In: Singh R (ed) Plant Biochemistry Research in India, pp 25–43. The Society for Plant Physiology and Biochemistry, New Delhi
- Singh R (1993) Photosynthetic characteristics of fruiting structures of cultivated crops. In: Abrol YP, Mohanty P and Govindjee (eds) Photosynthesis: Photoreactions to Plant Productivity, pp 289– 415. Kluwer Academic Publishers. Dordrecht, The Netherlands
- Sinha SK and Sane PV (1976) Relative photosynthesis in different organs of pea plant. Indian J Exp Biol 14: 592–594
- Sivakumar P, Sharmila P and Saradhi PP (2001) Proline suppresses rubisco activity by dissociating small subunits from holoenzyme. Biochm Biophys Res Commun 282: 236–241
- Sopory SK and Maheswari SC (2001) Plant molecular biology in India the beginnings. Curr Sci (India) 80: 270–279

- Sugiura M (2003) History of chloroplast genomics. Photosynth Res 76: 371–377 (this issue)
- Tandeaude Marsac N (2003) Phycobiliproteins and phycobilisomes: the early observations. Photosynth Res 76: 197–205 (this issue)
- Tatake VG, Desai TS and Bhattacharjee SK (1971) Variable temperature cryostat for thermoluminescence studies. J Phys E Sci Instrum 4: 755–761
- Tatake VG, Desai TS, Govindjee and Sane PV (1980) Energy storage states of photosynthesis membranes: activation energies and lifetimes of electrons in the trap states by thermoluminescence method. Photochem Photobiol 33: 243–250
- Tewari AK and Tripathy BC (1998) Temperature-stress-induced impairment of chlorophyll biosynthetic reactions in cucumber (*Cucumis sativus* L) and wheat (*Triticum aestivum* L). Plant Physiol 117: 851–858
- Thomas J (1970) Absence of the pigments of Photosystem II of photosynthesis in heterocysts of a blue-green alga. Nature (London) 228: 181–183
- Thomas S, Banerjee M, Vidyasagar PB, Hegde U and Shaligram AD (1996) Analysis of thermoluminscence glow curves obtained from diethylpyrocarbonate-treated spinach thylakoid preparations using the general order kinetics model. J Photochem Photobiol B Biol 33: 69–72
- Tiwari S and Mohanty P (1993) Cobalt chloride-induced stimulation of Photosystem-II electron transport in *Synechocystis* cells. Photosynth Res 38: 463–469
- Tripathy BC and Chakraborty N (1991) 5-Aminolevulinic acid induced photodynamic damage of the photosynthetic electron transport chain of cucumber (*Cucumis sativus* L) cotyledons. Plant Physiol 96: 761–767
- Tripathy BC and Mohanty P (1980) Zinc inhibition of electron transport in isolated chloroplasts. Plant Physiol 66: 1174–1179
- Tripathy BC, Bhatia B and Mohanty P (1981) Inactivation of chloroplast photosynthetic electron transport activity by Ni<sup>2+</sup>. Biochim Biophys Acta 638: 217–224

- Tripathy BC, Bhatia B and Mohanty P (1983) Cobalt ions inhibit electron transport activity of Photosystem II without affecting Photosystem I. Biochim Biophys Acta 722: 88–93
- Trivedi PK, Reddy MS and Sane PV (2000) Plastid gene expression is not associated with midday depression in  $CO_2$  assimilation and electron transport. Plant Sci 155: 187–192
- Tyagi AK, Mohanty A, Bajaj S, Chaudhary A and Maheswari SC (1999) Transgenic rice: A valuable monocot system for crop improvement and gene research. Crit Rev Biotechnol 19: 41–79
- Udayakumar M, Sheshshayee MS, Nataraj KN, Madhav HB, Devendra R, Hussain ISA and Prasad TG (1998) Why has breeding for water use efficiency not been successful? An analysis and alternate approach to exploit this trait for crop improvement. Curr Sci (India) 74: 994–1000
- Uprety DC and Mahalaxmi V (2000) Effect of elevated CO<sub>2</sub> and nitrogen nutrition of photosynthesis, growth and carbon-nitrogen balance in *Brassica juncea*. J Agron Crop Sci 184: 271–276
- Vass I (2003) The history of photosynthetic thermoluminescence. Photosynth Res 76: 303–318 (this issue)
- Verma K and Mohanty P (2000) Changes of the photosynthetic apparatus in *Spirulina* cyanobacterium by sodium stress. Z Naturforch 55c: 16–22
- Verma NC and Bhagwat AS (1985) Energy transfer from tryprophan residue to pyridoxal phosphate at the active site of ribulose 1,5-bisphosphate carboxylase/oxygenase. Biochem Biophys Res Commun 129: 256–261
- Vidyasagar PB, Thomas S, Banerjee M, Hegde U and Shaligram AD (1993) Determination of peak parameters for thermoluminescence glow curves obtained from spinach thylakoid preparations, using mathematical models based on general order kinetics. J Photochem Photobiol B Biol 19: 125–128
- Wavare RA and Mohanty P (1985) Al<sup>3+</sup> ions alter temperature induced changes in ferricyanide Hill activity of spheroplasts of *Synechococcus cedrorum*. Indian J Biochem Biophys 22: 309–312