

PIEZOELECTRIC ENERGY HARVESTING

Alper Erturk

Georgia Tech, USA

Daniel J. Inman

Virginia Tech, USA



A John Wiley and Sons, Ltd., Publication

Contents

About the Authors	xvii
Preface	xix
1 Introduction to Piezoelectric Energy Harvesting	1
1.1 Vibration-Based Energy Harvesting Using Piezoelectric Transduction	1
1.2 An Example of a Piezoelectric Energy Harvesting System	4
1.3 Mathematical Modeling of Piezoelectric Energy Harvesters	6
1.4 Summary of the Theory of Linear Piezoelectricity	9
1.5 Outline of the Book	12
References	14
2 Base Excitation Problem for Cantilevered Structures and Correction of the Lumped-Parameter Electromechanical Model	19
2.1 Base Excitation Problem for the Transverse Vibrations of a Cantilevered Thin Beam	20
2.1.1 <i>Response to General Base Excitation</i>	20
2.1.2 <i>Steady-State Response to Harmonic Base Excitation</i>	25
2.1.3 <i>Lumped-Parameter Model of the Harmonic Base Excitation Problem</i>	26
2.1.4 <i>Comparison of the Distributed-Parameter and the Lumped-Parameter Model Predictions</i>	29
2.2 Correction of the Lumped-Parameter Base Excitation Model for Transverse Vibrations	31
2.2.1 <i>Correction Factor for the Lumped-Parameter Model</i>	31
2.2.2 <i>Effect of a Tip Mass on the Correction Factor</i>	32
2.3 Experimental Case Studies for Validation of the Correction Factor	35
2.3.1 <i>Cantilevered Beam without a Tip Mass under Base Excitation</i>	35
2.3.2 <i>Cantilevered Beam with a Tip Mass under Base Excitation</i>	39
2.4 Base Excitation Problem for Longitudinal Vibrations and Correction of its Lumped-Parameter Model	39
2.4.1 <i>Analytical Modal Analysis and Steady-State Response to Harmonic Base Excitation</i>	40
2.4.2 <i>Correction Factor for Longitudinal Vibrations</i>	42

2.5	Correction Factor in the Electromechanically Coupled Lumped-Parameter Equations and a Theoretical Case Study	43
2.5.1	<i>An Electromechanically Coupled Lumped-Parameter Model for Piezoelectric Energy Harvesting</i>	43
2.5.2	<i>Correction Factor in the Electromechanically Coupled Lumped-Parameter Model and a Theoretical Case Study</i>	45
2.6	Summary	46
2.7	Chapter Notes	46
	References	47
3	Analytical Distributed-Parameter Electromechanical Modeling of Cantilevered Piezoelectric Energy Harvesters	49
3.1	Fundamentals of the Electromechanically Coupled Distributed-Parameter Model	49
3.1.1	<i>Modeling Assumptions and Bimorph Configurations</i>	49
3.1.2	<i>Coupled Mechanical Equation and Modal Analysis of Bimorph Cantilevers</i>	51
3.1.3	<i>Coupled Electrical Circuit Equation of a Thin Piezoceramic Layer under Dynamic Bending</i>	57
3.2	Series Connection of the Piezoceramic Layers	59
3.2.1	<i>Coupled Beam Equation in Modal Coordinates</i>	60
3.2.2	<i>Coupled Electrical Circuit Equation</i>	60
3.2.3	<i>Closed-Form Voltage Response and Vibration Response at Steady State</i>	61
3.3	Parallel Connection of the Piezoceramic Layers	63
3.3.1	<i>Coupled Beam Equation in Modal Coordinates</i>	63
3.3.2	<i>Coupled Electrical Circuit Equation</i>	64
3.3.3	<i>Closed-Form Voltage Response and Vibration Response at Steady State</i>	64
3.4	Equivalent Representation of the Series and the Parallel Connection Cases	65
3.4.1	<i>Modal Electromechanical Coupling Terms</i>	66
3.4.2	<i>Equivalent Capacitance for Series and Parallel Connections</i>	66
3.4.3	<i>Equivalent Representation of the Electromechanical Equations</i>	67
3.5	Single-Mode Electromechanical Equations for Modal Excitations	68
3.6	Multi-mode and Single-Mode Electromechanical FRFs	69
3.6.1	<i>Multi-mode Electromechanical FRFs</i>	70
3.6.2	<i>Single-Mode Electromechanical FRFs</i>	71
3.7	Theoretical Case Study	71
3.7.1	<i>Properties of the Bimorph Cantilever</i>	72
3.7.2	<i>Frequency Response of the Voltage Output</i>	73
3.7.3	<i>Frequency Response of the Current Output</i>	76
3.7.4	<i>Frequency Response of the Power Output</i>	78
3.7.5	<i>Frequency Response of the Relative Tip Displacement</i>	81
3.7.6	<i>Parallel Connection of the Piezoceramic Layers</i>	83
3.7.7	<i>Single-Mode FRFs</i>	87

3.8	Summary	90
3.9	Chapter Notes	90
	References	94
4	Experimental Validation of the Analytical Solution for Bimorph Configurations	97
4.1	PZT-5H Bimorph Cantilever without a Tip Mass	97
4.1.1	<i>Experimental Setup and Guidelines for Testing an Energy Harvester</i>	97
4.1.2	<i>Validation of the Electromechanical FRFs for a Set of Resistors</i>	103
4.1.3	<i>Electrical Performance Diagrams at the Fundamental Short-Circuit and Open-Circuit Resonance Frequencies</i>	107
4.1.4	<i>Vibration Response Diagrams at the Fundamental Short-Circuit and Open-Circuit Resonance Frequencies</i>	110
4.2	PZT-5H Bimorph Cantilever with a Tip Mass	111
4.2.1	<i>Experimental Setup</i>	111
4.2.2	<i>Validation of the Electromechanical FRFs for a Set of Resistors</i>	113
4.2.3	<i>Electrical Performance Diagrams at the Fundamental Short-Circuit and Open-Circuit Resonance Frequencies</i>	114
4.2.4	<i>Vibration Response Diagrams at the Fundamental Short-Circuit and Open-Circuit Resonance Frequencies</i>	119
4.2.5	<i>Model Predictions with the Point Mass Assumption</i>	119
4.2.6	<i>Performance Comparison of the PZT-5H Bimorph with and without the Tip Mass</i>	121
4.3	PZT-5A Bimorph Cantilever	122
4.3.1	<i>Experimental Setup</i>	122
4.3.2	<i>Validation of the Electromechanical FRFs for a Set of Resistors</i>	124
4.3.3	<i>Comparison of the Single-Mode and Multi-mode Electromechanical FRFs</i>	125
4.4	Summary	128
4.5	Chapter Notes	128
	References	130
5	Dimensionless Equations, Asymptotic Analyses, and Closed-Form Relations for Parameter Identification and Optimization	131
5.1	Dimensionless Representation of the Single-Mode Electromechanical FRFs	132
5.1.1	<i>Complex Forms</i>	132
5.1.2	<i>Magnitude-Phase Forms</i>	132
5.1.3	<i>Dimensionless Forms</i>	133
5.2	Asymptotic Analyses and Resonance Frequencies	134
5.2.1	<i>Short-Circuit and Open-Circuit Asymptotes of the Voltage FRF</i>	134
5.2.2	<i>Short-Circuit and Open-Circuit Asymptotes of the Tip Displacement FRF</i>	135
5.2.3	<i>Short-Circuit and Open-Circuit Resonance Frequencies of the Voltage FRF</i>	136

5.2.4	<i>Short-Circuit and Open-Circuit Resonance Frequencies of the Tip Displacement FRF</i>	136
5.2.5	<i>Comparison of the Short-Circuit and Open-Circuit Resonance Frequencies</i>	137
5.3	Identification of Mechanical Damping	138
5.3.1	<i>Identification of the Modal Mechanical Damping Ratio from the Voltage FRF</i>	138
5.3.2	<i>Identification of the Modal Mechanical Damping Ratio from the Tip Displacement FRF</i>	139
5.4	Identification of the Optimum Electrical Load for Resonance Excitation	139
5.4.1	<i>Electrical Power FRF</i>	139
5.4.2	<i>Optimum Values of Load Resistance at the Short-Circuit and Open-Circuit Resonance Frequencies of the Voltage FRF</i>	140
5.5	Intersection of the Voltage Asymptotes and a Simple Technique for the Experimental Identification of the Optimum Load Resistance	141
5.5.1	<i>On the Intersection of the Voltage Asymptotes for Resonance Excitation</i>	141
5.5.2	<i>A Simple Technique for the Experimental Identification of the Optimum Load Resistance</i>	142
5.6	Vibration Attenuation/Amplification from the Short-Circuit to Open-Circuit Conditions	143
5.7	Experimental Validation for a PZT-5H Bimorph Cantilever	144
5.7.1	<i>Identification of Mechanical Damping</i>	144
5.7.2	<i>Fundamental Short-Circuit and Open-Circuit Resonance Frequencies</i>	145
5.7.3	<i>Magnitude and Phase of the Voltage FRF</i>	145
5.7.4	<i>Voltage Asymptotes for Resonance Excitation</i>	146
5.7.5	<i>Power vs. Load Resistance Diagrams and the Optimum Loads</i>	147
5.7.6	<i>Comment on the Optimum Load Resistance Obtained from the Simplified Circuit Representations of a Piezoceramic Layer</i>	147
5.8	Summary	148
5.9	Chapter Notes	149
	References	150
6	Approximate Analytical Distributed-Parameter Electromechanical Modeling of Cantilevered Piezoelectric Energy Harvesters	151
6.1	Unimorph Piezoelectric Energy Harvester Configuration	152
6.2	Electromechanical Euler–Bernoulli Model with Axial Deformations	153
6.2.1	<i>Distributed-Parameter Electromechanical Energy Formulation</i>	153
6.2.2	<i>Spatial Discretization of the Energy Equations</i>	157
6.2.3	<i>Electromechanical Lagrange Equations</i>	159
6.2.4	<i>Solution of the Electromechanical Lagrange Equations</i>	163
6.3	Electromechanical Rayleigh Model with Axial Deformations	166
6.3.1	<i>Distributed-Parameter Electromechanical Energy Formulation</i>	166
6.3.2	<i>Spatial Discretization of the Energy Equations</i>	167

6.3.3	<i>Electromechanical Lagrange Equations</i>	167
6.3.4	<i>Solution of the Electromechanical Lagrange Equations</i>	168
6.4	Electromechanical Timoshenko Model with Axial Deformations	168
6.4.1	<i>Distributed-Parameter Electromechanical Energy Formulation</i>	168
6.4.2	<i>Spatial Discretization of the Energy Equations</i>	171
6.4.3	<i>Electromechanical Lagrange Equations</i>	174
6.4.4	<i>Solution of the Electromechanical Lagrange Equations</i>	178
6.5	Modeling of Symmetric Configurations	181
6.5.1	<i>Euler–Bernoulli and Rayleigh Models</i>	181
6.5.2	<i>Timoshenko Model</i>	182
6.6	Presence of a Tip Mass in the Euler–Bernoulli, Rayleigh, and Timoshenko Models	183
6.7	Comments on the Kinematically Admissible Trial Functions	185
6.7.1	<i>Euler–Bernoulli and Rayleigh Models</i>	185
6.7.2	<i>Timoshenko Model</i>	186
6.8	Experimental Validation of the Assumed-Modes Solution for a Bimorph Cantilever	187
6.8.1	<i>PZT-5H Bimorph Cantilever without a Tip Mass</i>	187
6.8.2	<i>PZT-5H Bimorph Cantilever with a Tip Mass</i>	189
6.9	Experimental Validation for a Two-Segment Cantilever	191
6.10	Summary	194
6.11	Chapter Notes	195
	References	196
7	Modeling of Piezoelectric Energy Harvesting for Various Forms of Dynamic Loading	199
7.1	Governing Electromechanical Equations	199
7.2	Periodic Excitation	202
7.2.1	<i>Fourier Series Representation of Periodic Base Acceleration</i>	202
7.2.2	<i>Periodic Electromechanical Response</i>	203
7.3	White Noise Excitation	204
7.3.1	<i>Representation of the Base Acceleration</i>	205
7.3.2	<i>Spectral Density and Autocorrelation Function of the Voltage Response</i>	206
7.3.3	<i>Expected Value of the Power Output</i>	206
7.4	Excitation Due to Moving Loads	208
7.4.1	<i>Cantilevered Piezoelectric Energy Harvester Located on a Bridge</i>	208
7.4.2	<i>Thin Piezoelectric Layer Covering a Region on the Bridge</i>	212
7.5	Local Strain Fluctuations on Large Structures	214
7.5.1	<i>Power Output to General Strain Fluctuations</i>	215
7.5.2	<i>Steady-State Power Output to Harmonic Strain Fluctuations</i>	216
7.5.3	<i>Strain Gage Measurements and Strain Transformations</i>	217
7.6	Numerical Solution for General Transient Excitation	218
7.6.1	<i>Initial Conditions in Modal Coordinates</i>	219
7.6.2	<i>State-Space Representation of the Electromechanical Equations</i>	219

7.7	Case Studies	221
7.7.1	<i>Periodic Excitation of a Bimorph Energy Harvester on a Mechanism Link</i>	222
7.7.2	<i>Analysis of a Piezoceramic Patch for Surface Strain Fluctuations of a Bridge</i>	226
7.8	Summary	230
7.9	Chapter Notes	231
	References	232
8	Modeling and Exploiting Mechanical Nonlinearities in Piezoelectric Energy Harvesting	233
8.1	Perturbation Solution of the Piezoelectric Energy Harvesting Problem: the Method of Multiple Scales	234
8.1.1	<i>Linear Single-Mode Equations of a Piezoelectric Energy Harvester</i>	234
8.1.2	<i>Exact Solution</i>	234
8.1.3	<i>Resonance Approximation of the Exact Solution</i>	235
8.1.4	<i>Perturbation Solution</i>	236
8.2	Monostable Duffing Oscillator with Piezoelectric Coupling	239
8.2.1	<i>Analytical Expressions Based on the Perturbation Solution</i>	239
8.2.2	<i>State-Space Representation of the Governing Equations for Numerical Solution</i>	241
8.2.3	<i>Theoretical Case Study</i>	242
8.3	Bistable Duffing Oscillator with Piezoelectric Coupling: the Piezomagnetoelastic Energy Harvester	247
8.3.1	<i>Lumped-Parameter Electromechanical Equations</i>	247
8.3.2	<i>Time-Domain Simulations of the Electromechanical Response</i>	249
8.3.3	<i>Performance Comparison of the Piezomagnetoelastic and the Piezoelastic Configurations in the Phase Space</i>	250
8.3.4	<i>Comparison of the Chaotic Response and the Large-Amplitude Periodic Response</i>	252
8.4	Experimental Performance Results of the Bistable Piezomagnetoelastic Energy Harvester	253
8.4.1	<i>Experimental Setup</i>	253
8.4.2	<i>Performance Results of the Piezomagnetoelastic Configuration</i>	254
8.4.3	<i>Comparison of the Piezomagnetoelastic and the Piezoelastic Configurations for Voltage Generation</i>	256
8.4.4	<i>On the Chaotic and the Large-Amplitude Periodic Regions of the Response</i>	256
8.4.5	<i>Broadband Performance Comparison</i>	258
8.4.6	<i>Vertical Excitation of the Piezomagnetoelastic Energy Harvester</i>	260
8.5	A Bistable Plate for Piezoelectric Energy Harvesting	262
8.5.1	<i>Nonlinear Phenomena in the Bistable Plate</i>	262
8.5.2	<i>Broadband Power Generation Performance</i>	265
8.6	Summary	267
8.7	Chapter Notes	268
	References	270

9	Piezoelectric Energy Harvesting from Aeroelastic Vibrations	273
9.1	A Lumped-Parameter Piezoaeroelastic Energy Harvester Model for Harmonic Response	273
9.2	Experimental Validations of the Lumped-Parameter Model at the Flutter Boundary	278
9.3	Utilization of System Nonlinearities in Piezoaeroelastic Energy Harvesting	280
9.4	A Distributed-Parameter Piezoaeroelastic Model for Harmonic Response: Assumed-Modes Formulation	282
9.5	Time-Domain and Frequency-Domain Piezoaeroelastic Formulations with Finite-Element Modeling	285
9.5.1	<i>Time-Domain Formulation Based on the VLM</i>	286
9.5.2	<i>Frequency-Domain Formulation Based on the DLM</i>	288
9.6	Theoretical Case Study for Airflow Excitation of a Cantilevered Plate	291
9.6.1	<i>Simulations Based on the VLM Formulation</i>	291
9.6.2	<i>Simulations Based on the DLM Formulation</i>	293
9.7	Summary	297
9.8	Chapter Notes	298
	References	298
10	Effects of Material Constants and Mechanical Damping on Power Generation	301
10.1	Effective Parameters of Various Soft Ceramics and Single Crystals	301
10.1.1	<i>Properties of Various Soft Ceramics and Single Crystals</i>	301
10.1.2	<i>Plane-Stress Piezoelectric, Elastic, and Permittivity Constants for a Thin Beam</i>	303
10.2	Theoretical Case Study for Performance Comparison of Soft Ceramics and Single Crystals	304
10.2.1	<i>Properties of the Bimorph Cantilevers</i>	304
10.2.2	<i>Performance Comparison of the Original Configurations</i>	306
10.2.3	<i>Effect of the Piezoelectric Strain Constant</i>	307
10.2.4	<i>Effect of the Elastic Compliance</i>	307
10.2.5	<i>Effect of the Permittivity Constant</i>	308
10.2.6	<i>Effect of the Overhang Length</i>	308
10.2.7	<i>Effect of the Mechanical Damping</i>	310
10.3	Effective Parameters of Typical Soft and Hard Ceramics and Single Crystals	310
10.3.1	<i>Properties of the Soft Ceramic PZT-5H and the Hard Ceramic PZT-8</i>	310
10.3.2	<i>Properties of the Soft Single-Crystal PMN-PZT and the Hard Single-Crystal PMN-PZT-Mn</i>	311
10.4	Theoretical Case Study for Performance Comparison of Soft and Hard Ceramics and Single Crystals	311
10.4.1	<i>Properties of the Bimorph Cantilevers</i>	311
10.4.2	<i>Comparison of Soft and Hard Ceramics: PZT-5H vs. PZT-8</i>	313

10.4.3	<i>Comparison of Soft and Hard Single Crystals: PMN-PZT vs. PMN-PZT-Mn</i>	314
10.4.4	<i>Overall Comparison of Ceramics (PZT-5H, PZT-8) and Single Crystals (PMN-PZT, PMN-PZT-Mn)</i>	315
10.5	Experimental Demonstration for PZT-5A and PZT-5H Cantilevers	317
10.5.1	<i>Experimental Setup</i>	317
10.5.2	<i>Identification of Mechanical Damping and Model Predictions</i>	318
10.5.3	<i>Performance Comparison of the PZT-5A and PZT-5H Cantilevers</i>	319
10.6	Summary	321
10.7	Chapter Notes	322
	References	323
11	A Brief Review of the Literature of Piezoelectric Energy Harvesting Circuits	325
11.1	AC–DC Rectification and Analysis of the Rectified Output	325
11.2	Two-Stage Energy Harvesting Circuits: DC–DC Conversion for Impedance Matching	331
11.3	Synchronized Switching on Inductor for Piezoelectric Energy Harvesting	336
11.4	Summary	340
11.5	Chapter Notes	340
	References	341
	Appendix A Piezoelectric Constitutive Equations	343
A.1	Three-Dimensional Form of the Linear Piezoelectric Constitutive Equations	343
A.2	Reduced Equations for a Thin Beam	344
A.3	Reduced Equations for a Moderately Thick Beam	345
A.4	Reduced Equations for a Thin Plate	346
	References	347
	Appendix B Modeling of the Excitation Force in Support Motion Problems of Beams and Bars	349
B.1	Transverse Vibrations	349
B.2	Longitudinal Vibrations	350
	Reference	351
	Appendix C Modal Analysis of a Uniform Cantilever with a Tip Mass	353
C.1	Transverse Vibrations	353
C.1.1	<i>Boundary-Value Problem</i>	353
C.1.2	<i>Solution Using the Method of Separation of Variables</i>	354
C.1.3	<i>Differential Eigenvalue Problem</i>	355
C.1.4	<i>Response to Initial Conditions</i>	357
C.1.5	<i>Orthogonality of the Eigenfunctions</i>	357
C.1.6	<i>Normalization of the Eigenfunctions</i>	358
C.1.7	<i>Response to External Forcing</i>	359

C.2	Longitudinal Vibrations	361
C.2.1	<i>Boundary-Value Problem</i>	361
C.2.2	<i>Solution Using the Method of Separation of Variables</i>	361
C.2.3	<i>Differential Eigenvalue Problem</i>	362
C.2.4	<i>Response to Initial Conditions</i>	363
C.2.5	<i>Orthogonality of the Eigenfunctions</i>	363
C.2.6	<i>Normalization of the Eigenfunctions</i>	364
C.2.7	<i>Response to External Forcing</i>	365
	References	366
Appendix D Strain Nodes of a Uniform Thin Beam for Cantilevered and Other Boundary Conditions		367
D.1	Strain Nodes of a Uniform Thin Cantilever without a Tip Mass	367
D.2	Effect of a Tip Mass on the Strain Nodes	369
D.3	Strain Nodes for Other Boundary Conditions	370
	References	372
Appendix E Numerical Data for PZT-5A and PZT-5H Piezoceramics		373
	References	374
Appendix F Constitutive Equations for an Isotropic Substructure		375
F.1	Three-Dimensional Form of the Constitutive Equations for an Isotropic Material	375
F.2	Reduced Equations for a Thin Beam	375
F.3	Reduced Equations for a Moderately Thick Beam	376
F.4	Reduced Equations for a Thin Plate	376
	Reference	377
Appendix G Essential Boundary Conditions for Cantilevered Beams		379
G.1	Euler–Bernoulli and Rayleigh Beam Theories	379
G.2	Timoshenko Beam Theory	379
Appendix H Electromechanical Lagrange Equations Based on the Extended Hamilton's Principle		381
	References	383
Index		385