

*Robert B. Heimann*

# **Plasma Spray Coating**

Principles and Applications

Second, Completely Revised and Enlarged Edition



**WILEY-  
VCH**

**WILEY-VCH Verlag GmbH & Co. KGaA**

## Contents

|          |                                                                     |             |
|----------|---------------------------------------------------------------------|-------------|
|          | <b>Preface</b>                                                      | <i>XIII</i> |
|          | <b>Preface to the First Edition</b>                                 | <i>XV</i>   |
|          | <b>Synopsis</b>                                                     | <i>XVII</i> |
| <b>1</b> | <b>Introduction</b>                                                 | <i>1</i>    |
| 1.1      | Coatings in the Industrial Environment                              | <i>2</i>    |
| 1.1.1    | Market Position                                                     | <i>2</i>    |
| 1.2      | Survey of Surface Coating Techniques                                | <i>3</i>    |
| 1.3      | Brief History of Thermal Spraying                                   | <i>9</i>    |
| 1.4      | Synergistic Nature of Coatings                                      | <i>12</i>   |
| 1.5      | Applications of Thermally Sprayed Coatings                          | <i>13</i>   |
|          | References                                                          | <i>15</i>   |
| <b>2</b> | <b>Principles of Thermal Spraying</b>                               | <i>17</i>   |
| 2.1      | Characterization of Flame vs. Plasma Spraying                       | <i>21</i>   |
| 2.2      | Concept of Energy Transfer Processes                                | <i>22</i>   |
| 2.3      | Unique Features of the Plasma Spray Process                         | <i>22</i>   |
|          | References                                                          | <i>24</i>   |
| <b>3</b> | <b>The First Energy Transfer Process: Electron–Gas Interactions</b> | <i>25</i>   |
| 3.1      | The Plasma State                                                    | <i>25</i>   |
| 3.1.1    | Characteristic Plasma Parameters                                    | <i>26</i>   |
| 3.1.1.1  | Langmuir Plasma Frequency                                           | <i>26</i>   |
| 3.1.1.2  | Debye Screening Length                                              | <i>27</i>   |
| 3.1.1.3  | Landau Length                                                       | <i>27</i>   |
| 3.1.1.4  | Collision Path Length                                               | <i>27</i>   |
| 3.1.1.5  | Collision Frequency                                                 | <i>29</i>   |
| 3.1.2    | Classification of Plasmas                                           | <i>29</i>   |
| 3.1.2.1  | Low Density Plasmas                                                 | <i>30</i>   |

|         |                                                                     |    |
|---------|---------------------------------------------------------------------|----|
| 3.1.2.2 | Medium Density Plasmas                                              | 30 |
| 3.1.2.3 | High Density Plasmas                                                | 32 |
| 3.1.3   | Equilibrium and Nonequilibrium Plasmas                              | 32 |
| 3.1.4   | Maxwellian Distribution of Plasma Energies                          | 33 |
| 3.1.5   | Equilibrium Composition of Plasma Gases (Phase Diagrams)            | 34 |
| 3.2     | Plasma Generation                                                   | 37 |
| 3.2.1   | Plasma Generation by Application of Heat                            | 37 |
| 3.2.2   | Plasma Generation by Compression                                    | 39 |
| 3.2.2.1 | z-Pinch                                                             | 39 |
| 3.2.2.2 | ⊙-Pinch                                                             | 39 |
| 3.2.2.3 | Plasma Focus                                                        | 39 |
| 3.2.3   | Plasma Generation by Radiation                                      | 39 |
| 3.2.4   | Plasma Generation by Electric Currents (Gas Discharges)             | 40 |
| 3.2.4.1 | Glow Discharges                                                     | 41 |
| 3.2.4.2 | Arc Discharges                                                      | 43 |
| 3.2.5   | Structure of the Arc Column                                         | 44 |
| 3.2.5.1 | Positive Column                                                     | 44 |
| 3.2.5.2 | The Cathode Fall Region                                             | 44 |
| 3.2.5.3 | The Anode Region                                                    | 47 |
| 3.3     | Design of Plasmatrons                                               | 48 |
| 3.3.1   | Arc Discharge Generators and their Applications                     | 50 |
| 3.3.1.1 | Electrode-supported Plasmas                                         | 50 |
| 3.3.1.2 | Electrode-less Plasmas                                              | 54 |
| 3.3.1.3 | Hybrid Devices                                                      | 57 |
| 3.3.2   | Stabilization of Plasma Arcs                                        | 57 |
| 3.3.2.1 | Wall-stabilized Arcs                                                | 59 |
| 3.3.2.2 | Convection-stabilized Arcs                                          | 59 |
| 3.3.2.3 | Electrode-stabilized Arcs                                           | 60 |
| 3.3.2.4 | Other Stabilization Methods                                         | 60 |
| 3.3.3   | Temperature and Velocity Distributions in a Plasma Jet              | 61 |
| 3.3.3.1 | Turbulent Jets                                                      | 61 |
| 3.3.3.2 | Quasi-laminar Jets                                                  | 63 |
| 3.4     | Plasma Diagnostics: Temperature, Enthalpy and Velocity Measurements | 65 |
| 3.4.1   | Temperature Measurements                                            | 66 |
| 3.4.1.1 | Spectroscopic Methods                                               | 66 |
| 3.4.1.2 | Two-wavelengths Pyrometry                                           | 68 |
| 3.4.1.3 | Chromatic Monitoring                                                | 69 |
| 3.4.2   | Velocity Measurements                                               | 70 |
| 3.4.2.1 | Enthalpy Probe and Pitot Tube Techniques                            | 70 |
| 3.4.2.2 | Laser Doppler Anemometry (LDA)                                      | 72 |
| 3.4.2.3 | Other Methods                                                       | 75 |
|         | References                                                          | 76 |

|          |                                                                           |            |
|----------|---------------------------------------------------------------------------|------------|
| <b>4</b> | <b>The Second Energy Transfer Process: Plasma–Particle Interactions</b>   | <b>79</b>  |
| 4.1      | Injection of Powders                                                      | 79         |
| 4.2      | Characteristics of Feed Materials                                         | 80         |
| 4.2.1    | Solid Wires, Rods and Filled Wires                                        | 80         |
| 4.2.2    | Powders                                                                   | 81         |
| 4.2.2.1  | Atomization                                                               | 84         |
| 4.2.2.2  | Fusion and Crushing                                                       | 84         |
| 4.2.2.3  | Compositing                                                               | 85         |
| 4.2.2.4  | Agglomeration                                                             | 85         |
| 4.3      | Momentum Transfer                                                         | 86         |
| 4.3.1    | Connected Energy Transmission                                             | 86         |
| 4.3.2    | Transfer of Plasma Velocity to Particles                                  | 86         |
| 4.3.3    | Surface Ablation of Particles                                             | 87         |
| 4.4      | Heat Transfer                                                             | 87         |
| 4.4.1    | Heat Transfer under Low Loading Conditions                                | 87         |
| 4.4.2    | Exact Solution of Heat Transfer Equations                                 | 93         |
| 4.4.2.1  | Particle Heating without Evaporation                                      | 93         |
| 4.4.2.2  | Particle Heating with Evaporation                                         | 94         |
| 4.4.2.3  | Evaporation Time of a Particle                                            | 97         |
| 4.4.3    | Heat Transfer under Dense Loading Conditions                              | 99         |
| 4.4.4    | Heat Transfer Catastrophy                                                 | 99         |
| 4.4.5    | Energy Economy                                                            | 102        |
| 4.5      | Particle Diagnostics: Velocity, Temperature and Number Densities          | 103        |
| 4.5.1    | Particle Velocity Determination                                           | 103        |
| 4.5.2    | Particle Temperature Determination                                        | 107        |
| 4.5.3    | Particle Number Density Determination                                     | 107        |
|          | References                                                                | 109        |
| <b>5</b> | <b>The Third Energy Transfer Process: Particle–Substrate Interactions</b> | <b>111</b> |
| 5.1      | Basic Considerations                                                      | 111        |
| 5.2      | Estimation of Particle Number Density                                     | 114        |
| 5.3      | Momentum Transfer from Particles to Substrate                             | 116        |
| 5.4      | Heat Transfer from Particles to Substrate                                 | 126        |
| 5.4.1    | Generalized Heat Transfer Equation                                        | 126        |
| 5.4.2    | Heat Transfer from Coating to Substrate                                   | 128        |
| 5.5      | Crystallinity of Coatings                                                 | 132        |
| 5.6      | Fractal Properties of Surfaces                                            | 135        |
| 5.6.1    | Box Counting Method                                                       | 137        |
| 5.6.2    | Density Correlation Function                                              | 138        |
| 5.6.3    | Mass Correlation Function                                                 | 139        |
| 5.6.4    | Slit Island Analysis (SIA)                                                | 139        |
| 5.6.5    | Fracture Profile Analysis (FPA)                                           | 139        |
| 5.6.6    | Scale-sensitive Fractal Analysis                                          | 140        |

|          |                                                                    |            |
|----------|--------------------------------------------------------------------|------------|
| 5.7      | Residual Stresses                                                  | 143        |
| 5.7.1    | Blind Hole Test                                                    | 145        |
| 5.7.2    | X-ray Diffraction Measurements ( $\sin^2\psi$ -technique)          | 145        |
| 5.7.3    | Curvature Monitoring Technique (Almen-type test)                   | 151        |
| 5.7.4    | Photoluminescence Piezospectroscopy                                | 155        |
| 5.7.5    | Neutron Diffraction                                                | 157        |
|          | References                                                         | 159        |
| <b>6</b> | <b>Modeling and Numerical Simulation</b>                           | <b>163</b> |
| 6.1      | Principal Aspects of Modeling                                      | 163        |
| 6.2      | Modeling of Plasma Properties                                      | 164        |
| 6.3      | Modeling of the Plasma–Particle Interaction                        | 166        |
| 6.3.1    | Modeling of Heat Transfer                                          | 166        |
| 6.3.1.1  | Conservation Equations                                             | 166        |
| 6.3.1.2  | Experimental Validation of Modeling under Dense Loading Conditions | 167        |
| 6.3.1.3  | Modeling of Heat Transfer in Two-fluid Interfacial Flow            | 169        |
| 6.3.2    | Modeling of Momentum Transfer                                      | 169        |
| 6.3.2.1  | Modeling of the Drag Coefficient                                   | 170        |
| 6.3.3    | Modeling of Particle Dispersion                                    | 172        |
| 6.4      | Modeling of Particle–Substrate Interaction                         | 172        |
| 6.4.1    | 3D Simulation of Coating Microstructure                            | 173        |
| 6.4.2    | Modeling of Splat Shapes                                           | 177        |
| 6.4.3    | Modeling of Residual Coating Stresses                              | 180        |
| 6.4.4    | Modeling of Thermal Conductivity                                   | 185        |
|          | References                                                         | 188        |
| <b>7</b> | <b>Solutions to Industrial Problems I: Structural Coatings</b>     | <b>191</b> |
| 7.1      | Carbide Coatings                                                   | 192        |
| 7.1.1    | Pure Carbides                                                      | 192        |
| 7.1.2    | Cemented Carbides                                                  | 193        |
| 7.1.2.1  | Tungsten Carbide-based Coatings                                    | 194        |
| 7.1.2.2  | Titanium Carbide-based Coatings                                    | 205        |
| 7.1.2.3  | Chromium Carbide-based Coatings                                    | 209        |
| 7.1.2.4  | Other Hard Carbide Coatings                                        | 212        |
| 7.2      | Nitride Coatings                                                   | 213        |
| 7.2.1    | Titanium Nitride-based Coatings                                    | 214        |
| 7.2.2    | Silicon Nitride-based Coatings                                     | 214        |
| 7.3      | Oxide Coatings                                                     | 216        |
| 7.3.1    | Alumina-based Coatings                                             | 217        |
| 7.3.2    | Chromium Oxide-based Coatings                                      | 220        |
| 7.3.3    | Other Oxide Coatings                                               | 221        |
| 7.4      | Metallic Coatings                                                  | 221        |
| 7.4.1    | Refractory Metal Coatings                                          | 221        |
| 7.4.2    | Superalloy Coatings                                                | 223        |

|           |                                                                  |            |
|-----------|------------------------------------------------------------------|------------|
| 7.5       | Diamond Coatings                                                 | 224        |
|           | References                                                       | 226        |
| <b>8</b>  | <b>Solutions to Industrial Problems II: Functional Coatings</b>  | <b>233</b> |
| 8.1       | Thermal (TBC) and Chemical (CBC) Barrier Coatings                | 233        |
| 8.1.1     | Partially Yttria-stabilized Zirconia Coatings (Y-PSZ)            | 233        |
| 8.1.2     | Stress Development and Control                                   | 239        |
| 8.1.3     | Sealing of As-sprayed Surfaces                                   | 244        |
| 8.1.3.1   | Laser Surface Remelting of Y-PSZ Coatings                        | 244        |
| 8.1.4     | Other Thermal and Chemical Barrier Coatings                      | 249        |
| 8.2       | Superconducting and Electrocatalytic Coatings                    | 253        |
| 8.2.1     | HT-Superconducting Coatings                                      | 253        |
| 8.2.2     | Electrocatalytic Coatings for Solid Oxide Fuel Cells (SOFC)      | 254        |
| 8.3       | Photocatalytic Coatings                                          | 263        |
| 8.4       | Coatings with High Friction Coefficient                          | 267        |
|           | References                                                       | 270        |
| <b>9</b>  | <b>Solutions to Industrial Problems III: Bioceramic Coatings</b> | <b>277</b> |
| 9.1       | Classification of Biomaterials and Mechanism of Bone Bonding     | 277        |
| 9.2       | Properties of Bioceramic Coatings                                | 278        |
| 9.3       | Plasma Spraying of Osseoconductive Hydroxyapatite                | 284        |
| 9.3.1     | Phase Composition                                                | 285        |
| 9.3.2     | Parametric Study of HAp Coating Properties                       | 287        |
| 9.4       | Bioinert Bond Coats                                              | 289        |
| 9.4.1     | Composition of Bioinert Bond Coats                               | 290        |
| 9.4.1.1   | Calcium Silicate Bond Coats                                      | 290        |
| 9.4.1.2   | Zirconia Bond Coats                                              | 291        |
| 9.4.1.3   | Zirconia/Titania Bond Coats                                      | 292        |
| 9.4.1.4   | Titania Bond Coats and TiO <sub>2</sub> /HAp Composite Coatings  | 293        |
| 9.5       | Other Thermal Coating Techniques                                 | 294        |
| 9.6       | Outlook                                                          | 297        |
|           | References                                                       | 298        |
| <b>10</b> | <b>Quality Control and Coating Diagnostic Procedures</b>         | <b>303</b> |
| 10.1      | Quality Implementation                                           | 303        |
| 10.1.1    | Total Quality Management (TQM)                                   | 303        |
| 10.1.1.1  | Quality Tools                                                    | 304        |
| 10.1.1.2  | Quality Philosophy                                               | 304        |
| 10.1.1.3  | Management Style                                                 | 305        |
| 10.1.2    | Qualification Procedures                                         | 306        |
| 10.2      | Characterization and Test Procedures                             | 307        |
| 10.2.1    | Powder Characterization                                          | 307        |
| 10.2.2    | Microstructure of Coatings                                       | 309        |
| 10.2.2.1  | Splat Configuration                                              | 310        |

|           |                                                         |            |
|-----------|---------------------------------------------------------|------------|
| 10.2.3    | Mechanical Properties                                   | 312        |
| 10.2.3.1  | Adhesion of Coatings and Determination of Bond Strength | 312        |
| 10.2.3.2  | Macro- and Microhardness Tests                          | 328        |
| 10.2.3.3  | Fracture Toughness                                      | 332        |
| 10.2.3.4  | Porosity of Coatings                                    | 335        |
| 10.2.4    | Tribological Properties                                 | 338        |
| 10.2.4.1  | Simulation of Basic Wear Mechanisms                     | 339        |
| 10.2.4.2  | Surface Roughness of Coatings                           | 347        |
| 10.2.5    | Chemical Properties                                     | 348        |
| 10.2.5.1  | Thermally Induced Chemical Changes                      | 348        |
| 10.2.5.2  | Tests of Chemical Corrosion Resistance                  | 351        |
| 10.2.5.3  | Burner Rig Test                                         | 354        |
|           | References                                              | 355        |
| <b>11</b> | <b>Design of Novel Coatings</b>                         | <b>361</b> |
| 11.1      | Property-based Approaches                               | 361        |
| 11.1.1    | Coating Design Based on Chemical Bonding                | 361        |
| 11.1.2    | Design of Novel Advanced Layered Coatings               | 363        |
| 11.1.2.1  | Gradient Layers                                         | 363        |
| 11.1.2.2  | Multilayers                                             | 364        |
| 11.1.3    | Coating Design Based on Materials Informatics           | 365        |
| 11.1.4    | Process Mapping                                         | 365        |
| 11.2      | Stochastic Approaches                                   | 367        |
| 11.2.1    | Statistical Design of Experiments (SDE)                 | 367        |
| 11.2.1.1  | The Experimental Environment and its Evolution          | 367        |
| 11.2.1.2  | Screening Designs                                       | 368        |
| 11.2.1.3  | Response Surface (RSM) Designs                          | 369        |
| 11.2.1.4  | Theoretical Models                                      | 369        |
| 11.2.1.5  | Anatomy of Screening Designs                            | 369        |
| 11.2.1.6  | Anatomy of Factorial Designs                            | 371        |
| 11.2.1.7  | Box–Behnken Designs                                     | 373        |
| 11.2.1.8  | Designs of Higher Dimensionality                        | 374        |
| 11.2.1.9  | Neyer D-optimal Designs                                 | 374        |
| 11.2.2    | Optimization of Coating Properties: Case Studies        | 375        |
| 11.2.2.1  | Plackett–Burman (Taguchi) Screening Designs             | 375        |
| 11.2.2.2  | Full Factorial Designs                                  | 376        |
| 11.2.2.3  | Fractional Factorial Designs                            | 380        |
| 11.2.3    | Artificial Neuronal Network Analysis                    | 392        |
| 11.2.4    | Fuzzy Logic Control                                     | 396        |
| 11.3      | Future Developments                                     | 398        |
|           | References                                              | 403        |
|           | <b>Appendix A: Dimensionless Groups</b>                 | <b>407</b> |
| A.1       | Momentum Transfer                                       | 407        |
| A.2       | Heat Transfer                                           | 407        |

- A.3 Mass Transfer 408
- A.4 Materials Constants 408

**Appendix B: Calculation of Temperature Profiles of Coatings 409**

- B.1 Heat Conduction Equations 409
- B.2 Solutions of the Equations 410
  - B.2.1 Substrate Temperature Profile 410
  - B.2.2 Deposit Temperature Profile 410
- B.3 Real Temperature Profiles 412
- References 412

**Appendix C: Calculation of Factor Effects for a Fractional Factorial**

- Design  $2^{8-4}$  413**
- References 416

**Index 417**