

# Polymer Synthesis and Processing using Supercritical Carbon Dioxide



Andrew I. Cooper

Department of Chemistry, University of Liverpool, Crown Street, Liverpool, L69 7ZD, UK

aicooper@liv.ac.uk, Tel: +44 (0)151 794 3548, Fax: +44 (0)151 794 3588

<http://www.liv.ac.uk/Chemistry/Staff/cooper.html>

Carbon dioxide is a clean and versatile solvent for the synthesis and processing of a range of materials. This review [1] focuses on recent advances in polymer synthesis and processing using liquid and supercritical CO<sub>2</sub>. The synthetic techniques discussed include homogeneous solution polymerisation [2], precipitation polymerisation [3], dispersion [4] and emulsion polymerisation [5], and bulk polycondensation [6]. The formation of porous polymers [7] and polymer blends [8] is also considered, and the specific advantages of CO<sub>2</sub> in these processes are evaluated in each case. The use of CO<sub>2</sub> as a solvent for polymer processing is reviewed from a materials perspective, with particular attention being given to the formation of polymers with well-defined morphologies. The variable solvent strength associated with supercritical fluids has



been utilised in areas such as polymer fractionation and polymer extraction [9]. Plasticisation phenomena have been exploited for the impregnation [10] and heterogeneous chemical modification [11] of polymeric materials. The formation of microcellular polymer foams by pressure induced phase separation is considered [12], as is the use of CO<sub>2</sub> for polymer particle formation [13], spray coating [14], and microlithography [14,15]. The aim of the review is to highlight the wide range of opportunities available to the materials chemist through the use of carbon dioxide as an alternative solvent.

*Figures:* (a) Schematic pressure–temperature phase diagram for a pure component showing the supercritical fluid (SCF) region; (b) Cross-linked resin particles synthesised in supercritical CO<sub>2</sub> (scale bar = 1 μm), see ref. [4c,d].

## References

- 1 This abstract is based on a Feature Article which will appear in the *Journal of Materials Chemistry*: A. I. Cooper, *J. Mater. Chem.*, 1999, *in press*.
- 2 J. M. DeSimone, Z. Guan and C. S. Elsbernd, *Science*, 1992, **257**, 945.
- 3 (a) H. Hori, C. Six and W. Leitner, *Macromolecules*, 1999, **32**, 3178; (b) T. J. Romack, E. E. Maury and J. M. DeSimone, *Macromolecules*, 1995, **28**, 912.
- 4 (a) DeSimone, E. E. Maury, Y. Z. Menceloglu, J. B. McClain, T. J. Romack and J. R. Combes, *Science*, 1994, **265**, 356; (b) J. L. Kendall, D. A. Canelas, J. L. Young and J. M. DeSimone, *Chem. Rev.*, 1999, **99**, 543; (c) A. I. Cooper, W. P. Hems and A. B. Holmes, *Macromol. Rapid Commun.*, 1998, **19**, 353; (d) A. I. Cooper, W. P. Hems and A. B. Holmes, *Macromolecules*, 1999, **32**, 2156; (e) W. P. Hems, T.-M. Yong, J. L. M. van Nunen, A. I. Cooper, A. B. Holmes and D. A. Griffin, *J. Mater. Chem.*, 1999, **9**, 1403.
- 5 F. A. Adamsky and E. J. Beckman, *Macromolecules*, 1994, **27**, 312.
- 6 S. M. Gross, D. Flowers, G. Roberts, D. J. Kiserow and J. M. DeSimone, *Macromolecules*, 1999, **32**, 3167.
- 7 (a) K. L. Parks and E. J. Beckman, *Polym. Eng. Sci.*, 1996, **36**, 2404; (b) K. L. Parks and E. J. Beckman, *Polym. Eng. Sci.*, 1996, **36**, 2417; (c) D. A. Loy, E. M. Russick, S. A. Yamanaka, B. M. Baugher and K. J. Shea, *Chem. Mater.*, 1997, **9**, 2264; (d) A. I. Cooper and A. B. Holmes, *Adv. Mater.*, 1999, *in press*.
- 8 P. Rajagopalan and T. J. McCarthy, *Macromolecules*, 1998, **31**, 4791.
- 9 M. A. McHugh and V. J. Krukonis, *Supercritical Fluid Extraction*, 2<sup>nd</sup> ed., Butterworth-Heinemann, Stoneham, MA, 1994.
- 10(a) S. M. Howdle, J. M. Ramsay and A. I. Cooper, *J. Polym. Sci., Part B: Polym. Phys.*, 1994, **32**, 541; (b) J. J. Watkins and T. J. McCarthy, *Chem. Mater.*, 1995, **7**, 1991; (c) S. G. Kazarian, *Appl. Spec. Rev.*, 1997, **32**, 301.
- 11 M. Yalpani, *Polymer*, 1993, **34**, 1102.
- 12 S. K. Goel and E. J. Beckman, *Cellular Polym.*, 1993, **12**, 251.
- 13 (a) E. Reverchon, *J. Supercrit. Fluids*, 1999, **15**, 1; (b) P. Subra and P. Jestin, *Powder Technol.*, 1999, **103**, 2; (c) J. W. Tom and P. G. Debenedetti, *J. Aerosol Sci.*, 1991, **22**, 555; (d) P. G. Debenedetti, J. W. Tom, X. Kwauk and S.-D. Yeo, *Fluid Phase Equilib.*, 1993, **82**, 311; (e) S. Mawson, K. P. Johnston, J. R. Combes and J. M. DeSimone, *Macromolecules*, 1995, **28**, 3182.
- 14 J. M. DeSimone *Proc. Polymer 98 Meeting, "The New Polymers"*, Science, Technology & Applications: Brighton, UK, 1998, pp 5.
- 15 C. K. Ober, A. H. Gabor, P. Gallagher-Wetmore and R. D. Allen, *Adv. Mater.*, 1997, **9**, 1039.