

POTENTIAL MEDICINAL PLANT REMEDIES AND THEIR POSSIBLE MECHANISMS AGAINST COVID-19: A REVIEW

Ugwah-Oguejiofor, C. J., Adebisi,* I. M.

Department of Pharmacology and Toxicology, Faculty of Pharmaceutical Sciences,
Usmanu Danfodiyo University, Sokoto, Nigeria

*Corresponding Author; E-mail: alaniyab@yahoo.com

Received: December 29, 2020; Accepted: March 26, 2021

ABSTRACT

Severe acute respiratory syndrome coronavirus-2 (SARS-CoV-2) outbreak was first reported in Wuhan, a city in Hubei Province of China in December, 2019 and is known to be responsible for the novel coronavirus disease (COVID-19). COVID-19 was declared a pandemic in March, 2020 and since then, it has caused a number of deaths in over 200 countries around the world. Extensive researches have continued in the search of effective vaccines or drug compounds against SARS-CoV-2 and a total of 64 vaccines are currently in clinical trials with 12 currently approved for use by different regulatory bodies, depending on the country. Since the outbreak of SARS-CoV-2, many countries have utilised traditional herbal medicines alongside conventional drugs for the treatment of infected patients. In this review, traditional medicines used to prevent or treat SARS-CoV-2 infection are listed along with the plant parts as used by the traditional healers. Additionally, the possible mechanisms responsible for this preventive or therapeutic outcome are also identified and listed. Our literature search was conducted using Google Scholar, PubMed, Scopus and WHO website. Unpublished reports such as dissertations and theses are not included. Plant parts including roots, leaves, flowers, seeds and so on have been used in the treatment of COVID-19. These traditional medicinal herbs may exert their anti-COVID-19 activity by direct inhibition of the virus replication or entry. Some may act by blocking the ACE-2 receptor, SARS-CoV helicase, Type II Transmembrane Serine Protease (TMPRSS2) and RNA-dependent RNA polymerase (RdRp) activities which are required by SARS-CoV-2 in order to infect human cells. Others act by inhibiting the SARS-CoV-2 life-cycle related proteins, namely chymotrypsin-like cysteine protease (3CL-pro) and Papain-like protease (PL-pro). Medicinal plants are promising alternative medicines for the treatment or prevention of SARS-CoV-2 infection. Further researches, are needed to decipher their active components and structures which may suggest clues for the development of drugs against this novel coronavirus.

Keywords: Severe Acute Respiratory Syndrome (SARS-CoV-2), COVID-19, medicinal plants, plant parts, mechanism of action, pandemic, 3-chymotrypsin-like cysteine protease

INTRODUCTION

The novel coronavirus disease (COVID-19) caused by Severe Acute Respiratory Syndrome Coronavirus-2 (SARS-CoV-2) was first reported in Wuhan, a city in Hubei Province of China in December, 2019. The World Health Organization (WHO) declared COVID -19 outbreak a pandemic on March 11th 2020 and has since been an enormous challenge for the global public health systems, having affected about two hundred and thirteen (213) countries and territories in the world (WHO, 2020^a). This viral infection is considered the first pandemic due to a coronavirus (Boukhatem and Setzer, 2020). The WHO report as at 21st March, 2021 shows a cumulative total of one hundred and twenty two million five hundred and twenty four thousand four hundred and twenty four (122,524,424) confirmed cases; Two million seven hundred and three thousand six hundred and twenty

(2,703,620) confirmed deaths globally since the start of the outbreak (WHO, 2021^a). Extensive researches have continued in the search of effective vaccines or drug compounds against SARS-CoV-2 and a total of 64 vaccines are currently in clinical trials and 12 are currently approved for use by different regulatory bodies, depending on the country; with those developed by Pfizer (BioNtech), Moderna (mRNA-1273) and Johnson&Johnson/Janssen (Ad26-COV2,S) approved for use in the United States (WHO, 2021^b; CDC, 2021). A lot of current research have also focused on repurposed drugs such as antivirals, antimalarials, anti-inflammatory and immune modulators while some potential therapies act in different ways or through multiple mechanisms (Robinson, 2020). The United States Food and Drug Agency, US-FDA recently created a new emergency program; Coronavirus Treatment Acceleration Program (CTAP) aimed

at speeding up research for the development of COVID-19 treatment (FDA, 2020⁸).

Medicinal plants have been used against SARS-CoV-2. This is majorly inspired by the success reported in the treatment of severe acute respiratory syndrome (SARS) caused by the outbreak of SARS coronavirus (SARS-CoV) between 2002 and 2003. There were compelling evidences supporting the beneficial effect in the use of numerous herbal formulas, especially in China and in the Middle East (Chen and Nakamura, 2004; Lau *et al.*, 2005; Hsu *et al.*, 2006). In 2003 for instance, the fatality rate at the outbreak of at SARS-CoV was more than 52% in Beijing and about 18% in Singapore and Hong Kong. However in Beijing, this reduced dramatically to 1%–4% just after 10 days, which was believed to be as a result of using plant-based traditional Chinese medicines as a supplement medication with conventional therapy (Chen and Nakamura, 2004). The major druggable targets of SARS-CoV-2 include 3-chymotrypsin- like protease (3CLpro), papain like protease (PLpro), RNA-dependent RNA polymerase (RdRp), angiotensin-converting enzyme 2 (ACE2), SARS-CoV helicase and Type II Transmembrane Serine Protease (TMPRSS2) (Wu *et al.*, 2020). Other mechanisms have also been postulated for some medicinal plants such as Immunomodulatory activities. Immunomodulatory agents are compounds that are non-specific and exert their activities without antigenic specificity. These compounds are similar to the adjuvants that are related to some vaccines (Liu *et al.*, 2020). Some medicinal plants with possible immunomodulatory activities have been utilised in traditional medicine for the treatment/prevention of coronavirus. The aim of this review therefore is to document the medicinal herbs that have been reported to be effective against SARS-CoV-2 and their proposed mechanism(s) of action.

Structure and Pathogenesis of SARS-CoV-2

Coronaviruses belonging to the family Coronaviridae, subfamily Coronavirinae are large non- segmented positive-sense single-stranded ribonucleic acid (RNA) viruses with a viral RNA genome of diameter of 80-120 nm and ranging between 26-32 kb in length. At this length, the coronavirus genome is the largest among RNA

viruses (Mittal *et al.*, 2020; Wu *et al.*, 2020). (Fig. 1). They are subdivided into four genera, namely: *Alphacoronavirus*, *Betacoronavirus*, *Gammacoronavirus*, and *Deltacoronavirus*. Presently all identified coronaviruses that are capable of infecting humans belong to the first two genera (Chu *et al.*, 2020). SARS-CoV-2 is a *Betacoronavirus* and belongs to the subgenus Sarbecovirus and mostly bear resemblance to a bat coronavirus, with which it shares about 96.2% sequence homology (Chan *et al.*, 2020⁹). In addition to SARS-CoV-2, the *Betacoronavirus* genus has two other highly pathogenic coronavirus, namely; the Severe Acute Respiratory Syndrome Coronavirus (SARS-CoV) and the Middle East Respiratory Syndrome Coronavirus (MERS-CoV). SARS-CoV and MERS-CoV infections result in higher mortality rates compared to SARS-CoV-2, but only SARS-CoV-2 is capable of establishing sustained human-to human-transmission (da Silva *et al.*, 2020; Mittal *et al.*, 2020).

The coronavirus genome encodes several structural and non-structural proteins. The structural proteins which are responsible for host infection, membrane fusion, viral assembly, morphogenesis, and release of virus particles, among other functions include Spike (S) protein, envelope (E) protein, membrane (M) protein, and nucleocapsid (N) protein while the non-structural proteins (Nsp) which are not incorporated within the virion particles facilitate viral replication and transcription and are expressed as two huge poly-proteins that are then cleaved into 16 smaller proteins (Nsp1-16). This group of proteins include the main protease (Nsp5) and RNA polymerase (Nsp12) (Yoshimoto, 2020). Among the four structural proteins, the N and S are the most important. The former helps the virus to develop the capsid and the entire viral structure appropriately and the later helps in the attachment of virus to the host cells (Walls *et al.*, 2020).

Coronaviruses (corona=crown) actually got their name from the crown-shaped appearance of the virus which is as a result of the large Spike (S) glycoprotein, which forms extended homotrimers. It is this spike protein that binds to the animal host cell by interacting with specific anchoring proteins, typically proteinases, such as angiotensin-converting enzyme 2 (ACE-2) or

aminopeptidase N. This binding of the spike (S) protein facilitates viral entry into the host cell and the release of the viral genome. Current reports have shown that the SARS CoV and SARS-CoV-2 have similar kind of receptors, particularly the receptor binding domain (RBD) and the receptor binding motif (RBM) present in the viral genome (Yin and Wunderink, 2018). In the course of the SARS infection, the RBM of the S protein gets directly attached to ACE-2 in the host cells. Since ACE-2 protein is expressed in various organs of the human body chiefly in the lungs, kidney and intestine, these organs become the prime targets of the coronavirus (Zhao *et al.*, 2020).

Following the attachment, the host protease usually influences the cleaving of the receptor attached spike protein and the fusion of virus into host cell. Based on the protease type, SARS coronaviruses follow two different paths to penetrate into the host cell. Firstly, a SARS virus may enter into the cell through endocytosis at the presence of host's pH-dependent cysteine protease cathepsin L, which leads to formation of a membrane bounded endosome (Figure 2A). This protease induces the activation of the attached spike protein which leads to changes in shape of endosome and helps the viral envelope to fuse with the endosomal wall (Simmons *et al.*, 2013). Secondly, the presence of type II transmembrane serine protease (TMPRSS2) at the outer membrane of some epithelial tissues such as respiratory, urogenital and gastrointestinal induces proteolytic cleavage of viral spike protein. The S2' site of the S protein comprises single lysine or arginine residues which can be targeted by TMPRSS2 for cleaving, hence SARS and other respiratory viruses can penetrate into the host cell directly by a fusion of viral envelope and host cell membrane (Figure 2B) (Heurich *et al.*, 2014). When the fusion is completed, the virus releases its nucleocapsid into the cytoplasm where the viral genome mimics the messenger RNA and takes part in the translation process by cell ribosome (Figure 2A). The mRNAs further translates accessory proteins and structural proteins. The structural proteins (envelope glycoproteins), nucleocapsid proteins and newly synthesized genomic RNA reorganize to form progeny viruses. Finally, the virion containing viral particles discharge from the infected cell through secretory

vesicles by exocytose process (Figure 2A), (Zhang *et al.*, 2020).

Symptoms and Risk of COVID-19 Infection

The current coronavirus disease affects different people in different ways, the presentation ranging from asymptomatic/mild symptoms to severe illness and death (Esakandari *et al.*, 2020). Most common symptoms include fever, dry cough, and tiredness while the less common symptoms include aches and pains, sore throat, diarrhea, conjunctivitis, headache, loss of taste or smell, a rash on skin, or discolouration of fingers or toes. Serious symptoms are difficulty in breathing or shortness of breath, chest pain or pressure and loss of speech or movement (WHO, 2020^b). At the early stage of the pandemic, an analysis of some patients showed that 17.6% were severe cases while 82.4% were common cases, which include 73.3% mild cases, 4.2% non-pneumonia cases and 5.0% asymptomatic cases respectively (Tian *et al.*, 2020). The most common symptoms at the onset of illness were fever (82.1%), cough (45.8%), fatigue (26.3%), dyspnea (6.9%) and headache (6.5%) with a reported fatality of 0.9% (Tian *et al.*, 2020). In another systematic review and meta analysis, Jain and Yuan (2020) found that cough, fever and fatigue were the most prevalent symptoms in the severe disease while cough, fever and dyspnoes were the symptoms that warranted intensive care unit admission. Older population have a higher risk of serious illness from COVID-19, and this risk is known to increase with age (CDC, 2020^a). Another factor that may increase risk of serious illness include pre-existing chronic medical conditions such as heart diseases, cancer, diabetes, severe obesity, chronic kidney disease, sickle cell disease, weakened immune system from solid organ transplants, HIV or some medications and high blood pressure (CDC, 2020^b).

Current conventional treatment and the Role of Traditional Medicine in the search for agents against SARS-CoV-2

Quite a number of conventional/ Orthodox medicine treatment are under investigations and at different phases of clinical trials; Remdesivir, was given an emergency use authorization (EUA) on 1st May, 2020, being the drug that has gone furthest along in clinical trials (FDA, 2020^b). Other drugs

that are being used include corticosteroids such as Dexamethasone (Horby *et al.*, 2020), Tocilizumab (Samaee *et al.*, 2020; Potere *et al.*, 2020), Hydroxychloroquine and Chloroquine (Gao *et al.*, 2020), Azithromycin (Bleyzac *et al.*, 2020), Lopinavir/Ritonavir (Lu, 2020), Abidol (Lu, 2020) Oseltamivir (Chiba, 2020), Favipiravir (De Clercq, 2019), Colchicine (Schlesinger *et al.*, 2020, Ivermectin (Chaccour *et al.*, 2020) and Convalescent plasma (FDA, 2020^c). There are thousands of clinical trials of COVID-19 therapies taking place across the world. Updated list of these numerous trials are available at World Health Organization's International Clinical Trials Registry Platform (WHO ICTRP, 2020) and at ClinicalTrials.gov (2020).

The use of traditional medicine for the treatment of various ailments/ diseases is dated back to 4000-5000 BC (Hosseinzadeh *et al.*, 2015). The WHO in recognition of the important role of traditional medicine, developed a strategy in response to the World Health Assembly resolution on traditional medicine (WHA62.13) aimed at supporting member states in developing proactive policies and implementing action plans that will strengthen the role traditional medicine plays in keeping the population healthy (WHO, 2013). Since the prehistoric times, people from different parts of the world have been utilizing medicinal plants to mitigate against infectious diseases (Andrighetti-Frohner *et al.*, 2005; Yang *et al.*, 2020). For instance, Indian herbs have been used as a treatment and preventive strategy for several diseases, including respiratory viral infections (Vellingiri, 2020), Traditional Chinese Medicine (TCM) has played an essential role in treating epidemic diseases in the long history of China. Also, At least eighty per cent (80%) of African populations use some form of traditional herbal medicine (Willcox and Bodeker, 2004) The WHO has estimated that the worldwide annual market for medicinal plant product approaches US\$ 60 billion (Linde and Jonas, 1999). The popularity of traditional medicine has been

attributed to some of its advantages such as affordability, availability, acceptability, and apparently low toxicity compared to orthodox medicine (Sofowora, 1993).

Medicinal plants contain diverse secondary metabolites, some of which are believed to have the ability to interfere with viral protein and enzyme activities hence prevent viral entry/penetration into the host cells and replication within it (Li and Peng, 2013). The efficacies of some of these plant-based therapies were confirmed in combating SARS in 2003 (Zhang, *et al.*, 2004). With many similarities being found between SARS-CoV and SARS-CoV-2 (e.g both of them belonging to the same beta family and containing the same genetic material i.e. RNA; both attaching to the host cell through same ACE2 receptor and with an eighty-six percent (86%) identity and ninety-six percent (96%) similarity of genome); previously employed plant metabolites for SARS-CoV in 2003 can be considered as emerging drug candidates for COVID-19 (Bhuiyan *et al.*, 2020).

At the early stage of the COVID-19 pandemic in China, the treatment protocol of COVID-19 highlights the combination of TCM with conventional/Western therapy. Yang *et al.* (2020) reported that greater than 85% of SARS-CoV-2 infected patients in China were receiving TCM treatment. This practice has demonstrated that TCM intervention is effective in the management of COVID-19. This is evident in the improvement of the cure rate, shortened course of the disease/delayed disease progression and a reduction in mortality rate (Chan *et al.*, 2020^b, Luo *et al.*, 2020^a, Luo *et al.*, 2020^b, Ren *et al.*, 2020, Wan *et al.*, 2020^a).

Table 1 consist of a list of medicinal plants that has been reportedly used in the prevention and treatment of COVID-19 in different parts of the world.

Table 1: Medicinal plants with activity against SARS-CoV-2

S/N	Botanical name	Family	Common name/ Local name	Part used	Reference
1	<i>Saxifraga spinulosa</i>	Saxifragaceae	Spider plant/spider -legged saxifrage	Aerial parts	Takeda <i>et al.</i> , 2020
2	<i>Strobilanthes callosa</i>	<i>Acanthaceae</i>	Karvi	Leaf	Tsai <i>et al.</i> , 2020
3	<i>Strobilanthes cusia</i>	<i>Acanthaceae</i>	Assam Indigo	Leaf	
4	<i>Astragalus membranaceus</i>	Fabaceae	Mongolian milkvetch	Root	
5	<i>Glycyrrhiza glabra</i>	Fabaceae	Liquorice	Root	
6	<i>Saposhnikovia divaricate</i>	Apiaceae	fang feng Siler	Root	Luo <i>et al.</i> , 2020 ^c
7	<i>Atractylodes lancea</i>	Asteraceae	Cang Zhu.	Rhizome	
8	<i>Lonicera japonica</i>	Caprifoliaceae	Japanese honeysuckle	Leaves and Flowers	
9	<i>Forsythia suspensa</i>	Oleaceae	Golden Bell	Fruit	Yang <i>et al.</i> , 2020
10	<i>Capsicum annum</i>	Solanaceae	Sweet Pepper , Cayenne Pepper, Chili Pepper	Seed	Khaerunnisa <i>et al.</i> , 2020
11	<i>Mentha</i> ---	Lamiaceae	Horse mint	Aerial part (Stem and leaf)	
12	<i>Olea europaea</i>	Oleaceae	Olive	Leaf	
13	<i>Lindera aggregata</i>	Lauraceae	Spicewood	Root	Suryanarayana and Banavath, 2020
14	<i>Ptychosia lingua</i>	Polypodiaceae	Tongue Fern	Rhizome	
15	<i>Lycoris radiata</i>	Amaryllidaceae	Red spider lily	Bulb	
16	<i>Stephania tetrandra</i>	Menispermaceae	Stephania/ Fen Fang Ji	Root	Kim <i>et al.</i> , 2014
17	<i>Clivia miniata</i>	Amaryllidaceae	Natal lily or bush lily	Rhizome	Shen <i>et al.</i> , 2019
18	<i>Carapichea ipecacuanba</i>	Rubiaceae	<i>Ipecac.</i>	Root	
19	<i>Broussonetia papyrifera</i>	Moraceae.	Paper mulberry	Root	Park <i>et al.</i> , 2017
20	<i>Citrus sinensis</i>	Rutaceae	Sweet orange	Peel (Pericarp)	Ulasli <i>et al.</i> , 2014
21	<i>Nigella Sativa</i>	Ranunculaceae	Black cumin, Black seed, Black caraway	Seed	
22	<i>Anthemis Hyaline</i>	Asteraceae	Chamomile	Flower and buds	
23	<i>Paulownia tomentosa</i>	Paulowniaceae	Paulownia, empress tree or Princess tree	Fruit	
24	<i>Pelargonium sidoides</i>	Geraniaceae	African geranium and South African geranium.	NA	Michaelis <i>et al.</i> , 2011
25	<i>Cibotium barometz</i>	Dicksoniaceae	Chain Fern _Golden Hair Dog Fern, Golden Moss	Rhizome	Wen <i>et al.</i> , 2011
26	<i>Gentiana scabra</i>	Gentianaceae	Japanese gentian	Rhizome	
27	<i>Taxillus chinensis</i>	Loranthaceae	Chinese Mistletoe	Stem and Leaf	
28	<i>Cassia tora,</i>	Leguminosae	Sickle Senna, Sickle pod	Seed	
29	<i>Dioscorea batata,</i>	<i>Dioscoreaceae</i>	Chinese Yam	Tuber	
30	<i>Torreya nucifera</i>	Taxaceae	Japanese nutmeg - yew or Japanese <i>torreya</i>	Leaf	Ryu <i>et al.</i> , 2010
31	<i>Houttuynia cordata</i>	Saururaceae	Fish mint , Rainbow plant, Chameleon plant	NA	Lau <i>et al.</i> , 2008

32	<i>Rheum officinale</i>	Polygonaceae	Chinese rhubarb	Tuber	Ho <i>et al.</i> , 2007
33	<i>Polygonum multiflorum</i>	Polygonaceae	Tuber fleecflower, Chinese knotweed.	Tuber and Vines	
34	<i>Pogostemon cablin</i>	Lamiaceae	Patchouli	Aerial part	Pan <i>et al.</i> , 2020
35	<i>Perilla Frutescens</i>	Lamiaceae	Perilla or Korean perilla	Leaf	
36	<i>Angelica dahurica</i>	Umbelliferae	Bai Zhi	Root	
37	<i>Atractylodes macrocephala</i>	Compositae	Largehead atractylode , Bai Zhu	Rhizome	
38	<i>Citrus reticulata</i>	Rutaceae	Mandarin	Peel (Pericarp)	
39	<i>Pinellia ternata</i>	Araceae	Crow-dipper	Tuber	
40	<i>Magnolia officinalis</i>	Magnoliaceae	Houpu magnolia	Bark	
41	<i>Lonicera Japonica</i>	Caprifoliaceae	<i>Japanese honeysuckle</i>	Leaf and Flowers	
42	<i>Fritillaria thunbergii</i>	Liliaceae	Zhe Bei Mu	Bulb	
43	<i>Scutellariae baicalensis</i>	Lamiaceae	Baikal skullcap, Chinese skullcap	Root	
44	<i>Arctium lappa</i>	Asteraceae	Greater burdock	Fruit	
45	<i>Artemisia annua,</i>	Asteraceae	Sweet wormwood	Leaf	
46	<i>Forsythia suspensa,</i>	Oleaceae.	Weeping forsythia	Fruit	
47	<i>Ephedra sinica</i>	Ephedraceae	Ma huang , Yellow horse, Sea grape	Stem/ Aerial part	
48	<i>Prunus armeniaca</i>	Rosaceae	Siberian apricot	Seed	
49	<i>Isatis indigotica</i>	Brassicaceae	Woad	Root	
50	<i>Dryopteris crassirhizoma</i>	Dryopteridaceae.	Male fern	Rhizome	
51	<i>Pogostemon cablin</i>	Lamiaceae	Mint	Aerial part	
52	<i>Polygonum cuspidatum</i>	Polygonaceae	Asian knotweed/ Japanese knotweed.	Rhizome and root	
53	<i>Bupleurum chinense</i>	Apiaceae/ Umbelliferae.	Bei Chai Hu.	Root	
54	<i>Glycyrrhiza uralensis</i>	Leguminosae	<i>Licorice</i>	Rhizome and Root	
55	<i>Schizonepeta tenuifolia</i>	Lamiaceae.	Japanese mint/ Japanese catnip	Spike	
56	<i>Menthae haplocalyx</i>	Lamiaceae	Mentha/ Peppermint	Aerial part	
57	<i>Carthamus tinctorius</i>	Asteraceae	Safflower	Flower	
58	<i>Ligusticum chuanxiong</i>	Umbelliferae		Rhizome	
59	<i>Salvia miltiorrhiza</i>	Lamiaceae	Red sage, Chinese sage	Rhizome and Root	Pan <i>et al.</i> , 2020
60	<i>Panax ginseng</i>	<i>Araliaceae.</i>	Asian ginseng, Chinese ginseng, or Korean ginseng	Rhizome and root	
61	<i>Ophiopogon japonicus</i>	Liliaceae	Mondo grass	Root	
62	<i>Schisandra chinensis</i>	Schisandraceae	Magnolia-vine	Fruit	
63	<i>Aconitum carmichaelii</i>	Ranunculaceae	Chinese aconite, Carmichael's monkshood or Chinese wolfsbane	Root	
64	<i>Forsythia suspensa</i>	Oleaceae	Lianqiao	Fruit	
65	<i>Gardenia jasminoides</i>	Rubiaceae	Cape jasmine	Fruit	

66	<i>Trichosanthes kirilowii</i>	Cucurbitaceae	Chinese snake gourd, Chinese cucumber	Fruit	Luo <i>et al.</i> , 2020 ^c	
67	<i>Coptis chinensis</i>	Ranunculaceae	Huang Lian	Rhizome		
68	<i>Rheum palmatum</i>	Polygonaceae	Rhubarb	Root and Rhizome		
69	<i>Lophatherum gracile</i>	Poaceae	Bamboo-leaf	Leaf		
70	<i>Pogostemon cablin</i>	Lamiaceae	Patchouli	Leaf		
71	<i>Coix lacryma</i>	Gramineae	Coix seed	Seed		
72	<i>Amomum compactum</i>	Zingiberaceae	Round cardamom	Fruit		
73	<i>Medulla Tetrapanacis</i>	Amaranthaceae	Rice Paper Plant Pith, <i>Tong Cao</i>	Leaf		
74	<i>Glycine max</i>	Fabaceae	Soybean	Seed		
75	<i>Alisma orientale</i>	Alismataceae	Asian water plantain,	Rhizome		
76	<i>Magnolia officinalis</i>	Magnoliaceae	Houpu magnolia, Magnolia-bark	Bark		
77	<i>Cyrtomium fortunei</i>	Dryopteridaceae	Holly fern	Aerial part		
78	<i>Rhodiola crenulata</i>	Crassulaceae	<i>Stonecrops</i>	Root and Rhizome		
79	<i>Aucklandia lappa</i>	Asteraceae	Costus, Mu Xiang	Root		
80	<i>Aquilaria agallocha</i>	Thymelaeaceae	Agarwood, Aloeswood	Rhizome		
81	<i>Scrophularia ningpoensis</i>	<i>Scrophulariaceae</i>	Ningpo figwort or Chinese figwort, Xuanshen	Root		
82	<i>Cimicifuga racemosa</i>	Ranunculaceae	Black Cohosh	Rhizome		
83	<i>Syzygium aromaticum</i>	Myrtaceae	Clove	Flower buds		
84	<i>Lanxangia tsaoko</i>	Zingiberaceae	Cardamom <i>Tsao-ko</i>	Fruits		
85	<i>Anemarrhena asphodeloides</i>	Asparagaceae	Zhi Mu	Rhizome		
86	<i>Paeonia lactiflora</i>	Paeoniaceae	Chinese peony	Root		
87	<i>Bupleurum falcatum</i>	Apiaceae	Sickle-leaved hare's-ear, Chinese Thoroughwax, Sickle hare's ear	Root		
88	<i>Ziziphus jujuba</i>	Rhamnaceae	Chinese date tree, Common <i>jujube</i>	Fruit		Luo <i>et al.</i> , 2020 ^c
89	<i>Descurainia sophia</i>	Brassicaceae	Flixweed	Seed		
90	<i>Fritillaria thunbergii</i>	Liliaceae	Zhe Bei Mu	Bulb		
91	<i>Cimicifuga heracleifolia</i>	Ranunculaceae	Black Cohosh	Rhizome		
92	<i>Notopterygium incisum</i>	Apiaceae	Qiang Huo.	Rhizome and Root		
93	<i>Curcuma longa</i>	Zingiberaceae	Turmeric	Rhizome and Root		
94	<i>Withania somnifera</i>	Solanaceae	Ashwagandha, Indian ginseng, Poison gooseberry or Winter cherry	Root		
95	<i>Tinospora cordifolia</i>	Menispermaceae	Guduchi	Root		
96	<i>Ocimum sanctum</i>	Lamiaceae	Holy basil, Tulsi	Leaf		
97	<i>Leptadenia reticulata</i>	Apocynaceae	Dori	Root, Aerial parts		
98	<i>Pavonia odorata</i>	<i>Malvaceae</i>	Fragrant Sticky Mallow.	Root		

99	<i>Cedrus deodara</i>	Pinaceae	Deodar Cedar	Heart wood	Balkrishna <i>et al.</i> , 2020
100	<i>Cyperus scariosus</i> ,	Cyperaceae	Cypriol, Nutgrass	Root	
101	<i>Cinnamomum verum</i>	Lauraceae	True cinnamon tree or Ceylon cinnamon tree	Bark	
102	<i>Chrysopogon zizanioides</i>	Poaceae	Vetiver,	Whole plant	
103	<i>Hemidesmus indicus</i>	Apocynaceae	Indian sarsaparilla	Root	
104	<i>Santalum album</i>	Santalaceae	Indian <i>sandalwood</i>	Heartwood	
105	<i>Berberis aristata</i>	Berberidaceae	Indian barberry, "chutro" or Tree turmeric	Root bark	
106	<i>Aquilaria agallocha</i>	Thymelaeaceae	Agarwood, Aloeswood	Root	
107	<i>Solanum indicum</i>	Solanaceae	Indian Night Shade, Poison Berry	Root, Fruit	
108	<i>Pluchea lanceolata</i>	Asteraceae	Indian fleabane	Leaf	
109	<i>Nelumbo nucifera</i>	Nelumbonaceae	Sacred lotus	Rhizomes, Leaves and Seed	Balkrishna, 2020
110	<i>Pistacia integerrima</i>	Anacardiaceae	Zebrawood	Gall	
111	<i>Cressa cretica</i>	Convolvulaceae	Salt Cresse	Fruit	
112	<i>Piper nigrum</i>	Piperaceae	Black pepper	Fruit	
113	<i>Anacyclus pyrethrum</i>	Asteraceae	Spanish chamomile	Root	
114	<i>Embelia ribes</i>	Myrsinaceae	False black pepper	Fruit	Rastogi <i>et al.</i> , 2020
115	<i>Terminalia chebula</i>	Combretaceae	Black- or chebulic myrobalan	Fruit	
116	<i>Emblica officinalis</i>	Euphorbiaceae	Indian gooseberry	Fruit	
117	<i>Acorus calamus</i>	Acoraceae	Sweet flag or Calamus	Root	
118	<i>Aconitum heterophyllum</i>	Ranunculaceae	Aconite, Monkshood, Wolf's-bane, Leopard's bane	Root	
119	<i>Cynanchi Stauntonii</i>	Asclepiadaceae	Cynanchum Root and Rhizome Prime White Root	Rhizome and Root	Ang <i>et al.</i> , 2020
120	<i>Fritillariae Thunbergii</i>	Liliaceae	Zhe bei mu	Bulb	

*NA = Not available




Figure 1: The general structure of a SARS-CoV-2 (reproduced from Wikipedia under CC licence 4.0). E protein = envelope protein (Mani *et al.*, 2020)




Figure 2. (A) Replication cycle of human coronavirus; (B) host cell receptor and viral protein (S-protein) binding and membrane fusion mechanism (Jiang *et al.*, 2020).

Potential mechanism of action of plants used against SARS-CoV-2

Medicinal plants with potential activity against 3-chymotrypsin-like cysteine protease (SARS-CoV 3CLpro) abound (Upadhyay *et al.*, 2020; ul Qamar *et al.*, 2020; Benarba and Pandiella, 2020) (Table 2). 3-Chymotrypsin-like protease is necessary for viral replication and as such an important drug target for SARS-CoV-2 therapeutic agents. Other

potential mechanisms through which medicinal plants act which are also important targets for therapeutic agents include angiotensin-converting enzyme 2 (ACE2) (Table 3), SARS-CoV- PLpro activity (Table 4), SARS-CoV helicase (Table 5), Type II Transmembrane Serine Protease (TMPRSS2) (Table 6), RNA-dependent RNA polymerase (RdRp) (Table 7) and Immunomodulatory activities (Table 8).

Table 2: Medicinal plants with potential activity against 3-chymotrypsin-like cysteine protease (SARS-CoV 3CLpro) of SARS-CoV-2

S/N	Medicinal plant	Family	Other Pharmacologic action	References
1.	<i>Psoralea argyrea</i>	Fabaceae	Anti-SARS-CoV-2 activity	Idrees <i>et al.</i> , 2020
2.	<i>Myrica cerifera</i>	Myricaceae	Anti-cancer and Antioxidant activities	Paul <i>et al.</i> , 2013 Zhang <i>et al.</i> , 2016
3.	<i>Cassine xylocarpa</i>	Celastraceae	Anti-HIV activity	Osorio <i>et al.</i> , 2011
4.	<i>Phyllanthus emblica</i>	Phyllanthaceae	Antimicrobial and Anti-inflammatory activities	Gaire and Subedi, 2014; Asmilia <i>et al.</i> , 2020
5.	<i>Tinospora cordifolia</i>	Menispermaceae	Immunomodulatory activity; Anti-HIV	Kalika <i>et al.</i> , 2008; Akhtar, 2010
6.	<i>Commiphora wightii</i>	Burseraceae	Anti-cancer activity	Uzma <i>et al.</i> , 2020
7.	<i>Curcuma longa</i>	Zingiberaceae	Anti-allergic and Anti-cancer activities	Choi <i>et al.</i> , 2010; Kuttan <i>et al.</i> , 1985
8.	<i>Terminalia chebula</i>	Combretaceae	Anti-HSV-2 and Antitussive activities	Kesharwani <i>et al.</i> , 2017; ul Haq <i>et al.</i> , 2013
9.	<i>Glycyrrhiza glabra</i>	Fabaceae	Antitussive, Expectorant and Antiviral activities	Kamei <i>et al.</i> , 2003; De Clercq, 2000; Lalita, 1994
10.	<i>Azadirachta indica</i>	Meliaceae	Antimalarial and Antiviral activities	Deshpande <i>et al.</i> , 2014; Badam <i>et al.</i> , 1999
11.	<i>Boswellia serrata</i>	Burseraceae	Immunomodulatory and Anti-inflammatory activities	Beghelli <i>et al.</i> , 2017; Siddiqui, 2011
12.	<i>Zingiber officinale</i>	Zingiberaceae	Antiviral, Immunomodulatory and Anti-inflammatory activities	San <i>et al.</i> , 2013; Carrasco <i>et al.</i> , 2009; Ezzat <i>et al.</i> , 2018
13.	<i>Helianthus annuus</i>	Asteraceae	Anti-asthmatic and Antiviral activities	Heo <i>et al.</i> , 2008; Oliveira <i>et al.</i> , 2009
14.	<i>Ocimum sanctum</i>	Lamiaceae	Immunomodulatory, Antiviral and Anti-asthmatic activities	Jeba and Rameshkumar, 2011; Ghoke <i>et al.</i> , 2018; Vinaya, 2017
15.	<i>Hyptis atrorubens</i> Poit	Lamiaceae	Antimicrobial activity	Kerdudo <i>et al.</i> , 2016; Abedini <i>et al.</i> , 2013
16.	<i>Phaseolus vulgaris</i>	Fabaceae	Antiviral, Antioxidant and Anti-inflammatory activities	Ye <i>et al.</i> , 2001; Oomah <i>et al.</i> , 2010
17.	<i>Fracinus sieboldiana</i>	Oleaceae	Anti-HIV and other Antiviral activities	Kim <i>et al.</i> , 2001; Lin <i>et al.</i> , 2010
18.	<i>Glycyrrhiza uralensis</i>	Fabaceae	Antiviral, Anti-inflammatory, and Anti-asthmatic activities	Alfajaro <i>et al.</i> , 2012; Shin <i>et al.</i> , 2008; Huang <i>et al.</i> , 2019
19.	<i>Amaranthus tricolor</i>	Amaranthaceae	Antioxidant activity	Pulipati <i>et al.</i> , 2017
20.	<i>Camellia sinensis</i>	Theaceae	Anti-inflammatory and Immunomodulatory activities	Chattopadhyay <i>et al.</i> , 2004; Chattopadhyay <i>et al.</i> , 2012
21.	<i>Andrographis paniculata</i>	Acanthaceae	Antiviral, Immunostimulatory, Antioxidant and anti-inflammatory activities	Pongtuluran and Rofaani, 2015; Sheeja <i>et al.</i> , 2006

22.	<i>Angelica keiskei</i> ^a	Umbelliferae	Anti-inflammatory and Immunomodulatory activities	Lee <i>et al.</i> , 2010; Sudira and Merdana, 2017
23.	<i>Ecklonia cava</i>	Laminariaceae	Antimicrobial, Antioxidant and Antiviral activities	Venkatesan <i>et al.</i> , 2016; Yang <i>et al.</i> , 2018
24.	<i>Torreya nucifera</i> ^d	Taxaceae	Anti-inflammatory and Antioxidant activities	Kim <i>et al.</i> , 2016; Jeon <i>et al.</i> , 2009
25.	<i>Rheum palmatum</i>	Polygonaceae	Antifungal activity	Shang <i>et al.</i> , 2019
26.	<i>Withania somnifera</i>	Solanaceae	anti-inflammatory and antimicrobial activities	Dar <i>et al.</i> , 2015
27.	<i>Strychnos usambarensis</i>	Loganiaceae	Antimalarial activity	Frédérich <i>et al.</i> , 2004
28.	<i>Cryptolepis sanguinolenta</i>	Periplocaceae	Antimalarial activities	Ansha and Mensah, 2013
29.	<i>Teclea trichocarpa</i>	Rutaceae	Antiprotozoal and cytotoxic activity	Mwangi <i>et al.</i> , 2010
30.	<i>Fagara zanthoxyloides</i>	Rutaceae	Antimalarial activity	Enechi <i>et al.</i> , 2019
31.	<i>Ancistrocladus tanzaniensis</i>	Acistrocladaceae	Antimalarial activity	Bringmann <i>et al.</i> , 1999
32.	<i>Monodora angolensis</i>	Annonaceae	Antimalarial activity	Nkunya <i>et al.</i> , 2004
33.	<i>Toddalia asiatica</i>	Rutaceae	Anti-HIV and Antimalarial activities	Rashid <i>et al.</i> , 1995; Borah <i>et al.</i> , 2010
34.	<i>Glossocalyx brevipes</i>	Siparunaceae	Antiplasmodial activity	Mbah <i>et al.</i> , 2004
35.	<i>Triphyophyllum pellatum</i>	Dioncophyllaceae	Antimalarial activity	Bringmann <i>et al.</i> , 1997
36.	<i>Anastatica hierobonica</i> ^a	Brassicaceae	Antioxidant and antimicrobial activities	Mohamed <i>et al.</i> , 2010
37.	<i>Allium myrianthum</i>	Liliaceae	Antioxidant activity	Petropoulos <i>et al.</i> , 2020
38.	<i>Cichorium intybus</i> ^{a,c}	Asteraceae	Antimalarial and hepatoprotective activities	Bischoff <i>et al.</i> , 2004; Atta <i>et al.</i> , 2010
39.	<i>Marrubium vulgare</i> ^{a,c}	Lamiaceae	Hypotensive activity	Bardai <i>et al.</i> , 2001
40.	<i>Olea europaea</i> ^{a,c}	Oleaceae	Anti-hypertensive activity	Somova <i>et al.</i> , 2003
41.	<i>Hibiscus sabdariffa</i> ^a	Malvaceae	Anti-inflammatory and Antihypertensive activities	Dafallah and Al - Mustafa, 1996; Onyenekwe <i>et al.</i> , 1999
42.	<i>Sonchus macrocarpus</i>	Asteraceae	Antioxidant and anti-inflammatory activities	Li and Yang, 2018
43.	<i>Tamarix nilotica</i>	Tamaricaceae	Antioxidant and hepatoprotective activities	AbouZid and Sleem, 2011
44.	<i>Quercus suber</i>	Fagaceae	Antioxidant activity	Fernandes <i>et al.</i> , 2009
45.	<i>Artemisia herba-alba</i>	Asteraceae	Antioxidant and antifungal activities	Boukhennoufa <i>et al.</i> , 2020
46.	<i>Schinus molle</i>	Anacardiaceae	Anti-inflammatory and Antioxidant activities	Feriani <i>et al.</i> , 2020
47.	<i>Lepidium sativum</i>	Brassicaceae	Anti-inflammatory and Antioxidant activities	Alqahtani <i>et al.</i> , 2019
48.	<i>Crataegus sinaica</i>	Rosaceae	Antioxidant, Cytotoxic and Antimicrobial activities	El-Hela <i>et al.</i> , 2017
49.	<i>Cicer arietinum</i>	Fabaceae	Anti-inflammatory and Antifungal activities	Milán-Noris <i>et al.</i> , 2018; Bajwa <i>et al.</i> , 2006
50.	<i>Artemisia judaica</i> ^{a,c}	Asteraceae	Antioxidant, Antimicrobial and Anti-inflammatory activities	Nasr <i>et al.</i> , 2020; Abu - Darwish <i>et al.</i> , 2016
51.	<i>Isatis Indigotica</i>	Brassicaceae	Anti-inflammatory and Antiviral activities	Meng <i>et al.</i> , 2017
52.	<i>Dioscorea batatas</i> ^a	Dioscoreaceae	Anti-SARS-CoV Immunomodulatory, Anti-inflammatory and Antioxidant activities	Wen <i>et al.</i> , 2011; Choi <i>et al.</i> , 2004; Lim <i>et al.</i> , 2019
53.	<i>Cassia tora</i>	Caesalpinaceae	Anti-SARS-CoV; Anti-inflammatory, Antioxidant and Antibacterial activities	Wen <i>et al.</i> , 2011; Antonisamy <i>et al.</i> , 2017; Sharma <i>et al.</i> , 2010
54.	<i>Taxillus Chinensis</i>	Loranthaceae	Immunomodulatory, Anti-SARS-CoV activities	Zhang <i>et al.</i> , 2013; Wen <i>et al.</i> , 2011
55.	<i>Cibotium barometz</i>	Dicksoniaceae	Anti-SARS-CoV and Anti-inflammatory activities	Wen <i>et al.</i> , 2011; Lee <i>et al.</i> , 2010

a= Plant with PL pro activity; c= Plant with RdRp activity; d= Plant with helicase activity; e= Plants with Immunomodulatory activity; f= Plant with ACE2 activity

Table 3: Medicinal plants with potential activity against SARS-CoV-2 Receptor, angiotensin-converting enzyme 2 (ACE2), binding activity

S/N	Medicinal plant	Family	Other Pharmacologic action	References
1.	<i>Quercus infectoria</i>	Fagaceae	Hepatoprotective and immunomodulatory activities	Pithayanukul <i>et al.</i> , 2009; Yahya <i>et al.</i> , 2018
2.	Rheum emodin	Polygonaceae	Antiviral, Anti-inflammatory activities	Ho <i>et al.</i> , 2007; Zhong <i>et al.</i> , 2017
3.	<i>Ipomoea obscura</i>	Convolvulaceae	Anti-inflammatory and anti-tumour, Hepatoprotective and antioxidant activities	Hamsa and Kuttan, 2011; Ramachandran <i>et al.</i> , 2019
4.	<i>Berberis integerrima</i>	Berberidaceae	Anticonvulsant, Antibacterial activities	Hosseinzadeh <i>et al.</i> , 2013; Azimi <i>et al.</i> , 2018
5.	<i>Crataegus laevigata</i>	Rosaceae	Anti-inflammatory and Anti-microbial activities	Tadic <i>et al.</i> , 2008
6.	<i>Onopordum acanthium</i>	Asteraceae	Anti-inflammatory and Antibacterial activities	Lajter <i>et al.</i> , 2014
7.	<i>Cheyniana microphylla</i>	Myrtaceae	Antioxidant activity	Renda <i>et al.</i> , 2018
8.	<i>Scutellaria baicalensis</i> ^d	Lamiaceae	Anti-SARS CoV-2, Antiallergic, Immunomodulatory Anti-inflammatory and antioxidant activities	Liu <i>et al.</i> , 2020; Jung <i>et al.</i> , 2012; Huang <i>et al.</i> , 2006; Yang <i>et al.</i> , 2007
9.	<i>Veronica linaria Rijfolia</i>	Veronicellidae	Anti-SARS CoV activity	Goel and Goel, 2020
10.	<i>Galla chinensis</i>	Anacardiaceae	Antibacterial and Anti-inflammatory activities	Zheng <i>et al.</i> , 2011
11.	<i>Glycyrrhizae radix</i>	Leguminosae	Antiviral, Anti-inflammatory and Antioxidant activities	Parizipour and Shahriari, 2020; Yang <i>et al.</i> , 2013
12.	<i>Polygonum multiflorum</i>	Polygonaceae	Immunomodulatory, Anti-inflammatory and Antioxidant activities	Zhang <i>et al.</i> , 2018; Park <i>et al.</i> , 2017; Ip <i>et al.</i> , 1997

Table 4: Medicinal plants with potential activity against SARS-CoV-2 Receptor, SARS CoV- PLpro activity

S/N	Medicinal plant	Family	Other Pharmacologic action	References
1.	<i>Alnus japonica</i>	Betulaceae	Anti-influenza; Antioxidant and Anti-inflammatory activities	Tung <i>et al.</i> , 2010; Ibrahim <i>et al.</i> , 2017
2.	<i>Callen corylifolium</i>	Leguminosae	Antiviral activity	Kim <i>et al.</i> , 2014;
3.	<i>Paulownia tomentosa</i>	Scrophulariaceae	Antioxidant and Anti-inflammatory activities	Jo and Kim, 2019
4.	<i>Salvia miltiorrhiza</i> ^d	Lamiaceae	Antioxidant; Hepatoprotective effect; Anti-HIV-1 activities	Zhao <i>et al.</i> , 2006; Lee <i>et al.</i> , 2003; Abd-Elazem <i>et al.</i> , 2002
5.	<i>Tribulus terrestris</i>	Zygophyllaceae	Antihypertensive; Anticholinergic; Antibacterial activities	Ahmed <i>et al.</i> , 2020
6.	<i>Psoralea corylifolia</i>	Leguminosae	Anti-inflammatory activity	Neve <i>et al.</i> , 2018
7.	<i>Cynara scolymus</i> ^e	Asteracea	Immunomodulatory, Anti-inflammatory and Antioxidant activity	Hueza <i>et al.</i> , 2019; Majeed <i>et al.</i> , 2015
8.	<i>Ephedra alata</i>	Ephedraceae	Anti-inflammatory and Antioxidant activity	Soumaya <i>et al.</i> , 2020
9.	<i>Salvia triloba</i> ^e	Labiatae	Anti-inflammatory and Antioxidant activity	Risaliti <i>et al.</i> , 2019
10.	<i>Centaurea furfuracea</i>	Asteraceae	Antioxidant activity	Chemsa <i>et al.</i> , 2018
11.	<i>Matricaria chamomilla</i> ^e	Asteraceae	Anti-inflammatory, antioxidant and antiviral activities	Satyral <i>et al.</i> , 2015
12.	<i>Globularia alypum</i>	Globulariaceae	Antibacterial, Anti-inflammatory and Antioxidant activities	Ghliissi <i>et al.</i> , 2016
13.	<i>Tetraclinis articulata</i> ^e	Cupressaceae	Immunomodulatory Antioxidant, antibacterial, anti-inflammatory activities	Daoudi <i>et al.</i> , 2013; Rached <i>et al.</i> , 2018
14.	<i>Podocarpus gracilior</i>	Podocarpaceae	Antioxidant activity	Kamal <i>et al.</i> , 2012
15.	<i>Epilobium birsutum</i> ^b	Onagraceae	Antiviral and Antioxidant activities	Todorov <i>et al.</i> , 2014; Karakurt <i>et al.</i> , 2016
16.	Cicer arietinum ^{b,c}	Fabaceae	Antiviral and Antioxidant activities	Kan and Kartal, 2009; Kou <i>et al.</i> , 2013
17.	<i>Centaurea incand</i> ^d	Asteraceae	Antioxidant activity	Bouafia <i>et al.</i> , 2018
18.	<i>Broussonetia papyrifera</i>	Moraceae	Antioxidant and anti-inflammatory activities	Malanik <i>et al.</i> , 2020

b= activity against 3CLPro; c= Plant with RdRp activity; e= Plants with Immunomodulatory activity

Table 5: Medicinal plants with potential activity against the SARS-CoV helicase

S/N	Medicinal plant	Family	Other Pharmacologic action	References
1.	<i>Aglaia perviridis</i>	Meliaceae	Anti-inflammatory activity	An <i>et al.</i> , 2020;
2.	<i>Isatis indigotica</i> ^b	Brassicaceae	Antiviral; Anti-inflammatory and Antipyretic activities	Meng <i>et al.</i> , 2017; Ho <i>et al.</i> , 2002
3.	<i>Griffithsia spp</i>	Wrangeliaceae	Anti-HIV1 activity	Vamvaka <i>et al.</i> , 2016

b= activity against 3CLPro

Table 6: Medicinal plants against Type II Transmembrane Serine Protease (TMPRSS2)

S/N	Medicinal plant	Family	Other Pharmacologic action	References
1.	<i>Strobilantbes cusia</i> ^a	Acanthaceae	Antiviral activity	Tsai <i>et al.</i> , 2020
2.	<i>Fumaria indica</i>	Papaveraceae	Antipyretic, Anti-cough activities	Gupta <i>et al.</i> , 2012
3.	<i>Strychnos nux-vomica</i>	Loganiaceae	Anti-inflammatory, Antipyretic and Anti-oxidant activities	Eldahshan <i>et al.</i> , 2015
4.	<i>Corydalis govaniana</i>	Papaveraceae	Anti-oxidant and Analgesic activities	Shrestha and Adhikari, 2017; Muhammad <i>et al.</i> , 2015
5.	<i>Nerium oleander</i>	Apocynaceae	Anti-inflammatory, Anti-poliovirus activities	Balkan <i>et al.</i> , 2018; Sanna <i>et al.</i> , 2019
6.	<i>Strychnos ignatii</i>	Loganiaceae	Anti-inflammatory activity	Kim <i>et al.</i> , 2009
7.	<i>Strychnos colubrina</i>	Loganiaceae	Antipyretic activity	Karthikeyan <i>et al.</i> , 2011
8.	<i>Fumaria vaillantii</i>	Papaveraceae	antifungal, anti-inflammatory activities	Moghtader, 2013
9.	<i>Edgeworthia gardneri</i>	Thymelaeaceae	Antidiabetic activity	Gao <i>et al.</i> , 2016

a= Plant with PL pro activity

Table 7. Medicinal plants against RNA-dependent RNA polymerase (RdRp)

S/N	Medicinal plant	Family	Other Pharmacologic action	References
1.	<i>Trigonella foenum-graecum</i> ^a	Papilionaceae	Immunomodulatory, Antioxidant, Anti-inflammatory and Antipyretic activities	Ahmadiani <i>et al.</i> , 2001; Bhangar <i>et al.</i> , 2008; Anarthe <i>et al.</i> , 2014
2.	<i>Eruca sativa</i>	Brassicaceae	Antioxidant, Antimicrobial, Antiplatelet and Antithrombotic activities	Fuentes <i>et al.</i> , 2014; Koubaa <i>et al.</i> , 2015
3.	<i>Medicago sativa</i> ^a	Leguminosae	Analgesic, anti-inflammatory, Antioxidant and cytotoxic activities	Seddighfar <i>et al.</i> , 2020; Zagórska-Dziok <i>et al.</i> , 2020
4.	<i>Cleome species</i> ^a	Capparaceae	Antimalarial, Anti-inflammatory, Antipyretic, Antiviral and immunomodulatory activities	Abdullah <i>et al.</i> , 2016; Samra <i>et al.</i> , 2020; Rastogi <i>et al.</i> , 2009
5.	<i>Fracinus oxycarpa</i>	Oleaceae	Antioxidant activity	Jiménez-López <i>et al.</i> , 2017
6.	<i>Scrophularia saharae</i>	Scrophulariaceae	Anti-inflammatory and Neuroprotective activities	Pasdaran and Hamed, 2017
7.	<i>Daucus carota</i> ^b	Apiaceae	Antiviral, Antioxidant, Anti-inflammatory, and Immunomodulatory activities	Shebaby, 2014; Torky, 2013; Patil <i>et al.</i> , 2012
8.	<i>Apium graveolens</i> ^a	Apiaceae	Anti-inflammatory activity	Ramezani <i>et al.</i> , 2009
9.	<i>Houttuynia cordata</i> ^b	Saururaceae	Anti-inflammatory, AntiSARS and Immunomodulatory activities	Choi <i>et al.</i> , 2010; Lau <i>et al.</i> , 2008
10.	<i>Sinomenium acutum</i> ^a	Menispermaceae	Anti-inflammatory activity	Zhao <i>et al.</i> , 2015
11.	<i>Corioliolus versicolor</i> ^a	Polyporaceae	Immunomodulatory, antioxidant and antimicrobial, Anti-HIV1 activities	Saleh <i>et al.</i> , 2017; Han <i>et al.</i> , 2015; Collins and Ng, 1997
12.	<i>Ganoderma lucidum</i>	Ganodermataceae	Antioxidant, Anti-inflammatory Immunomodulatory and Antiviral activities	Shi <i>et al.</i> , 2013; Cai <i>et al.</i> , 2016; Zhang <i>et al.</i> , 2014

a= Plant with PL pro activity; b= activity against 3CLPro

Table 8: Medicinal plants with Immunomodulatory activities

S/N	Medicinal plant	Family	Other Pharmacologic action	References
1.	<i>Astragalus mongholicus</i>	Fabaceae	Antioxidant, Anti-inflammatory activities	Schinella <i>et al.</i> , 2002
2.	<i>Lonicera japonica</i>	Caprifoliaceae	Antioxidant, Anti-inflammatory, Antiviral activities	Hsu <i>et al.</i> , 2016; Liu <i>et al.</i> , 2020
3.	<i>Panax ginseng</i>	Araliaceae	Neuroprotective and anti-inflammatory activities, Antiviral Activities	Kong <i>et al.</i> , 2009; Baek <i>et al.</i> , 2010
4.	<i>Astragalus membranaceus</i>	Fabaceae	Antiviral, Antioxidant, Anti-inflammatory activities	Khan <i>et al.</i> , 2019; Lee <i>et al.</i> , 2013
5.	<i>Echinacea purpurea</i>	Asteraceae	Antioxidant, Anti-inflammatory and Antiviral activities	Aarland <i>et al.</i> , 2017; Signer <i>et al.</i> , 2020
6.	<i>Allium sativum</i>	Alliaceae	Antimalarial, Antioxidant, Anti-inflammatory and Antiviral activities	Adebayo and Motunrayo, 2018; Tsai <i>et al.</i> , 2005
7.	<i>Psidium guajava</i>	Myrtaceae	Anti-cough, Anti-inflammatory, Antioxidant and antimicrobial activities	Fernandes <i>et al.</i> , 2014; Jaiarj <i>et al.</i> , 1999; Sen <i>et al.</i> , 1995
8.	<i>Cymbopogon citratus</i>	Poaceae	Antimalaria, Antioxidant, Anti-inflammatory and Antiviral activities	Tchoumboungang <i>et al.</i> , 2005; Lu, <i>et al.</i> , 2014; Abraham - Oyiguh <i>et al.</i> , 2019
9.	<i>Cinnamomum zeylanicum</i>	Lauraceae	Anti-inflammatory, Antioxidant and Antimicrobial activities	Joshi <i>et al.</i> , 2010; Tepe and Ozaslan, 2020; Alizadeh Behbahani <i>et al.</i> , 2020
10.	<i>Acacia concinna</i>	Fabaceae	Antibacterial, Anti-coagulant, Anti-platelet and Anti-thrombotic activities	Todkar <i>et al.</i> , 2010; Boonmee <i>et al.</i> , 2017
11.	<i>Lawsonia inermis</i>	Lythraceae	Anti-inflammatory, antipyretic, Antimicrobial Antimalarial activities	Alia <i>et al.</i> , 1995; El-Hag <i>et al.</i> , 2007; Afolayan <i>et al.</i> , 2016
12.	<i>Piper longum</i>	Piperaceae	Antioxidant, Anti-inflammatory and Antiallergic activities	Jin <i>et al.</i> , 2013; Dahanukar <i>et al.</i> , 1984
13.	<i>Gelidium amansii</i>	Gelidiaceae	Anti-inflammatory, Antibacterial and Antifungal activities	Park and Yoon, 2018; Nagalingam <i>et al.</i> , 2019
14.	<i>Petroselinum crispum</i>	Apiaceae	Antioxidant, Anti-inflammatory, Antihypertensive and Antibacterial activities	Petrolini, <i>et al.</i> , 2013; Ajebli <i>et al.</i> , 2019; Slighoua <i>et al.</i> , 2020
15.	<i>Plantago major</i>	Plantaginaceae	Anti-inflammatory, Antioxidant and Antiviral activities	Zubair <i>et al.</i> , 2019; Stanisavljević <i>et al.</i> , 2008; Chiang <i>et al.</i> , 2002
16.	<i>Adenocarpus mannii</i>	Faboideae	Antioxidant and Antimicrobial activities	Ndjateu <i>et al.</i> , 2014
17.	<i>Caucalis melanantha</i>	Umbelliferae	Antibacterial activity	Djeussi <i>et al.</i> , 2016
18.	<i>Ocimum gratissimum</i>	Lamiaceae	Antimalarial, Anti-inflammatory, Antioxidant and Antimicrobial activities	Tchoumboungang <i>et al.</i> , 2005; Joshi, 2013
19.	<i>Asystasia intrusa</i>	Acanthaceae	Anti-inflammatory and Antimicrobial Activities	West <i>et al.</i> , 2011; Dian, 2016
20.	<i>Clematis chinensis</i>	Ranunculaceae	Anti-inflammatory and Antioxidant activities	Peng <i>et al.</i> , 2012; Chen <i>et al.</i> , 2005
21.	<i>Pouteria cambodiana</i>	Sapotaceae	Antioxidant activity	Chaisri and Laoprom, 2017
22.	<i>Clausena excavata</i>	Rutaceae	Anti-HIV-1, Antiplatelet activity, Anti-inflammatory and Antioxidant activities	Kongkathip <i>et al.</i> , 2005; Wu <i>et al.</i> , 1994; Albaayit <i>et al.</i> , 2020
23.	<i>Limoniastrum guyonianum</i>	Plumbaginaceae	Anti-inflammatory, Antioxidant and Antimicrobial activities	Krifa <i>et al.</i> , 2015; Bouzidi <i>et al.</i> , 2016
24.	<i>Codium fragile</i>	Codiaceae	Anti-inflammatory, Antioxidant, Thrombolytic and Antiviral activities	Choi <i>et al.</i> , 2013; Koz <i>et al.</i> , 2009; Ohta <i>et al.</i> , 2009; Han <i>et al.</i> , 2010
25.	<i>Acacia catechu</i>	Mimosoideae	Anti-inflammatory, Antioxidant, Antiallergic and Antiviral activities	Stohs and Bagchi, 2015; Patel and Patel, 2019; Gupta and Chaphalkar, 2016

CONCLUSION AND PROSPECTS

In the present review, we have shown the various medicinal plants which have been utilised in the prevention and treatment of COVID-19. Majority of the plants have also been shown to possess other pharmacological activities which may contribute to their ability to alleviate the symptoms and treat coronavirus disease. This medicinal plants use has been regarded among the principal factors that contributed to the containment of the COVID-19 in China (Salzberger et al., 2020). Existing information have shown that the possible mechanism of action of anti-COVID-19 medicinal plants were inhibition of 3-chymotrypsin-like protease (3CLpro), papain like protease (PLpro), RNA-dependent RNA polymerase (RdRp), angiotensin-converting enzyme 2 (ACE2) and immunomodulatory activities. These proposed mechanisms target multiple components pathways in the life cycle of SARS-CoV-2 for the treatment of COVID-19. However, the bulk of the understanding of the mechanisms of medicinal plants is mainly produced following virtual simulations (molecular docking and network pharmacology analysis). In order to confirm these predicted mechanisms, it is of paramount importance that well designed experiments (both *in vitro* cell and *in vivo* animal studies) be conducted to validate these predictions. Finally, tissue samples as well as the biofluids from medicinal plant-treated COVID-19 patients should be collected and analysed using appropriate instruments and controlled clinical trial parameters to further validate the proposed possible mechanisms.

REFERENCES

- Aarland, R.C., Bañuelos-Hernández, A.E., Fragoso-Serrano, M., Sierra-Palacios, E.D.C., Díaz de León-Sánchez, F., Pérez-Flores, L.J., Rivera-Cabrera, F. and Mendoza-Espinoza, J.A., 2017. Studies on phytochemical, antioxidant, anti-inflammatory, hypoglycaemic and antiproliferative activities of *Echinacea purpurea* and *Echinacea angustifolia* extracts. *Pharmaceutical biology*, 55(1), pp.649-656.
- Abd-Elazem, I.S., Chen, H.S., Bates, R.B. and Huang, R.C.C., 2002. Isolation of two highly potent and non-toxic inhibitors of human immunodeficiency virus type 1 (HIV-1) integrase from *Salvia miltiorrhiza*. *Antiviral research*, 55(1), pp.91-106.
- Abdullah, W., Elsayed, W.M., Abdelshafeek, K.A., Nazif, N.M. and Singab, A.N.B., 2016. Chemical constituents and biological activities of Cleome genus: A brief review. *Int. J. Pharmacogn. Phytochem. Res*, 8, pp.777-787.
- Abedini, A., Roumy, V., Mahieux, S., Biabiany, M., Standaert-Vitse, A., Rivière, C., Sahpaz, S., Bailleul, F., Neut, C. and Hennebelle, T., 2013. Rosmarinic acid and its methyl ester as antimicrobial components of the hydromethanolic extract of *Hyptis atrorubens* Poit.(Lamiaceae). *Evidence-Based Complementary and Alternative Medicine*, 2013.
- AbouZid, S. and Sleem, A., 2011. Hepatoprotective and antioxidant activities of *Tamarix nilotica* flowers. *Pharmaceutical biology*, 49(4), pp.392-395.
- Abraham-Oyiguh, J., Zakka, A.W., Onwuatuegwu, J.T.C., Sulaiman, L.K. and Muhammad, S.Y., 2019. In-ovo antiviral assay of methanolic leaf extract of *Cymbopogon citratus* (Lemon grass) on Newcastle disease virus. *Access Microbiology*, 1(1A), p.25.
- Abu-Darwish, M.S., Cabral, C., Gonçalves, M.J., Cavaleiro, C., Cruz, M.T., Zulfikar, A., Khan, I.A., Efferth, T. and Salgueiro, L., 2016. Chemical composition and biological activities of *Artemisia judaica* essential oil from southern desert of Jordan. *Journal of ethnopharmacology*, 191, pp.161-168.
- Adebayo, N.S. and Motunrayo, O., 2018. Evaluation of antiplasmodial potential of *Aloe barbadensis* and *Allium sativum* on plasmodium berghei-infected mice. *Journal of Medicinal Plants Research*, 12(22), pp.320-324.
- Afolayan, F.I., Adegbolagun, O.M., Irungu, B., Kangethe, L., Orwa, J. and Anumudu, C.I., 2016. Antimalarial actions of *Lawsonia inermis*, *Tithonia diversifolia* and *Chromolaena odorata* in combination. *Journal of ethnopharmacology*, 191, pp.188-

- 194.
- Ahmadiani, A., Javan, M., Semnanian, S., Barat, E. and Kamalinejad, M., 2001. Anti-inflammatory and antipyretic effects of *Trigonella foenum-graecum* leaves extract in the rat. *Journal of ethnopharmacology*, 75(2-3), pp.283-286.
- Ahmed, S., Khan, A.A., Yadav, P., Akhtar, J., Akram, U. and Shamim, L.F. 2020. Gokhru (*Tribulus terrestris* Linn.): Pharmacological actions and therapeutic applications: A Review. *International Journal of Herbal Medicine*, 8(4), pp. 25-29.
- Ajebli, M. and Eddouks, M., 2019. Antihypertensive activity of *Petroselinum crispum* through inhibition of vascular calcium channels in rats. *Journal of ethnopharmacology*, 242, p.112039.
- Akhtar, S., 2010. Use of *Tinospora cordifolia* in HIV infection. *Indian Journal of Pharmacology*, 42(1), p.57
- Albaayit, S.F.A., Rasedee, A., Abdullah, N. and Abba, Y., 2020. Methanolic extract of *Clausena excavata* promotes wound healing via antiinflammatory and anti-apoptotic activities. *Asian Pacific Journal of Tropical Biomedicine*, 10(5), p.232.
- Alfajaro, M.M., Kim, H.J., Park, J.G., Ryu, E.H., Kim, J.Y., Jeong, Y.J., Kim, D.S., Hosmillo, M., Son, K.Y., Lee, J.H. and Kwon, H.J., 2012. Anti-rotaviral effects of *Glycyrrhiza uralensis* extract in piglets with rotavirus diarrhea. *Virology journal*, 9(1), p.310.
- Alia, B.H., Bashir, A.K. and Tanira, M.O.M., 1995. Anti-inflammatory, antipyretic, and analgesic effects of *Lawsonia inermis* L.(henna) in rats. *Pharmacology*, 51(6), pp.356-363.
- Alizadeh Behbahani, B., Falah, F., Lavi Arab, F., Vasiee, M. and Tabatabaee Yazdi, F., 2020. Chemical Composition and Antioxidant, Antimicrobial, and Antiproliferative Activities of *Cinnamomum zeylanicum* Bark Essential Oil. *Evidence-Based Complementary and Alternative Medicine*, 2020.
- Alqahtani, F.Y., Aleanizy, F.S., Mahmoud, A.Z., Farshori, N.N., Alfaraj, R., Al-sheddi, E.S. and Alsarra, I.A., 2019. Chemical composition and antimicrobial, antioxidant, and anti-inflammatory activities of *Lepidium sativum* seed oil. *Saudi journal of biological sciences*, 26(5), pp.1089-1092.
- An, F.L., Xu, W.J., Yang, M.H., Luo, J. and Kong, L.Y., 2020. Anti-inflammatory flavagline glycosides and putrescine bisamides from *Aglaia perviridis* leaves. *Tetrahedron*, p.131257.
- Anarthe, S.J., Sunitha, D. and Raju, M.G., 2014. Immunomodulatory activity for methanolic extract of *Trigonella foenum graecum* whole plant in wistar albino rats. *Am J Phytomed Clin Ther*, 2(9), pp.1081-1092.
- Andrighetti-Fröhner, C., Sincero, T.C.M., Da Silva, A.C., Savi, L.A., Gaido, C.M., Bettega, J.M.R., Mancini, M., De Almeida, M.T.R., Barbosa, R.A., Farias, M.R. and Barardi, C.R.M., 2005. Antiviral evaluation of plants from Brazilian atlantic tropical forest. *Fitoterapia*, 76(3-4), pp.374-378.
- Ang, L., Lee, H.W., Choi, J.Y., Zhang, J. and Lee, M.S., 2020. Herbal medicine and pattern identification for treating COVID-19: a rapid review of guidelines. *Integrative Medicine Research*, 9(2), June 2020, p.100407.
- Ansha, C. and Mensah, K.B., 2013. A review of the anticancer potential of the antimalarial herbal *Cryptolepis sanguinolenta* and its major alkaloid cryptolepine. *Ghana medical journal*, 47(3), pp.137-147.
- Antonisamy, P., Dhanasekaran, M., Kim, H.R., Jo, S.G., Agastian, P. and Kwon, K.B., 2017. Anti-inflammatory and analgesic activity of ononitol monohydrate isolated from *Cassia tora* L. in animal models. *Saudi journal of biological sciences*, 24(8), pp.1933-1938.
- Asmilia, N., Sutriana, A., Aliza, D. and Sudril, N., 2020. Anti-inflammatory Activity of Ethanol Extract from Malacca Leaves (*Phyllanthus emblica*) in Carrageenan Induced Male Mice. In *E3S Web of Conferences* (Vol. 151, p. 01066). EDP Sciences.
- Atta, A.H., Elkoly, T.A., Mounieir, S.M., Kamel, G., Alwabel, N.A. and Zaher, S., 2010.

- Hepatoprotective effect of methanol extracts of *Zingiber officinale* and *Cichorium intybus*. *Indian journal of pharmaceutical sciences*, 72(5), p.564.
- Azimi, G., Hakakian, A., Ghanadian, M., Joumaa, A. and Alamian, S., 2018. Bioassay-directed isolation of quaternary benzylisoquinolines from *Berberis integerrima* with bactericidal activity against *Brucella abortus*. *Research in Pharmaceutical Sciences*, 13(2), p.149.
- Badam, L., Joshi, S.P. and Bedekar, S.S., 1999. 'In vitro' antiviral activity of neem (*Azadirachta indica*. A. Juss) leaf extract against group B coxsackieviruses. *The Journal of communicable diseases*, 31(2), pp.79-90.
- Baek, S.H., Lee, J.G., Park, S.Y., Bae, O.N., Kim, D.H. and Park, J.H., 2010. Pectic polysaccharides from *Panax ginseng* as the antirotavirus principals in ginseng. *Biomacromolecules*, 11(8), pp.2044-2052.
- Bajwa, R., Anjum, T., Shafique, S. and Shafique, S., 2006. Evaluation of antifungal activity of *Cicer arietinum* L. *Pakistan Journal of Botany*, 38(1), p.175.
- Balkan, İ.A., Gören, A.C., Kırmızıbekmez, H. and Yeşilada, E., 2018. Evaluation of the in vitro anti-inflammatory activity of *Nerium oleander* L. flower extracts and activity-guided isolation of the active constituents.
- Balkrishna A, Pokhrel S, Singh J, Varshney A 2020. Withanone from *Withania somnifera* May Inhibit Novel Coronavirus (COVID-19) Entry by Disrupting Interactions between Viral S-Protein Receptor Binding Domain and Host ACE2 Receptor. *Research Square*. DOI: 10.21203/rs.3.rs-17806/v1.
- Bardai, S.E., Lyoussi, B., Wibo, M. and Morel, N., 2001. Pharmacological evidence of hypotensive activity of *Marrubium vulgare* and *Foeniculum vulgare* in spontaneously hypertensive rat. *Clinical and experimental hypertension*, 23(4), pp.329-343.
- Beghelli, D., Isani, G., Roncada, P., Andreani, G., Bistoni, O., Bertocchi, M., Lupidi, G. and Alunno, A., 2017. Antioxidant and ex vivo immune system regulatory properties of *Boswellia serrata* extracts. *Oxidative Medicine and Cellular Longevity*, 2017.
- Benarba, B. and Pandiella, A., 2020. Medicinal plants as sources of active molecules against COVID-19. *Frontiers in Pharmacology*, 11.
- Bhanger, M.I., Bukhari, S.B. and Memon, S., 2008. Antioxidative activity of extracts from a Fenugreek seeds (*Trigonella foenum-graecum*). *Pakistan Journal of Analytical & Environmental Chemistry*, 9(2), p.6.
- Bhuiyan, F.R., Howlader, S., Raihan, T. and Hasan, M., 2020. Plants Metabolites: Possibility of Natural Therapeutics against the COVID-19 Pandemic. *Frontiers in Medicine*, 7, p.444.
- Bischoff, T.A., Kelley, C.J., Karchesy, Y., Laurantos, M., Nguyen-Dinh, P. and Arefi, A.G., 2004. Antimalarial activity of Lactucin and Lactucopicrin: sesquiterpene lactones isolated from *Cichorium intybus* L. *Journal of ethnopharmacology*, 95(2-3), pp.455-457.
- Bleyzac, N., Goutelle, S., Bourguignon, L. and Tod, M., 2020. Azithromycin for COVID-19: More Than Just an Antimicrobial? *Clinical drug investigation*. Jun 12: 1–4. doi: 10.1007/s40261-020-00933-3 [Epub ahead of print]
- Boonmee, S. and Kato-Noguchi, H., 2017. Allelopathic activity of *Acacia concinna* pod extracts. *Emirates Journal of Food and Agriculture*, pp.250-255.
- Borah, R., Kalita, M.C., Kar, A. and Talukdar, A.K., 2010. Larvicidal efficacy of *Toddalia asiatica* (Linn.) Lam against two mosquito vectors *Aedes aegypti* and *Culex quinquefasciatus*. *African Journal of Biotechnology*, 9(17), pp.2527-2530.
- Bouafia, M., Benarfa, A., Gourine, N. and Yousfi, M., 2020. Seasonal variation of fatty acid composition, tocopherol content and antioxidant activity of lipid extracts from *Centaurea* sp. *Food Bioscience*, 37, p.100728.
- Boukhatem, M.N. and Setzer, W.N., 2020. Aromatic Herbs, Medicinal Plant-Derived Essential Oils, and Phytochemical Extracts as Potential Therapies for Coronaviruses: Future Perspectives. *Plants*, 9(6), p.800.

- Boukhenoufa, A., Benmagnia, S., Meddah, B. and Meddah, A.T.T., 2020. Antioxidant activity of extracts formulated from *Citrus aurantium* and *Artemisia herba alba*. *European Journal of Biological Research*, 10(4), pp.343-351.
- Bouzidi, A., Benzarti, A., El Arem, A., Mahfoudhi, A., Hammami, S., Gorcii, M., Mastouri, M., Hellal, A.N. and Zine, M., 2016. Chemical composition, antioxidant and antimicrobial effects of Tunisian *Limoniastrum guyonianum* Durieu ex Boiss extracts. *Pak J Pharm Sci*, 29(4), pp.1299-305.
- Bringmann, G., Saeb, W., Assi, L.A., Francois, G., Narayanan, A.S., Peters, K. and Peters, E.M., 1997. Betulinic acid: isolation from *Triphyophyllum peltatum* and *Ancistrocladus heyneanus*, antimalarial activity, and crystal structure of the benzyl ester. *Planta medica*, 63(03), pp.255-257.
- Bringmann, G., Teltschik, F., Michel, M., Busemann, S., Rückert, M., Haller, R., Bär, S., Robertson, S.A. and Kaminsky, R., 1999. Ancistrobertsonines B, C, and D as well as 1, 2-didehydroancistrobertsonine D from *Ancistrocladus robertsoniorum*. *Phytochemistry*, 52(2), pp.321-332.
- Cai, Z., Wong, C.K., Dong, J., Jiao, D., Chu, M., Leung, P.C., San Lau, C.B., Lau, C.P., Tam, L.S. and Lam, C.W.K., 2016. Anti-inflammatory activities of *Ganoderma lucidum* (Lingzhi) and San-Miao-San supplements in MRL/lpr mice for the treatment of systemic lupus erythematosus. *Chinese medicine*, 11(1), p.23.
- Carrasco, F.R., Schmidt, G., Romero, A.L., Sartoretto, J.L., Caparroz-Assef, S.M., Bersani-Amado, C.A. and Cuman, R.K.N., 2009. Immunomodulatory activity of *Zingiber officinale* Roscoe, *Salvia officinalis* L. and *Syzygium aromaticum* L. essential oils: evidence for humor-and cell-mediated responses. *Journal of Pharmacy and Pharmacology*, 61(7), pp.961-967.
- CDC (2020^a). Coronavirus Disease (2019). Older adults. <https://www.cdc.gov/coronavirus/2019-ncov/need-extra-precautions/older-adults.html>. Accessed 14th October, 2020.
- CDC (2020^b). Coronavirus Disease (2019). People with Certain Medical Conditions <https://www.cdc.gov/coronavirus/2019-ncov/need-extra-precautions/people-with-medical-conditions.html>. Accessed 14th October, 2020.
- CDC (2021). Authorized and Recommended Vaccines. Different COVID-19 Vaccines | CDC. Accessed 22nd March, 2021.
- Chaccour, C., Abizanda, G., Irigoyen-Barrio, Á., Casellas, A., Aldaz, A., Martínez-Galán, F., Hammann, F. and Gil, A.G., 2020. Nebulized ivermectin for COVID-19 and other respiratory diseases, a proof of concept, dose-ranging study in rats. *Scientific Reports*, 10(1), pp.1-11.
- Chaisri, P. and Laoprom, N., 2017. Antioxidant Properties and Total Phenolic Content of Selected Traditional Thai Medicinal Plants. *Thai Pharmaceutical and Health Science Journal-วารสาร ไทยเภสัชศาสตร์และวิทยาการสุขภาพ*, 12(1), pp.10-18.
- Chan, J.F.W., Kok, K.H., Zhu, Z., Chu, H., To, K.K.W., Yuan, S. and Yuen, K.Y., 2020^a. Genomic characterization of the 2019 novel human-pathogenic coronavirus isolated from a patient with atypical pneumonia after visiting Wuhan. *Emerging microbes & infections*, 9(1), pp.221-236.
- Chan, K.W., Wong, V.T. and Tang, S.C.W., 2020^b. COVID-19: An update on the epidemiological, clinical, preventive and therapeutic evidence and guidelines of integrative Chinese–Western medicine for the management of 2019 novel coronavirus disease. *The American journal of Chinese medicine*, 48(03), pp.737-762.
- Chattopadhyay, C., Chakrabarti, N., Chatterjee, M., Mukherjee, S., Sarkar, K. and Chaudhuri, A.R., 2012. Black tea (*Camellia sinensis*) decoction shows immunomodulatory properties on an experimental animal model and in human peripheral mononuclear cells. *Pharmacognosy research*, 4(1), p.15.
- Chattopadhyay, P., Besra, S.E., Gomes, A., Das, M., Sur, P., Mitra, S. and Vedasiromoni, J.R., 2004. Anti-inflammatory activity of tea (*Camellia sinensis*) root extract. *Life*

- sciences*, 74(15), pp.1839-1849.
- Chemsa, A.E., Zellagui, A., Öztürk, M., Ebru, E.R.O.L., Ceylan, O. and Duru, M.E., 2018. The chemical composition of *Centaurea furfuracea* Coss. and Dur. essential oil with antioxidant, anticholinesterase and antibiofilm activities. *Journal of ongoing chemical research*, 3(2), pp.54-63.
- Chen, Y., Sun, Y. and Fang, W., 2005. Study on antioxidant activity of *Clematis chinensis* Osbeck polysaccharide. *China Journal of Traditional Chinese Medicine and Pharmacy*, (03).
- Chen, Z. and Nakamura, T., 2004. Statistical evidence for the usefulness of Chinese medicine in the treatment of SARS. *Phytotherapy Research: An International Journal Devoted to Pharmacological and Toxicological Evaluation of Natural Product Derivatives*, 18(7), pp.592-594.
- Chiang, L.C., Chiang, W., Chang, M.Y., Ng, L.T. and Lin, C.C., 2002. Antiviral activity of *Plantago major* extracts and related compounds in vitro. *Antiviral research*, 55(1), pp.53-62.
- Chiba, S., 2020. Effect of early oseltamivir on COVID-19-suspected outpatients without hypoxia. *Research square* DOI: <https://doi.org/10.21203/rs.3.rs-33046/v1>[Epub ahead of print]
- Cho, J.K., Curtis-Long, M.J., Lee, K.H., Kim, D.W., Ryu, H.W., Yuk, H.J. and Park, K.H., 2013. Geranylated flavonoids displaying SARS-CoV papain-like protease inhibition from the fruits of *Paulownia tomentosa*. *Bioorganic & medicinal chemistry*, 21(11), pp.3051-3057.
- Choi, E.M., Koo, S.J. and Hwang, J.K., 2004. Immune cell stimulating activity of mucopolysaccharide isolated from yam (*Dioscorea batatas*). *Journal of Ethnopharmacology*, 91(1), pp.1-6.
- Choi, J.H., Sapkota, K., Park, S.E., Kim, S. and Kim, S.J., 2013. Thrombolytic, anticoagulant and antiplatelet activities of codiase, a bi-functional fibrinolytic enzyme from *Codium fragile*. *Biochimie*, 95(6), pp.1266-1277.
- Choi, J.Y., Lee, J., Lee, J.B., Yun, S.J. and Lee, S.C., 2010. Anti-inflammatory activity of *Houttuynia cordata* against lipoteichoic acid-induced inflammation in human dermal fibroblasts. *Chonnam Medical Journal*, 46(3), pp.140-147.
- Choi, Y.H., Yan, G.H., Chai, O.H. and Song, C.H., 2010. Inhibitory effects of curcumin on passive cutaneous anaphylactoid response and compound 48/80-induced mast cell activation. *Anatomy & cell biology*, 43(1), pp.36-43.
- Chu, D.K., Pan, Y., Cheng, S., Hui, K.P., Krishnan, P., Liu, Y., Ng, D.Y., Wan, C.K., Yang, P., Wang, Q., 2020. Molecular diagnosis of a novel coronavirus (2019-nCoV) causing an outbreak of pneumonia. *Clin. Chem.* 66 (4), 549–555.
- Collins, R.A. and Ng, T.B., 1997. Polysaccharopeptide from *Coriolus versicolor* has potential for use against human immunodeficiency virus type 1 infection. *Life Sciences*, 60(25), pp.PL383-PL387.
- da Silva, S.J.R., da Silva, C.T.A., Mendes, R.P.G. and Pena, L., 2020. Role of Nonstructural Proteins in the Pathogenesis of SARS-CoV-2. *Journal of Medical Virology*.
- Dafallah, A.A. and Al-Mustafa, Z., 1996. Investigation of the anti-inflammatory activity of *Acacia nilotica* and *Hibiscus sabdariffa*. *The American journal of Chinese medicine*, 24(03n04), pp.263-269.
- Dahanukar, S.A. and Karandikar, S.M., 1984. Evaluation of anti-allergic activity of *Piper longum*. *Indian Drugs*, 21(9), pp.377-383.
- Daoudi, A., Aarab, L. and Abdel-Sattar, E., 2013. Screening of immunomodulatory activity of total and protein extracts of some Moroccan medicinal plants. *Toxicology and industrial health*, 29(3), pp.245-253.
- Dar, N.J., Hamid, A. and Ahmad, M., 2015. Pharmacologic overview of *Withania somnifera*, the Indian ginseng. *Cellular and molecular life sciences*, 72(23), pp.4445-4460.
- De Clercq, E., 2000. Current lead natural products for the chemotherapy of human immunodeficiency virus (HIV) infection.

- Medicinal research reviews*, 20(5), pp.323-349.
- De Clercq, E., 2019. New nucleoside analogues for the treatment of hemorrhagic fever virus infections. *Chemistry—An Asian Journal*, 14(22), pp.3962-3968.
- Deshpande, P.K., Gothwal, R. and Pathak, A.K., 2014. Phytochemical analysis and evaluation of antimalarial activity of *Azadirachta indica*. *The Pharma Innovation*, 3(9, Part A), p.12.
- Dian, N., 2016. *Studi Kandungan Zat Makanan Dan Komponen Serat Tanaman Ara Sungsang (Asystasia gangetica L.) Sebagai Pakan Ternak Kambing Di Wilayah Payakumbuh* (Doctoral dissertation, Universitas Andalas).
- Djeussi, D.E., Noumedem, J.A., Ngadjui, B.T. and Kuete, V., 2016. Antibacterial and antibiotic-modulation activity of six Cameroonian medicinal plants against Gram-negative multi-drug resistant phenotypes. *BMC complementary and alternative medicine*, 16(1), p.124.
- Eldahshan, O.A. and Abdel-Daim, M.M., 2015. Phytochemical study, cytotoxic, analgesic, antipyretic and anti-inflammatory activities of *Strychnos nux-vomica*. *Cytotechnology*, 67(5), pp.831-844.
- El-Hag, A.G., Al-Jabri, A.A. and Habbal, O.A., 2007. Antimicrobial properties of *Lawsonia inermis* (henna): a review. *Australian Journal of Medical Herbalism*, 19(3), p.114.
- El-Hela, A.A., Abdelhady, N.M., Gonaïd, M.H. and Badr, K.A., 2017. Antioxidant, cytotoxic and antimicrobial activities of crude and green synthesized silver nanoparticles' extracts of *Crataegus sinaica* Boiss. leaves. *International Journal of Pharmaceutical Sciences Review and Research*, 45(1), pp.223-232.
- Enechi, O.C., Amah, C.C., Okagu, I.U., Ononiwu, C.P., Azidiegwu, V.C., Ugwuoke, E.O., Onoh, A.P. and Ndukwe, E.E., 2019. Methanol extracts of *Fagara zanthoxyloides* leaves possess antimalarial effects and normalizes haematological and biochemical status of *Plasmodium berghei*-passaged mice. *Pharmaceutical biology*, 57(1), pp.577-585.
- Esakandari, H., Nabi-Afjadi, M., Fakkari-Afjadi, J., Farahmandian, N., Miresmaeili, S.M. and Bahreini, E., 2020. A comprehensive review of COVID-19 characteristics. *Biological Procedures Online*, 22, pp.1-10.
- Ezzat, S.M., Ezzat, M.I., Okba, M.M., Menze, E.T. and Abdel-Naim, A.B., 2018. The hidden mechanism beyond ginger (*Zingiber officinale* Rosc.) potent in vivo and in vitro anti-inflammatory activity. *Journal of ethnopharmacology*, 214, pp.113-123.
- FDA (2020^a). United States Food and Drug Administration. Coronavirus Treatment Acceleration Program (CTAP) <https://www.fda.gov/drugs/coronavirus-covid-19-drugs/coronavirus-treatment-acceleration-program-ctap>. Accessed 20th October, 2020.
- FDA (2020^b). United States Food and Drug Administration. Coronavirus (COVID-19) Update: FDA Issues Emergency Use Authorization for Potential COVID-19 Treatment. <https://www.fda.gov/news-events/press-announcements/coronavirus-covid-19-update-fda-issues-emergency-use-authorization-potential-covid-19-treatment>.
- FDA (2020^c). United States Food and Drug Administration. FDA Issues Emergency Use Authorization for Convalescent Plasma as Potential Promising COVID-19 Treatment, Another Achievement in Administration's Fight Against Pandemic. <https://www.fda.gov/news-events/press-announcements/fda-issues-emergency-use-authorization-convalescent-plasma-potential-promising-covid-19-treatment>. Accessed 20th October, 2020.
- Feriani, A., Tir, M., Hamed, M., Sila, A., Nahdi, S., Alwasel, S., Harrath, A.H. and Tlili, N., 2020. Multidirectional insights on polysaccharides from *Schinus terebinthifolius* and *Schinus molle* fruits: Physicochemical and functional profiles, in vitro antioxidant, anti-genotoxicity, antidiabetic, and antihemolytic capacities, and in vivo anti-inflammatory and anti-nociceptive properties. *International Journal of Biological Macromolecules*.

- Fernandes, A., Fernandes, I., Cruz, L., Mateus, N., Cabral, M. and de Freitas, V., 2009. Antioxidant and biological properties of bioactive phenolic compounds from *Quercus suber* L. *Journal of agricultural and food chemistry*, 57(23), pp.11154-11160.
- Fernandes, M.R.V., Dias, A.L.T., Carvalho, R.R., Souza, C.R.F. and Oliveira, W.P., 2014. Antioxidant and antimicrobial activities of *Psidium guajava* L. spray dried extracts. *Industrial Crops and Products*, 60, pp.39-44.
- Frédérich, M., Tits, M., Goffin, E., Philippe, G., Grellier, P., De Mol, P., Hayette, M.P. and Angenot, L., 2004. In vitro and in vivo antimalarial properties of isostrychnopentamine, an indolomonoterpenic alkaloid from *Strychnos usambarensis*. *Planta medica*, 70(06), pp.520-525.
- Fuentes, E., Alarcón, M., Fuentes, M., Carrasco, G. and Palomo, I., 2014. A novel role of *Eruca sativa* Mill.(rocket) extract: Antiplatelet (NF- κ B inhibition) and antithrombotic activities. *Nutrients*, 6(12), pp.5839-5852.
- Gaire, B.P. and Subedi, L., 2014. Phytochemistry, pharmacology and medicinal properties of *Phyllanthus emblica* Linn. *Chinese journal of integrative medicine*, pp.1-8.
- Gao, D., Zhang, Y.L., Yang, F.Q., Li, F., Zhang, Q.H. and Xia, Z.N., 2016. The flower of *Edgeworthia gardneri* (wall.) Meisn. suppresses adipogenesis through modulation of the AMPK pathway in 3T3-L1 adipocytes. *Journal of ethnopharmacology*, 191, pp.379-386.
- Gao, J., Tian, Z. and Yang, X., 2020. Breakthrough: Chloroquine phosphate has shown apparent efficacy in treatment of COVID-19 associated pneumonia in clinical studies. *Bioscience trends*.14(1):72-73. doi: 10.5582/bst.2020.01047.
- Ghlassi, Z., Kallel, R., Sila, A., Harrabi, B., Atheymen, R., Zeghal, K., Bougatef, A. and Sahnoun, Z., 2016. *Globularia alypum* methanolic extract improves burn wound healing process and inflammation in rats and possesses antibacterial and antioxidant activities. *Biomedicine & Pharmacotherapy*, 84, pp.1488-1495.
- Ghoke, S. S., R. Sood, N. Kumar, A. K. Pateriya, S. Bhatia, A. Mishra, R. Dixit et al. "Evaluation of antiviral activity of *Ocimum sanctum* and *Acacia arabica* leaves extracts against H9N2 virus using embryonated chicken egg model." *BMC complementary and alternative medicine* 18, no. 1 (2018):174.
- Goel, S. and Goel, A., 2020. COVID-19 evolution and alternative medicine—A review. *J Pure Appl Microbiol*, 14(suppl 1), pp.841-848.
- Gupta, A. and Chaphalkar, S.R., 2016. Cytotoxic and anti-viral activity of *Acacia catechu* on human peripheral blood mononuclear cells. *Indonesian Journal of Pharmacy*, 27(2), p.111.
- Gupta, P.C., Sharma, N. and Rao, C.V., 2012. A review on ethnobotany, phytochemistry and pharmacology of *Fumaria indica* (Fumitory). *Asian Pacific Journal of Tropical Biomedicine*, 2(8), pp.665-669.
- Gyebi, G.A., Ogunro, O.B., Adegunloye, A.P., Ogunyemi, O.M. and Afolabi, S.O., 2020. Potential inhibitors of coronavirus 3-chymotrypsin-like protease (3CLpro): An in silico screening of alkaloids and terpenoids from African medicinal plants. *Journal of Biomolecular Structure and Dynamics*, (just-accepted), pp.1-19.
- Hamsa, T.P. and Kuttan, G., 2011. Evaluation of the anti-inflammatory and anti-tumor effect of *Ipomoea obscura* (L) and its mode of action through the inhibition of pro inflammatory cytokines, nitric oxide and COX-2. *Inflammation*, 34(3), pp.171-183.
- Han, S.H., Kim, Y.G., Lee, S.H., Park, C.B., Han, S.W., Jang, H.J., Lee, H.J., Park, S.C., Kim, H.S., Lee, Y.S. and Kwon, D.Y., 2010. Anti inflammatory Activity of *Codium fragile* in Macrophages Induced by Peptidoglycan. *Natural Product Sciences*, 16(3), pp.153-158.
- Han, S.R., Noh, M.Y., Lee, J.H. and Oh, T.J., 2015. Evaluation of antioxidant and antimicrobial activities of solvent extracts from *Coriolus versicolor*. *Journal of the Korean Society of Food Science and Nutrition*, 44(12), pp.1793-1798.
- Heo, J.C., Woo, S.U., Kweon, M., Park, J.Y., Lee, H.K., Son, M., Rho, J.R. and Lee, S.H.,

2008. Aqueous extract of the *Helianthus annuus* seed alleviates asthmatic symptoms in vivo. *International journal of molecular medicine*, 21(1), pp.57-61.
- Heurich A, Hofmann-Winkler H, Gierer S, Liepold T, Jahn O (2014). TMPRSS2 and ADAM17 cleave ACE2 differentially and only proteolysis by TMPRSS2 augments entry driven by the severe acute respiratory syndrome coronavirus spike protein. *Journal of Virology* 88 (2): 1293-1307. doi: 10.1128/JVI.02202-13
- Ho, T.Y., Wu, S.L., Chen, J.C., Li, C.C. and Hsiang, C.Y., 2007. Emodin blocks the SARS coronavirus spike protein and angiotensin-converting enzyme 2 interaction. *Antiviral research*, 74(2), pp.92-101.
- Ho, T.Y., Wu, S.L., Chen, J.C., Li, C.C. and Hsiang, C.Y., 2007. Emodin blocks the SARS coronavirus spike protein and angiotensin-converting enzyme 2 interaction. *Antiviral research*, 74(2), pp.92-101.
- Ho, Y.L. and Chang, Y.S., 2002. Studies on the antinociceptive, anti-inflammatory and antipyretic effects of *Isatis indigotica* root. *Phytomedicine*, 9(5), pp.419-424.
- Horby, P., Lim, W.S., Emberson, J.R., Mafham, M., Bell, J.L., Linsell, L., Staplin, N., Brightling, C., Ustianowski, A., Elmahi, E. and Prudon, B., 2020. Dexamethasone in Hospitalized Patients with Covid-19- Preliminary Report. *The New England journal of medicine*. NEJMoa2021436. doi: 10.1056/NEJMoa2021436. [Online ahead of print.]
- Hosseinzadeh, H., Ramezani, M., Shafaei, H. and Taghiabadi, E., 2013. Anticonvulsant effect of *Berberis integerrima* L. root extracts in mice. *Journal of Acupuncture and Meridian Studies*, 6(1), pp.12-17.
- Hosseinzadeh, S., Jafarikukhdan, A., Hosseini, A. and Armand, R., 2015. The application of medicinal plants in traditional and modern medicine: a review of *Thymus vulgaris*. *International Journal of Clinical Medicine*, 6(09), p.635.
- Hsu, C.H., Hwang, K.C., Chao, C.L., Chang, S.G., Ho, M.S. and Chou, P., 2006. Can herbal medicine assist against avian flu? Learning from the experience of using supplementary treatment with Chinese medicine on SARS or SARS-like infectious disease in 2003. *Journal of Alternative & Complementary Medicine*, 12(6), pp.505-506.
- Hsu, H.F., Hsiao, P.C., Kuo, T.C., Chiang, S.T., Chen, S.L., Chiou, S.J., Ling, X.H., Liang, M.T., Cheng, W.Y. and Houng, J.Y., 2016. Antioxidant and anti-inflammatory activities of *Lonicera japonica* Thunb. var. *sempervillosa* Hayata flower bud extracts prepared by water, ethanol and supercritical fluid extraction techniques. *Industrial Crops and Products*, 89, pp.543-549.
- Huang, W.C., Liu, C.Y., Shen, S.C., Chen, L.C., Yeh, K.W., Liu, S.H. and Liou, C.J., 2019. Protective effects of licochalcone A improve airway hyper-responsiveness and oxidative stress in a mouse model of asthma. *Cells*, 8(6), p.617.
- Huang, W.H., Lee, A.R. and Yang, C.H., 2006. Antioxidative and anti-inflammatory activities of polyhydroxyflavonoids of *Scutellaria baicalensis* GEORGI. *Bioscience, biotechnology, and biochemistry*, 70(10), pp.2371-2380.
- Hueza, I.M., Gotardo, A.T., da Silva Mattos, M.I. and Górnica, S.L., 2019. Immunomodulatory effect of *Cynara scolymus* (artichoke) in rats. *Phytotherapy Research*, 33(1), pp.167-173.
- Ibrahim, S.R., Mohamed, G.A., Khedr, A.I. and Aljaeid, B.M., 2017. Anti-oxidant and anti-inflammatory cyclic diarylheptanoids from *Alnus japonica* stem bark. *Iranian journal of pharmaceutical research: IJPR*, 16(Suppl), p.83.
- Idrees, M., Khan, S., Memon, N.H. and Zhang, Z., 2020. Effect of the Phytochemical Agents Against the SARS-CoV and Some of them Selected for Application to COVID-19: A Mini Review. *Current Pharmaceutical Biotechnology*. DOI:10.2174/138920102166620070320 1458 PMID: 32619167
- Ip, S.P., Tse, A.S.M., Poon, M.K.T., Ko, K.M. and Ma, C.Y., 1997. Antioxidant activities of *Polygonum multiflorum* Thunb., in vivo

- and in vitro. *Phytotherapy Research*, 11(1), pp.42-44.
- Jaiarj, P., Khoohaswan, P., Wongkrajang, Y., Peungvicha, P., Suriyawong, P., Saraya, M.S. and Ruangsomboon, O., 1999. Anticough and antimicrobial activities of *Psidium guajava* Linn. leaf extract. *Journal of Ethnopharmacology*, 67(2), pp.203-212.
- Jain, V. and Yuan, J.M., 2020. Predictive symptoms and comorbidities for severe COVID-19 and intensive care unit admission: a systematic review and meta-analysis. *International Journal of Public Health*, p.1.
- Jeba, C.R., Vaidyanathan, R. and Rameshkumar, G., 2011. Immunomodulatory activity of aqueous extract of *Ocimum sanctum* in rat. *Int J Pharm Biomed Res*, 2(1), pp.33-8.
- Jeon, H.S., Lee, Y.S. and Kim, N.W., 2009. The antioxidative activities of *Torreya nucifera* seed extracts. *Journal of the Korean Society of Food Science and Nutrition*, 38(1), pp.1-8.
- Jiang, S., Hillyer, C. and Du, L., 2020. Neutralizing antibodies against SARS-CoV-2 and other human coronaviruses. *Trends in immunology*, 41(5), pp. 355-359
- Jiménez-López, J., Ruiz-Medina, A., Ortega-Barrales, P. and Llorent-Martínez, E.J., 2017. *Rosa rubiginosa* and *Fraxinus oxycarpa* herbal teas: characterization of phytochemical profiles by liquid chromatography-mass spectrometry, and evaluation of the antioxidant activity. *New Journal of Chemistry*, 41(15), pp.7681-7688.
- Jin, K.S., Oh, Y.N., Lee, J.Y., Son, B.Y., Choi, W., Lee, E.W., Kwon, H.J. and Kim, B.W., 2013. Anti-oxidative and anti-inflammatory activities of seven medicinal herbs including *Tetrapanax papyriferus* and *Piper longum* Linne. *Microbiology and Biotechnology Letters*, 41(2), pp.253-262.
- Jo, N.Y. and Kim, K.T., 2019. Antioxidant Activity and Anti-inflammatory Effect of Extracts from *Paulownia tomentosa* in LPS-stimulated RAW264. 7 macrophage cells. *Journal of Korean Medicine*, 40(4), pp.72-83.
- Joshi, K., Awte, S., Bhatnagar, P., Walunj, S., Gupta, R., Joshi, S., Sabharwal, S., Bani, S. and Padalkar, A.S., 2010. *Cinnamomum zeylanicum* extract inhibits proinflammatory cytokine TNF: in vitro and in vivo studies. *Research In Pharmaceutical Biotechnology*, 2(2), pp.014-021.
- Joshi, R.K., 2013. Chemical composition, in vitro antimicrobial and antioxidant activities of the essential oils of *Ocimum gratissimum*, *O. sanctum* and their major constituents. *Indian journal of pharmaceutical sciences*, 75(4), p.457.
- Jung, H.S., Kim, M.H., Gwak, N.G., Im, Y.S., Lee, K.Y., Sohn, Y., Choi, H. and Yang, W.M., 2012. Antiallergic effects of *Scutellaria baicalensis* on inflammation in vivo and in vitro. *Journal of ethnopharmacology*, 141(1), pp.345-349.
- Kalikar, M.V., Thawani, V.R., Varadpande, U.K., Sontakke, S.D., Singh, R.P. and Khiyani, R.K., 2008. Immunomodulatory effect of *Tinospora cordifolia* extract in human immuno-deficiency virus positive patients. *Indian journal of pharmacology*, 40(3), p.107.
- Kamal, A.M., Abdelhady, M.I., Elmorsy, E.M., Mady, M.S. and Abdelkhalik, S.M., 2012. Phytochemical and biological investigation of leaf extracts of *Podocarpus gracilior* and *Ruprechtia polystachya* resulted in isolation of novel polyphenolic compound. *Life Science Journal*, 9(4), pp.1126-35.
- Kamei, J., Nakamura, R., Ichiki, H. and Kubo, M., 2003. Antitussive principles of *Glycyrrhizae radix*, a main component of the Kampo preparations *Bakumondo-to* (*Mai-men-dong-tang*). *European journal of pharmacology*, 469(1-3), pp.159-163.
- Kan, A. and Kartal, M., 2009. In vitro antiviral activities under cytotoxic doses against herpes simplex type-1 and parainfluenza-3 viruses of *Cicer arietinum* L.(Chickpea). *African Journal of Pharmacy and Pharmacology*, 3(12), pp.627-631.
- Karakurt, S., Semiz, A., Celik, G., Gencler-Ozkan, A.M., Sen, A. and Adali, O., 2016. Contribution of ellagic acid on the antioxidant potential of medicinal plant *Epilobium hirsutum*. *Nutrition and cancer*, 68(1), pp.173-183.
- Karthikeyan, R., Koushik, O.S. and Babu, P.S., 2011. Anti Pyretic Effect of Methanolic

- Extract of *Strychnos colubrina* L. Bark by Brewer's Yeast Induced Pyrexia in Albino Rats. *Journal of Pharma and Biosciences*, 2(2), pp.501-508.
- Kerdudo, A., Njoh Ellong, E., Gonnot, V., Boyer, L., Michel, T., Adenet, S., Rochefort, K. and Fernandez, X., 2016. Essential oil composition and antimicrobial activity of *Hyptis atrorubens* Poit. from Martinique (FWI). *Journal of Essential oil Research*, 28(5), pp.436-444.
- Kesharwani, A., Polachira, S.K., Nair, R., Agarwal, A., Mishra, N.N. and Gupta, S.K., 2017. Anti-HSV-2 activity of *Terminalia chebula* Retz extract and its constituents, chebulagic and chebulinic acids. *BMC complementary and alternative medicine*, 17(1), p.110.
- Khaerunnisa, S., Kurniawan, H., Awaluddin, R., Suhartati, S. and Soetjipto, S., 2020. Potential inhibitor of COVID-19 main protease (Mpro) from several medicinal plant compounds by molecular docking study. *Prepr. doi10, 20944*, pp.1-14.
- Khan, H.M., Raza, S.M., Anjum, A.A., Ali, M.A. and Akbar, H., 2019. Antiviral, embryo toxic and cytotoxic activities of *Astragalus membranaceus* root extracts. *Pakistan journal of pharmaceutical sciences*, 32(1).
- Kim, D.E., Min, J.S., Jang, M.S., Lee, J.Y., Shin, Y.S., Park, C.M., Song, J.H., Kim, H.R., Kim, S., Jin, Y.H. and Kwon, S., 2019. Natural bis-benzylisoquinoline alkaloids-tetrandrine, fangchinoline, and cepharanthine, inhibit human coronavirus OC43 infection of MRC-5 human lung cells. *Biomolecules*, 9(11), p.696.
- Kim, D.W., Seo, K.H., Curtis-Long, M.J., Oh, K.Y., Oh, J.W., Cho, J.K., Lee, K.H. and Park, K.H., 2014. Phenolic phytochemical displaying SARS-CoV papain-like protease inhibition from the seeds of *Psoralea corylifolia*. *Journal of enzyme inhibition and medicinal chemistry*, 29(1), pp.59-63.
- Kim, H.J., Lee, J.S., Yu, Y.G., Park, H. and Lee, Y.S., 2001. Isolation of HIV gp-41 Binding Components from the Stem of *Fraxinus sieboldiana*. In *Proceedings of the PSK Conference* (pp. 106-3). The Pharmaceutical Society of Korea.
- Kim, P.J., Yun, H.J., Heo, S.K., Kim, K., Kim, D.W., Kim, J.E. and Park, S.D., 2009. Anti-inflammatory effect of Bodusan. *The Korea Journal of Herbology*, 24(2), pp.49-56.
- Kim, S.H., Park, J.G., Hong, Y.D., Kim, E., Baik, K.S., Yoon, D.H., Kim, S., Lee, M.N., Rho, H.S., Shin, S.S. and Cho, J.Y., 2016. Src/Syk/IRAK1-targeted anti-inflammatory action of *Torreya nucifera* butanol fraction in lipopolysaccharide-activated RAW264. 7 cells. *Journal of ethnopharmacology*, 188, pp.167-176.
- Kong, Y.H., Lee, Y.C. and Choi, S.Y., 2009. Neuroprotective and anti-inflammatory effects of phenolic compounds in *Panax ginseng* CA Meyer. *Journal of Ginseng Research*, 33(2), pp.111-114.
- Kongkathip, B., Kongkathip, N., Sunthitikawinsakul, A., Napaswat, C. and Yoosook, C., 2005. Anti-HIV-1 constituents from *Clausena excavata*: Part II. carbazoles and a pyranocoumarin. *Phytotherapy Research: An International Journal Devoted to Pharmacological and Toxicological Evaluation of Natural Product Derivatives*, 19(8), pp.728-731.
- Kou, X., Gao, J., Xue, Z., Zhang, Z., Wang, H. and Wang, X., 2013. Purification and identification of antioxidant peptides from chickpea (*Cicer arietinum* L.) albumin hydrolysates. *LWT-Food Science and Technology*, 50(2), pp.591-598.
- Koubaa, M., Driss, D., Bouaziz, F., Ghorbel, R.E. and Chaabouni, S.E., 2015. Antioxidant and antimicrobial activities of solvent extract obtained from rocket (*Eruca sativa* L.) flowers. *Free Radicals & Antioxidants*, 5(1).
- Koz, F.F.Y., Yavasoglu, N.U.K. and Demirel, Z., 2009. Antioxidant and antimicrobial activities of *Codium fragile* (Suringar) Hariot (Chlorophyta) essential oil and extracts. *Asian Journal of Chemistry*, 21(2), p.1197.
- Krifa, M., Mustapha, N., Ghedira, Z., Ghedira, K., Pizzi, A. and Chekir-Ghedira, L., 2015. *Limoniastrum guyonianum* methanol extract induces immunomodulatory and anti-inflammatory effects by activating cellular anti-oxidant activity. *Drug and*

- chemical toxicology*, 38(1), pp.84-91.
- Kuttan, R., Bhanumathy, P., Nirmala, K. and George, M.C., 1985. Potential anticancer activity of turmeric (*Curcuma longa*). *Cancer letters*, 29(2), pp.197-202.
- Lajter, I., San-Po, P., Vasas, A., Forgó, P., Hohmann, J. and Bauer, R., 2014. Anti-inflammatory activity of *Onopordum acanthium* extracts and isolated compounds. *Planta Medica*, 80(16), p.P1L155.
- Lalita, B., 1994. In vitro studies on the effect of glycyrrhizin from Indian *Glycyrrhiza glabra* Linn on some RNA and DNA viruses. *Indian Journal of Pharmacology*, 26(3), p.194.
- Lau, K.M., Lee, K.M., Koon, C.M., Cheung, C.S.F., Lau, C.P., Ho, H.M., Lee, M.Y.H., Au, S.W.N., Cheng, C.H.K., Bik-San Lau, C. and Tsui, S.K.W., 2008. Immunomodulatory and anti-SARS activities of *Houttuynia cordata*. *Journal of Ethnopharmacology*, 118(1), pp.79-85.
- Lau, T.F., Leung, P.C., Wong, E.L.Y., Fong, C., Cheng, K.F., Zhang, S.C., Lam, C.W.K., Wong, V., Choy, K.M. and Ko, W.M., 2005. Using herbal medicine as a means of prevention experience during the SARS crisis. *The American Journal of Chinese Medicine*, 33(03), pp.345-356.
- Lee, D.Y., Noh, H.J., Choi, J., Lee, K.H., Lee, M.H., Lee, J.H., Hong, Y., Lee, S.E., Kim, S.Y. and Kim, G.S., 2013. Anti-inflammatory cycloartane-type saponins of *Astragalus membranaceus*. *Molecules*, 18(4), pp.3725-3732.
- Lee, H.J., Choi, T.W., Kim, H.J., Nam, D., Jung, S.H., Lee, E.H., Lee, H.J., Shin, E.M., Jang, H.J., Ahn, K.S. and Shim, B.S., 2010. Anti-Inflammatory Activity of *Angelica keiskei* Through Suppression of Mitogen-Activated Protein Kinases and Nuclear Factor- κ B Activation Pathways. *Journal of medicinal food*, 13(3), pp.691-699.
- Lee, J.Y., Ko, S.H., Lee, Y.J., Lee, S.Y., Park, H.J., Shin, T.Y. and Jeon, H., 2010. Anti-inflammatory Effect of MeOH Extract of *Cibotium barometz* in IFN- γ and LPS-stimulated Mouse Peritoneal Macrophage. *Korean Journal of Pharmacognosy*, 41(2), pp.108-114.
- Lee, T.Y., Mai, L.M., Wang, G.J., Chiu, J.H., Lin, Y.L. and Lin, H.C., 2003. Protective mechanism of *salvia miltiorrhiza* on carbon tetrachloride-induced acute hepatotoxicity in rats. *Journal of pharmacological sciences*, 91(3), pp.202-210.
- Li, T. and Peng, T., 2013. Traditional Chinese herbal medicine as a source of molecules with antiviral activity. *Antiviral research*, 97(1), pp.1-9.
- Li, X.M. and Yang, P.L., 2018. Research progress of *Sonchus* species. *International journal of food properties*, 21(1), pp.147-157.
- Lim, J.S., Hahn, D., Gu, M.J., Oh, J., Lee, J.S. and Kim, J.S., 2019. Anti-inflammatory and antioxidant effects of 2, 7-dihydroxy-4, 6-dimethoxy phenanthrene isolated from *Dioscorea batatas* Decne. *Applied Biological Chemistry*, 62(1), pp.1-9.
- Lin, S., Zhang, Y., Liu, M., Yang, S., Gan, M., Zi, J., Song, W., Fan, X., Wang, S., Liu, Y. and Yang, Y., 2010. Abietane and C20-norabietane diterpenes from the stem bark of *Fraxinus sieboldiana* and their biological activities. *Journal of natural products*, 73(11), pp.1914-1921.
- Linde, K. and Jonas, W.B., 1999. Evaluating complementary and alternative medicine: the balance of rigor and relevance. *Essentials of Complementary and Alternative Medicine*. Philadelphia: Lippincott, pp.57-71.
- Liu, H., Ye, F., Sun, Q., Liang, H., Li, C., Lu, R., Huang, B., Tan, W. and Lai, L., 2020. *Scutellaria baicalensis* extract and baicalein inhibit replication of SARS-CoV-2 and its 3C-like protease in vitro. *BioRxiv* DOI: 10.1101/2020.04.10.035824 PPR: PPR150387 Preprint
- Liu, M., Yu, Q., Yi, Y., Xiao, H., Putra, D.F., Ke, K., Zhang, Q. and Li, P., 2020. Antiviral activities of *Lonicera japonica* Thunb. Components against grouper iridovirus in vitro and in vivo. *Aquaculture*, 519, p.734882.
- Liu, Y.T., Chen, H.W., Lii, C.K., Jhuang, J.H., Huang, C.S., Li, M.L. and Yao, H.T., 2020. A Diterpenoid, 14-Deoxy-11, 12-Didehydroandrographolide, in *Andrographis paniculata* Reduces

- Steatohepatitis and Liver Injury in Mice Fed a High-Fat and High-Cholesterol Diet. *Nutrients*, 12(2), p.523.
- López-Alcalde, J., Yan, Y., Witt, C.M. and Barth, J., 2020. Current state of research about Chinese herbal medicines (CHM) for the treatment of coronavirus disease 2019 (COVID-19): a scoping review. *The Journal of Alternative and Complementary Medicine*, 26(7), pp.557-570.
- Lu, H., 2020. Drug treatment options for the 2019-new coronavirus (2019-nCoV). *Bioscience trends*, 14(1), pp.69-71.
- Lu, Y., Shipton, F.N., Khoo, T.J. and Wiart, C., 2014. Antioxidant activity determination of citronellal and crude extracts of *Cymbopogon citratus* by 3 different methods. *Pharmacology & Pharmacy*, 2014.
- Luo, E., Zhang, D., Luo, H., Liu, B., Zhao, K., Zhao, Y., Bian, Y. and Wang, Y., 2020^b. Treatment efficacy analysis of traditional Chinese medicine for novel coronavirus pneumonia (COVID-19): an empirical study from Wuhan, Hubei Province, China. *Chinese Medicine*, 15, pp.1-13.
- Luo, H., Tang, Q.L., Shang, Y.X., Liang, S.B., Yang, M., Robinson, N. and Liu, J.P., 2020^a. Can Chinese medicine be used for prevention of corona virus disease 2019 (COVID-19)? A review of historical classics, research evidence and current prevention programs. *Chinese journal of integrative medicine*, pp.1-8.
- Luo, L., Jiang, J., Wang, C., Fitzgerald, M., Hu, W., Zhou, Y., Zhang, H. and Chen, S., 2020^c. Analysis on herbal medicines utilized for treatment of COVID-19. *Acta Pharmaceutica Sinica B*, 10 (7) 2020, p.192-1204
- Majeed, M.F., Numan, I.T. and Noori, M., 2015. Study the anti-inflammatory activity of artichoke (*cynara scolymus*) different extracts in experimental models of acute inflammation in rats. *Pharmacie Globale*, 6(4), p.1.
- Malaník, M., Tremel, J., Leláková, V., Nykodýmová, D., Oravec, M., Marek, J. and Šmejkal, K., 2020. Anti-inflammatory and antioxidant properties of chemical constituents of *Broussonetia papyrifera*. *Bioorganic Chemistry*, 104, p.104298.
- Mani, J.S., Johnson, J.B., Steel, J.C., Broszczak, D.A., Neilsen, P.M., Walsh, K.B. and Naiker, M., 2020. Natural product-derived phytochemicals as potential agents against coronaviruses: a review. *Virus Research*, p.197989.
- Mbah, J.A., Tane, P., Ngadjui, B.T., Connolly, J.D., Okunji, C.C., Iwu, M.M. and Schuster, B.M., 2004. Antiplasmodial agents from the leaves of *Glossocalyx brevipes*. *Planta medica*, 70(05), pp.437-440.
- Meng, L., Guo, Q., Liu, Y., Chen, M., Li, Y., Jiang, J. and Shi, J., 2017. Indole alkaloid sulfonic acids from an aqueous extract of *Isatis indigotica* roots and their antiviral activity. *Acta pharmaceutica sinica B*, 7(3), pp.334-341.
- Michaelis, M., Doerr, H.W. and Cinatl Jr, J., 2011. Investigation of the influence of EPs® 7630, a herbal drug preparation of *Gonidium sidoides*, on replication of a broad panel of respiratory viruses. *Phytomedicine*, 18(5), pp.384-386.
- Milán-Noris, A.K., Gutiérrez-Urbe, J.A., Santacruz, A., Serna-Saldívar, S.O. and Martínez-Villaluenga, C., 2018. Peptides and isoflavones in gastrointestinal digests contribute to the anti-inflammatory potential of cooked or germinated desi and kabuli chickpea (*Cicer arietinum* L.). *Food chemistry*, 268, pp.66-76.
- Mittal, A., Manjunath, K., Ranjan, R.K., Kaushik, S., Kumar, S. and Verma, V., 2020. COVID-19 pandemic: Insights into structure, function, and hACE2 receptor recognition by SARS-CoV-2. *PLoS pathogens*, 16(8), p.e1008762
- Moghtader, M., 2013. In vitro antifungal effects of *Fumaria vaillantii* Loisel essential oil on *Aspergillus flavus*. *Journal of Yeast and Fungal Research*, 4(2), pp.21-25.
- Mohamed, A.A., Khalil, A.A. and El-Beltagi, H.E., 2010. Antioxidant and antimicrobial properties of kaff maryam (*Anastatica hierochuntica*) and doum palm (*Hyphaene thebaica*). *Grasas Y Aceites*, 61(1), pp.67-75.
- Muhammad, N., Lal Shrestha, R., Adhikari, A., Wadood, A., Khan, H., Khan, A.Z., Maione, F., Mascolo, N. and De Feo, V., 2015. First evidence of the analgesic

- activity of govaniadine, an alkaloid isolated from *Corydalis govaniensis* Wall. *Natural product research*, 29(5), pp.430-437.
- Mwangi, E.S.K., Keriko, J.M., Machocho, A.K., Wanyonyi, A.W., Malebo, H.M., Chhabra, S.C. and Tarus, P.K., 2010. Antiprotozoal activity and cytotoxicity of metabolites from leaves of *Teclea trichocarpa*. *Journal of Medicinal Plants Research*, 4(9), pp.726-731.
- Nagalingam, M., Rajeshkumar, S., Panneerselvam, A. and Lakshmi, T., 2019. Antibacterial and Antifungal potential of acetone, ethanol and methanolic extract of marine red algae *Gelidium amansii*. *International Journal of Research in Pharmaceutical Sciences*, 10(2), pp.1013-1018.
- Nasr, F.A., Noman, O.M., Mothana, R.A., Alqahtani, A.S. and Al-Mishari, A.A., 2020. Cytotoxic, antimicrobial and antioxidant activities and phytochemical analysis of *Artemisia judaica* and *A. sieberi* in Saudi Arabia. *African Journal of Pharmacy and Pharmacology*, 14(8), pp.278-284.
- Ndjateu, F.S., Tsafack, R.B., Nganou, B.K., Awouafack, M.D., Wabo, H.K., Tene, M., Tane, P. and Eloff, J.N., 2014. Antimicrobial and antioxidant activities of extracts and ten compounds from three Cameroonian medicinal plants: *Dissotis perkinsiae* (Melastomaceae), *Adenocarpus mannii* (Fabaceae) and *Barteria fistulosa* (Passifloraceae). *South African Journal of Botany*, 91, pp.37-42.
- Neve, V., Bandivadekar, P., Patil, P. and Kutal, P., 2018. Evaluation of anti-inflammatory activity of Ethanolic extract of fruit of *Psoralea Corylifolia* Linn. *Journal of Pharmacognosy and Phytochemistry* 7(SP6), pp. 35-37.
- NIH, 2020. National Institute of Health. COVID-19 Treatment guidelines. <http://www.nih.gov/coronavirus>. Accessed 15th October, 2020.
- Nkunya, M.H., Makangara, J.J. and Jonker, S.A., 2004. Prenylindoles from tanzanian *Monodora* and *Isolona* species. *Natural product research*, 18(3), pp.253-258.
- Ohta, Y., Lee, J.B., Hayashi, K. and Hayashi, T., 2009. Isolation of sulfated galactan from *Codium fragile* and its antiviral effect. *Biological and Pharmaceutical Bulletin*, 32(5), pp.892-898.
- Oliveira, A.B.S., Dias Filho, B.P., Nakamura, C.V. and Ueda-Nakamura, T., 2009. Antiviral activity and mode of action of a peptide isolated from *Helianthus annuus*. *Planta Medica*, 75(09), p.PF8.
- Onyeneke, P.C., Ajani, E.O., Ameh, D.A. and Gamaniel, K.S., 1999. Antihypertensive effect of roselle (*Hibiscus sabdariffa*) calyx infusion in spontaneously hypertensive rats and a comparison of its toxicity with that in Wistar rats. *Cell Biochemistry and Function: Cellular biochemistry and its modulation by active agents or disease*, 17(3), pp.199-206.
- Oomah, B.D., Corbé, A. and Balasubramanian, P., 2010. Antioxidant and anti-inflammatory activities of bean (*Phaseolus vulgaris* L.) hulls. *Journal of Agricultural and Food Chemistry*, 58(14), pp.8225-8230.
- Osorio, A.A., Torres, D.F., Bedoya, L.M., Munoz, A., Alcami, J. and Bazzocchi, I.L., 2011. Anti-HIV activity of Δ 18-oleane triterpenoids from *Cassine xylocarpa*. *Planta Medica*, 77(12), p.PG45.
- Pan, X., Dong, L., Yang, N., Chen, D. and Peng, C., 2020. Potential drugs for the treatment of the novel coronavirus pneumonia (COVID-19) in China. *Virus Research*, p.198057.
- Parizipour, M.G. and Shahriari, A.G., 2020. Investigation of Antiviral Potential of Licorice (*Glycyrrhiza Glabra* L.) Crude Extract against Tobacco Mosaic Virus. *Journal of Animal and Plant Sciences*, 30(1), pp.107-114.
- Park, C.M. and Yoon, H.S., 2018. Anti-Inflammatory Effects of *Gelidium amansii* Ethanol Extract on *Porphyromonas gingivalis* Lipopolysaccharide-Stimulated Human Gingival Fibroblasts through the Regulation of Nuclear Factor Kappa B/Activator Protein-1/Mitogen-Activated Protein Kinase Signaling Pathway. *International Journal of Clinical Preventive Dentistry*, 14(3), pp.197-202.
- Park, J.Y., Yuk, H.J., Ryu, H.W., Lim, S.H., Kim, K.S., Park, K.H., Ryu, Y.B. and Lee, W.S.,

2017. Evaluation of polyphenols from *Broussonetia papyrifera* as coronavirus protease inhibitors. *Journal of enzyme inhibition and medicinal chemistry*, 32(1), pp.504-512.
- Park, S.Y., Jin, M.L., Kang, N.J., Park, G. and Choi, Y.W., 2017. Anti-inflammatory effects of novel polygonum multiflorum compound via inhibiting NF- κ B/MAPK and upregulating the Nrf2 pathways in LPS-stimulated microglia. *Neuroscience Letters*, 651, pp.43-51.
- Pasdaran, A. and Hamed, A., 2017. The genus *Scrophularia*: a source of iridoids and terpenoids with a diverse biological activity. *Pharmaceutical biology*, 55(1), pp.2211-2233.
- Patel, S. and Patel, V., 2019. Inhibitory effects of catechin isolated from *Acacia catechu* on ovalbumin induced allergic asthma model. *Nutrition & Food Science*.
- Patil, M.V.K., Kandhare, A.D. and Bhise, S.D., 2012. Anti-inflammatory effect of *Daucus carota* root on experimental colitis in rats. *Int J Pharm Pharm Sci*, 4(1), pp.337-343.
- Paul, A., Das, S., Das, J., Samadder, A., Bishayee, K., Sadhukhan, R. and Khuda-Bukhsh, A.R., 2013. Diarylheptanoid-myricanone isolated from ethanolic extract of *Myrica cerifera* shows anticancer effects on HeLa and PC3 cell lines: signalling pathway and drug-DNA interaction. *Journal of integrative medicine*, 11(6), pp.405-415.
- Peng, C., Perera, P.K., Li, Y.M., Fang, W.R., Liu, L.F. and Li, F.W., 2012. Anti-inflammatory effects of *Clematis chinensis* Osbeck extract (AR-6) may be associated with NF- κ B, TNF- α , and COX-2 in collagen-induced arthritis in rat. *Rheumatology international*, 32(10), pp.3119-3125.
- Petrolini, F.V.B., Lucarini, R., Souza, M.G.M.D., Pires, R.H., Cunha, W.R. and Martins, C.H.G., 2013. Evaluation of the antibacterial potential of *Petroselinum crispum* and *Rosmarinus officinalis* against bacteria that cause urinary tract infections. *Brazilian Journal of Microbiology*, 44(3), pp.829-834.
- Petropoulos, S.A., Di Gioia, F., Polyzos, N. and Tzortzakakis, N., 2020. Natural antioxidants, health effects and bioactive properties of wild *Allium* species. *Current Pharmaceutical Design*, 26(16), pp.1816-1837.
- Pithayanukul, P., Nithitanakool, S. and Bavovada, R., 2009. Hepatoprotective potential of extracts from seeds of *Areca catechu* and nutgalls of *Quercus infectoria*. *Molecules*, 14(12), pp.4987-5000.
- Pongtuluran, O.B. and Rofaani, E., 2015. Antiviral and immunostimulant activities of *Andrographis paniculata*. *HAYATI Journal of Biosciences*, 22(2), pp.67-72.
- Potere, N., Di Nisio, M., Cibelli, D., Scurti, R., Frattari, A., Porreca, E., Abbate, A. and Parruti, G., 2020. Interleukin-6 receptor blockade with subcutaneous tocilizumab in severe COVID-19 pneumonia and hyperinflammation: a case-control study. *Annals of the Rheumatic Diseases*. Published Online First: 09 July 2020. doi: 10.1136/annrheumdis-2020-218243.
- Pulipati, S., Babu, P.S., Naveena, U., Parveen, S.R., Nausheen, S.S. and Sai, M.T.N., 2017. Determination of total phenolic, tannin, flavonoid contents and evaluation of antioxidant property of *Amaranthus tricolor* (L). *International Journal of Pharmacognosy and Phytochemical Research*, 9(6), pp.814-19.
- Rached, W., Zeghada, F.Z., Bennaceur, M., Barros, L., Calhelha, R.C., Heleno, S., Alves, M.J., Carvalho, A.M., Marouf, A. and Ferreira, I.C., 2018. Phytochemical analysis and assessment of antioxidant, antimicrobial, anti-inflammatory and cytotoxic properties of *Tetralinis articulata* (Vahl) Masters leaves. *Industrial Crops and Products*, 112, pp.460-466.
- Ramachandran, J., Arul, A.D. and Thilagar, S., 2019. Hepatoprotective and antioxidant activity of *Ipomoea staphylina* Linn. *Clinical Phytoscience*, 5(1).
- Ramezani, M., Nasri, S. and Yassa, N., 2009. Antinociceptive and anti-inflammatory effects of isolated fractions from *Apium graveolens* seeds in mice. *Pharmaceutical biology*, 47(8), pp.740-743.
- Rashid, M.A., Gustafson, K.R., Kashman, Y., Cardellina, J.H., McMahon, J.B. and Boyd, M.R., 1995. Anti-HIV alkaloids from *Toddalia asiatica*. *Natural product letters*,

- 6(2), pp.153-156.
- Rastogi, B., Tiwari, U., Dubey, A., Bawra, B., Nandini, D., Chauhan, N.S. and Saraf, D.K., 2009. Immunomodulating activity of *Cleome gynandra*. *Pharmacologyonline*, 2, pp.151-69.
- Rastogi, S., Pandey, D.N. and Singh, R.H., 2020. COVID-19 Pandemic: A pragmatic plan for Ayurveda Intervention. *Journal of Ayurveda and Integrative medicine*. doi: 10.1016/j.jaim.2020.04.002
- Ren, J.L., Zhang, A.H. and Wang, X.J., 2020. Traditional Chinese medicine for COVID-19 treatment. *Pharmacological research*, 155, p.104743.
- Renda, G., Arzu, Ö.Z.E.L., Barut, B., Korkmaz, B. and Yayli, N., 2018. In vitro protection by *Crataegus microphylla* extracts against oxidative damage and enzyme inhibition effects. *Turkish Journal of Pharmaceutical Sciences*, 15(1), p.77.
- Risaliti, L., Kehagia, A., Daoultzi, E., Lazari, D., Bergonzi, M.C., Vergkizi-Nikolakaki, S., Hadjipavlou-Litina, D. and Bilia, A.R., 2019. Liposomes loaded with *Salvia triloba* and *Rosmarinus officinalis* essential oils: In vitro assessment of antioxidant, antiinflammatory and antibacterial activities. *Journal of Drug Delivery Science and Technology*, 51, pp.493-498.
- Robinson, 2020. Everything you need to know about the COVID-19 therapy trials. The Pharmaceutical Journal. <https://www.pharmaceutical-journal.com/news-and-analysis/features/everything-you-need-to-know-about-the-covid-19-therapy-trials/20208126.article>. Accessed 21st October, 2020.
- Ryu, Y.B., Jeong, H.J., Kim, J.H., Kim, Y.M., Park, J.Y., Kim, D., Nguyen, T.T.H., Park, S.J., Chang, J.S., Park, K.H. and Rho, M.C., 2010. Biflavonoids from *Torreya nucifera* displaying SARS-CoV 3CLpro inhibition. *Bioorganic & medicinal chemistry*, 18(22), pp.7940-7947.
- Saleh, M.H., Rashedi, I. and Keating, A., 2017. Immunomodulatory properties of *Coriolus versicolor*: The role of polysaccharopeptide. *Frontiers in immunology*, 8, p.1087..
- Salzberger, B., Glück, T. and Ehrenstein, B., 2020. Successful containment of COVID-19: the WHO-Report on the COVID-19 outbreak in China. *Infection*, 48(2): 151–153.
- Samae, H., Mohsenzadegan, M., Ala, S., Maroufi, S.S. and Moradimajd, P., 2020. Tocilizumab for treatment patients with COVID-19: recommended medication for novel disease. *International Immunopharmacology*, p.107018.
- Samra, R.M., Soliman, A.F., Zaki, A.A., Hassan, M.A. and Zaghloul, A.M., 2020. Antiviral Components from *Cleome droserifolia* and *Lotus creticus*. *Indian Journal of Science and Technology*, 13(28), pp.2866-2875.
- San Chang, J., Wang, K.C., Yeh, C.F., Shieh, D.E. and Chiang, L.C., 2013. Fresh ginger (*Zingiber officinale*) has anti-viral activity against human respiratory syncytial virus in human respiratory tract cell lines. *Journal of ethnopharmacology*, 145(1), pp.146-151.
- Sanna, G., Madeddu, S., Serra, A., Collu, D., Efferth, T., Hakkim, F.L. and Rashan, L., 2019. Anti-poliovirus activity of *Nerium oleander* aqueous extract. *Natural Product Research*, pp.1-4.
- Satyal, P., Shrestha, S. and Setzer, W.N., 2015. Composition and bioactivities of an (E)- β -farnesene chemotype of chamomile (*Matricaria chamomilla*) essential oil from Nepal. *Natural Product Communications*, 10(8), p.1934578X1501000835.
- Schinella, G.R., Tournier, H.A., Prieto, J.M., De Buschiazzo, P.M. and Ríos, J.L., 2002. Antioxidant activity of anti-inflammatory plant extracts. *Life sciences*, 70(9), pp.1023-1033.
- Schlesinger, N., Firestein, B.L. and Brunetti, L., 2020. Colchicine in COVID-19: an Old Drug, New Use. *Current Pharmacology Reports*, 6(4), pp.137-145.
- Seddighfar, M., Mirghazanfari, S.M. and Dadpay, M., 2020. Analgesic and anti-inflammatory properties of hydroalcoholic extracts of *Malva sylvestris*, *Carum carvi* or *Medicago sativa*, and their combination in a rat model. *Journal of Integrative Medicine*, 18(2), pp.181-188.
- Sen, T., Nasralla, H.S. and Chaudhuri, A.N., 1995.

- Studies on the antiinflammatory and related pharmacological activities of *Psidium guajava*: a preliminary report. *Phytotherapy Research*, 9(2), pp.118-122.
- Shang, X.F., Zhao, Z.M., Li, J.C., Yang, G.Z., Liu, Y.Q., Dai, L.X., Zhang, Z.J., Yang, Z.G., Miao, X.L., Yang, C.J. and Zhang, J.Y., 2019. Insecticidal and antifungal activities of *Rheum palmatum* L. anthraquinones and structurally related compounds. *Industrial Crops and Products*, 137, pp.508-520.
- Sharma, S., Dangi, M.S., Wadhwa, S., Daniel, V. and Tiwari, A., 2010. Antibacterial activity of *Cassia tora* leaves. *Int J Pharm & Biol Arch*, 1(1), pp.84-6.
- Shebaby, W.N., 2014. *Evaluation of Antioxidant, Anticancer and Immunomodulatory Activities of Wild Carrot (Daucus carota ssp. carota) Oil and its Fractions* (Doctoral dissertation, University of Surrey (United Kingdom)).
- Sheeja, K., Shihab, P.K. and Kuttan, G., 2006. Antioxidant and anti-inflammatory activities of the plant *Andrographis paniculata* Nees. *Immunopharmacology and immunotoxicology*, 28(1), pp.129-140.
- Shen, L., Niu, J., Wang, C., Huang, B., Wang, W., Zhu, N., Deng, Y., Wang, H., Ye, F., Cen, S. and Tan, W., 2019. High-throughput screening and identification of potent broad-spectrum inhibitors of coronaviruses. *Journal of virology*, 93(12).
- Shi, M., Zhang, Z. and Yang, Y., 2013. Antioxidant and immunoregulatory activity of *Ganoderma lucidum* polysaccharide (GLP). *Carbohydrate Polymers*, 95(1), pp.200-206.
- Shin, E.M., Zhou, H.Y., Guo, L.Y., Kim, J.A., Lee, S.H., Merfort, I., Kang, S.S., Kim, H.S., Kim, S. and Kim, Y.S., 2008. Anti-inflammatory effects of glycyrol isolated from *Glycyrrhiza uralensis* in LPS-stimulated RAW264. 7 macrophages. *International immunopharmacology*, 8(11), pp.1524-1532.
- Shrestha, R.L. and Adhikari, A., 2017. Antioxidant Constituents from *Corydalis govaniana* Wall and *C. casimiriana* Duthie and Prain ex Prain. *Journal of Pharmacognosy and Phytochemistry*, 6(5), pp.568-570.
- Siddiqui, M.Z., 2011. *Boswellia serrata*, a potential antiinflammatory agent: an overview. *Indian journal of pharmaceutical sciences*, 73(3), p.255.
- Signer, J., Jonsdottir, H.R., Albrich, W.C., Strasser, M., Züst, R., Ryter, S., Ackermann-Gäumann, R., Lenz, N., Siegrist, D., Suter, A. and Schoop, R., 2020. In vitro antiviral activity of Echinaforce®, an Echinacea purpurea preparation, against common cold coronavirus 229E and highly pathogenic MERS-CoV and SARS-CoV.
- Simmons G, Zmora P, Gierer S, Heurich A, Pohlmann S (2013). Proteolytic activation of the SARS-coronavirus spike protein: cutting enzymes at the cutting edge of antiviral research. *Antiviral Research* 100 (3) : 6 0 5 - 6 1 4 . d o i : 10.1016/j.antiviral.2013.09.028
- Slighoua, M., Mahdi, I., Di Cristo, F., Amaghnoije, A., Grafov, A., Boucetta, N., Bari, A. and Bousta, D., 2020. Assessment of in vivo estrogenic and anti-inflammatory activities of the hydro-ethanolic extract and polyphenolic fraction of parsley (*Petroselinum sativum* Hoffm.). *Journal of Ethnopharmacology*, 265, p.113290.
- Sofowora EA. *Medicinal Plants and Traditional Medicine in Africa*. 2nd ed. Ibadan, Nigeria: John Wiley and Sons Ltd, Spectrum Books; 1993. pp. 55-62
- Somova, L.I., Shode, F.O., Ramnanan, P. and Nadar, A., 2003. Antihypertensive, antiatherosclerotic and antioxidant activity of triterpenoids isolated from *Olea europaea*, subspecies *africana* leaves. *Journal of ethnopharmacology*, 84(2-3), pp.299-305.
- Soumaya, B., Yosra, E., Rim, B.M., Sarra, D., Sawsen, S., Sarra, B., Kamel, M., Wissem, A.W., Isoda, H. and Wided, M.K., 2020. Preliminary phytochemical analysis, antioxidant, anti-inflammatory and anticancer activities of two Tunisian *Ephedra* species: *Ephedra alata* and *Ephedra fragilis*. *South African Journal of Botany*, 135, pp.421-428.
- Stanisavljević, I.T., Stojčević, S.S., Veličković, D.T., Lazić, M.L. and Veljković, V.B., 2008. Screening the antioxidant and

- antimicrobial properties of the extracts from plantain (*Plantago major* L.) leaves. *Separation Science and Technology*, 43(14), pp.3652-3662.
- Stohs, S.J. and Bagchi, D., 2015. Antioxidant, anti-inflammatory, and chemoprotective properties of *Acacia catechu* heartwood extracts. *Phytotherapy Research*, 29(6), pp.818-824.
- Sudira, I.W. and Merdana, I.M., 2017. Extract *Ashitaba* (*Angelica Keiskei*) Improving The Immune Response Il-2, Ifn- Γ balb/C Mice Vaccinated With Rabies Vaccine. *Journal of Veterinary and Animal Sciences*, 1(2), p. 50-54.
- Suryanarayana, L. and Banavath, D., 2020. A Review on Identification of Antiviral Potential Medicinal Plant Compounds against COVID-19. *International Journal of Research in Engineering, Science and Management*, 3(3), pp.675-679.
- Tadić, V.M., Dobrić, S., Marković, G.M., Đorđević, S.M., Arsić, I.A., Menković, N.R. and Stević, T., 2008. Anti-inflammatory, gastroprotective, free-radical-scavenging, and antimicrobial activities of hawthorn berries ethanol extract. *Journal of agricultural and food chemistry*, 56(17), pp.7700-7709.
- Takeda, Y., Murata, T., Jamsransuren, D., Suganuma, K., Kazami, Y., Batkhuu, J., Badral, D. and Ogawa, H., 2020. *Saxifraga spinulosa*-Derived Components Rapidly Inactivate Multiple Viruses Including SARS-CoV-2. *Viruses*, 12(7), p.699.
- Tchoumboungang, F., Zollo, P.A., Dagne, E. and Mekonnen, Y., 2005. In vivo antimalarial activity of essential oils from *Cymbopogon citratus* and *Ocimum gratissimum* on mice infected with *Plasmodium berghei*. *Planta medica*, 71(01), pp.20-23.
- Tepe, A.S. and Ozaslan, M., 2020. Anti-alzheimer, anti-diabetic, skin-whitening, and antioxidant activities of the essential oil of *Cinnamomum zeylanicum*. *Industrial Crops and Products*, 145, p.112069.
- Tian, S., Hu, N., Lou, J., Chen, K., Kang, X., Xiang, Z., Chen, H., Wang, D., Liu, N., Liu, D. and Chen, G., 2020. Characteristics of COVID-19 infection in Beijing. *Journal of Infection*, 80(4), pp.401-406
- Todkar, S.S., Chavan, V.V. and Kulkarni, A.S., 2010. Screening of secondary metabolites and antibacterial activity of *Acacia concinna*. *Research journal of microbiology*, 5(10), pp.974-979.
- Todorov, D., Hinkov, A., Shishkova, K. and Shishkov, S., 2014. Antiviral potential of Bulgarian medicinal plants. *Phytochemistry Reviews*, 13(2), pp.525-538.
- Torky, Z.A., 2013. Antiviral activity of polyphenols extracts from *Daucus carota* against Herpes simplex virus type 1. *TOJSAT: The Online J Sci Technol* 2013; 3 (1): 20, 32.
- Tsai, T.H., Tsai, P.J. and Ho, S.C., 2005. Antioxidant and anti-inflammatory activities of several commonly used spices. *Journal of food science*, 70(1), pp.C93-C97.
- Tsai, Y.C., Lee, C.L., Yen, H.R., Chang, Y.S., Lin, Y.P., Huang, S.H. and Lin, C.W., 2020. Antiviral action of Tryptanthrin isolated from *Strobilanthes cusia* leaf against human coronavirus NL63. *Biomolecules*, 10(3), p.366.
- Tung, N.H., Kwon, H.J., Kim, J.H., Ra, J.C., Ding, Y., Kim, J.A. and Kim, Y.H., 2010. Anti-influenza diarylheptanoids from the bark of *Alnus japonica*. *Bioorganic & medicinal chemistry letters*, 20(3), pp.1000-1003.
- ul Haq, R., Wahab, A., Ayub, K., Mehmood, K., Sherkheli, M.A., Khan, R.A. and Raza, M., 2013. Antitussive efficacy and safety profile of ethyl acetate fraction of *Terminalia chebula*. *ISRN pharmacology*, 2013.
- ul Qamar, M.T., Alqahtani, S.M., Alamri, M.A. and Chen, L.L., 2020. Structural basis of SARS-CoV-2 3CLpro and anti-COVID-19 drug discovery from medicinal plants. *Journal of pharmaceutical analysis*, 10 (4), pp. 313-319
- Ulasli, M., Gurses, S.A., Bayraktar, R., Yumrutas, O., Oztuzcu, S., Igci, M., Igci, Y.Z., Cakmak, E.A. and Arslan, A., 2014. The effects of *Nigella sativa* (Ns), *Anthemis hyalina* (Ah) and *Citrus sinensis* (Cs) extracts on the replication of coronavirus and the expression of TRP genes family. *Molecular biology reports*, 41(3), pp.1703-

- 1711.
- Upadhyay, S., Tripathi, P.K., Singh, M., Raghavendhar, S., Bhardwaj, M. and Patel, A.K., 2020. Evaluation of medicinal herbs as a potential therapeutic option against SARS-CoV-2 targeting its main protease. *Phytotherapy Research*. <https://doi.org/10.1002/ptr.6802> (Online Version of Record before inclusion in an issue)
- Uzma, M., Sunayana, N., Raghavendra, V.B., Madhu, C.S., Shanmuganathan, R. and Brindhadevi, K., 2020. Biogenic synthesis of gold nanoparticles using *Commiphora wightii* and their cytotoxic effects on breast cancer cell line (MCF-7). *Process Biochemistry*, 92, pp.269-276
- Vamvaka, E., Arcalis, E., Ramessar, K., Evans, A., O'Keefe, B.R., Shattock, R.J., Medina, V., Stöger, E., Christou, P. and Capell, T., 2016. Rice endosperm is cost-effective for the production of recombinant griffithsin with potent activity against HIV. *Plant biotechnology journal*, 14(6), pp.1427-1437.
- Vellingiri, B., Jayaramayya, K., Iyer, M., Narayanasamy, A., Govindasamy, V., Giridharan, B., Ganesan, S., Venugopal, A., Venkatesan, D., Ganesan, H. and Rajagopalan, K., 2020. COVID-19: A promising cure for the global panic. *Science of The Total Environment*, p.138277.
- Venkatesan, J., Kim, S.K. and Shim, M.S., 2016. Antimicrobial, antioxidant, and anticancer activities of biosynthesized silver nanoparticles using marine algae *Ecklonia cava*. *Nanomaterials*, 6(12), p.235.
- Vinaya, M., 2017. Bronchodilator activity of *Ocimum sanctum* Linn.(tulsi) in mild and moderate asthmatic patients in comparison with salbutamol: a single-blind cross-over study. *International Journal of Basic & Clinical Pharmacology*, 6(3), p.511.
- Vivek-Ananth, R.P., Rana, A., Rajan, N., Biswal, H.S. and Samal, A., 2020. In silico identification of potential natural product inhibitors of human proteases key to SARS-CoV-2 infection. *arXiv preprint arXiv:2006.00652*.
- Walls, A.C., Park, Y.J., Tortorici, M.A., Wall, A., McGuire, A.T., Veesler, D., 2020. Structure function and antigenicity of the SARS-CoV-2 spike glycoprotein. *Cell*, 181(2), pp.281-292.e6
- Wan, S., Xiang, Y., Fang, W., Zheng, Y., Li, B., Hu, Y., Lang, C., Huang, D., Sun, Q., Xiong, Y. and Huang, X., 2020^a. Clinical features and treatment of COVID-19 patients in northeast Chongqing. *Journal of medical virology*, pp.797-806
- Wan, Y., Shang, J., Graham, R., Baric, R.S. and Li, F., 2020^b. Receptor recognition by the novel coronavirus from Wuhan: an analysis based on decade-long structural studies of SARS coronavirus. *Journal of virology*, 94(7).
- Wen, C.C., Shyur, L.F., Jan, J.T., Liang, P.H., Kuo, C.J., Arulsevan, P., Wu, J.B., Kuo, S.C. and Yang, N.S., 2011. Traditional Chinese medicine herbal extracts of *Cibotium barometz*, *Gentiana scabra*, *Dioscorea batatas*, *Cassia tora*, and *Taxillus chinensis* inhibit SARS-CoV replication. *Journal of traditional and complementary medicine*, 1(1), pp.41-50.
- West, B.J., Jensen, C.J., Palu, A.K., Deng, S. and Wasden, J.A., Tahitian Noni International Inc, 2011. *Acai and iridoid based formulations*. U.S. Patent Application 13/032,550.
- WHO (2013). World Health Organization traditional medicine strategy: 2014 -2023 <https://www.who.int/publications/i/item/9789241506096>
- WHO (2020^a). World Health Organization. Director-General's opening remarks at the media briefing on COVID-19 - March 11th 2020 (Accessed 15th September 2020), <https://www.who.int/dg/speeches/detail/who-director-general-s-openingremarks-at-the-media-briefing-on-covid-19-11-march-2020>.
- WHO (2020^b) World Health Organization. Coronavirus symptoms. https://www.who.int/health-topics/coronavirus#tab=tab_3 Accessed 20th October, 2020.
- WHO (2021^a). World Health Organization. WHO Coronavirus (COVID-19) Dashboard | WHO Coronavirus Disease (COVID-19) Dashboard. Accessed 22nd March, 2021.
- WHO (2021^b). World Health Organization.

- Coronavirus disease (COVID-19): Vaccines (who.int). Accessed 22nd March, 2021.
- Willcox, M.L. and Bodeker, G., 2004. Traditional herbal medicines for malaria. *Bmj*, 329(7475), pp.1156-1159.
- Wu, C., Liu, Y., Yang, Y., Zhang, P., Zhong, W., Wang, Y., Wang, Q., Xu, Y., Li, M., Li, X. and Zheng, M., 2020. Analysis of therapeutic targets for SARS-CoV-2 and discovery of potential drugs by computational methods. *Acta Pharmaceutica Sinica B*. <https://doi.org/10.1016/j.apsb.2020.02.008>.
- Wu, C.C., Ko, F.N., Wu, T.S. and Teng, C.M., 1994. Antiplatelet effects of clausine-D isolated from *Clausena excavata*. *Biochimica et Biophysica Acta (BBA)-General Subjects*, 1201(1), pp.1-6.
- Xu, X., Zhang, Y., Li, X. and Li, X.X., 2020. Analysis on prevention plan of corona virus disease-19 (COVID-19) by traditional Chinese medicine in various regions. *Chin. Tradit. Herb. Drugs*, 51, pp.1-8.
- Yahya, A., Wnawa, W. and Abdullah, N.A., 2018. In vitro immuno-modulatory activity of aqueous *Quercus infectoria* gall extract. *Asian J Med Biomed*, 2(S1), p.30.
- Yang, H.K., Jung, M.H., Avunje, S., Nikapitiya, C., Kang, S.Y., Ryu, Y.B., Lee, W.S. and Jung, S.J., 2018. Efficacy of algal *Ecklonia cava* extract against viral hemorrhagic septicemia virus (VHSV). *Fish & Shellfish Immunology*, 72, pp.273-281.
- Yang, L., Cui, X.Y. and Zhang, H., 2007. Anti-inflammatory and immunomodulation effects of the extract of *Scutellaria baicalensis* Georgi. *Chin Pharm*, 18, pp.1856-7.
- Yang, X.L., Liu, D., Bian, K. and Zhang, D.D., 2013. Study on in vitro anti-inflammatory activity of total flavonoids from *Glycyrrhizae Radix et Rhizoma* and its ingredients. *Zhongguo Zhong yao za zhi= Zhongguo zhongyao zazhi= China journal of Chinese materia medica*, 38(1), p.99.
- Yang, Y., Islam, M.S., Wang, J., Li, Y. and Chen, X., 2020. Traditional Chinese medicine in the treatment of patients infected with 2019-new coronavirus (SARS-CoV-2): a review and perspective. *International journal of biological sciences*, 16(10), p.1708.
- Ye, X.Y., Ng, T.B., Tsang, P.W. and Wang, J., 2001. Isolation of a homodimeric lectin with antifungal and antiviral activities from red kidney bean (*Phaseolus vulgaris*) seeds. *Journal of protein chemistry*, 20(5), pp.367-375.
- Yin, Y. and Wunderink, R.G., 2018. MERS, SARS and other coronaviruses as causes of pneumonia. *Respirology*, 23(2), pp.130-137.
- Yoshimoto, F.K., 2020. The Proteins of Severe Acute Respiratory Syndrome Coronavirus-2 (SARS CoV-2 or n-COV19), the Cause of COVID-19. *The Protein Journal*, p.1.
- Zagórska-Dziok, M., Ziemlewska, A., Nizioł-Lukaszewska, Z. and Bujak, T., 2020. Antioxidant Activity and Cytotoxicity of *Medicago sativa* L. Seeds and Herb Extract on Skin Cells. *BioResearch Open Access*, 9(1), pp.229-242.
- Zhang, W., Du, R.H., Li, B., Zheng, X.S., Yang, X.L., Hu, B., Wang, Y.Y., Xiao, G.F., Yan, B., Shi, Z.L. and Zhou, P., 2020. Molecular and serological investigation of 2019-nCoV infected patients: implication of multiple shedding routes. *Emerging microbes & infections*, 9(1), pp.386-389.
- Zhang, B.L., Liang S.R., Zhang, J.P., 2004. Syndrome in TCM and Therapeutic Effect of Integrated Medicine in Patients with SARS. *Tianjin Journal of Traditional Chinese Medicine* 21:462-466. (Chinese)
- Zhang, B.L., Liang, S.R., Zhang, J.P., Wang, H.W., Ma, R., Sun, Z.T., Gao, X.M., Jia, Y.T., Zhang, H.L. and Zhu, Y.X., 2020. One highly suspected case of novel coronavirus pneumonia treated by Integrated Traditional Chinese and Western medicine and nucleic acid analysis. *Tianjin Journal of Traditional Chinese Medicine*. 0227, p.004.
- Zhang, J., Yamada, S., Ogihara, E., Kurita, M., Banno, N., Qu, W., Feng, F. and Akihisa, T., 2016. Biological activities of triterpenoids and phenolic compounds from *Myrica cerifera* bark. *Chemistry & biodiversity*, 13(11), pp.1601-1609.
- Zhang, L., Koyyalamudi, S.R., Jeong, S.C., Reddy,

- N., Bailey, T. and Longvah, T., 2013. Immunomodulatory activities of polysaccharides isolated from *Taxillus chinensis* and *Uncaria rhyncophylla*. *Carbohydrate polymers*, 98(2), pp.1458-1465.
- Zhang, Q., Xu, Y., Lv, J., Cheng, M., Wu, Y., Cao, K., Zhang, X., Mou, X. and Fan, Q., 2018. Structure characterization of two functional polysaccharides from *Polygonum multiflorum* and its immunomodulatory. *International journal of biological macromolecules*, 113, pp.195-204.
- Zhang, W., Tao, J., Yang, X., Yang, Z., Zhang, L., Liu, H., Wu, K. and Wu, J., 2014. Antiviral effects of two *Ganoderma lucidum* triterpenoids against enterovirus 71 infection. *Biochemical and biophysical research communications*, 449(3), pp.307-312.
- Zhao, G.R., Xiang, Z.J., Ye, T.X., Yuan, Y.J. and Guo, Z.X., 2006. Antioxidant activities of *Salvia miltiorrhiza* and *Panax notoginseng*. *Food chemistry*, 99(4), pp.767-774.
- Zhao, Z., Xiao, J., Wang, J., Dong, W., Peng, Z. and An, D., 2015. Anti-inflammatory effects of novel sinomenine derivatives. *International Immunopharmacology*, 29(2), pp.354-360.
- Zhao Y, Zhao Z, Wang Y, Zhou Y, Ma Y, Zuo W 2020. Single-Cell RNA Expression Profiling of ACE2, the Receptor of SARS-CoV-2. *American Journal of Respiratory and Critical Care Medicine*, 202(5) pp. 756-759.
- Zheng, L.J., Luo, Y.P., Wang, Y.J., Xing-Guo, H.U., Zhi-Qing, W.U. and Bao, F.K., 2011. Advances in the study of the antibacterial and anti-inflammatory action of *Galla chinensis*. *Journal of Pathogen Biology*, 6(11), pp.868-1105.
- Zhong, T., Zhang, L.Y., Wang, Z.Y., Wang, Y., Song, F.M., Zhang, Y.H. and Yu, J.H., 2017. Rheum emodin inhibits enterovirus 71 viral replication and affects the host cell cycle environment. *Acta Pharmacologica Sinica*, 38(3), pp.392-401.
- Zubair, M., Widén, C., Renvert, S. and Rumpunen, K., 2019. Water and ethanol extracts of *Plantago major* leaves show anti-inflammatory activity on oral epithelial cells. *Journal of traditional and complementary medicine*, 9(3), pp.169-171.