

Principles and Applications of Nonlinear Optical Materials

Edited by

R. W. MUNN

Department of Chemistry

UMIST

Manchester

and

C. N. IRONSIDE

Department of Electronics and Electrical Engineering

University of Glasgow



BLACKIE ACADEMIC & PROFESSIONAL

An Imprint of Chapman & Hall

London · Glasgow · New York · Tokyo · Melbourne · Madras

Published in the USA and Canada by CRC Press Inc.
Boca Raton, Florida

Contents

| | | |
|----------|--|-----------|
| 1 | Introduction | 1 |
| | R. W. MUNN and C. N. IRONSIDE | |
| 2 | Nonlinear optical phenomena | 5 |
| | R. W. MUNN | |
| | 2.1 General description | 5 |
| | 2.2 Harmonic generation | 8 |
| | 2.3 Electro-optic effects | 11 |
| | 2.4 Intensity-dependent refractive index | 13 |
| | 2.5 Frequency mixing | 15 |
| | 2.6 Units and dimensions | 17 |
| | References | 19 |
| 3 | Nonlinear optical devices | 20 |
| | C. N. IRONSIDE | |
| | 3.1 Introduction | 20 |
| | 3.2 Devices based on second-order effects | 21 |
| | 3.2.1 Second-harmonic generation | 21 |
| | 3.3 Devices based on third-order effects | 25 |
| | 3.3.1 Soliton transmission | 26 |
| | 3.3.2 All-optical switching devices | 28 |
| | 3.4 Conclusion | 33 |
| | References | 33 |
| 4 | Optical nonlinear effects in semiconductors | 35 |
| | C. N. IRONSIDE | |
| | 4.1 Introduction | 35 |
| | 4.2 Linear optical properties of semiconductors | 37 |
| | 4.2.1 Interband absorption | 38 |
| | 4.2.2 Excitonic absorption | 41 |
| | 4.3 Nonresonant third-order nonlinear optical effects | 43 |
| | 4.3.1 Measurement of third-order optical nonlinearities in semiconductors | 47 |
| | 4.4 All-optical switching devices employing optical nonlinearities in semiconductors | 51 |
| | 4.5 Resonant optical nonlinearities | 52 |
| | 4.6 Low-dimensional semiconductors | 56 |
| | 4.7 Carrier confinement | 58 |
| | 4.8 Two-dimensional density of states | 61 |
| | 4.8.1 Excitons in 2D confined semiconductors | 63 |
| | 4.9 Nonlinear optical effects in low-dimensional semiconductors | 64 |
| | 4.10 Second-order optical nonlinearities in semiconductors | 68 |
| | 4.11 Conclusion | 72 |
| | References | 73 |

| | |
|--|------------|
| 5 Nonlinear glasses | 76 |
| J. S. AITCHISON | |
| 5.1 Introduction | 76 |
| 5.2 Origins of the nonlinearity in glasses | 77 |
| 5.2.1 Resonant nonlinearities | 77 |
| 5.2.2 Two-photon absorption | 80 |
| 5.2.3 Nonresonant nonlinearities | 80 |
| 5.2.4 Photo-refractive glasses | 84 |
| 5.2.5 Second-harmonic generation | 85 |
| 5.3 Applications of nonlinear glasses | 86 |
| 5.3.1 Optical pulse compression | 88 |
| 5.3.2 Temporal solitons | 90 |
| 5.3.3 All-optical switching | 91 |
| 5.4 Conclusions | 95 |
| References | 96 |
| 6 Novel nonlinear crystals | 99 |
| M. EBRAHIMZADEH and A. I. FERGUSON | |
| 6.1 Introduction | 99 |
| 6.2 Nonlinear background | 100 |
| 6.2.1 Wave propagation in nonlinear media | 101 |
| 6.2.2 Wave equation for three-wave mixing | 102 |
| 6.2.3 Effects of phase-mismatch on nonlinear interactions | 104 |
| 6.2.4 Phase-matching | 105 |
| 6.2.5 Double refraction in crystals | 110 |
| 6.2.6 The nonlinear susceptibility tensor and its symmetry | 112 |
| 6.3 Nonlinear materials | 117 |
| 6.3.1 General requirements | 118 |
| 6.3.2 Urea | 120 |
| 6.3.3 Barium borate | 122 |
| 6.3.4 Potassium titanyl phosphate | 127 |
| 6.3.5 Lithium triborate | 131 |
| 6.3.6 Other nonlinear materials | 137 |
| References | 138 |
| 7 Molecular crystals | 143 |
| R. T. BAILEY, F. R. CRUICKSHANK, P. J. HALFPENNY, D. PUGH, J. N. SHERWOOD and G. S. SIMPSON | |
| 7.1 Molecular polarizability and hyperpolarizability | 143 |
| 7.2 Unsaturated organic molecules: intramolecular charge-transfer complexes | 147 |
| 7.3 Measurement of molecular hyperpolarizabilities | 152 |
| 7.4 Nonlinear optics of the crystal lattice | 154 |
| 7.5 Characterization of second-order optically nonlinear organic crystals | 155 |
| 7.6 Typical nonlinear organic crystals | 162 |
| 7.6.1 3-Nitroaniline | 162 |
| 7.6.2 2-Methyl-4-nitroaniline | 163 |
| 7.6.3 3-Methyl-4-nitropyridine-N-oxide | 163 |
| 7.6.4 (-)-2- α -Methylbenzylamino-5-nitropyridine | 163 |
| 7.6.5 4-N,N-Dimethylamino-3-acetomidonitrobenzene | 166 |
| 7.6.6 4-Nitro-4'-methylbenzylideneaniline | 167 |
| 7.7 Purification of organic nonlinear optical materials | 170 |
| 7.8 Crystal growth | 171 |
| 7.8.1 Melt growth | 172 |

| | | |
|----------|--|------------|
| 7.8.2 | Growth from solution | 175 |
| 7.8.3 | Vapour growth | 177 |
| 7.9 | Structural assessment | 178 |
| 7.9.1 | Defect etching | 179 |
| 7.9.2 | X-ray diffraction topography | 180 |
| 7.10 | Organic crystals in waveguide device formats | 182 |
| 7.10.1 | Thin-film waveguides | 182 |
| 7.10.2 | Crystal-cored fibre | 183 |
| 7.10.3 | Organic channel waveguides | 184 |
| 7.11 | Conclusions | 185 |
| | References | 185 |
| 8 | Polymers | 189 |
| | G. H. CROSS | |
| 8.1 | Chemistry and general properties | 190 |
| 8.1.1 | Synthesis | 191 |
| 8.1.2 | Structure and phase transitions | 192 |
| 8.2 | Nonlinear optical effects | 193 |
| 8.2.1 | Second-order effects | 194 |
| 8.2.2 | Third-order effects | 206 |
| 8.3 | Applications | 219 |
| 8.3.1 | Slab waveguides | 220 |
| 8.3.2 | Channel confinement | 220 |
| 8.3.3 | Figures of merit and polymers | 221 |
| | References | 223 |
| 9 | Langmuir-Blodgett films | 226 |
| | P. HODGE and N. B. McKEOWN | |
| 9.1 | Synthesis, characterization and properties of Langmuir-Blodgett film materials | 226 |
| 9.1.1 | Preparation | 226 |
| 9.1.2 | Characterization | 232 |
| 9.1.3 | Properties | 234 |
| 9.2 | Nonlinear optical properties | 239 |
| 9.2.1 | Second-harmonic generation | 239 |
| 9.2.2 | Third-harmonic generation | 245 |
| 9.3 | Future prospects | 246 |
| | References | 247 |
| | Index | 251 |