

# Principles of Nuclear Magnetic Resonance in One and Two Dimensions

Richard R. Ernst, Geoffrey Bodenhausen,  
and Alexander Wokaun

*Laboratorium für Physikalische Chemie  
Eidgenössische Technische Hochschule  
Zürich*

CLARENDON PRESS · OXFORD

## CONTENTS

|   |     |
|---|-----|
| SYMBOLS, TRANSFORMATIONS, AND ABBREVIATIONS                   | xix |
| 1. INTRODUCTION   | 1   |
| 2. THE DYNAMICS OF NUCLEAR SPIN SYSTEMS                       | 9   |
| 2.1. Equation of motion                                       | 9   |
| 2.1.1. Density operator                                       | 9   |
| 2.1.1.1. Density operator equation                            | 12  |
| 2.1.1.2. Expectation values                                   | 13  |
| 2.1.1.3. Schrödinger and Heisenberg representation            | 13  |
| 2.1.1.4. Reduced spin density operator                        | 14  |
| 2.1.2. Explicit matrix representation of the master equations | 15  |
| 2.1.3. Liouville operator space                               | 17  |
| 2.1.4. Superoperators   | 19  |
| 2.1.4.1. Commutator superoperators                            | 20  |
| 2.1.4.2. Unitary transformation superoperators                | 20  |
| 2.1.4.3. Projection superoperators                            | 21  |
| 2.1.4.4. General representation of superoperators             | 23  |
| 2.1.4.5. Matrix representation of a superoperator             | 23  |
| 2.1.4.6. Eigenvalues and eigenoperators of superoperators     | 24  |
| 2.1.4.7. Superoperator algebra                                | 25  |
| 2.1.5. Products of Cartesian spin operators                   | 25  |
| 2.1.5.1 Systems of spins $I = \frac{1}{2}$                    | 26  |
| 2.1.5.2 Systems containing spins $S > \frac{1}{2}$            | 29  |
| 2.1.6. Products involving shift operators                     | 32  |
| 2.1.7. Polarization operators                                 | 33  |
| 2.1.8. Cartesian single-transition operators                  | 34  |
| 2.1.9. Single-transition shift operators                      | 38  |
| 2.1.10. Irreducible tensor operators                          | 40  |
| 2.1.11. Coherence transfer                                    | 43  |
| 2.2. The nuclear spin Hamiltonian                             | 44  |
| 2.2.1. Interactions of nuclear spins                          | 44  |
| 2.2.1.1. Interactions linear in the spin operators            | 44  |
| 2.2.1.2. Interactions bilinear in the spin operators          | 46  |
| 2.2.1.3. Interactions quadratic in the spin operators         | 48  |
| 2.3. The relaxation superoperator                             | 49  |
| 2.3.1. Semi-classical relaxation theory                       | 50  |
| 2.3.1.1. Restriction to secular contributions                 | 52  |
| 2.3.1.2. Extreme narrowing                                    | 52  |
| 2.3.2. Matrix representation of the relaxation superoperator  | 53  |
| 2.3.3. Specific relaxation mechanisms                         | 55  |
| 2.3.3.1. First-rank relaxation mechanisms                     | 55  |
| 2.3.3.2. Second-rank relaxation mechanisms                    | 56  |
| 2.4. Spin dynamics due to chemical reactions                  | 57  |
| 2.4.1. Description of reaction networks in classical kinetics | 58  |

|           |  |           |
|-----------|--|-----------|
| 2.4.2.    | Exchange in systems without spin–spin couplings                                | 60        |
| 2.4.2.1.  | Modified Bloch equations for first-order reactions                             | 61        |
| 2.4.2.2.  | Higher-order reactions for spin systems without spin–spin couplings            | 63        |
| 2.4.3.    | Density operator description of exchanging systems with spin–spin couplings    | 64        |
| 2.4.4.    | Density operator equation and exchange superoperator for first-order reactions | 68        |
| <b>3.</b> | <b>MANIPULATION OF NUCLEAR SPIN HAMILTONIANS</b>                               | <b>70</b> |
| 3.1.      | The tools for manipulations  | 70        |
| 3.2.      | Average Hamiltonian theory   | 71        |
| 3.2.1.    | Exact calculation of $\bar{\mathcal{H}}$                                       | 72        |
| 3.2.2.    | Cumulant expansion of the propagator   | 72        |
| 3.2.3.    | Averaging by time-dependent perturbations                                      | 75        |
| 3.2.4.    | Truncation of internal Hamiltonians  | 79        |
| 3.2.5.    | Floquet theory   | 81        |
| 3.3.      | Average Hamiltonian due to aperiodic perturbations                             | 83        |
| 3.3.1.    | General condition for an average Hamiltonian                                   | 84        |
| 3.3.2.    | Average Hamiltonian in spin-echo experiments                                   | 86        |
| 3.3.3.    | Cancellation of irrelevant terms   | 88        |
| <b>4.</b> | <b>ONE-DIMENSIONAL FOURIER SPECTROSCOPY</b>                                    | <b>91</b> |
| 4.1.      | Response theory  | 92        |
| 4.1.1.    | Linear response theory   | 93        |
| 4.1.2.    | Time and frequency domains   | 96        |
| 4.1.3.    | Linear data-processing   | 99        |
| 4.1.3.1.  | Apodization  | 101       |
| 4.1.3.2.  | Resolution enhancement   | 106       |
| 4.1.4.    | Non-linear response theory   | 109       |
| 4.1.5.    | Quantum-mechanical response theory   | 111       |
| 4.1.6.    | Stochastic response theory   | 112       |
| 4.2.      | Classical description of Fourier spectroscopy                                  | 115       |
| 4.2.1.    | Bloch equations in the rotating frame  | 116       |
| 4.2.2.    | Ideal pulse experiment   | 118       |
| 4.2.3.    | Off-resonance effects due to finite pulse amplitude                            | 119       |
| 4.2.4.    | Longitudinal interference in repetitive pulse experiments                      | 124       |
| 4.2.5.    | Transverse interference in repetitive pulse experiments                        | 125       |
| 4.2.6.    | Remedies for phase and intensity anomalies due to transverse interference      | 131       |
| 4.2.6.1.  | Quenching of transverse magnetization by magnetic field gradient pulses        | 131       |
| 4.2.6.2.  | Scrambling of transverse interference by random pulse intervals                | 132       |
| 4.2.6.3.  | Quadriga Fourier spectroscopy  | 132       |
| 4.2.6.4.  | Four-phase Fourier spectroscopy  | 133       |
| 4.2.6.5.  | Phase-alternated pulse sequences   | 133       |

|  |     |
|--|-----|
| 4.2.7. Remedies for anomalies due to non-ideal pulses: composite pulses              | 133 |
| 4.2.7.1. Minimum residual $M_z$ component after a $\pi/2$ -pulse                     | 136 |
| 4.2.7.2. Minimum phase dispersion of transverse magnetization after a $\pi/2$ -pulse | 137 |
| 4.2.7.3. Accurate inversion: sequences optimized by calculation of trajectories      | 137 |
| 4.2.7.4. Recursive expansion procedures  | 140 |
| 4.2.7.5. Accurate refocusing   | 144 |
| 4.2.7.6. Composite $z$ -pulses   | 145 |
| 4.2.7.7. Cyclic composite pulses   | 146 |
| 4.3 Sensitivity of Fourier spectroscopy  | 148 |
| 4.3.1. Signal-to-noise ratio of Fourier spectra                                      | 148 |
| 4.3.1.1. The signal  | 148 |
| 4.3.1.2. The noise   | 150 |
| 4.3.1.3. The sensitivity   | 151 |
| 4.3.1.4. Optimization of the weighting function                                      | 152 |
| 4.3.1.5. Optimization of the signal energy   | 153 |
| 4.3.2. Signal-to-noise ratio in slow-passage spectra                                 | 155 |
| 4.3.3. Sensitivity comparison of Fourier and slow-passage experiments                | 156 |
| 4.3.4. Sensitivity enhancement by recycling of magnetization                         | 157 |
| 4.4 Quantum-mechanical description of Fourier spectroscopy                           | 158 |
| 4.4.1. Density operator formalism applied to Fourier spectroscopy                    | 159 |
| 4.4.2. Equivalence of slow-passage and Fourier spectroscopy                          | 162 |
| 4.4.2.1. Fourier spectroscopy  | 163 |
| 4.4.2.2. Slow-passage spectroscopy   | 163 |
| 4.4.2.3. Comparison of Fourier and slow-passage spectra                              | 164 |
| 4.4.3. Fourier spectroscopy of non-equilibrium systems                               | 165 |
| 4.4.4. Selective and semi-selective pulses   | 171 |
| 4.4.5. Identification of the terms in the density operator                           | 173 |
| 4.4.6. Composite rotations   | 177 |
| 4.4.6.1. Intervals with a central refocusing pulse                                   | 177 |
| 4.4.6.2. Bilinear rotations with transverse components                               | 178 |
| 4.4.6.3. Sequences without 'sandwich symmetry'                                       | 178 |
| 4.4.6.4. Phase cycles  | 179 |
| 4.4.6.5. Phase shifts and r.f. rotation angles                                       | 179 |
| 4.4.6.6. Heteronuclear systems   | 180 |
| 4.5. Heteronuclear polarization transfer   | 180 |
| 4.5.1. Transfer of spin order  | 182 |
| 4.5.2. Polarization transfer by nuclear Overhauser effect                            | 184 |
| 4.5.3. Cross-polarization in the rotating frame                                      | 185 |
| 4.5.4. Adiabatic polarization transfer   | 191 |
| 4.5.5. Polarization transfer by radio-frequency pulses                               | 192 |
| 4.5.6. Editing procedures based on polarization transfer                             | 198 |
| 4.6. Investigation of dynamic processes, relaxation, and chemical exchange           | 201 |

|           |  |            |
|-----------|--|------------|
| 4.6.1.    | Longitudinal relaxation  | 202        |
| 4.6.1.1.  | Inversion recovery methods   | 203        |
| 4.6.1.2.  | Saturation recovery methods  | 204        |
| 4.6.1.3.  | Progressive saturation   | 205        |
| 4.6.1.4.  | Selective perturbations  | 205        |
| 4.6.2.    | Transverse relaxation  | 206        |
| 4.6.3.    | Chemical reactions and exchange processes                                  | 209        |
| 4.6.3.1.  | One-sided first-order reaction   | 211        |
| 4.6.3.2.  | Two-sided first-order reaction   | 215        |
| 4.6.3.3.  | Transient chemical reactions with coupled spin systems                     | 217        |
| 4.6.3.4.  | Experimental preparation of chemical non-equilibrium states                | 219        |
| 4.7.      | Fourier double resonance   | 220        |
| 4.7.1.    | Theoretical formulation of Fourier double resonance                        | 222        |
| 4.7.1.1.  | Double-resonance irradiation during detection                              | 223        |
| 4.7.1.2.  | Continuous Fourier double resonance  | 225        |
| 4.7.2.    | Fourier double resonance of two coupled spins $I = 1/2$                    | 226        |
| 4.7.2.1.  | Strong coupling  | 226        |
| 4.7.2.2.  | Weak coupling  | 227        |
| 4.7.3.    | Spin tickling  | 230        |
| 4.7.4.    | Spin decoupling treated by average Hamiltonian theory                      | 232        |
| 4.7.4.1.  | Heteronuclear spin decoupling  | 233        |
| 4.7.4.2.  | Off-resonance decoupling   | 234        |
| 4.7.5.    | Time-shared decoupling   | 236        |
| 4.7.6.    | Broadband decoupling and scaling of heteronuclear interactions             | 237        |
| 4.7.6.1.  | Multiple-pulse decoupling techniques                                       | 238        |
| 4.7.6.2.  | Scaling of heteronuclear couplings   | 238        |
| 4.7.7.    | Illusions of decoupling  | 239        |
| <b>5.</b> | <b>MULTIPLE-QUANTUM TRANSITIONS</b>  | <b>242</b> |
| 5.1.      | Number of transitions  | 244        |
| 5.2.      | Detection of multiple-quantum transitions by continuous-wave NMR           | 247        |
| 5.2.1.    | Intensity of multiple-quantum transitions                                  | 250        |
| 5.2.2.    | Saturation of multiple-quantum transitions                                 | 251        |
| 5.2.3.    | Level shift of multiple-quantum transitions                                | 252        |
| 5.2.4.    | Line-widths of multiple-quantum transitions                                | 254        |
| 5.2.5.    | Applications of CW multiple-quantum NMR                                    | 255        |
| 5.3.      | Time-domain multiple-quantum spectroscopy                                  | 256        |
| 5.3.1.    | Excitation and detection of multiple-quantum coherence                     | 257        |
| 5.3.1.1.  | Non-selective pulses   | 258        |
| 5.3.1.2.  | Selective single-quantum pulses  | 261        |
| 5.3.1.3.  | Selective multiple-quantum pulses  | 261        |
| 5.3.1.4.  | Spin-connectivity selective excitation                                     | 263        |
| 5.3.1.5.  | Selective excitation of specific orders                                    | 265        |
| 5.3.2.    | Offset-dependence of multiple-quantum frequencies and separation of orders | 265        |
| 5.3.3.    | Structure of multiple-quantum spectra                                      | 270        |
| 5.3.4.    | Multiple-quantum double resonance  | 273        |

|          |  |     |
|----------|--|-----|
| 5.4.     | Relaxation of multiple-quantum coherence   | 274 |
| 5.4.1.   | Correlated external random fields  | 274 |
| 5.4.2.   | Quadrupolar relaxation   | 276 |
| 5.4.3.   | Measurement of multiple-quantum relaxation rates and effects of magnetic field inhomogeneity | 278 |
| 6.       | TWO-DIMENSIONAL FOURIER SPECTROSCOPY   | 283 |
| 6.1.     | Basic principles   | 283 |
| 6.2.     | Formal theory of two-dimensional spectroscopy  | 287 |
| 6.2.1.   | Explicit matrix representation   | 289 |
| 6.2.2.   | Expansion of the density operator in single-transition operators                             | 291 |
| 6.3.     | Coherence transfer pathways  | 292 |
| 6.3.1.   | Selection of pathways  | 294 |
| 6.3.2.   | Multiple transfer  | 298 |
| 6.4.     | Two-dimensional Fourier transformation   | 301 |
| 6.4.1.   | Properties of the complex two-dimensional Fourier transformation                             | 302 |
| 6.4.1.1. | Vector notation  | 302 |
| 6.4.1.2. | Similarity theorem   | 303 |
| 6.4.1.3. | Convolution theorem  | 303 |
| 6.4.1.4. | Power theorem  | 304 |
| 6.4.1.5. | Projection cross-section theorem   | 304 |
| 6.4.1.6. | Kramers–Kronig relations in two dimensions   | 306 |
| 6.4.2.   | Hypercomplex two-dimensional Fourier transformation  | 307 |
| 6.5.     | Peak shapes in two-dimensional spectra   | 309 |
| 6.5.1.   | Basic peakshapes   | 310 |
| 6.5.2.   | Inhomogeneous broadening and interference of neighbouring peaks                              | 312 |
| 6.5.3.   | Techniques for obtaining pure two-dimensional absorption peaks                               | 317 |
| 6.5.3.1. | Real Fourier transformation in $t_1$   | 317 |
| 6.5.3.2. | Time-reversal in a complementary experiment  | 323 |
| 6.5.3.3. | Combination of two experiments in quadrature   | 323 |
| 6.5.4.   | Absolute-value spectra   | 326 |
| 6.5.5.   | Projections of two-dimensional spectra   | 327 |
| 6.5.6.   | Two-dimensional filtering  | 329 |
| 6.5.6.1. | Matched filter   | 331 |
| 6.5.6.2. | Lorentz–Gauss transformation   | 331 |
| 6.5.6.3. | Pseudo-echo transformation   | 333 |
| 6.6.     | Manipulations of two-dimensional spectra   | 336 |
| 6.6.1.   | Shearing transformations   | 336 |
| 6.6.2.   | Delayed acquisition  | 338 |
| 6.6.3.   | Time-proportional phase increments   | 340 |
| 6.6.4.   | Symmetrization   | 341 |
| 6.6.5.   | Pattern recognition  | 343 |
| 6.6.6.   | Single-channel detection   | 346 |
| 6.7.     | Operator terms and multiplet structures in two-dimensional spectra                           | 347 |
| 6.8.     | Sensitivity of two-dimensional spectra   | 349 |
| 6.8.1.   | The signal envelope  | 349 |

|           |  |            |
|-----------|--|------------|
| 6.8.2.    | Thermal noise and $t_1$ -noise   | 351        |
| 6.8.3.    | Sensitivity  | 352        |
| 6.8.4.    | Comparison of the sensitivities of one- and two-dimensional experiments                                    | 353        |
| 6.8.5.    | Optimization of two-dimensional experiments  | 354        |
| 6.8.5.1.  | Low resolution in the $\omega_1$ -domain   | 355        |
| 6.8.5.2.  | High resolution in the $\omega_1$ -domain  | 355        |
| 6.8.5.3.  | Practical recommendations  | 357        |
| <b>7.</b> | <b>TWO-DIMENSIONAL SEPARATION OF INTERACTIONS</b>  | <b>358</b> |
| 7.1.      | Basic principles   | 358        |
| 7.2.      | Separation of chemical shifts and scalar couplings in isotropic phase                                      | 360        |
| 7.2.1.    | Homonuclear systems  | 360        |
| 7.2.2.    | Two-dimensional separation in heteronuclear systems  | 366        |
| 7.2.2.1.  | Separation of $S$ -spin multiplets and $S$ -spin chemical shifts   | 367        |
| 7.2.2.2.  | Removal of the chemical shifts from the $\omega_1$ -domain by shearing of the two-dimensional spectrum     | 368        |
| 7.2.2.3.  | Separation of $S$ -spin multiplets vs. $S$ -spin chemical shifts by refocusing and gated coupling          | 369        |
| 7.2.2.4.  | Separation of $S$ -spin multiplets vs. $S$ -spin chemical shifts by refocusing and inversion of $I$ nuclei | 370        |
| 7.2.2.5.  | Separation of $S$ -spin multiplets due to coupling to a selected $I$ -spin vs. $S$ -spin chemical shifts   | 370        |
| 7.2.2.6.  | Separation of long-range $IS$ couplings vs. $S$ -spin chemical shifts                                      | 370        |
| 7.2.2.7.  | Separation of one-bond $IS$ couplings vs. $S$ -spin chemical shifts  | 372        |
| 7.2.2.8.  | Artifacts  | 373        |
| 7.2.2.9.  | Pure two-dimensional absorption  | 374        |
| 7.2.3.    | Strong coupling effects in refocusing experiments  | 374        |
| 7.2.4.    | Echo modulation by non-resonant nuclei   | 381        |
| 7.3.      | Separation of chemical shifts and dipolar couplings in oriented phase                                      | 383        |
| 7.3.1.    | Homonuclear separated local field spectra  | 383        |
| 7.3.2.    | Heteronuclear separated local field spectra  | 384        |
| 7.3.3.    | Correlation of chemical shielding and dipolar coupling tensors in static powders                           | 387        |
| 7.3.3.1.  | Full simulation of powder spectra  | 390        |
| 7.3.3.2.  | Ridge plots  | 391        |
| 7.3.4.    | Separation of $\mathcal{H}_{IS}$ and $\mathcal{H}_{ZS}$ under magic-angle spinning conditions              | 393        |
| 7.4.      | Separation of isotropic and anisotropic chemical shifts  | 396        |
| 7.4.1.    | Rotation-synchronized pulses   | 397        |
| 7.4.2.    | Synchronous sampling with scaling  | 397        |
| 7.4.3.    | Magic-angle flipping   | 398        |
| 7.4.4.    | Magic-angle hopping  | 399        |

|          |   |     |
|----------|---|-----|
| 8.       | TWO-DIMENSIONAL CORRELATION METHODS<br>BASED ON COHERENCE TRANSFER                                | 400 |
| 8.1.     | Coherence transfer in two-dimensional correlation spectroscopy:<br>amplitudes and selection rules | 402 |
| 8.2.     | Homonuclear two-dimensional correlation spectroscopy  | 405 |
| 8.2.1.   | Weakly coupled two-spin systems   | 406 |
| 8.2.2.   | Applications to complicated spectra   | 411 |
| 8.2.3.   | Connectivity and multiplet effects in weakly coupled<br>systems                                   | 414 |
| 8.2.4.   | Strong coupling in two-dimensional correlation<br>spectroscopy                                    | 422 |
| 8.2.5.   | Magnetic equivalence  | 426 |
| 8.3.     | Modified two-dimensional correlation experiments  | 427 |
| 8.3.1.   | Delayed acquisition: spin-echo correlation spectroscopy   | 428 |
| 8.3.2.   | Constant-time correlation spectroscopy: $\omega_1$ -decoupling                                    | 429 |
| 8.3.3.   | Filtering and editing   | 431 |
| 8.3.3.1. | Multiple-quantum filtering  | 434 |
| 8.3.3.2. | $p$ -Spin-filters   | 438 |
| 8.3.3.3. | Filtering according to coupling network<br>connectivity   | 438 |
| 8.3.4.   | Relayed coherence transfer  | 440 |
| 8.3.5.   | Coherence transfer by an average Hamiltonian in total<br>correlation spectroscopy                 | 444 |
| 8.4.     | Homonuclear two-dimensional multiple-quantum spectroscopy   | 449 |
| 8.4.1.   | Excitation and detection of multiple-quantum coherence  | 449 |
| 8.4.2.   | Double-quantum spectra of two-spin systems  | 451 |
| 8.4.3.   | Multiple-quantum spectra of scalar-coupled networks in<br>isotropic phase                         | 456 |
| 8.4.4.   | Multiple-quantum spectra of dipole-coupled nuclei in<br>anisotropic phase                         | 463 |
| 8.4.5.   | Double-quantum spectra of quadrupolar nuclei with<br>$S = 1$ in anisotropic phase                 | 465 |
| 8.5.     | Heteronuclear coherence transfer  | 467 |
| 8.5.1.   | Sensitivity considerations  | 468 |
| 8.5.2.   | Coherence transfer pathways   | 470 |
| 8.5.3.   | Heteronuclear two-dimensional correlation spectroscopy<br>in isotropic phase                      | 471 |
| 8.5.3.1. | Transfer of in-phase magnetization  | 473 |
| 8.5.3.2. | Broadband decoupling  | 474 |
| 8.5.3.3. | Decoupling by refocusing pulses   | 475 |
| 8.5.3.4. | Bilinear rotation decoupling  | 475 |
| 8.5.3.5. | Editing of heteronuclear correlation spectra  | 477 |
| 8.5.4.   | Relayed heteronuclear correlation spectroscopy  | 479 |
| 8.5.5.   | Heteronuclear correlation experiments involving double<br>transfer                                | 482 |
| 8.5.6.   | Heteronuclear correlation in solids   | 485 |
| 9.       | DYNAMIC PROCESSES STUDIED BY<br>TWO-DIMENSIONAL EXCHANGE SPECTROSCOPY                             | 490 |
| 9.1.     | Polarization transfer in one- and two-dimensional methods   | 490 |
| 9.2.     | Selection of coherence transfer pathways  | 494 |

|                   |  |     |
|-------------------|--|-----|
| 9.3.              | Cross-relaxation and exchange in systems without resolved couplings          | 495 |
| 9.3.1.            | Slow exchange  | 498 |
| 9.3.2.            | Two-site systems   | 499 |
| 9.3.3.            | Multiple-site exchange   | 500 |
| 9.4.              | Two-dimensional exchange spectroscopy in coupled spin systems                | 501 |
| 9.4.1.            | Density operator treatment   | 502 |
| 9.4.2.            | Zero-quantum interference  | 503 |
| 9.4.3.            | Longitudinal scalar or dipolar order   | 506 |
| 9.4.4.            | Suppression of $J$ cross-peaks   | 506 |
| 9.5.              | Two-dimensional exchange difference spectroscopy                             | 508 |
| 9.6.              | Determination of rate constants by 'accordion' spectroscopy                  | 510 |
| 9.7.              | Cross-relaxation and nuclear Overhauser effects                              | 516 |
| 9.7.1.            | Intramolecular cross-relaxation  | 517 |
| 9.7.2.            | Intramolecular cross-relaxation in a two-spin system                         | 519 |
| 9.7.3.            | Intramolecular cross-relaxation in a system with equivalent spins            | 521 |
| 9.7.4.            | Intermolecular cross-relaxation  | 522 |
| 9.7.5.            | Cross-relaxation in the slow-motion limit: applications to macromolecules    | 523 |
| 9.8.              | Chemical exchange  | 528 |
| 9.9.              | Indirect detection of longitudinal relaxation in multilevel spin systems     | 530 |
| 9.10.             | Dynamic processes in solids  | 533 |
| 10.               | <b>NUCLEAR MAGNETIC RESONANCE IMAGING</b>                                    | 539 |
| 10.1.             | Classification of imaging techniques   | 541 |
| 10.2.             | Sequential point techniques  | 542 |
| 10.2.1.           | Sensitive point technique  | 542 |
| 10.2.2.           | Field focusing NMR (FONAR) and topical NMR                                   | 544 |
| 10.3.             | Sequential line technique  | 545 |
| 10.3.1.           | Sensitive line or multiple sensitive point method                            | 545 |
| 10.3.2.           | Line scan technique  | 547 |
| 10.3.3.           | Echo line imaging  | 548 |
| 10.4.             | Sequential plane technique   | 548 |
| 10.4.1.           | Projection-reconstruction technique  | 549 |
| 10.4.2.           | Fourier imaging  | 553 |
| 10.4.3.           | Spin-warp imaging  | 554 |
| 10.4.4.           | Rotating-frame imaging   | 556 |
| 10.4.5.           | Planar and multiplanar imaging   | 557 |
| 10.4.6.           | Echo planar imaging  | 559 |
| 10.5.             | Comparison of sensitivity and performance time of various imaging techniques | 560 |
| 10.5.1.           | Sensitivity  | 560 |
| 10.5.2.           | Performance time   | 563 |
| <b>REFERENCES</b> |  | 565 |
| <b>INDEX</b>      |  | 597 |